

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending January 14, 1997.

### BANKING INSTITUTIONS

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-8-97	Clearfield Bank and Trust Company Clearfield Clearfield County  Purchase of assets/asumption of liabilities of one branch office of Mid-State Bank and Trust Company, Altoona, located at: 1925 Daisy Street Clearfield Clearfield County	Clearfield	Approved
1-9-97	Pennwood Savings Bank, Pittsburgh, and Pennwood Interim Savings Bank, Pittsburgh surviving institution— Pennwood Savings Bank, Pittsburgh  Subject merger is being effected solely to facilitate the acquisition of Pennwood Savings Bank, Pittsburgh, by Pennwood Bancorp, Inc., Pittsburgh, a bank holding company in organization.	Pittsburgh	Filed
1-9-97	S & T Bank, Indiana, and Peoples Bank of Unity, Pittsburgh surviving institution— S & T Bank, Indiana	Indiana	Filed

#### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-6-97	First Commonwealth Bank Indiana Indiana County	2009 Pleasant Valley Boulevard Altoona Blair County	Opened
1-6-97	Iron and Glass Bank Pittsburgh Allegheny County	1100 Washington Ave. Scott Township Allegheny County	Opened
1-9-97	Harris Savings Bank Harrisburg Dauphin County	6301 Grayson Road Harrisburg Swatara Township Dauphin County	Filed
1-9-97	Northwest Savings Bank Warren Warren County	744 South Broad St. Lititz Lancaster County	Filed
1-9-97	Northwest Savings Bank Warren Warren County	1 Center Square Hanover York County	Filed

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-9-97	Northwest Savings Bank Warren Warren County	Stonybrook Shopping Center Route 462 and E. Market St. Springettsbury Twp. York County	Filed
1-13-97	Jefferson Bank Haverford Montgomery County	3720 Main Street Manayunk Philadelphia County	Filed
1-13-97	Jefferson Bank Haverford Montgomery	Northeast Corner of America and Lehigh Sts. Philadelphia Philadelphia County	Filed

**Branch Relocations**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-20-96	Mifflin County Savings Bank Lewistown Mifflin County	<i>To:</i> 23-27 E. Shirley St. Mount Union Huntingdon County  <i>From:</i> 23 W. Shirley St. Mount Union Huntingdon County	Effective
1-8-97	Franklin First Savings Bank Wilkes-Barre Luzerne County	<i>To:</i> 815 Kidder Street (Rte. 115 and Mundy St.) Wilkes-Barre Luzerne County  <i>From:</i> 685 Kidder Street Wilkes-Barre Luzerne County	Filed

**Branch Discontinuances**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-6-97	Bank of Hanover and Trust Company Hanover York County	#2299 North Hanover Mall Carlisle Street Hanover York County	Effective

**SAVINGS ASSOCIATIONS**

No activity.

**CREDIT UNIONS**

No activity.

RICHARD C. RISHEL,  
*Secretary*

[Pa.B. Doc. No. 97-115. Filed for public inspection January 24, 1997, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Pennsylvania Heritage Parks Program: Fiscal Year 1997-1998 Grant Application Announcement

The Department of Conservation and Natural Resources (DCNR) announces that applications are now being accepted for grants to be funded from the 1997-1998 fiscal year Pennsylvania Heritage Parks Program. Funding is subject to an appropriation being made available to DCNR for the Pennsylvania Heritage Parks Program in the upcoming 1997-1998 fiscal year budget. The deadline for submission of applications is April 4,

1997. Applications must be received no later than 5 p.m. in the Harrisburg Central Office of DCNR's Bureau of Recreation and Conservation. Applications received after this deadline will not be considered for funding. FAX submissions are not acceptable.

It is the intent of the program to create a system of State Heritage Parks that will preserve and interpret the significant contributions that certain regions of the Commonwealth have made to the industrial heritage of the State and Nation. The historic, cultural, natural, scenic and recreational resources with a Heritage Park area are inventoried, preserved, enhanced and promoted as a strategy to enhance regional economic development through the attraction of tourists, creation of new jobs, stimulation of small business growth, and the promotion of public and private investment opportunities. There are currently eight designated State Heritage Parks including

the Allegheny Ridge State Heritage Park, the Delaware and Lehigh Canal Heritage Park Corridor, the Lackawanna Heritage Valley, the Lincoln Highway Heritage Corridor, the National Road Heritage Park, the Schuylkill Heritage Corridor, the Oil Heritage Region and the Rivers of Steel Heritage Area. Efforts are underway to determine the feasibility of establishing a Lumber Region Heritage Park in the Northcentral and Northwestern part of the state and to develop a management action plan for the Endless Mountains Heritage Area.

Designated State Heritage Parks are eligible to apply for grants to undertake heritage park management activities, special purpose studies and implementation projects. The Endless Mountains Heritage Area is eligible to apply for early implementation project grants in this grant round. Other regions wishing to participate in the Pennsylvania Heritage Parks Program may apply for feasibility study grants if they meet the following criteria:

—Must have a strong industrial theme based on one or more of the following industries—coal, oil, iron and steel, lumber, textile, transportation, machine and foundry, and agriculture.

—Must be multicounty in size.

—Must have natural, cultural, historic, recreational and scenic resources of State or National significance.

—Have a broad-based public and private partnership and regional coalition supporting the project.

—Must demonstrate a local commitment and leadership capacity to undertake the initiative.

*Program Manual/Application Forms*

The Pennsylvania Heritage Parks Program Manual provides more specific information on funding levels,

program requirements and the application process for this round of funding. The program manual and application forms are available from DCNR. Since each project type has a specific set of application forms and instructions, please specify the type of project you're interested in when requesting application forms. The Program Manual, application forms and additional information about the program can be obtained from the Central Office of DCNR's Bureau of Recreation and Conservation in Harrisburg or from one of DCNR's Heritage Parks District Supervisors: Tim Keptner, Chief, Heritage Parks Division, Bureau of Recreation and Conservation, Pennsylvania Heritage Parks Program, PA Department of Conservation and Natural Resources, Room 555 Forum Building, Harrisburg, PA 17120, (717) 783-0988; Allen Sachse, Supervisor, Eastern District—Pennsylvania Heritage Parks Program, PA Department of Conservation and Natural Resources, Room 201, Samters Building, 101 Penn Avenue, Scranton, PA 18503-2025, (717) 963-4973; Alan Chace, Supervisor, Western District—Pennsylvania Heritage Parks Program, PA Department of Conservation and Natural Resources, Room 576 Forum Building, Harrisburg, PA 17120, (717) 772-4361.

Persons with a disability who wish to submit an application for Pennsylvania Heritage Parks Program funding and require assistance with the application should contact Darrel J. Siesholtz at (717) 783-2661 to discuss how the Department may best accommodate their needs. TTY or TDD users call 1 (800) 654-5984.

JOHN C. OLIVER,  
*Secretary*

[Pa.B. Doc. No. 97-116. Filed for public inspection January 24, 1997, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

#### APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Field Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the Field Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

**Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.**

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

**PA 0098779.** Industrial waste, SIC: 4941, **The Municipal Authority of the Borough of Portage**, 606 Cambria Street, Portage, PA 15946.

This application is for renewal of an NPDES permit to discharge treated process water from water treatment plant operations in Portage, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Trout Run, classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Saltsburg Water Authority, located at Saltsburg, 90 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.029 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	monitor and report				
TSS			30		60
Aluminum			2.2		4.4
Iron			2		4
Manganese			1		2
TRC			0.5		1.0
pH	6.0—9.0				

The EPA waiver is in effect.

**PA 0098787.** Industrial waste, SIC: 4941, **Municipal Authority of the Borough of Portage**, 606 Cambria Street, Portage, PA 15946.

This application is for renewal of an NPDES permit to discharge treated process water from water treatment plant operations in Portage Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Ben's Creek, classified as a high quality cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Saltsburg Municipal Authority, located at Saltsburg, 96 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.033 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	monitor and report				
Total Suspended Solids			30		60
Aluminum			4		8
Manganese			1		2
Iron			2		4
Total Residual Chlorine			0.5		1.0
pH	6.0—9.0				

*Other Conditions:*

The EPA waiver is in effect.

**PA 0204901.** Industrial waste, SIC: 4111, **Port Authority of Allegheny County—Ross Maintenance Garage**, 2253 Beaver Avenue, Pittsburgh, PA 15233.

This application is for renewal of an NPDES permit to discharge treated stormwater from Ross in Ross Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, of Nelson Run, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Millvale MWW, located on the Allegheny River, 6.0 miles below the discharge point.

Outfall 001: existing discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
TSS			30		60

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Oil and Grease			15		30
Iron			3.5		7.0
Lead			monitor and report		

The EPA waiver is in effect.

**PAS 406101.** Industrial waste, SIC: 4953, **Envirotrol, Inc.**, 432 Green Street, P. O. Box 61, Sewickley, PA 15143.

This application is for issuance of an NPDES permit to discharge stormwater from roof drains and parking areas in Darlington Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, North Fork Little Beaver Creek, classified as a high quality cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the City of Stubenville, located at Stubenville, Ohio.

Outfall 001: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids					monitor/report
Oil and Grease					monitor/report

The EPA waiver is in effect.

**PA 0025968.** Sewage, **Municipal Water Authority of Aliquippa**, 160 Hopewell Avenue, Aliquippa, PA 15001.

This application is for renewal of an NPDES permit to discharge treated sewage from the Aliquippa STP in Aliquippa Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Ohio River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the ARCO Chemical Company, BV Plant, on the Ohio River.

Outfall 001: existing discharge, design flow of 3.4 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	38		50
Suspended Solids	30	45		60
Fecal Coliforms (5-1 to 10-31) (11-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month 37th month—expiration	monitor and report 1.0			3.3
pH	6.0—9.0			

The EPA waiver is not in effect.

**PA 0028177.** Amendment No. 1, Sewage, **McCandless Township Sanitary Authority**, 9600 Perry Highway, Pittsburgh, PA 15237.

This application is for an amendment of an NPDES permit to discharge treated sewage from A&B Sewage Treatment Plant in McCandless Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as a tributary of Pine Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Millvale Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.4 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub> (5-1 to 10-31)	20	30		40
(11-1 to 4-30)	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen (3-1 to 11-30)	1.5	2.3		3.0
(12-1 to 2-29)	3.0	4.5		6.0
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine 1st month—36th month	monitor and report			
37th month—expiration	0.22			0.72
Dissolved Oxygen	not less than 6 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

**PA 0205737.** Sewage, **CNG Transmission**, 445 West Main Street, Clarksburg, WV 26302-2450.

This application is for renewal of an NPDES permit to discharge treated sewage from the South Oakford Station Sewage Treatment Plant in Hempfield Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Brush Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Western Pennsylvania Water Company on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.0004 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	10			20
Suspended Solids	10			20
Ammonia Nitrogen (5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 3 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

---

*Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.*

**PA 0210285.** Sewage, **James Newton—SRST**, 350 Page Hollow Road, Warren, PA 16365.

This application is for renewal of an NPDES permit to discharge treated sewage to unnamed tributary to Glade Run in Glade Township, **Warren County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Emlenton Water Company on the Allegheny River located at Emlenton, approximately 90 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of .0004 mgd, are:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>	25	50
TSS	30	60
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine		
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0100650.** Sewage. **Forest Brooke Mobile Home Park**, 7266 West Market Street, Mercer, PA 16137.

This application is for renewal of an NPDES permit to discharge treated sewage to unnamed tributary to Magargee in Lakawannock Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Sharpville Municipal Water Company on the Shenango River located at Sharpville, approximately 12 miles below point of discharge.

The proposed effluent limits for Outfall No. 001, based on a design flow of .036 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
TSS	30	60
Ammonia-Nitrogen		
(5-1 to 10-31)	1.4	2.8
(11-1 to 4-30)	4.2	8.4
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Phosphorus	1	2
Total Residual Chlorine		
(Interim)		
(Final)	.03	.1
Dissolved Oxygen	minimum of 5 mg/l at all times	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0031437.** Sewage, **Edinboro Mobile Home Village**, 13041 Capp Road, Box 1, Edinboro, PA 16412-1888.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage to an unnamed tributary to Conneauttee Creek in Washington Township, **Erie County**. This is an existing discharge.

The receiving water is classified for warm water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Franklin General Authority on French Creek located at Franklin, approximately 45 miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on an average design flow of 0.015 mgd, are:

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	50
Total Suspended Solids	30	60
NH <sub>3</sub> -N		
(5-1 to 10-31)	5	10
(11-1 to 4-30)	15	30
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
Total Residual Chlorine	0.5	1.2
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
pH	6.0—9.0 standard units at all times	

The EPA waiver is in effect.

---

*Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Williamsport, PA 17701-6448, telephone (717) 327-3666.*

**PA 0209449.** SIC: 3399, **Sinter Metals, Inc.**, R. R. 2, Box 47, Emporium, PA 15834.

This proposed action is for issuance of an NPDES permit for a new discharge of treated industrial wastewater to the Driftwood Branch of Sinnemahoning Creek and West Creek in Emporium Borough, **Cameron County**.

The receiving streams are classified for the following uses: Driftwood Branch—trout stocked fishery, and aquatic life, water supply and recreation. West Creek—high quality cold water fishery, and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is the proposed intake located at Lock Haven.

Outfall 001 (NCCW) and 003 (Stormwater) combined discharge point:

The proposed effluent limits, based on a design flow of 0.033 mgd, are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15.0	30.0
Temperature*	monitor	
pH	6.0—9.0 std units	

\*Outfall 001 only.

Outfall 002 (Stormwater):

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15.0	30.0
pH	6.0—9.0 std units	

The EPA waiver is in effect.

**PA 0209457.** Industrial waste, SIC: 2499, **Masonite**, Division of International Paper Co., P. O. Box 311, Towanda, PA 18848.

This proposed action is for issuance of an NPDES permit for a new discharge of treated industrial wastewater to a stormwater drainage channel to Laning Creek in Wysox Township, **Bradford County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Water Authority located at Danville.

The proposed effluent limits for Outfall 001, based on a design flow of 0.06 mgd, are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
TSS	100	150	200
Total Iron	4.4	6.6	8.8
Total Zinc	0.22	0.33	0.44
Oil and Grease	15	20	30
TDS	report	report	
pH	within the range of 6.0—9.0		

The EPA waiver is in effect.

**PA 0115053.** Sewerage, SIC: 4952, **Nicholas Wolff Foundation, Inc.**, R. D. 2, Box 180, Millville, PA 17846.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Mud Run in Greenwood Township, **Columbia County**.

The receiving stream is classified for the following uses: trout stocking, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is United Water Pennsylvania, Inc., located at Bloomsburg.

The proposed effluent limits for Outfall 001, based on a design flow of 0.01 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25		50
TSS	30		60
Ammonia-N (5-1 to 10-31)	20		
Total Residual Cl <sub>2</sub>	2.0		4.7
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

**PA 0010561.** SIC: 0921, **Fish and Boat Commission**, 450 Robinson Lane, Bellefonte, PA 16823-9620.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Logan Branch Spring Creek in Benner Township, **Centre County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, the proposed downstream potable water supply (PWS) considered during the evaluation is located at Lock Haven approximately 34 miles below the discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 5.59 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	10.0	20.0
TSS	15.0	30.0
NH <sub>3</sub> -N		
(5-1 to 10-31)	1.0	2.0
(11-1 to 4-30)	3.0	6.0
Total Dissolved Phosphorus		
(3-1 to 10-31)	0.3	0.6
Dissolved Oxygen	minimum 6.0 mg/l at all times	
pH	6.0—9.0 s.u. at all times	

*Other Conditions:* Whole Effluent Toxicity testing for Outfall 001.

The EPA waiver is in effect.

*Northeast Regional Office: Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**PA 0062766.** Sewerage, **Henry A. Stout**, 6427 Saddle Road, New Tripoli, PA 18066.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into a drainage swale of Jordan Creek in Heidelberg Township, **Lehigh County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply and recreation.

Effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, were evaluated at the first point of use—Jordan Creek.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0003 mgd, are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25.0	50.0
Total Suspended Solids	30.0	60.0
Fecal Coliforms	200/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	monitor and report	

The EPA waiver is in effect.

*Southeast Regional Office: Regional Manager; Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.*

**PA 0036455.** Industrial waste, **Naval Facilities Engineering Command—Northern Division**, Philadelphia Naval Complex, South Broad Street, Philadelphia, PA 19112.

This application is for renewal of an NPDES permit to discharge cooling water, stormwater and groundwater from the Philadelphia Naval Shipyard in the City of Philadelphia, **Philadelphia County**. This is an existing discharge to the Delaware and Schuylkill Rivers.

The receiving stream is classified for warm water fish, trout stocking, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed effluent limits for Outfall 010, 011 and 012, based on an average flow of .487 mgd, 1.206 mgd and .605 mgd respectfully are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	100	200	250
Oil and Grease	15		30
pH	within limits of 6.0—9.0 standard units at all times		
Total Iron	monitor/report		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Copper	monitor/report	monitor/report	
Total Lead	monitor/report	monitor/report	
Total Zinc	monitor/report	monitor/report	

The EPA waiver is in effect.

**PA 0043966.** Sewage, **Valley Forge Terrace Mobile Home Park**, 1311 Catfish Lane, Norristown, PA 19403.

This application is for renewal of an NPDES permit to discharge treated sewage from the Valley Forge Terrace Mobile Home Park STP in Lower Providence Township **Montgomery County**. This is an existing discharge to Catfish Dam Creek, tributary of the Schuylkill River.

The proposed effluent limits for Outfall 001, based on an average flow of 45,000 gpd, are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	7.0	14.0
(11-1 to 4-30)	20.0	40.0
Total Residual Chlorine (years 1 and 2)	1.2	2.5
Total Residual Chlorine (years 3, 4 and 5)	0.5	1.3
Fecal Coliforms	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

**PA 0057096.** Sewage, **Oxford Area Sewer Authority**, 401 East Market Street, P. O. Box 380, Oxford, PA 19363.

This application is for issuance of an NPDES permit to discharge treated sewage from the treatment lagoons in East Nottingham Township, **Chester County**. This is a new discharge to Tweed Creek.

The receiving stream is classified for warm water fish, trout stocking, migratory fish, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports and esthetics.

The proposed interim effluent limits for Outfall 001 (effective during the first year of permit issuance) based on an average flow of 500,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12
Phosphorus (as P)	monitor/report		
Fecal Coliforms	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 std units at all times		
Total Residual Chlorine	monitor/report		

The proposed final effluent limits effective at the beginning of the second year of permit issuance, for Outfall 001, based on an average flow of 500,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12
Phosphorus (as P)	2.0		4.0
Fecal Coliforms	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 std units at all times		
Total Residual Chlorine	0.05		0.12

**PA 0036447.** Industrial waste, **Naval Ship Systems Engineering Station**, Naval Surface Warfare Center—Carderock Division.

This application is for amendment of an NPDES permit to discharge cooling water and stormwater from the Philadelphia Naval Shipyard in the City of Philadelphia, **Philadelphia County**. This is an existing discharge to the Delaware Estuary—Zone 4.

The receiving stream is classified for warm water fish, migratory fish, industrial water supply, livestock water supply, wildlife water supply, boating, fishing and navigation.

The permit is amended to transfer two outfalls to the Naval Surface Warfare Center—Carderock Division.

The proposed effluent limits for Outfall 008, based on an average flow of 29 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

Outfall 009 consists solely of stormwater and is not monitored.

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

*Southeast Regional Office, Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

*Southwest Regional Office, Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

*Northcentral Regional Office, Regional Water Management Program Manager, 208 W. Third Street, Williamsport, PA 17701, telephone (717) 327-3669.*

*Southcentral Regional Office, Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.*

*Beaver County Conservation District, District Manager, 1000 Third St., Ste. 202, Beaver, PA 15009-2026, telephone (412) 774-7090.*

**NPDES Permit PAS100240.** Stormwater. **Harry Fisher**, 166 SW 8th Avenue, Boca Raton, FL 33486 has applied to discharge stormwater from a construction activity located in Franklin Township, **Beaver County**, to UNT to the Connoquenessing Creek.

*Centre County Conservation District, District Manager, 414 Holmes Ave., Ste. 4, Bellefonte, PA 16823, telephone (814) 355-6817.*

**NPDES Permit PAS10F062.** Stormwater. **Richard Kalin**, Partner, Calibre Boalsburg Associates, LP, 100 N. Patterson Street, State College, PA 16801 has applied to discharge stormwater from a construction activity located in Harris Township, **Centre County**, to Spring Creek.

*Chester County Conservation District, District Manager, Gov. Serv. Ctr., Ste. 395, 601 Westtown Rd., West Chester, PA 19382, telephone (610) 696-5126.*

**NPDES Permit PAS10G239.** Stormwater. **North Coventry Municipal Authority**, 1485 Schuylkill Road, Pottstown, PA 19464 has applied to discharge stormwater from a construction activity located in North Coventry Township, **Chester County**, to UNT to the Schuylkill River.

**NPDES Permit PAS10G240.** Stormwater. **Alfred and Betty Zeigler**, R. D. 5, P. O. Box 303, Howell and Chester Springs Road, Malvern, PA 19355 has applied to discharge stormwater from a construction activity located in Charlestown Township, **Chester County**, to Pickering Creek.

*Clinton County Conservation District, District Manager, 2 State Route 150, Mill Hall, PA 17751, telephone (717) 726-3798.*

**NPDES Permit PAS101911.** Stormwater. **Walmart Stores Inc.**, 701 S. Walton Boulevard, Bentonville, AR 72716-0095 has applied to discharge stormwater from a construction activity located in Bald Eagle Township, **Clinton County**, to Fishing and Bald Eagle Creeks.

*York County Conservation District, District Manager, 118 Pleasant Acres Rd., York, PA 17402, telephone (717) 840-7430.*

**NPDES Permit PAS10Y061.** Stormwater. **CFR Development Inc.**, R. D. 3, Box 137, Glen Rock, PA 17327 has applied to discharge stormwater from a construction activity located in West Manheim Township and Penn Township, **York County**, to UNT to Furnace Creek.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection. Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protests. Each writer will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

---

**Industrial waste and sewerage applications received under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

---

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

**WQM Permit No. 4397201.** Industrial waste. **Caparo Steel Company, Inc.**, 15 Roemer Boulevard, Farrell, PA 16121. This project is for the construction of water recycle systems for a new continuous caster in the Cities of Farrell and Sharon, **Mercer County**.

**WQM Permit No. 4397202.** Industrial waste. **Caparo Steel Company, Inc.**, 15 Roemer Boulevard, Farrell, PA 16121. This project is for construction of water recycle systems for two existing hot strip mill slab reheat furnaces in the Cities of Farrell and Sharon, **Mercer County**.

---

**Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

---

*Southcentral Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.*

**A. 3696508.** Public water supply. **City of Lancaster Authority**, Manheim Township, **Lancaster County**, (James J. Kirchner, Chairperson, City of Lancaster Authority, P. O. Box 1599, 120 N. Duke St., Lancaster, PA 17608), construction of an underground packaged water booster pump station to replace the existing Blossom Hill Pump Station, (William K. Corliss, Jr., Vice-President and Manager, Water Supply Section, Gannett Fleming, Inc., P. O. Box 67100, Harrisburg, PA 17106-7100).

*Northcentral Field Operations: Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**A. 5596502.** **Shamokin Dam Borough**, Water Treatment Plant, Shamokin Dam, **Snyder County**. The permit authorizing construction of a new flocculation/sedimentation unit has been issued.

**A. 1496502.** **Howard Borough**, 780 Black Street, Howard, PA 16841, Howard Borough, **Centre County**. The permit application for operation of corrosion control system has been issued.

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**1396503.** Public water supply. **Schleicher Trailer Park**, Duane Schleicher, R. R. 7, Box 198, Lehighton, PA 18235. This proposal involves the construction of a water supply system to serve the residents of Schleicher Trailer Park, East Penn Township, Carbon County. Facilities include a new well, treatment facilities, pump station, standpipe and distribution system serving a proposed facility consisting of 96 units. This is located in East Penn Township, **Carbon County**.

**3546441.** Bulk water hauling facility (Eagle Springs II). **Eagle Spring, Inc.**, 88 West Donaldson Street, Tremont/Zerbe, PA 17981. This proposal involves a new spring source, cartridge filtration and disinfection, storage tank and tanker fill station. It is located in Hegins Township, **Schuylkill County**.

*Engineer: Joseph J. Matalavage, P. E. Alfred Benesch & Company.*

**4596510.** Public water supply. Major Amendment. **Stroudsburg Municipal Authority**, Kenneth Brown, Stroudsburg Municipal Authority, 410 Stokes Ave., P. O. Box 237, East Stroudsburg, PA 18301. This proposal involves changing the coagulant aid polymer, switching the prime coagulant form alum to a polyaluminum hydroxychlorosulphate, installing a soda ash feed system for pH adjustment, replacing well pumps and constructing a baffle wall in sedimentation Basin 1A. It is located in Stroud Township, **Monroe County**.

*Engineer: E. Charles Wunz, P. E. Herbert, Rowland & Grubic, Inc., 369 East Park Drive, Harrisburg, PA 17111.*

**4896503.** Public water supply. **East Allan Township Municipal Authority**, 5344 Nor-Bath Boulevard, Northampton, PA 18067-9062, Charles Wert, Chairperson. This proposal involves the permittee of two water distribution systems known as East Allan Estates/Delaware Trace already interconnected to the City of Bethlehem. The extension of this system (via a transmission line) to the Victoria Square (VS) Development (with distribution piping), and the additional transmission extension to the Spring Lake Village (SLV) Development (with distribution

pipng). SLV will also require a booster pump station for adequate pressure. All wells in VS and SLV will be abandoned. This is located in **Northampton County**.

*Engineer:* Kay B. Huston, Hanover Engineering Associates, Inc., 3897 Adler Place, Suite 350, Bethlehem, PA 18017.

#### **Acknowledgment of Notices of Intent to Remediate**

Sections 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use a site-specific standard or who intend to remediate a site in a Special Industrial Area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites determined to be located in Special Industrial Areas. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area by the person conducting remediation. For the sites identified below, a municipality may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified below. During this comment period, a municipality may request that the person identified below, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site. For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Action Arms Ltd.**, City of Philadelphia, **Philadelphia County**. Henry DeH Alexander, Senior Project Manager, SMITH Environmental Technologies Corp., One Plymouth Meeting, Plymouth Meeting, PA 19462, has submitted a Notice of Intent to Remediate site soils contaminated

with lead, heavy metals, petroleum hydrocarbons and polycyclic aromatic hydrocarbons; groundwater contaminated with pesticides, solvents and petroleum hydrocarbons. The applicant proposes to remediate the site to meet a combination of background, Statewide health and site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Inquirer* on December 21, 1996.

**Pizza Box Restaurant**, West Chester Borough, **Chester County**. Thomas R. Severino, Integrated Environmental Solutions, Inc., 105 E. Evans St., West Chester, PA, 19380, has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet site-specific standards for groundwater and Statewide health standards for soil. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily Local* on December 13, 1996.

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

*Northcentral Regional Office: Environmental Cleanup Program Manager, 208 West Third Steet, Suite 101, Williamsport, PA 17701-6448, telephone (717) 321-6525.*

**International Paper—Lock Haven Mill**, Castanea Township, **Clinton County**. International Paper, P. O. Box 268, Lock Haven, PA 17745 has submitted a notice of Intent to Remediate ground water contaminated with lead and heavy metals. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lock Haven Express* on December 24, 1996.

---

**Proposed Consent Order and Agreement**


---

Shaler/JTC Site  
Bruin Borough, Butler County

Under section 1113 of the Pennsylvania Hazardous Sites Cleanup Act (35 P. S. § 6020.1113) notice is hereby provided that the Department of Environmental Protection (Department) has entered into a Consent Order and Agreement with Witco Corporation (Witco) concerning the Shaler/JTC site (Site). The Site is located in Bruin Borough, Butler County, PA.

As the result of past operations and possible waste disposal activities, hazardous substances have contaminated the soil, surface water, groundwater and sediments at the Site, as well as other media in tanks, drums, vats and buildings at the Site. The Department has already incurred approximately \$3,335,000 in response costs at the Site, and estimates that it will cost between 4 and 6 million additional dollars to clean up the Site in the future. However, the Department has determined that Witco is a de minimis settlor, based upon the Department's determination that: the amount of hazardous substances contributed by Witco is minimal compared to the amount of the other hazardous substances at the Site; the toxic or other hazardous effects of these hazardous substances are minimal compared to the effects of the other hazardous substances at the Site; and these hazardous substances have caused and will cause only a minor portion of the response costs at the Site. Accordingly, the Department has agreed to enter into a de minimis financial settlement with Witco to, among other things, pay \$500,000 to the Commonwealth of Pennsylvania Hazardous Sites Cleanup Fund. The specifics of the Department's de minimis settlement with Witco are set forth in the Consent Order and Agreement.

The Department will receive and consider comments relating to the Consent Order and Agreement for 60 days from the date of this public notice. The Department may withdraw its consent to the settlement with Witco if the comments concerning the Consent Order and Agreement disclose facts or considerations which indicate that the settlement is inappropriate, improper, inadequate or not in the public interest. After the public comment period, the Department's settlement with Witco shall become final upon the filing of the Department's response to any significant comments to the Consent Order and Agreement.

Copies of the Consent Order and Agreement are available for inspection at both the Department's Northwest Regional Office, located at 230 Chestnut Street, Meadville, PA, and at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA. Comments may be submitted, in writing, to Harold Nye, Project Manager, Department of Environmental Protection, Hazardous Sites Cleanup, 230 Chestnut Street, Meadville, PA 16335-3481. Further information may be obtained by contacting Harold Nye at (814) 332-6648. TDD users may contact the Department through the Pennsylvania Relay Service at 1 (800) 654-5984.

---

**Renewal applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.**

---

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Safety Medical Systems, Inc.**, 43 Hercules Drive, Colchester, VT 05446; Lynn Pope-Allen, Transportation Manager; application received December 31, 1996.

---

**Applications received for Plan Approval under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.**

---

*Southwest Regional Office: Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**PA-65-788B. Sony Electronics, Inc.** (1001 Technology Drive, Mt. Pleasant, PA 15666) for two wave solder machines at its Pittsburgh Manufacturing Center facility located in Mt. Pleasant Township, **Westmoreland County**.

**PA-65-881A. Innovative Carbide, Inc.** (P. O. Box 389, 11099 Rte. 993, Irwin, PA 15642) for a dust collector on the metal powder mixing and drying operation at its facility located in North Huntingdon Township, **Westmoreland County**.

**PA-65-882A. CSM Industries, Inc.** (R. R. 6, Box 21, Center Drive, Building D, Latrobe, PA 15650) for an electroplating operation at its Latrobe Facility located in Unity Township, **Westmoreland County**.

*Northcentral Regional Office: Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**14-313-034A.** Modification of a chemical process facility (Lactofen) by **Ruetgers-Nease Corporation** (201 Struble Road, State College, PA 16801) in College Township, **Centre County**.

---

**Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.**

---

*Southeast Regional Office: Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described below for the specified companies.

Permit: **46-302-202A**  
Source: Two Boilers  
Company: **Jet Plastica Industries, Inc.**  
Location: Hatfield  
County: **Montgomery**

*Southwest Regional Office: Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**26-313-013.** The Department intends to issue an Air Quality Operating Permit to **Welland Chemical, Inc.**, (P. O. Box 26, Mill Street, Newell, PA 15466) for a nitric acid facility at its Newell Works located in Newell Borough, **Fayette County**.

**63-399-002.** The Department intends to issue an Air Quality Operating Permit to **McGrew Welding & Fabricating, Inc.**, (P. O. Box 87, Donora, PA 15033) for belt covers and sprays on the materials handling operation at its facility located in Donora Borough, **Washington County**.

**32-310-001A.** The Department intends to issue an Air Quality Operating Permit to **Edward C. Griffith Quarrying, Inc.**, (R. R. 1, Box 176, Rochester Mills, PA 15771) for a Hewitt Robins Jaw Crusher at its Griffith Quarry located in North Mahoning Township, **Indiana County**.

**65-307-065A.** The Department intends to issue an Air Quality Operating Permit to **Latrobe Steel Company**, (2626 Ligonier Street, P. O. Box 31, Latrobe, PA 15650) for a batch heating furnace at its Latrobe Plant located in Latrobe Borough, **Westmoreland County**.

**PA-04-468B.** The Department intends to issue an Air Quality Operating Permit to **S. H. Bell Company**, (644 Alpha Drive, P. O. Box 11495, Pittsburgh, PA 15238) for a low carbon ferro chrome crusher at its State Line Terminal located in Glasgow Borough, **Beaver County**.

*Northeast Regional Office: Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

The Department intends to issue an Air Quality Operating Permit for the air contamination sources and associated air cleaning devices described below for the specified company.

Permit: **35-323-017**

Source: Burn Off Oven With Afterburner

Company: **Scranton Army Ammunition Plant**

Location: City of Scranton

County: **Lackawanna**

---

**Applications received for Minor Source Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

*Southwest Regional Office: Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**OP-63-633.** The Department received an Air Quality Operating Permit application from **The Woods Quality Cabinetry Company**, (42 Eighty-Four Drive, Eighty Four, PA 15330) for a cabinet manufacturing process at its Eighty Four Plant located in South Strabane Township, **Washington County**.

**OP-03-170.** The Department received an Air Quality Operating Permit application from **Sylvan America, Inc.**, (West Hills Industrial Park, R. R. 3, Kittanning, PA 16201) for a mushroom spawn production facility at its West Hills Spawn Plant located in East Franklin Township, **Armstrong County**.

---

**Applications received for Title V Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).**

*Southwest Regional Office: Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**TV-65-693.** The Department received an Air Quality Title V Operating Permit application from **National Waste & Energy Corporation**, (R. R. 2, Box 282A, Pleasant Valley Road, Irwin, PA 15642) for a sanitary landfill at its Valley Landfill located in Penn Township, **Westmoreland County**.

---

**Notice of Intent to Issue**

Title V Operating Permit  
Permit No. TV-36-05009

Lancaster County

The Department of Environmental Protection intends to issue a Title V Operating Permit to J. L. Clark Manufacturing Company located in Lancaster, Lancaster

County. The Title V Operating Permit is required under 25 Pa. Code, Chapter 127, Subchapter G for major stationary sources.

An appointment to review the application and other pertinent documents at the Southcentral Regional Office may be scheduled by contacting Mary DiSanto at (717) 541-7937 between 8 a.m. and 3:30 p.m., Monday through Friday, except holidays.

Those wishing to comment on the proposed action may contact Kanubhai Patel, Chief, Title V Facilities Section, One Ararat Boulevard, Harrisburg, PA 17110.

Comments may be submitted during the 30-day period immediately following the publication of this notice. Each comment must include the name, address and telephone number of the persons submitting the comments along with the reference number of the permit (TV-36-05009).

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the comment period. The Department will give notice of any scheduled public hearing at least 30 days in advance of the hearing as per 25 Pa. Code, § 127.521.

---

**Public Hearing Notice**

The Department of Environmental Protection (DEP) will hold a public hearing on February 27, 1997, at 6 p.m. at the Ross Township Municipal Building, Anchorage Road, Saylorsburg, PA.

The hearing is for DEP to take testimony concerning the air quality application submitted by Puritan Products, Inc., 635-711 Mill Street, Allentown, PA for its proposed facility to be located at 5526 Kunkletown Road, Ross Township, Monroe County, PA. The air quality application is for the construction and operation of chemical storage, blending and packaging operations at the Ross Township facility.

Those wishing to present testimony during the hearing should contact Thomas A. DiLazaro, Air Quality Program Manager, at (610) 861-2070 by February 20, 1997, to register. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

Those unable to attend the hearing, but who wish to comment, should provide written comment by March 27, 1997, to Thomas A. DiLazaro, Air Quality Program Manager, DEP, 4530 Bath Pike, Bethlehem, PA 18017.

Copies of the air quality application are available for review from 8 a.m. to 4 p.m. in the DEP Office, 4530 Bath Pike, Bethlehem, PA. Appointments for scheduling a review may be made by calling (610) 861-2070.

Persons with disabilities who wish to attend the hearing and who require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Richard Shudak of DEP at (717) 826-2060 or the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how DEP may accommodate their needs.

---

**Plan approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources and associated air cleaning devices.**

*Northeast Regional Office: Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

An application for Plan Approval has been received by this office for the construction, modification or reactivation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **54-305-019**  
 Source: Coal Prep Plant W/Water Sprays  
 Received: December 16, 1996  
 Company: **Girard Estate (Girard College)**  
 Location: Butler Township  
 County: **Schuylkill**

**Reasonably Available Control Technology; Public Hearing**

Approval of Reasonably Available Control Technology (RACT) Plans for:

Garlock, Inc., Plastomer Products (Newtown Township, Bucks County)

*Garlock, Inc., Plastomer Products (Compliance Permit CP-09-0035 and Plan Approval PA-09-0035)*

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Two PTFE Extrusion Lines	6.78	Condensation/Collection System	Implemented

*Waste Management of PA, Inc., Tullytown Resource Recovery Facility (Operating Permit OP-09-0024)*

<i>Source</i>	<i>Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Landfill	3.7 VOC	Flare	Implemented
Landfill Gas Flare	38.9 NOx	Manufacturers Specification	Implemented

*O'Brien Environmental Energy, Inc. (Operating Permit OP-46-0067)*

<i>Source</i>	<i>Emission Limit NOx (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Reciprocating I. C. Engine	23.93	Low Emission Combustion Technology	Upon Issuance of Permit

This facility is not a major VOC emitter.

*Beckett Corporation (Operating Permit OP-15-0040)*

<i>Source</i>	<i>VOC Emission Limit (tons/year)</i>	<i>Control Technique</i>	<i>Implementation Schedule</i>
Eight Flexographic Presses	70.5	Operation Restriction	Implemented
Clean-up Operation	10.5	Material Substitution	Implemented

This facility is not a major NOx emitter.

One public hearing will be held for the purpose of receiving comments on the proposed SIP revisions. The hearing will be held at 2 p.m. on February 27, 1997, at the Department of Environmental Protection Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA. The hearing will represent the opportunity for oral comment to DEP on the proposed SIP revisions and will not be a question and answer session. Persons wishing to present testimony at the hearing are encouraged to contact Clarke Rupert, DEP Community Relations Coordinator, at (610) 832-6020 to register prior to the hearing, but may also register at the hearing. Those unable to attend the hearing but who wish to

WMP, Inc., Tullytown Resource Recovery Facility (Tullytown Borough, Bucks County)

O'Brien Environmental Energy, Inc. (Upper Merion Township, Montgomery County)

Beckett Corporation (Lionville Township, Chester County).

DEP has made a preliminary determination to approve RACT plans as amendments to the State Implementation Plan (SIP) for the above facilities. The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in RACT approvals for these facilities to comply with current regulations.

These preliminary determinations, if finally approved, will be incorporated into Plan Approval(s) and/or Operating Permit(s) for the facilities and will be submitted to the U. S. Environmental Protection Agency (EPA) as revisions to Pennsylvania's SIP.

The following is a summary of the preliminary RACT determinations for these facilities:

comment should send their written comments to Francine Carlini, Air Quality Program Manager, Department of Environmental Protection, Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428 on or before February 27, 1997.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate should contact Clarke Rupert at (610) 832-6020 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Copies of the pertinent documents are available for review at the DEP Southeast Regional Office. Appointments for scheduling a review may be made by calling (610) 832-6003.

### MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number, and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor de-

sires to have the conference conducted in the locality of the proposed mining activities.

*District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### *Coal Applications Received*

**56840110.** Permit renewal, **Fieg Brothers** (3070 Stoystown Road, Stoystown, PA 15563-8164), commencement, operation and restoration of bituminous strip mine in Brothersvalley Township, **Somerset County**, affecting 83.0 acres, receiving stream Stony Creek, application received December 31, 1996.

**32950104.** Transfer from **General Mining, Inc.** to **Big Mack Leasing Company, Inc.** (R. D. 6, Box 231, Kittanning, PA 16201), commencement, operation and restoration of bituminous strip mine in Young Township, **Indiana County**, affecting 62.6 acres, receiving stream unnamed tributary to Whisky Run to Whisky Run to Blacklegs Creek, application received January 2, 1997.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

**17910125.** **Al Hamilton Contracting Company** (R. D. 1, Box 87, Woodland, PA 16881), renewal of an existing bituminous surface mine-auger permit in Lawrence Township, **Clearfield County** affecting 78 acres, receiving streams unnamed tributary to Wallace Run and McLaughlin Run to Little Clearfield Creek to Clearfield Creek to west branch of the Susquehanna River, application received December 13, 1996.

**17673057.** **Power Operating Co., Inc.** (P. O. Box 25, Osceola Mills, PA 16666), major permit modification to an existing bituminous surface mine permit to apply biosolids to enhance vegetation, affecting 1,180 acres, Gulich and Woodward Townships, **Clearfield County**, application received December 12, 1996.

**17714022.** **A. W. Long Coal Company** (1203 Presqueisle Street, Philipsburg, PA 16866), major permit modification to an existing bituminous surface mine permit to authorize reclamation use of biosolids, Morris Township, **Clearfield County**, application received December 12, 1996.

**17960122.** **E. P. Bender Coal Co., Inc.** (P. O. Box 594, Carrolltown, PA 15722), commencement, operation and restoration of a bituminous surface mine-auger permit in Bigler Township, **Clearfield County** affecting 118 acres, receiving streams Banian Run and Muddy Run, application received December 19, 1996.

**17960123.** **Johnson Brothers Coal Co., Inc.** (R. D. 1, Box 580, Mahaffey, PA 15757), commencement, operation and restoration of a bituminous surface mine permit in Brady Township, **Clearfield County** affecting 8.4 acres, receiving streams unnamed tributary to Little Anderson Creek, Little Anderson Creek, application received December 19, 1996.

**17960124.** **Sky Haven Coal, Inc.** (R. D. 1, Box 180, Penfield, PA 15849), commencement, operation and restoration of a bituminous surface mine-auger permit in Brady and Bell Townships, **Clearfield County** affecting 127 acres, receiving streams Buck Run to Beech Creek to east branch Mahoning Creek, three unnamed tributaries to east branch Mahoning Creek to Mahoning Creek to Allegheny River, application received December 27, 1996.

**17960125.** **Penn Grampian Coal Company** (Box 249, Clearfield, PA 16830), commencement, operation and restoration of a bituminous surface mine permit in Beccaria Township, **Clearfield County** affecting 110 acres, receiv-

ing streams unnamed tributary to Muddy Run, Muddy Run. This application also includes an encroachment of an unnamed tributary to Muddy Run. Application received December 24, 1996.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

**33960109. TDK Coal Sales, Inc.** (P. O. Box 627, Clarion, PA 16214), commencement, operation and restoration of a bituminous surface strip, auger and rock removal operation in Union Township, **Jefferson County** affecting 157.4 acres. Receiving streams an unnamed tributary to Little Mill Creek. Application received December 27, 1996.

**33930111. Falls Creek Energy Co., Inc.** (R. D. 6, Box 231, Kittanning, PA 16201), transfer of an existing bituminous surface strip and auger operation in Young, Bell and McCalmont Townships, **Jefferson County** affecting 212.0 acres. Receiving streams unnamed tributaries to Elk Run. Transfer from Maud Mining Company. Application received January 2, 1997.

**33930102. John R. Yenzi, Jr.** (P. O. Box 287, Anita, PA 15711), renewal of an existing bituminous surface strip and auger operation in Oliver Township, **Jefferson County** affecting 120.3 acres. Receiving streams two unnamed tributaries to Little Sandy Creek and Little Sandy Creek. Application received January 9, 1997.

*Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.*

**30841316. Consol Pennsylvania Coal Company,** (P. O. Box 174, Graysville, PA 15337), to revise the permit for the Bailey bituminous deep mine in Richhill Township, **Greene County** to revise subsidence control plan area and surface area, no additional discharge. Application received December 20, 1996.

*Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**54861303R2. R. & D. Coal Company,** (214 Vaux Avenue, Tremont, PA 17981), renewal of an existing anthracite underground mine operation in Tremont Township, **Schuylkill County** affecting 7.8 acres, receiving stream Lorberr Creek. Application received January 7, 1997.

**49910201R. Rosini Enterprises, Inc.,** (P. O. Box 568, Shamokin, PA 17872), renewal of an existing coal refuse reprocessing operation in Coal Township, **Northumberland County** affecting 68.0 acres, receiving stream none. Application received January 9, 1997.

*District Mining Operations, 437 South Center Street, Ebensburg, PA 15931-0625.*

*Industrial Minerals NPDES Permit Renewal Application Received*

**4074SM12. New Enterprise Stone & Lime Co., Inc.,** (P. O. Box 77, New Enterprise, PA 16664), renewal of NPDES Permit #PA0599352, Jefferson Township, **Somerset County** receiving streams unnamed tributaries to Kooser Run to Kooser Run to Laurel Hill Creek to Youghiogheny River, NPDES renewal application received January 3, 1997.

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection. Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to

certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

---

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.**

---

*Northcentral Regional Office: Soils and Waterways Section, 208 W. Third St., Suite 101, Williamsport, PA 17701, telephone (717) 327-3574.*

**E14-300.** Encroachment. **Jerry B. Haney,** 15009 South 24th Way, Phoenix, AZ 85048. To remove the existing structure and to construct and maintain a concrete box culvert with a 3-foot rise, a 18-foot span and a 22-foot length in an unnamed tributary to Halfmoon Creek located approximately 1 mile south of the SR 0550 and T-309 intersection on the left hand side of T-309 (Port Matilda, PA Quadrangle N: 0.25 inch; W: 7.5 inches) in Halfmoon Township, **Centre County.** Estimated stream disturbance is 30 linear feet; stream classification is High Quality.

**E08-310.** Encroachment. **Calvin C. Cole, Inc.,** 809 North Elmira St., Sayre, PA 18840. To place and maintain fill in 0.7 acre of palustrine emergent wetlands for the purpose of expanding a materials storage area of an existing asphalt plant. To compensate for unavoidable impacts, the permit applicant proposes onsite replacement of the affected wetlands. The project site is located adjacent to the west side of SR 220, approximately 0.6 mile south of the village of Greenes Landing (Sayre, PA Quadrangle N: 8.2 inches; W: 3.7 inches) in Athens Township, **Bradford County.**

**E53-295.** Encroachment. **James Neagle,** 1884 Felker Rd., Middletown, PA 17057. To excavate 0.08 acre palustrine emergent wetland and to construct and maintain a water intake on Crowley Run for the purpose of constructing a 1/2 acre recreational pond. The site is located along the floodplain of Nine Mile Run on the north side of SR 006 and west of the Pine Log Motel and Thompson Hollow Road (Brookland, PA Quadrangle N: 5.7 inches; W: 8.2 inches) Ulysses Township, **Potter County.** Wetlands will be replaced at a 1:1 ratio. Stream classification is HQ-CWF.

*Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.*

**E35-177.** Encroachment. **City of Scranton,** R800 Providence Road, Scranton, PA 18508. To remove the existing structure and to construct and maintain a 12 foot high reinforced earth retaining wall (MESA System)

having a length of approximately 60 linear feet along the right bank of Leggetts Creek (TSF). The project is located immediately downstream of the intersection of North Main Avenue and Leggetts Creek (Scranton, PA Quadrangle N: 12.6 inches; W: 2.7 inches) in the City of Scranton, **Lackawanna County** (Baltimore District, Army Corps of Engineers).

**E45-315.** Encroachment. **Gerald and Mary Gheraldi**, 4 James Towne Road, Manalapan, NJ 07726. To remove the existing structure and to construct and maintain a private single span bridge having a span of approximately 18 feet and an underclearance of 5.5 feet across a tributary to Appenzell Creek (HQ-CWF). The project is located on the south side of S. R. 3026, approximately 500 feet east of the intersection of S. R. 3026 and S. R. 3024 (Saylorsburg, PA Quadrangle N: 19.5 inches; W: 15.0 inches) in Jackson Township, **Monroe County** (Philadelphia District, Army Corps of Engineers).

**E45-316.** Encroachment. **Stillwater Lakes Civic Association, Inc.**, P. O. Box 118, Pocono Summit, PA 18346. To remove the existing structure and to construct and maintain a 22' x 4' reinforced concrete box culvert in Hawkey Run (HQ-CWF). The project is located along Holiday Drive in Stillwater Lake Estates on the east side of S. R. 0380, approximately 1.9 miles north of the intersection of S. R. 0380 and S. R. 0440 (Tobyhanna, PA Quadrangle N: 1.6 inches; W: 3.3 inches) in Coolbaugh Township, **Monroe County** (Philadelphia District, Army Corps of Engineers).

**E48-243.** Encroachment. **Liberty Property Limited Partnership**, 1510 Valley Center Parkway, Bethlehem, PA 18017. To construct and maintain a concrete solid fill dock having a surface area of approximately 420 s. f. in the reservoir of Dam No. D48-151 situated across a tributary to Monocacy Creek (HQ-CWF). The purpose of the dock is to provide a recreational patio for the tenants of a proposed office building. The project is located in Lehigh Valley Corporate Center, approximately 0.5 mile northeast of the intersection of S. R. 0022 and S. R. 3017 (Catasauqua, PA Quadrangle N: 5.2 inches; W: 4.3 inches) in Hanover Township, **Northampton County** (Philadelphia District, Army Corps of Engineers).

**E52-147.** Encroachment. **Dingman Township Supervisors**, 961 Fisher Lane, Milford, PA 18337. To construct and maintain a 42-inch culvert along side an existing 72-inch x 42-inch C.M.P. arch culvert in Swale Brook (HQ-CWF) and 800 feet downstream alongside a 42-inch x 27-inch C.M.P. arch culvert to alleviate existing flooding of the roadway. This project is located along Fisher Lane (T-379) between S. R. 2001 and S. R. 2011 (Milford, PA-NJ Quadrangle N: 11.1 inches; W: 13.7 inches and N: 10.7 inches; W: 13.7 inches) in Dingman Township, **Pike County** (Philadelphia District, Army Corps of Engineers).

**E64-178.** Encroachment. **Anthony V. Herzog and Jane H. McNulty**, 200 Delaware Avenue, Honesdale, PA 18431. To place fill in 0.01 acre of isolated wetlands (PEM) to develop the property for a commercial building and parking lot. This project is located on the east side of SR 0191, 0.7 mile south of SR 3033 (Honesdale, PA Quadrangle N: 5.3 inches; W: 1.5 inches) in Cherry Ridge Township, **Wayne County** (Philadelphia District, Army Corps of Engineers).

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E15-533.** Encroachment. **Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087. To

remove a bridge with a timber beam and deck superstructure having a span of 14.5 feet, an average underclearance of 3.8 feet, and associated stone masonry abutments. Also to install and maintain a precast reinforced concrete box culvert having a span of 18.0 feet, rise of 5.0 feet on a 60 degree skew; and to construct and maintain associated wingwalls and roadway approach fills at this location situated in and along the north branch of Indian Creek (HQ, CWF). This site is located approximately 165 feet southwest of the intersection of Springton Road (SR 4021) and Indiantown Road (SR 4023) (Wagontown, PA USGS Quadrangle N: 13.95 inches; W: 4.40 inches) in Wallace Township, **Chester County**.

*DEP Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 6, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.*

**D13-085A.** Dam. **Bethlehem Authority**, City Center Administration Building, Room 502, 10 East Church Street, Bethlehem, PA 18018. To modify, operate and maintain Penn Forest Dam located across Wild Creek and Hell Creek in Penn Forest Township, **Carbon County**.

---

#### Initial Notice of Request for Certification under Section 401 of the Federal Water Pollution Control Act

---

The following requests have been made to the Department of Environmental Protection for certification under section 401(a) of the Federal Clean Water Act, (33 U.S.C.A. § 1341(a)), that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of that act, and that the construction will not violate applicable Federal and State water quality standards.

Prior to final approval of the proposed certification, consideration will be given to any comments, suggestions or objections which are submitted in writing within 30 days of the date of this notice. Comments should be submitted to the Department of Environmental Protection at the address indicated above each of the following requests for certifications. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments are addressed and a concise statement of comments, objections or suggestions in sufficient detail to inform the Department of the exact basis of the proposal and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given comments if deemed necessary to resolve conflicts. Each individual will be notified in writing of the time and place of any scheduled hearing or conference concerning the certification request to which the protest relates. Maps, drawings and other data pertinent to the certification request are available for inspection and review at the address indicated above each request for certification between the hours of 8 a.m. and 4 p.m. on each working day.

*Northcentral Regional Office: Assistant Regional Director, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3320.*

*Certification Request Initiated By: Department of Transportation, District 2-0, 1924-30 Daisy Street, P. O. Box 342, Clearfield, PA 16830.*

*Project Description/Location: To construct and maintain various size culverts and bridges and impact 31.5 acres of wetlands in and along tributaries to South Bald Eagle Creek, North Bald Eagle Creek and Buffalo Run for*

improvements to U. S. 220 in Snyder Township, Blair County, and Taylor, Worthy, Huston and Patton Townships, Centre County.

**Applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.**

*Southcentral Regional Office: Field Operations, Sanitarian Regional Manager; One Ararat Boulevard, Harrisburg, PA 17110.*

**WA 36-799A.** Water allocation. Borough of Akron, Lancaster County. The applicant is requesting the right to increase its withdrawal from a spring located in the Borough of Akron from 36,000 gpd to the entire available flow during the months of March, April, May and June.

**ACTIONS**

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

**Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Permits Issued*

*Northwest Regional Office: Regional Water Management Program Manager; 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.*

*Permits Issued*

*Northcentral Regional Office: Water Management Program Manager; 208 W. Third Street, Williamsport, PA 17701-6510, telephone (717) 327-3664.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR224808	White Lumber Company R. D. 2, Box 1 Mahaffey, PA 15757	Clearfield Bell Twp.	Deer Run	2421

**NPDES Permit No. PA 0033421.** Sewage. Mercer/Grove City KOA Campground, 1337 Butler Pike, Mercer, PA 16137-6211 is authorized to discharge from a facility located in Findley Township, Mercer County to an unnamed tributary to Pine Run.

**NPDES Permit No. PA 0222135.** Sewage. Fort Charles Young, VisionQuest National Ltd., P. O. Box 168, Franklin, PA 16323 is authorized to discharge from a facility located in Sandycreek Township, Venango County to an unnamed tributary to the Allegheny River.

**NPDES Permit No. PA 0222089.** Sewage. Troy Ellsworth, Box 247, Duke Center, PA 16729 is authorized to discharge from a facility located in Otto Township, McKean County to Tram Hollow Run.

**NPDES Permit No. PA 0006441.** Industrial waste. CSX Transportation, Inc., (Riker Yard) 500 Water Street, Jacksonville, FL 32202 is authorized to discharge from a facility located in Bell Township, Jefferson County to Mahoning Creek.

*Southwest Regional Office: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**NPDES Permit No. PA0024163.** Sewage, Cambria Township Sewer Authority, P. O. Box 247, Revloc, PA 15948 is authorized to discharge from a facility located at Revloc Sewage Treatment Plant, Cambria Township, Cambria County to south branch Blacklick Creek.

**NPDES Permit No. PA0217476.** Sewage, Edward L. Soloski, 301 South Jefferson Street, Kittanning, PA 16201 is authorized to discharge from a facility located at Audubon Estates Sewage Treatment Plant, East Franklin Township, Armstrong County to unnamed tributary of Glade Run.

**Final Actions**

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

These actions of the Department may be appealed to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Environmental Hearing Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAR114806	SMS Engineering 234 S. Potter Street Bellefonte, PA 16823	Centre Bellefonte Boro.	Spring Creek	3547
PAR214816	Resco Product Inc. P. O. Box 1110 Clearfield, PA 16830	Clearfield Lawrence Twp.	West Branch Susquehanna River	3255
PAR224801 and PAR224804	Catawissa Lumber & Specialty Co. P. O. Box 176 Catawissa, PA 17820-0176	Columbia Northumberland Catawissa Boro and Ralpho Township	Catawissa Creek for Columbia Cty. unnamed trib. to Shamokin Creek for Northumberland	2426
PAR224831	Willamette Industries, Johnsonburg Mill Woodland Forest Products R. R. 1, Box 313C Woodland, PA 16881	Clearfield Bradford Twp.	Roaring Run, Tributary to Clearfield Creek and West Branch Susquehanna	2499
PAR304801	Al Hamilton Contracting Co. R. D. 1, Box 87 Woodland, PA 16881	Clearfield Bradford Twp.	Forcey Run	1241

The following approvals for coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, telephone (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

*Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.*

**PAS-10-H061.** Individual NPDES. **New Penn Motor Express, Inc.**, 625 South 5th Street, Lebanon, PA 17042. To implement an Erosion and Sedimentation Control Plan for a housing development called High Meadows-Phases IV and V on 64.25 acres in Lower Allen Township, **Cumberland County**. The project is located on I76 and Lisburn Road about 0.9 mile southeast of the I76 and Lisburn Road over pass (Lemoyne, PA Quadrangle N: 11.3 inches; W: 7.8 inches). Drainage will be to a dry swale.

**PAS-10-O056.** Individual NPDES. **Marvin M. Roberts, Jr.**, 917 River Road, Holtwood, PA 17532. To implement an Erosion and Sedimentation Control Plan for the Tucquan Park Family Campground on 45 acres in Martic Township, **Lancaster County**. The project is located along east side of River Road, about 0.5 mile south of Erbs Mill (Holtwood, PA Quadrangle N: 20.5 inches; W: 10.5 inches). Drainage will be to Tucquan Creek.

**The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.**

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-D084	Trafalgar House Residential 375 Philips Road Trenton, NJ 08618	Northampton Twp. Bucks County	Neshaminy Creek
PAS10-J026	Greenview Estates, Inc. 2 ER Raymond Drive Havertown, PA 19083	Bethel Twp. Delaware County	Naaman's Creek

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10U063	Willow Brook Land Development Corporation, LLC Howertown Road, P. O. Box 32 Catasauqua, PA 18032-0032	Northampton Co. North Catasauqua Borough	Catasauqua Creek

---

**The following approvals for coverage under NPDES Individual Permit for Discharges of Stormwater from Construction Activities have been issued.**

---

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS107000	Sandy Creek Township R. D. 4, Box 900 Franklin, PA 16323	Sandycreek Township Venango County	Morrison Run unnamed tributary and the Allegheny River

*Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS100805	Towanda Area Joint Municipal Airport Authority R. R. 2, Box 69A Towanda, PA 18848	Towanda Borough Bradford County	Towanda Creek
	Riggs & Gardner Contracting & Design 475 Valley View Rd. Bellefonte, PA 16823	Howard Borough and Howard Township Centre County	Unt. Lick Run

---

**Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

---

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

**WQM Permit No. 2594413.** Sewage. **Tracy Golf Course** (Crabapple Ridge), 10234 Sharp Road, Waterford, PA 16441. This project is for the construction and operation of a small flow treatment facility with spray irrigation in Waterford Township, **Erie County**.

**WQM Permit No. 4296402.** Sewage. **Troy Ellsworth**, Box 247, Duke Center, PA 16729. This project is for the construction and operation of a proposed wastewater treatment facility located in Otto Township, **McKean County**.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.*

**Permit No. 0287204.** Amendment No. 1. Industrial waste, **Allegheny County Department of Aviation**, Pittsburgh International Airport, Landside Terminal, Suite 4000, P. O. Box 12370, Pittsburgh, PA 15231-0370. Construction of the downsized detention basin (leachate collection basin) for the closed onsite landfill located in the Township of Findlay, **Allegheny County**.

---

**Approvals for coverage under the General NPDES Permit for Discharge from Stripper Oil Well Facilities—Permit PAG310001.**

---

*Northwest Regional Office: Regional Oil and Gas Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6860.*

**6194001.** Amendment No. 1. **James L. Beck**, 15852 Pleasant Valley Drive, Pleasantville, PA 16341 is approved for coverage for a discharge (Outfall 005) to Muskrat Run in President Township, a discharge (Outfall 006) to Pine Run in President Township, and a discharge (Outfall 008) to an unnamed tributary to Pithole Creek in Allegheny Township, **Venango County**. This is a renewal of an existing approval.

---

**Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).**

---

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, telephone (412) 442-4000.*

*Location:* Southside of T. R. 439, 1/4 mile west of the intersection of S. R. 2020 and T. R. 439, Whiteley Township, **Greene County**.

*Project Description:* Approval of a revision to the Official Sewage Facility Plan of Whiteley Township, Greene County. Project involves the construction of a sewage treatment plant to serve a proposed deep mine and bath house. Treated effluent is to be discharged to an unnamed tributary of Patterson Run.

*Regional Office: Water Management Program Manager, Southcentral Region, One Ararat Boulevard, Harrisburg, PA 17110.*

*Location:* York Township, York County.

*Project Description:* Approval of a revision granted December 31, 1996 to the Official Sewage Plan of York Township, York County, 25 Oak Street, York, PA 17402. Plan approval is given for the construction of a sewer extension including approximately 7 miles of collection and interceptor sewers, a pump station, and force main to serve portions of the Leaders Heights area. The proposal will serve estimated sewage flows of 133,000 GPD and is tributary to the York City Wastewater Treatment Facility. The project also includes the subdivision of a 48 acre parcel into two lots: Lot no. 1 residual to be used for agricultural purposes with no proposed construction of sewage generating structures, and Lot no. 2 (0.8 acre) to be used for the construction and installation of a pump station along Imperial Drive.

The project name is Leader Heights Service Area and its DEP code number is A3-67971-393-3.

---

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

---

*Northwest Regional Office: Sanitarian Regional Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.*

**Permit No. 4296502.** Public water supply. **Mt. Jewett Borough Authority**, 1 Center St., Box 441, Mt. Jewett, PA 16740. This permit specifically covers the approval of well no. 9 as a source of supply, the change in the manufacturer for the manganese greensand filters, the installation of a 2,000 gallon holding tank, the approval of the existing zinc orthophosphate feed equipment and other chemical injection point changes and the construction of a 18,000 gallon recycling basin for the filter backwash water in Hamlin Township, **McKean County**.

*Type of Facility:* Community water supply.

*Consulting Engineer:* Allen R. Vanderpoel, P. E., E&M Engineers & Surveyors, PC, 24 Derrick Road, Bradford, PA 16701-3350.

*Permit to Construct Issued:* January 8, 1997.

*Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.*

**Permit No. 6795503.** Public water supply. **Windy Brae Mobile Home Park**, N. Hopewell Township, **York County**. (Robert T. Barclay, 14971 Mt. Olivet Road, Stewartstown, PA 17363), proposed well no. 6 utilizing existing treatment facilities.

---

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

---

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**Permit No. 3594505.** Public water supply. **Belle Aire Acres**, c/o James L. Black, Owner, R. R. 3, Box 509A, Lake Ariel, PA 18436. This proposal involves an application for permit for modifications to an existing public water supply system. Modifications include the addition of chlorination equipment and changes to the piping system. It is located in Jefferson Township, **Lackawanna County**.

*Permit to Operate:* November 12, 1996.

**Permit No. 3995504.** Public water supply. **Kids Peace-Orchard Hills Campus**, c/o Boris Mandich, P. E., 5300 KidsPeace Drive, Orfield, PA 18069-9101. This proposal involves permitting of two existing wells for incorporation into the KidsPeace PWS system. It is located in North Whitehall Township, **Lehigh County**.

*Permit to Operate:* November 6, 1996.

**Permit No. 3996502.** Public water supply. **South Whitehall Township Authority**, Gerald J. Gasda, Township Manager, 4444 Walbert Avenue, Allentown, PA 18104-1699. This proposal involves the installation of chemical feed equipment at the existing Allentown/South Whitehall Township distribution system interconnection to boost the chlorine residual of water supplied from the City of Allentown system. It is located in South Whitehall Township, **Lehigh County**.

*Permit to Operate:* December 23, 1996.

**Permit No. 4089512.** Public water supply. **Four Seasons Mobile Home Park**, c/o Thomas A. Domin, Box 44, Hazle Village, Hazleton, PA 18201. This proposal involves the permitting of an existing public community water supply serving the Four Seasons Mobile Home Park in Hazle Township, **Luzerne County**. The application con-

tains two existing wells supplying the system, which will be upgraded with chlorination and caustic soda addition facilities, metering, a 20,000 gallon concrete storage tank and a booster pump station.

*Permit to Operate:* December 26, 1996.

**Permit No. 4090512.** Public water supply. **Cherone Trailer Court**, c/o Mark Cherone, 807 Schwab Street, Freeland, PA 18224. This proposal involves the permitting of an existing community water supply serving the Cherone Trailer Court in Freeland Borough, **Luzerne County**. This system included two wells, disinfection, iron sequestration, storage facilities and a distribution system.

*Permit to Operate:* November 2, 1996.

**Permit No. 4589518.** Public water supply. **Deer Run Mobile Home Park**, c/o John Shadie, 582 Horseshoe Drive, Easton, PA 18042. This proposal involves the permitting of an existing mobile home park serving 30 lots. The system includes one well, disinfection, storage tank and distribution system. It is located in Stroud Township, **Monroe County**.

*Permit to operate:* November 5, 1996.

**Permit No. 5295501.** Public water supply. **Pennsylvania-American Water Company**, Hickory System, c/o David Modeer, Vice President, 800 West Hershey Park Drive, Hershey, PA 17033. This proposal involves installing caustic soda feed facilities for pH adjustment of the individual well supplies. Corrosion inhibitor feeds will be added. Containment for the sodium hypochlorite, caustic soda and inhibitor feeds will also be included. It is located in Delaware Township, **Pike County**.

*Permit to Operate:* November 12, 1996.

**Permit No. 6496503.** Public water supply. **Holiday Park**, P. O. Box 2875, Branchville, NJ 07826, James Conner. This proposal involves permitting a system existing since 1973 serving 80 people. The system has a single well source, two hydropneumatic tanks, hypochlorinator, contact tank and distribution system. It is located in Cherry Ridge Township, **Wayne County**.

*Permit to Operate:* December 30, 1996.

---

**Submission of Final Reports on Attainment of Background and Statewide Health Standards (Sections 302(e)(2) and 303(h)(2))**

---

The following final reports were submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following final reports:

*Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.*

**Pennsylvania Power & Light Company (PP&L)**—Hauto (former) Steam Electric Station, Nesquehoning Borough, **Carbon County**. PP&L, 2 North Ninth Street, Allentown, PA has submitted a Final Report documenting the remediation of site soils found to be contaminated with lead and arsenic. The applicant remediated the site to meet the Statewide health standard.

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-5950.*

**Claymont Development Property**, Birmingham Township, **Delaware County**. Robert S. Terefenko, P. G., EnviroTEL, Inc., 1000 Nutt Road, Phoenixville, PA 19460, has submitted a Final Report concerning remediation of site soils contaminated with BTEX and petroleum hydrocarbons; groundwater contaminated with lead, BTEX, and petroleum hydrocarbons. On December 17, 1996, the applicant elected not to utilize both background and Statewide health standards. The Final Report is intended to document remediation of the site to meet the Statewide health standard alone.

---

**License issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

---

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Bacte-Nature, Inc.**, 654-A Mount Road, Aston, PA 19014; License No. **PA-AH 0545**; license issued December 18, 1996.

**Envirite of Ohio, Inc.**, 2050 Central Avenue, SE, Canton, OH 44707; License No. **PA-AH 0548**; license issued December 19, 1996.

**Envirite of Pennsylvania**, 1600 Pennsylvania Avenue, York, PA 17404; License No. **PA-AH 0549**; license issued December 19, 1996.

**Envirite of Illinois, Inc.**, 16435 Center Avenue, Harvey, IL 60426; License No. **PA-AH 0547**; license issued December 19, 1996.

**Meklo, Incorporated, d/b/a Eltex Chemical and Supply Company**, 4050 Homestead Road, Houston, TX 77028; License No. **PA-AH 0546**; license issued December 18, 1996.

**Transport Rollex-Ltee.**, 910 Boul. Lionel-Boulet, Varennes (Quebec) J3X 1T6, Canada; License No. **PA-AH 0544**; license issued December 18, 1996.

---

**Amended License issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

---

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Terra First, Inc.**, P. O. Box 1259, Vernon, AL 35592; License No. **PA-AH 0348**; amended license issued January 3, 1997.

**Wayne W. Sell Corporation**, 236 Winfield Road, Sarver, PA 16055; License No. **PA-AH 0123**; amended license issued January 3, 1997.

---

**Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.**

---

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**Terra First, Inc.**, P. O. Box 1259, Vernon, AL 35592; License No. **PA-AH 0348**; renewal license issued January 3, 1997.

**Wayne W. Sell Corporation**, 236 Winfield Road, Sarver, PA 16055; License No. **PA-AH 0123**; renewal license issued January 3, 1997.

---

**Hazardous waste transporter license voluntarily terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport hazardous waste.**

---

*Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**J. B. Hunt Special Commodities, Inc.**, c/o J. B. Hunt Transport Services, Inc., J. B. Hunt Corp. Drive, Lowell, AR 72745; License No. **PA-AH 0400**; license terminated December 1, 1996.

---

**Application denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.**

---

*Central Office—Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.*

**General Permit Application No. WMGR042. U. S. Steel (USS) Mon Valley Works**, Edgar Thomson Plant, 13th and Braddock Avenue, Braddock, PA 15104. An application to beneficial use steel slag (BOP slag fines) as a construction material. The application was denied by Central Office on December 9, 1996.

---

**Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.**

---

*Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, telephone (717) 327-3653.*

**Permit No. 301283. Bellefonte Lime Company Residual Waste Landfill, Bellefonte Lime Company, Inc.** (North Thomas Street, Bellefonte, PA 16823). Operation of a demonstration facility Class III Residual Waste Landfill for disposal of the company's lime sludge material located in Benner Township, **Centre County**. Permit issued in the regional office on December 19, 1996.

**Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate and operate air contaminant sources or air cleaning devices.**

*Southwest Regional Office: Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**04-313-053B.** On December 31, 1996, a plan approval expiration date was extended to May 1, 1997 for **Envirotrol, Inc.** (P. O. Box 61, Sewickley, PA 15143) for a scrubber and afterburner on the rotary kiln carbon regenerator at its Darlington facility located in Darlington Township, **Beaver County**.

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Regional Office: Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

A Plan Approval has been issued by this office for the construction, modification, reactivation or operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **39-309-046B**

Source: Kiln #3/Tire Fuel/Baghouse

Issued: December 31, 1996

Company: **Lafarge Corporation**

Location: Whitehall Township

County: **Lehigh**

Permit: **40-314-004**

Source: Foam Reticulator w/Spray Scrubber

Issued: December 16, 1996

Company: **G F C Foam Incorporated**

Location: West Hazleton Borough

County: **Luzerne**

Permit: **48-309-095**

Source: Clinker Silo Discharge w/Baghouse

Issued: December 16, 1996

Company: **Essroc Materials Incorporated**

Location: Lower Nazareth Township

County: **Northampton**

Permit: **48-309-096**

Source: Special Clinker Hopper w/Baghouse

Issued: December 16, 1996

Company: **Essroc Materials Incorporated**

Location: Lower Nazareth Township

County: **Northampton**

Permit: **48-318-001A**

Source: Chrome Plating w/Mist Eliminator

Issued: December 18, 1996

Company: **American Nickeloid Company**

Location: Walnutport Borough

County: **Northampton**

#### **MINING ACTIVITY ACTIONS**

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4401—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

#### *Coal Applications Issued*

**32910105.** Permit Renewal, **GLR Mining, Inc.** (P. O. Box 105, Clymer, PA 15728), commencement, operation and restoration of a bituminous strip mine in Canoe Township, **Indiana County**, affecting 52.8 acres, receiving stream unnamed tributary to Brewer Run; application received October 28, 1996, permit issued December 24, 1996.

**56910106.** Permit Renewal, **Pennsylvania Coal Company, Inc.** (One Riverfront Center, Suite 530, 20 Stanwix Street, Pittsburgh, PA 15222), commencement, operation and restoration of a bituminous strip-auger mine, valid for reclamation, only in Shade Township, **Somerset County**, affecting 186.8 acres, receiving stream Miller Run and tributaries to Dark Shade Creek, application received December 23, 1996, permit issued December 24, 1996.

**11850110.** Permit Renewal. **E. P. Bender Coal Company, Inc.** (Main and Lehmier Streets, P. O. Box 594, Carrolltown, PA 15722), commencement, operation and restoration of a bituminous strip-auger mine valid for reclamation, only in White Township, **Cambria County**, affecting 144.0 acres, receiving stream Dutch Run and its unnamed tributaries, application received October 30, 1996, permit issued January 2, 1997.

**11960108.** **Laurel Land Development, Inc.** (P. O. Box 629, Carrolltown, PA 15722), commencement, operation and restoration of a bituminous strip-beneficial use of CFB Ash mine in Blacklick Township, **Cambria County**, affecting 54.1 acres, receiving stream Coalpit Run, application received July 28, 1996, permit issued January 7, 1997.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

**17910121.** **Sky Haven Coal, Inc.** (R. D. 1, Box 180, Penfield, PA 15849), renewal of an existing bituminous surface mine permit in Jordan and Beccaria Townships, **Clearfield County** affecting 195 acres, receiving streams: Buck Run and an unnamed tributary of Buck Run to Buck Run; Buck Run to Clearfield Creek;

Clearfield Creek to West Branch Susquehanna River, application received October 31, 1996, permit issued December 19, 1996.

**17960114. Larry D. Baumgardner Coal Co., Inc.** (P. O. Box 127, Lanse, PA 16849), commencement, operation and restoration of a bituminous surface mine permit in Brady Township, **Clearfield County** affecting 57 acres, receiving streams: unnamed tributaries to Luthersburg Branch, application received July 23, 1996, permit issued December 20, 1996.

**17910115. Forcey Coal, Inc.** (P. O. Box 225, Madera, PA 16661-0225), revision to an existing bituminous surface mine permit for a Change in Land Use from noncommercial forestland to cropland, Decatur Township, **Clearfield County**, application received October 21, 1996, permit issued December 26, 1996.

**14860103. Keystone Coal Company** (P. O. Box 204, Maryland Line, MD 21105), renewal of an existing bituminous surface mine permit in Curtin Township, **Centre County** affecting 199 acres, receiving streams: unnamed tributary to Beech Creek, and Beech Creek to Bald Eagle Creek to west branch of Susquehanna River, application received November 4, 1996, permit issued December 30, 1997.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

**24910101. Maud Mining Company** (P. O. Box 729, Indiana, PA 15701), renewal of an existing bituminous strip and auger operation in Jay and Benezette Townships, **Elk County** affecting 458.0 acres. Receiving streams: Bakeman's Run and Buttermilk Run. Application received November 7, 1996. Permit issued: December 30, 1996.

**16900109. MAF Coal & Excavation, Inc.** (R. D. 1, Box 261A, Sligo, PA 16255), transfer of an existing bituminous strip and tippel refuse disposal operation in Clarion and Limestone Townships, **Clarion County** affecting 199.2 acres. This permit is transferred from TDK Coal Sales, Inc. Receiving streams: two unnamed tributaries of Piney Creek, one unnamed tributary to Brush Run and two unnamed tributaries to Little Piney Creek. Application received: September 5, 1996. Permit issued: January 2, 1997.

*Mineral Resources Management District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**54960101. J and A Coal Company** (R. D. 1, Box 121A, Hegins, PA 17938), commencement, operation and restoration of an anthracite surface mine operation in Barry and Foster Townships, **Schuylkill County** affecting 246.4 acres, receiving stream—Hans Yost Creek. Permit issued January 8, 1997.

**54713002R2. Reading Anthracite Company** (200 Mahantongo Street, Pottsville, PA 17901), renewal of an existing anthracite surface mine operation in New Castle Township and St. Clair Borough, affecting 218.0 acres, receiving stream—East Branch Norwegian Creek. Renewal issued January 10, 1997.

*District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

*Noncoal Applications Issued*

**05960302. New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, Church Street, New Enterprise, PA

16664), commencement, operation and restoration of a noncoal mine in Snake Spring Valley Township, **Bedford County**, affecting 131.3 acres, receiving stream Cove Creek, application received July 22, 1996, permit issued January 2, 1997.

*District Mining Operations, P. O. Box 669, Knox, PA 16232.*

**16960304. Milestone Crushed, Inc.** (521 South Street, Clarion, PA 16214), commencement, operation and restoration of a sand and gravel operation in Perry Township, **Clarion County** affecting 91.2 acres. Receiving streams: Dunlap Creek. Application received: June 17, 1996. Permit issued: December 30, 1996.

**37960301. Atlantic States Limestone of PA, Inc.** (P. O. Box 348, Sewickley, PA 15143), commencement, operation and restoration of a Limestone operation in North Beaver Twp., **Lawrence County** affecting 308.0 acres. Receiving streams: unnamed tributary to Mahoning River, unnamed tributary to Hickory Run. Application received: January 9, 1996. Permit issued: December 30, 1996.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

*Small Industrial Mineral Authorizations Granted*

**53960808. Wending Creek Farms, Inc.** (5 West Third Street, Coudersport, Pa 16915), commencement, operation and restoration of a Small Industrial Mineral (Shale and Rock) permit in Hebron Township, **Potter County** affecting 1 acre, application received September 17, 1996, authorization granted December 30, 1996.

*Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.*

*Coal Applications Denied*

**17950101. Bulldog Coal Company** (R. D. 2, Box 195A, Curwensville, PA 16833), commencement, operation and restoration of a bituminous surface mine permit in Knox Township, **Clearfield County** affecting 102.7 acres, receiving streams: unnamed tributaries to Potts Run to Clearfield Creek, unnamed tributary to Lost Run to Clearfield Creek, application received January 1, 1995, permit denied January 6, 1997.

The Department of Environment Protection has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)).

Any person aggrieved by this action may appeal, under to section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, 1 (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. § 691.5 and 691.402) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a))** (Note: Permits issued for Small Projects do not include 401 certification, unless specifically stated in the description.)

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Permits Issued*

**E03-322.** Encroachment. **Glacial Sand and Gravel Company**, P. O. Box 1022, Kittanning, PA 16201. To extend the time on Permit No. E03-322 to perform commercial sand and gravel dredging in the Allegheny River in Pool No. 7 between Mile Points 46.0 to 46.3, M. P. 46.4 to 46.8, M. P. 47.3 to 50.1, M. P. 50.46 to 50.56, M. P. 50.7 to 51.7 and in Pool No. 8 from Mile Points 52.9 to 54.73, M. P. 54.8 to 55.4, M. P. 55.68 to 60.07, M. P. 60.17 to 61.15 and M. P. 61.27 to 62.0 (Kittanning, PA Quadrangle N: 13.3 inches; W: 4.2 inches) in Boggs, East Franklin, Madison, Pine, Rayburn and Washington Townships and the Borough of Kittanning and Templeton, **Armstrong County**.

**E04-145.** Encroachment. **Campbell Transportation Co. Inc.**, P. O. Box 124, Charleroi, PA 15022. To renew Permit E04-145 to perform commercial sand and gravel dredging in the Ohio River from Mile Point 35.0 to Mile Point 36.1 and from Mile Point 36.3 to Mile Point 39.5 in the Boroughs of Georgetown, Glasgow, Industry, Midland, Ohioville, and Shippingport and Green Township in **Beaver County**.

**E04-242.** Encroachment. **Department of Transportation**, 45 Thoms Run Rd., Bridgeville, PA 15017. To remove the existing bridge and to construct and maintain a R. C. box culvert having a span of 16.0 feet and an effective underclearance of 5.0 feet in an unnamed tributary to Little Traverse Creek. The culvert invert is to be depressed 1.0 foot. The project is located on S. R. 0030 Section B04 Station 502+24 (Hookstown, PA Quadrangle N: 5.2 inches; W: 1.5 inches) in Hanover Township, **Beaver County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E04-237.** Encroachment. **Lisa and James McCoy Jr.**, 208 Silver Slipper Road, Hookstown, PA 15050. To construct and maintain a 6-foot corrugated metal pipe depressed 12 inches; a 5-foot corrugated metal pipe; two 2.5-foot corrugated metal pipe, all 30 feet long in Little Service Run; and to place and maintain fill in 0.097 acre of wetland, for the purpose of providing access to a private residence. The project is located in the Hoover Estate Subdivision on Boyd Road (T-368) approximately 0.25 mile from the intersection of Boyd Road and SR 04046 (Hookstown, PA Quadrangle N: 7.2 inches; W: 8.8 inches) in Hanover Township, **Beaver County**.

**E56-269.** Encroachment. **Dept. of Transportation**, 1620 N. Juniata Street, Hollidaysburg, PA 16648. To remove the existing structure and to construct and maintain a 13.14 meter long dual-cell box culvert, each cell having a span of 4.57 meters with an underclearance of 1.83 meters (invert depressed 0.3 meter) in Roaring Run (CWF) located on SR 0985, Section 10B, Segment 0160,

Offset 0256M (Boswell, PA Quadrangle N: 10.3 inches; W: 6.3 inches) in Jenner Township, **Somerset County**. The project includes placement and maintenance of fill in a de-minimus area of wetlands less than or equal to 0.05 acre.

**E65-641.** Encroachment. **Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17106-7676. To operate and maintain an existing 80-foot long, 14.0-foot × 7.5-foot concrete pipe arch culvert in a tributary to Little Sewickley Creek and to construct and maintain a 17.0-foot extension to said existing culvert at the outlet, a 12.0-foot extension to the right wing wall at the inlet and a 2.0 foot extension to the left wing wall at the inlet as part of improving Turnpike Bridge B-432. The project is located on T-544 at Turnpike Milepost 69.15 (Irwin, PA Quadrangle N: 6.6 inches; W: 6.2 inches) in Hempfield Township, **Westmoreland County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E65-656.** Encroachment. **Dept. of Transportation**, P. O. Box 459, Uniontown, PA 15401. To remove the existing bridge and to construct and maintain a twin cell box culvert, each culvert having a span of 12.0 feet with an underclearance of 4.5 feet (each invert depressed 1.0 foot) in Speers Run (WWF) and to remove the existing retaining wall and place and maintain riprap bank protection for a distance of approximately 67.0 feet along the left bank of said stream. The bridge is located on SR 3003 Section A01 approximately 2,000 feet downstream from Interstate Route 70 (Donora, PA Quadrangle N: 2.7 inches; W: 14.0 inches) in Rostraver Township, **Westmoreland County**. This permit also authorizes the construction and maintenance of temporary diversion pipes. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

*Permits Issued and Actions on 401 Certification*

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.*

**E16-096.** Encroachment. **Department of Transportation**, District 10-0, P. O. Box 429, Route 286 South, Indiana, PA 15701. To remove the existing two-span pony truss bridge and to construct and maintain a prestressed concrete spread box beam bridge having three clear, normal spans of 80 feet and an average underclearance of 13 feet across Redbank Creek on S. R. 28 (New Bethlehem, PA Quadrangle N: 0.25 inch; W: 11.9 inches) located in the Borough of South Bethlehem, **Armstrong County** and the Borough of New Bethlehem, **Clarion County**.

**E16-097.** Encroachment. **Department of Environmental Protection**. Bureau of Abandoned Mine Reclamation, P. O. Box 8476, Harrisburg, PA 17105-8476. To fill a total of 0.926 acre of five bodies of water and 1.54 acres of four wetland areas as part of an abandoned mine reclamation project (OSM 16(0823)101.1) eliminating 28 acres of strip mine area and two dangerous highwalls having a total length of 2,500 feet. The project is adjacent to a tributary to Clarion River in the village of West Freedom approximately 2,000 feet southeast of the intersection of S. R. 368 and S. R. 3001 (Rimersburg, PA Quadrangle N: 18.7 inches; W: 16.5 inches) located in Perry Township, **Clarion County**.

**E62-327.** Encroachment. **Department of Transportation**, District 1-0, 1140 Liberty Street, Franklin, PA

16323. To remove the existing bridge and to construct and maintain a prestressed concrete spread box beam bridge having a single clear span of 34 feet, 10.5 inches and an underclearance of 5.6 feet on a 60 degree skew across Storehouse Run on S. R. 1015, Segment 0100, Offset 0000 approximately 2 miles south of the PA-NY state line (Russell, PA-NY Quadrangle N: 18.0 inches; W: 0.55 inch) located in Pine Grove Township, **Warren County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

*Environmental Assessment Approvals and Actions on 401 Certifications*

**E10-008NW.** Environmental assessment. **Department of Environmental Protection**, Bureau of Abandoned Mine Reclamation, P. O. Box 8476, Harrisburg, PA 17015-8476. To place fill in a total of 3.238 acres of six bodies of water and to place fill in a total of 0.535 acre of four wetland areas in order to reclaim two separate abandoned strip mine areas (OSM10(3795)101.1) and eliminate 3,500 linear feet of dangerous highwall. The project is located in the Buffalo Creek Watershed (HQ-CWF) east of S. R. 1023 approximately 5,000 feet north of the intersection of S. R. 1023 approximately 5,000 feet north of the intersection of S. R. 1023 and S. R. 0068. This project will include creation of a 0.54-acre replacement wetland adjacent to the reclamation project (Chicora, PA Quadrangle N: 17.5 inches; W: 14.9 inches) located in Fairview Township, **Butler County**.

*Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.*

**E35-267.** Encroachment. **South Abington Township**, 104 Shady Lane Road, P. O. Box 259, Chinchilla, PA 18410. To construct and maintain approximately 100 linear feet of streambank protection, consisting of 42 linear feet of gabion wall and 58 linear feet of R-7 riprap lining, along the left bank of a tributary to Leggetts Creek. The project includes removal of two gravel bars within the 100-foot channel reach, and removal of debris from the channel. The project is located along the west side of Willowbrook Road (T-525), approximately 1,000 feet southwest of the intersection of T-525 and S. R. 4019 (Scranton, PA Quadrangle N: 21.7 inches; W: 7.5 inches), in South Abington Township, **Lackawanna County**.

**E39-314.** Encroachment. **Department of Transportation**, District 5-0, 1713 Lehigh Street, Allentown, PA 18103. To remove the existing structure and to construct and maintain a single span prestressed concrete adjacent box beam bridge having a span of 100 feet with an underclearance of approximately 9.3 feet on a 70 degree skew across Ontelaunee Creek. The project, S. R. 0863, Section 01B, is located at the intersection of S. R. 0863 and Ontelaunee Creek approximately 0.1 mile south of S. R. 0863 and S. R. 0143 (New Tripoli, PA Quadrangle N: 8.8 inches; W: 7.7 inches) in Lynn Township, **Lehigh County**.

**E39-315.** Encroachment. **South Whitehall Township**, 4444 Walbert Avenue, Allentown, PA 18104-1699. To construct and maintain two 36-inch storm sewer pipes beneath the Haines Mill Head Race and an outfall structure consisting of three 36 inch pipes along Cedar Creek to alleviate local flooding problems. This project is located approximately 50 feet south of S. R. 2009 (Haines Mill Road) over Cedar Creek (Allentown West, PA Quadrangle N: 15.2 inches; W: 4.5 inches) in South Whitehall Township, **Lehigh County**.

**E39-317.** Encroachment. **City of Allentown**, 2700 Parkway Boulevard, Allentown, PA 18104-5399. To place fill at spot locations within the 100-year floodplain of Little Cedar Creek, for the purpose of constructing golf tees and bunkers at the Allentown Municipal Golf Course. The project is located between Trexler Boulevard and Tilghman Street (Allentown West, PA Quadrangle N: 18.0 inches; W: 5.5 inches) in the City of Allentown, **Lehigh County**.

**E45-301.** Encroachment. **Tannersville Realty Company**, 490 North Main Street, Pittston, PA 18640. To construct and maintain a 1-inch diameter intake structure in and along the left bank of Pocono Creek, for the purpose of providing a maximum of 500 gallons of water per day (at a maximum flow rate of 15 gallons per minute) for washing of equipment at the Insalaco's Market wastewater treatment plant. The project is located on the west side of S. R. 0611, approximately 0.2 mile south of the intersection of S. R. 0611 and S. R. 0715 (Mount Pocono, PA Quadrangle N: 7.5 inches; W: 8.3 inches), in Pocono Township, **Monroe County**.

**E64-168.** Encroachment. **Ariel Land Owners, Inc.**, 513 West 15th Street, Honesdale, PA 18431. Remove the existing structure and to construct and maintain a road crossing consisting of two 66-inch x 51-inch CMP arch culverts in Ariel Creek. The project is located on Schlager Road in the Lake Ariel Development, approximately 150 feet downstream of the Lake Ariel Dam and 0.25 mile northwest of the intersection of S. R. 3025 and S. R. 3011 (Lakeville, PA Quadrangle N: 12.0 inches; W: 16.3 inches) in Lake Township, **Wayne County**.

**E64-169.** Encroachment. **Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To maintain a 91-inch x 58-inch precast concrete elliptical pipe culvert in Mill Creek located along S. R. 0196, Segment 0090, 0.7 mile north of S. R. 0507 (Newfoundland, PA Quadrangle N: 6.9 inches; W: 16.3 inches) in Dreher Township, **Wayne County**. This culvert replaced a collapsed 6-foot diameter C.M.P. culvert at the same location under Emergency Permit No. EP6496406.

*DEP Central Office: Bureau of Waterways Engineering, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.*

*Environmental Assessment Approvals and Actions on 401 Certification*

**EA09-010CO.** Environmental assessment. **Township of Middletown**, 2140 Trenton Road, Levittown, PA 19056. To construct and maintain a nonjurisdictional dam across a tributary to Neshaminy Creek (WWF, MF) impacting a de minimus area of wetland (PFO) equal to 0.05 acre for the purpose of recreation and is located approximately 1,200 feet northwest of the intersection West Maple Avenue (State Route 213) and Oakford Road (State Route 432) at the Middletown Township Country Club (Langhorne, PA Quadrangle N: 9.45 inches; W: 8.25 inches) in Middletown Township, **Bucks County**.

*Northcentral Region: Water Management-Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

**E08-235.** Encroachment. **Towanda Area Joint Municipal Airport Auth.**, R. R. 2, Box 69A, Towanda, PA 18848. Construct and maintain an airport runway 4,300 feet in length with associated electrical vault building and oil/water separator within the 100 year designated FEMA floodplain of the Towanda Creek just south of the existing runway and to construct and maintain a 66-inch diameter stream enclosure which is 225-feet in length in Scotts

Run Creek with an overflow spillway 200-feet wide to Towanda Creek (Monroeton, PA Quadrangle N: 22.0 inches; W: 9.5 inches) in Towanda Township, **Bradford County**.

**E59-333.** Encroachment. **Phoenix Resources, Inc.**, P. O. Box 38, Blossburg, PA 16912. To place and maintain excavate or place and maintain fill in a total of 1.44 acres of wetlands, consisting of 0.7 acre of palustrine emergent, 0.63 acre palustrine scrub-shrub and 0.11 acre palustrine forested wetlands. Purpose of the project is to construct a construction/demolition waste landfill facility. The applicant will construct 1.55 acres of replacement wetlands to compensate for unavoidable impacts. The project site is located approximately 1 mile northeast of the village of Antrim (Antrim, PA Quadrangle N: 3.0 inches; W: 2.5 inches) in Duncan Township, **Tioga County**.

**E12-099.** Encroachment. **Cameron County Commissioners**, Edward L. Horning, Chairperson, East 5th St., Emporium, PA 15834. To remove an existing structure and to construct and maintain a single span steel stringer bridge to carry T-327 across Hunts Run. The proposed bridge shall be constructed with a clear single span of 53.7 feet, minimum underclearance of 3.5 feet and clear roadway width of 14.5 feet. The project is located along the northern right-of-way of SR 0120 approximately 1,000 feet east of the intersection of SR 0120 and T-327 (Cameron, PA Quadrangle N: 14.1 inches; W: 6.9 inches) in Lumber Township, **Cameron County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E14-288.** Encroachment. **Department of Transportation**, P. O. Box 342, Clearfield, PA 16830. Remove the existing structure and to construct and maintain a single span I-beam bridge with a normal span of 60 feet and underclearance of 3.2 feet over cold stream at a 90 degree skew on SR 504 just east of SR 307 (Philipsburg, PA Quadrangle N: 4.75 inches; W: 11.75 inches) in Philipsburg Borough, **Centre County**.

**E18-220.** Encroachment. **James Eppley, Department of Conservation and Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105-8451. Remove an existing structure and to construct and maintain a prestressed concrete spread box beam bridge that will carry Left Branch Young Womans Creek Road across Greenlick Run. The proposed bridge shall be constructed with a clear normal span of 33.0 feet, an underclearance of 8.0 feet and a curb to curb width of 18.0 feet. The project is located along the northern right-of-way of SR 0120 approximately 75.0 feet north of the intersection of Greenlock Road and left branch of Young Womans Creek Road (Young Womans Creek, PA Quadrangle N: 11.7 inches; W: 10.7 inches) in Chapman Township, **Clinton County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E18-221.** Encroachment. **Department of Conservation and Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105. To remove the existing structure and to construct and maintain a precast concrete box culvert with a normal clear span of 10.0 feet and minimum underclearance of 8 feet 3 inches over Johnson Run on Kingston Run Road approximately 1 mile from the intersection with Graham Road (Glen Union, PA Quadrangle N: 2.2 inches; W: 11.0 inches) in Grugan Township, **Clinton County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E19-161.** Encroachment. **Richard J. Greco, R. R. 3**, Box 440, Catawissa, PA 17820. To remove the existing structures and to construct and maintain a 8 foot x 12 foot wooden manufactured shed in the floodway of Roaring Creek. This project is located off SR 3003 about 0.6 mile east of Rt. 487 (Catawissa, PA Quadrangle N: 5.25 inches; W: 12.87 inches) in Cleveland Township, **Columbia County**. This permit was issued under section 105.13(e) "Small Projects."

**E49-199.** Water obstruction and encroachment. **Shamokin Township Supervisors**, R. R. 1, Box 936, Paxinos, PA 17860. Remove flood damaged culvert pipes and to place and maintain three 60 inch diameter 40 foot long smooth steel culvert pipes in Little Shamokin Creek located approximately 600 feet south on T-447 from SR 4026 (Trevorton, PA Quadrangle N: 8.7 inches; W: 7.0 inches) in Shamokin Township, **Northumberland County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E49-203.** Encroachment. **Department of Transportation**, 715 Jordan Ave., Montoursville, PA 17754. To replacement existing structure with a precast concrete box culvert to carry SR 0054 across an unnamed tributary to Shamokin Creek. The proposed road crossing shall be constructed with a concrete box culvert that has a span of 15.0 feet, rise of 5.0 feet and a length of 52.0 feet. The project is located along the northern right-of-way of SR 0487 approximately 1,200.0 feet north of the intersection of SR 0487 and SR 0054 (Shamokin, PA Quadrangle N: 20.6 inches; W: 7.2 inches) in Ralpho Township, **Northumberland County**.

**E53-292.** Encroachment. **Sharon Township Supervisors**, R. R. 1, Box 96, Shinglehouse, PA 16748. To remove the existing structure and to construct and maintain a single span precast concrete box beam bridge with a clear span of 45.8 feet and height of 8.1 feet at a 50 degree skew on Honeoye Creek on T-371 approximately 800 feet from SR 4021 and to construct a temporary stream crossing in the village of Honeoye (Shinglehouse, PA Quadrangle N: 20.8 inches; W: 0.9 inch) in Sharon Township, **Potter County**.

**E57-071.** Encroachment. **Department of Conservation and Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105-8451. Remove an existing structure and to construct and maintain a precast reinforced concrete box culvert that will carry Mill Creek Road across west branch of Mill Creek. The proposed culvert shall be constructed with a clear normal span of 16.0 feet, a rise of 5.0 feet and a rail to rail width of 18.0 feet. The project is located along the western right-of-way of SR 0087 approximately 1.0 mile north of the intersection of Big Hollow Road and Mill Creek Road (Barbours, PA Quadrangle N: 19.5 inches; W: 1.3 inches) in Fox Township, **Sullivan County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E57-073.** Encroachment. **Department of Conservation and Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105-8451. Remove the existing structure and to construct and maintain a precast reinforced concrete box culvert with a 12 foot clear span and a 5 foot 6 inch rise plus the associated precast reinforced concrete end sections in a tributary to Dry Run which is located approximately 2.2 miles northbound on Dry Run Road from its intersection with SR 0087 (Hills Grove, PA Quad-

range N: 10.0 inches; W: 6.0 inches) in Hillsgrove Township, **Sullivan County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E57-075.** Water obstruction and encroachment. **Department of Conservation and Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105-8451. Remove an existing structure and to construct and maintain a precast reinforced concrete box culvert with a 16 foot clear span and a 5 foot 3 inch effective rise plus the associated precast reinforced concrete end sections on a 60 degree skew in West Branch Mill Creek which is located approximately 4.6 miles northbound on Mill Creek Road from its intersection with SR 0087 (Barbours, PA Quadrangle N: 19.5 inches; W: 2.65 inches) in Fox Township, **Sullivan County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

---

## SPECIAL NOTICES

---

### Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of December 1996, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Robert J. Haushalter, Jr. Volz Environmental Services, Inc.	1200 Gulf Lab Road Pittsburgh, PA 15238	Laboratory
Terry Howell Radalink, Inc.	5599 Peachtree Road Atlanta, GA 30341-2309	Laboratory
Jeffrey Johnson L. Robert Kimball & Associates, Inc.	45 Moon Clinton Road Moon Township, PA 15108	Testing
Steve Johnson Homechek, Inc.	1529 Rodney Road York, PA 17404	Testing
John J. Kostovick Kleeman Associates	1204 Masons Mill Business Park 1800 Byberry Road Huntingdon Valley, PA 19006	Testing
Microbac Laboratories, Inc.	1962 Wager Road Erie, PA 16509	Laboratory Testing
Luke A. Perisich	1420 Villa Sites Harborcreek, PA 16421	Testing Mitigation
John M. Staz, III	321 S. River Street Harrisburg, PA 17104	Mitigation
P. David Shafer, III Shafer Environmental Associates, Ltd.	P. O. Box 825, 315 Pine Street Meadville, PA 16335	Testing
Bruce R. Thomas B. R. Thomas & Associates, Inc.	17 Fosterville Road Greensburg, PA 15601	Mitigation

---

### Residual Waste Permit Application No. 301184; Public Hearing

---

Under 25 Pa. Code §§ 287.152-3 that the Pennsylvania Department of Environmental Protection (DEP) will hold a public hearing on the application for renewal and modification of a residual waste permit submitted by Gemstar Corporation, 2785 Richlandtown Pike, Coopersburg, PA 18036. The application is for renewal of a permit to process waste tires under DEP's residual waste regulations and for modification of the permit to include a cryogenic tire processing unit for the production of crumb rubber. The facility is located on Richlandtown Pike in Springfield Township, Bucks County.

DEP will receive comments on the application from the public at the hearing to be held at the Springfield Elementary School All-Purpose Room, 1950 Route 212, Pleasant Valley/Springtown in Springfield Township, Bucks County at 7 p.m. on Tuesday, February 25, 1997.

In the event of postponement due to weather conditions, the hearing will be held on Tuesday, March 4, 1997, at 7 p.m. at the same location. Postponement notifications will be distributed to local radio stations and newspapers and can be heard by calling DEP at (610) 832-6011 on Feb. 25.

The hearing will not be a question and answer session. Those wishing to testify should contact DEP Community Relations Coordinator Tina Suarez-Murias at (610) 832-6011 to register prior to the hearing, but may also register at the hearing. Oral comments should be kept brief and may be limited to 10 minutes per person, depending on the number of speakers. Where groups are represented, a spokesperson is requested to present the group's concerns and additional time will be allowed.

Anyone wishing to present written comments directly to DEP regarding the residual waste permit application may do so until Mar. 27, 1997. Written comments should include (1) the name, address and telephone number of the person filing comments; (2) identification of residual

waste permit application No. 301184 and (3) a concise statement of information relevant to the residual waste permit renewal and modification application. Written remarks should be sent to Ronald C. Furlan, P.E., Regional Manager, Waste Management Program, Department of Environmental Protection, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Comments from the public will be addressed by DEP during the review process before final action is taken on the proposals. A summary report addressing the concerns raised by the public will be issued should DEP decide to issue the residual waste permit.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Tina Suarez-Murias at (610) 832-6011 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Copies of the pertinent documents are available for public review at DEP's Southeast Regional Office in Conshohocken between the hours of 8 a.m. and 4 p.m. weekdays. For an appointment, call the Records Management Section at (610) 832-6003.

[Pa.B. Doc. No. 97-117. Filed for public inspection January 24, 1997, 9:00 a.m.]

### Coal and Clay Mine Subsidence Insurance Fund Board

A Regular Meeting of the Coal and Clay Mine Subsidence Insurance Fund Board will take place on January 29, 1997, at 10 a.m. in the 5th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg.

Questions concerning the agenda can be directed to Lawrence Ruane at (717) 783-9586 or e-mail to Ruane.Lawrence@a1.dep.state.pa.us. The agenda for this meeting will be available through the Public Participation Center on the DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in needs of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Lawrence Ruane directly at (717) 783-9586 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,  
Secretary

[Pa.B. Doc. No. 97-118. Filed for public inspection January 24, 1997, 9:00 a.m.]

### Proposed General Permits No. PAG-7, PAG-8 and PAG-9 For Beneficial Use of Sewage Sludge by Land Application

In compliance with the provisions of the Federal Clean Water Act (act), and Pennsylvania Clean Stream Law (35 P.S. §§ 691.1—691.101), sections 1905-A, 1917-A, and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), and the

Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904), the Department of Environmental Protection (Department) by this notice proposes to issue (1) a proposed general permit for beneficial use of exceptional quality (EQ) sewage sludge by land application (PAG-7), (2) a proposed general permit for beneficial use of nonexceptional quality (non-EQ) sewage sludge by land application (PAG-8), and (3) a proposed general permit for beneficial use of residential septage by land application (PAG-9), in the Commonwealth of Pennsylvania.

These general permits are proposed for use by eligible persons or municipalities for the generation or preparation of sewage sludge that will be applied to the land, who are required in 25 Pa. Code Chapters 91, 92 or 271, as applicable, to obtain a permit for the beneficial use of sewage sludge that will be land applied in the Commonwealth. The general permits will be issued subject to several standards including, but not limited to, general requirements, pollutant limitations, management practices, operational standards, pathogen and vector attraction reduction requirements, other terms, conditions, criteria for specific sewage sludge and, if applicable, special requirements, for the beneficial use of such sewage sludge, in the Commonwealth.

The issuance of these general permits shall only be valid for eligible persons or municipalities that have submitted an administratively complete and acceptable "Notice of Intent" (NOI), in accordance with the requirements of the general permits, using an NOI form provided by the Department (or photocopy thereof), and receive approval from the Department for coverage under the general permits.

The Department may deny approval of coverage under these general permits and require submittal of an application for an individual permit based on a review of the NOI or other information submitted, or available to the Department.

#### Notice of Intent Requirements

Persons or municipalities seeking approval for coverage under these general permits, will be required to file an administratively complete and acceptable NOI as soon as possible, after the publication date of the availability of the final general permits or as indicated in the general permits. Generation or preparation of sewage sludge for beneficial uses by land application subject to the permitting requirements in 25 Pa. Code Chapters 91, 92 or 271, as applicable, without a permit issued by the Department is unlawful and could lead to Federal or Department enforcement action or third party litigation.

#### Eligibility Requirements for Land Application of Sewage Sludge

To be eligible to land apply sewage sludge for beneficial uses, a person or a municipality must demonstrate all of the following:

1. The concentration of each pollutant in the sewage sludge must not exceed the following concentrations:

#### Ceiling Concentrations

Pollutant	Ceiling concentrations (milligrams per kilogram) <sup>1</sup>
Arsenic	75
Cadmium	85
Copper	4300
Lead	840

<i>Pollutant</i>	<i>Ceiling concentrations (milligrams per kilogram)<sup>1</sup></i>
Mercury	57
Molybdenum	75
Nickel	420
PCBs	8.6
Selenium	100
Zinc	7500

<sup>1</sup>Dry weight basis.

2. The applicant has submitted a Pennsylvania Notice of Intent (NOI) for Coverage Under General Permit For Beneficial Use of Sewage Sludge by Land Application in accordance with the requirements of the general permits, using an NOI form provided by the Department.

*Eligibility Requirements for Coverage Under the General Permits*

1. Eligibility Requirements For Coverage Under the General Permit For Beneficial Use Of Exceptional Quality Sewage Sludge (PAG-7):

Sewage sludge may qualify as exceptional quality sewage sludge and be eligible for coverage under the PAG-7 for beneficial use as specified in the general permit if: (1) the sewage sludge is nonliquid; (2) the sewage sludge is nonrecognizable as human waste; (3) the concentration of each pollutant in the sewage sludge does not exceed pollutant concentrations in Table 3 of § 271.914(b); (4) one of Class A pathogen requirements in § 271.932(a) is met; and (5) one of vector attraction reduction requirements in § 271.933(b)(1) through (8) is met.

Exceptional quality sewage sludge covered under the PAG-7 is authorized to be land applied for beneficial use to agricultural land, forest land, a site assessable to the public or a reclamation site or to be sold, given away in a bag or other container for land application.

2. Eligibility Requirements For Coverage Under the General Permit For Beneficial Use Of Non-Exceptional Quality Sewage Sludge (PAG-8):

Sewage sludge may qualify as nonexceptional quality sewage sludge and be eligible for coverage under the PAG-8 for beneficial use as specified in the general permit if the sewage sludge: (1) does not exceed concentrations for any pollutant in the ceiling concentrations table above; and (2) does not meet one or all criteria for the exceptional quality sewage sludge.

Nonexceptional quality sewage sludge covered under the PAG-8 is authorized to be land applied for beneficial use to agricultural land, forest land, a site assessable to the public or a reclamation site.

3. Eligibility Requirements For Coverage Under the General Permit For Beneficial Use of Residential Septage (PAG-9):

Residential septage is eligible for coverage under the PAG-9 for beneficial use as specified in the general permit if the residential septage (1) meets the annual application rate in § 271.914(c); (2) meets processes to significantly reduce pathogen (PSRP) or processes to further reduce pathogens (PFRP) prior to land application; and (3) meets one of the vector attraction reduction requirements in § 271.933(b)(9) through (11).

Residential septage covered under the PAG-9 is authorized to be land applied for beneficial use to agricultural land, forest or a reclamation site.

Once the notices of availability of the final general permits for beneficial use of sewage sludge by land application are published in the *Pennsylvania Bulletin*, eligible persons or municipalities with sewage sludge that met criteria specified in the general permits who wish to be covered by these general permits will need to file an NOI for coverage under the general permits for the generation of sewage sludge. The NOI must be filed with the appropriate regional office of the Department. Persons or municipalities who are eligible and wish to participate in these general permits, must file an administratively complete and acceptable NOI as soon as possible after the issuance of the final availability of the general permits. Persons or municipalities must submit administratively complete renewal NOI applications for continued coverage under these general permits at least 180 days prior to the expiration date of existing permit coverage. In the event that a timely and complete application for renewal has been submitted and the Department is unable, through no fault of the permittee, to reissue the permit or approval for coverage before its current coverage expiration date, the terms and conditions of the approved coverage will automatically continue, unless notified by the Department that land applications of sewage sludge for beneficial uses must be abated. The existing approved coverage will remain fully effective and enforceable pending the issuance or denial of the renewal of permit coverage, provided the permittee is, and has been, operating in compliance with the terms and conditions of the general permits.

A fee of \$500 will be required to be submitted to the Department with the NOI. The Department will assign a unique identification number to each NOI. Public notice of receipt of each NOI for coverage and each approval for coverage will be published by the Department in the *Pennsylvania Bulletin*.

The proposed general permits have been sent to the EPA Regional Administrator for Region III. Persons wishing to comment on the proposed general permits are invited to obtain a copy of the proposed general permits from and to submit a written statement to:

Department of Environmental Protection, Bureau of Water Quality Protection, Division of Wastewater Management, Rachel Carson State Office Building, P. O. Box 8465—10th Floor, Harrisburg, Pa 17105-8465, (717) 787-8184; E-mail address: [cuongvu@a1.dep.state.pa.us](mailto:cuongvu@a1.dep.state.pa.us), World Wide Web Address: <http://www.dep.state.pa.us>.

Comments must be submitted within 30 days from the date of this public notice. If there is significant interest in the proposal, the period for comment may be extended at the discretion of the Department for one additional 15-day period. Comments received within this 30-day period will be considered in the formulation of the final determination of the general permits. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it is based. Comments will not be accepted by facsimile. Comments will be accepted by electronic mail to Cuong D. Vu at [cuongvu@a1.dep.state.pa.us](mailto:cuongvu@a1.dep.state.pa.us). A public hearing may be held if the Department considers the public interest in holding a hearing significant. Following the 30-day period, the Department will make a final determination regarding the proposed general permits. Notice of this determination will be published in the *Pennsylvania Bulletin*. The proposed general permits and related documents are on file at the Harrisburg office of the Division of Wastewater Management, Bureau of Wa-

ter Quality Protection at the location noted above. Anyone wishing to review or receive a copy of the permit document, or to receive further information, should contact C. D. Vu of that office. Persons with a disability may use the AT&T Relay Service by calling 1 (800) 654-5984 (TDD users) or 1 (800) 654-5988 (voice users).

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 97-119. Filed for public inspection January 24, 1997, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Laboratories Approved to Determine Blood Alcohol Content Under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health under the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the analysis of serum proficiency testing specimens are approved to analyze both serum and plasma. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2502, (relating to hunting or furtaking under the influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside the Commonwealth may not provide blood and/or serum and plasma alcohol testing services in Pennsylvania unless they are specifically licensed by the Department under the Clinical Laboratory Act.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes, and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised semiannually and published in the *Pennsylvania Bulletin*.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the U.S. Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Health Care Financing Administration (HCFA). Participation in these programs may therefore be used to demon-

strate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 363-8500. Persons with a disability may submit questions to Dr. Shoemaker in alternative formats, such as by audio tape, braille or using TDD: (717) 783-6514. Persons with a disability who require an alternative format of this document (for example, large print, audio tape, braille), should contact Dr. Shoemaker so that he may make the necessary arrangements.

DANIEL F. HOFFMANN, FACHE,  
*Acting Secretary*

The symbols S and B indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

Abington Memorial Hospital-S

1200 Old York Road  
Abington, PA 19001  
215-576-2350

Albert Einstein Medical Center-Northern Division-S

5500 Old York Road  
Philadelphia, PA 19141  
215-456-6100

Allegheny County Dept. of Labs., Toxicology Section-SB

10 County Office Building  
Pittsburgh, PA 15219  
412-355-6873

Allegheny General Hospital-Dept. Lab. Medicine-S

320 East North Avenue  
Pittsburgh, PA 15212  
412-359-3521

Allegheny University Hospital-SB

Stat Tox Lab MS 431, Broad and Vine Streets  
Philadelphia, PA 19102-1192  
215-762-7828

Allegheny University Hospital-Center City-SB

Broad and Vine Streets, MS 113  
Philadelphia, PA 19102  
215-448-7154

Allegheny University Hospital-East Falls-S

3300 Henry Avenue  
Philadelphia, PA 19129  
215-842-6615

Allegheny University Hospital-Elkins Park Campus-SB

60 East Township Line  
Elkins Park, PA 19117  
215-663-6102

Allegheny University Hospitals-Bucks County Division-S

225 Newtown Road  
Warminster PA 18974  
215-633-5221

Allegheny Valley Hospital-SB

1300 Carlisle Street  
Natrona Heights, PA 15065  
412-224-5100

Allentown Osteopathic Medical Center-S

1736 Hamilton Street  
Allentown, PA 18104  
610-439-4000

Altoona Hospital-SB  
620 Howard Avenue  
Altoona, PA 16601  
814-946-2340

American Medical Laboratories, Inc.-SB  
14225 Newbrook Drive  
Chantilly, VA 22021  
703-802-6900

Analytic Bio-Chemistries, Inc.-SB  
1680-D Loretta Avenue  
Feasterville, PA 19053  
215-322-9210

Armstrong County Memorial Hospital-SB  
R.D.#8, Box 50  
Kittanning, PA 16201  
412-543-8122

Associated Clinical Laboratories-B  
1526 Peach Street  
Erie, PA 16501  
814-453-6621

Associated Regional and University Pathologists-SB  
500 Chipeta Way  
Salt Lake City UT 84108  
800-242-2787

Ayer Clinical Laboratory-Penna. Hospital-S  
8th & Spruce Streets  
Philadelphia, PA 19107  
215-829-3541

Braddock Medical Center-S  
412 Holland Avenue  
Braddock, PA 15104  
412-636-5000

Bradford Hospital-SB  
116-156 Interstate Parkway  
Bradford, PA 16701  
814-834-8282

Brandywine Hospital and Trauma Center-S  
Route 30 Bypass  
Coatesville, PA 19320  
610-383-8000

Brownsville General Hospital Laboratory-SB  
125 Simpson Road  
Brownsville, PA 15417  
412-785-7200

Butler Memorial Hospital-S  
911 East Brady Street  
Butler, PA 16001  
412-284-4510

Canonsburg General Hospital-SB  
R.D.#1, Box 147, Route 519  
Canonsburg, PA 15317  
412-745-6100

Carlisle Hospital-S  
245 Parker Street  
Carlisle, PA 17013  
717-249-1212

Centre Community Hospital-B  
1800 East Park Avenue  
State College, PA 16803  
814-234-6117

Chambersburg Hospital-S  
112 North Seventh Street  
Chambersburg, PA 17201  
717-267-7152

Charles Cole Memorial Hospital-S  
R.D.#3, U.S. Route 6  
Coudersport, PA 16915  
814-274-9300

Chester County Hospital-S  
701 East Marshall Street  
West Chester, PA 19380  
610-431-5182

Chestnut Hill Hospital-S  
8835 Germantown Avenue  
Philadelphia, PA 19118  
215-248-8630

The Children's Hospital of Philadelphia-S  
One Children's Center, 34th and Civic Center Blvd.  
Philadelphia, PA 19104  
215-590-1000

Citizens General Hospital-SB  
651 Fourth Avenue  
New Kensington, PA 15068  
412-337-5031

Clarion Hospital-SB  
One Hospital Drive  
Clarion, PA 16214  
814-226-9500

Clearfield Hospital Lab-S  
809 Turnpike Avenue, P.O. Box 992  
Clearfield, PA 16830  
814-765-5341

Clintox Laboratories-S  
601 Gay Street  
Phoenixville, PA 19460  
610-933-6550

Community General Hospital-S  
145 North Sixth Street  
Reading, PA 19603  
610-378-8350

Community General Osteopathic Hospital-SB  
4300 Londonderry Road, P.O. Box 3000  
Harrisburg, PA 17109  
717-657-7214

Community Hospital-B  
North Fraley Street  
Kane, PA 16735  
814-837-8585

Community Hospital of Lancaster-S  
1100 Orange Street  
Lancaster, PA 17604  
717-397-3711

Community Medical Center-S  
1822 Mulberry Street  
Scranton, PA 18510  
717-969-8000

Conemaugh Valley Memorial Hospital-SB  
1086 Franklin Street  
Johnstown, PA 15905  
814-534-9000

Corning Clinical Laboratories, Inc.-SB  
900 Business Center Drive  
Horsham PA 19044  
215-957-9300

Corning Clinical Laboratories-SB  
875 Greentree Road  
4 Parkway Center  
Pittsburgh PA 15220  
412-920-7600

Corning Clinical Laboratories, Inc.-SB  
One Malcolm Avenue  
Teterboro, NJ 07608  
201-288-0900

Crozer-Chester Medical Center-Springfield-S  
190 West Sproul Road  
Springfield, PA 19064  
610-328-9200

Crozer Chester Medical Center-SB  
1 Med Ctr. Blvd., 15th Street and Upland Avenue  
Chester, PA 19013  
610-447-2000

Delaware County Memorial Hospital-SB  
501 N. Lansdowne Avenue  
Drexel Hill, PA 19026  
610-284-8100

Delaware Valley Medical Center-S  
200 Oxford Valley Road  
Langhorne, PA 19047  
215-949-5275

Department of Pathology & Lab Med-HUP-SB  
3400 Spruce Street  
Philadelphia, PA 19104  
215-662-3435

Divine Providence Hospital-B  
1100 Grampian Boulevard  
Williamsport, PA 17701  
717-326-8167

Doylestown Hospital-S  
595 West State Street  
Doylestown, PA 18901  
215-345-2250

DrugScan, Inc.-SB  
1119 Mearns Road, P.O. Box 2969  
Warminster, PA 18974  
215-674-9310

DuBois Regional Medical Center-West Unit-S  
100 Hospital Avenue  
DuBois, PA 15801  
814-371-2200

Easton Hospital-SB  
250 S. 21st Street  
Easton, PA 18042  
610-250-4140

Elk County Regional Medical Center-S  
94 Hospital Street  
Ridgway PA 15853  
814-776-6111

Ellwood City General Hospital-S  
724 Pershing Street  
Ellwood City, PA 16117  
412-752-0081

Ephrata Community Hospital-S  
169 Martin Avenue, P.O. Box 1002  
Ephrata, PA 17522  
717-733-0311

Episcopal Hospital-S  
Front Street and Lehigh Avenue  
Philadelphia, PA 19125  
215-427-7333

Evangelical Community Hospital-SB  
1 Hospital Drive  
Lewisburg, PA 17837  
717-522-2510

Forbes Regional Health Center-SB  
2570 Haymaker Road  
Monroeville, PA 15146  
412-858-2560

Frankford Hospital-Frankford Division-S  
Frankford Avenue and Wakeling Street  
Philadelphia, PA 19124  
215-831-2068

Frankford Hospital-Torresdale Division-S  
Red Lion and Knights Road  
Philadelphia, PA 19114  
215-612-4000

Frick Hospital and Community Health Center-S  
508 South Church Street  
Mount Pleasant, PA 15666  
412-547-1500

Fulton County Medical Center-S  
216 South First Street  
McConnellsburg, PA 17233  
717-485-3155

Geisinger Medical Center-SB  
North Academy Road  
Danville, PA 17822  
717-271-6338

Geisinger Wyoming Valley Medical Center-S  
1000 East Mountain Drive  
Wilkes-Barre, PA 18711  
717-826-7830

George Tolstoi Laboratory-Uniontown Hospital-S  
500 W. Berkeley Street  
Uniontown, PA 15401  
412-430-5143

Germantown Hospital and Medical Center-S  
One Penn Boulevard  
Philadelphia, PA 19144  
215-951-8800

Gettysburg Hospital-SB  
147 Gettys Street  
Gettysburg, PA 17325  
717-334-2121

GHS-Parkview Hospital-S  
1331 East Wyoming Avenue  
Philadelphia, PA 19124  
215-537-7430

GHS-City Avenue Hospital-S  
4150 City Avenue, Dept. of Pathology  
Philadelphia, PA 19131  
215-871-1000

Gnaden Huetten Memorial Hospital-SB  
Eleventh and Hamilton Streets  
Lehighton, PA 18235  
610-377-1300

Good Samaritan Hospital-SB  
Fourth and Walnut Streets, P.O. Box 1281  
Lebanon, PA 17042  
717-270-7500

Good Samaritan Medical Center-S  
1020 Franklin Street  
Johnstown, PA 15905  
814-533-1906

Good Samaritan Regional Medical Center-SB  
700 East Norwegian Street  
Pottsville, PA 17901  
717-622-3400

Graduate Hospital-S  
One Graduate Plaza, 4th Floor, Pepper Pavilion  
Philadelphia, PA 19146  
215-893-2240

Grand View Hospital-S  
700 Lawn Avenue  
Sellersville, PA 18960  
215-257-3611

Greene County Memorial Hospital-SB  
Bonar Avenue  
Waynesburg, PA 15370  
412-627-3101

Hamot Medical Center-S  
201 State Street  
Erie, PA 16550  
814-455-6711

Hanover General Hospital-SB  
300 Highland Avenue  
Hanover, PA 17331  
717-637-3711

Harrisburg Polyclinic Medical Center-SB  
South Front Street  
Harrisburg, PA 17101  
717-782-3131

Hazleton General Hospital-SB  
East Broad Street  
Hazleton, PA 18201  
717-454-2441

Health Network Laboratories-SB  
2024 Lehigh Street  
Allentown PA 18103  
610-402-8150

Highlands Hospital and Health Center-SB  
401 East Murphy Avenue  
Connellsville, PA 15425  
412-628-1500

Holy Spirit Hospital-SB  
503 North 21st Street  
Camp Hill, PA 17011  
717-763-2206

Horizon Hospital System-Greenville Campus-SB  
110 North Main Street  
Greenville, PA 16125  
412-588-2100

Horizon Hospital System-Shenango Campus-SB  
2200 Memorial Drive  
Farrell, PA 16121  
412-981-3500

Indiana Hospital-Department of Medicine-S  
P.O. Box 788  
Indiana, PA 15701  
412-357-7166

Jameson Memorial Hospital-S  
1211 Wilmington Avenue  
New Castle, PA 16105  
412-658-9001

J. C. Blair Memorial Hospital-S  
Warm Springs Avenue  
Huntingdon, PA 16652  
814-643-8645

Jeanes Hospital - S  
7600 Central Avenue  
Philadelphia, PA 19111  
215-728-2347

Jeannette District Memorial Hospital-S  
Jefferson Avenue  
Jeanette, PA 15644  
412-527-3551

Jefferson Regional Health Services, Inc.-Brookville Div.-S  
100 Hospital Road  
Brookville, PA 15825  
814-849-2312

John F. Kennedy Memorial Hospital-S  
Cheltenham Avenue and Langdon Streets  
Philadelphia, PA 19124  
215-831-7203

Kensington Hospital-S  
136 W. Diamond Street  
Philadelphia, PA 19122  
215-426-8100

LabOne, Inc.-SB  
8915 Lenexa Drive  
Overland Park KS 66214  
913-888-1770

Laboratory Corporation of America-SB  
13900 Park Center Road  
Herndon, VA 22071  
703-742-3100

Lab Corp. of America Holdings-SB  
69 First Avenue, PO Box 500  
Raritan NJ 08869  
201-526-2400

Lab Corp. of America Holdings-B  
6370 Wilcox Road  
Dublin, OH 43017  
800-282-7300

Lancaster General Hospital-S  
555 North Duke Street, P.O. Box 3555  
Lancaster, PA 17603  
717-299-5511

Lancaster General Hospital-Susquehanna Division-S  
631 Poplar Street  
Columbia, PA 17512  
717-684-2841

Latrobe Area Hospital-B  
West Second Avenue  
Latrobe, PA 15650  
412-537-1550

Lee Hospital-SB  
320 Main Street  
Johnstown, PA 15901  
814-533-0130

Lewistown Hospital-SB  
Highland Avenue  
Lewistown, PA 17044  
717-248-5411

Lock Haven Hospital-B  
24 Cree Drive  
Lock Haven, PA 17745  
717-893-5000

Lower Bucks Hospital-SB  
501 Bath Road  
Bristol, PA 19007  
215-785-9200

Main Line Clinical Laboratories-Bryn Mawr-CP-S  
Bryn Mawr Avenue  
Bryn Mawr, PA 19010  
610-526-3554

Main Line Clinical Laboratories-Lankenau-CP-S  
100 East Lancaster Avenue  
Wynnewood, PA 19096  
610-645-2615

Main Line Clinical Laboratories-Paoli Memorial-CP-S  
255 W. Lancaster Avenue  
Paoli, PA 19301  
610-648-1000

Marian Community Hospital-S  
100 Lincoln Avenue  
Carbondale, PA 18407  
717-282-2100

McKeesport Hospital-S  
1500 Fifth Avenue  
McKeesport, PA 15132  
412-664-2233

Meadville Medical Center-Liberty Street-S  
751 Liberty Street  
Meadville, PA 16335  
814-336-3121

MedExpress/National Laboratory Center, Inc.-SB  
3955 Vantech Drive  
Memphis TN 38115  
901-795-1515

The Medical Center, Beaver, PA, Inc.-S  
1000 Dutch Ridge Road  
Beaver, PA 15009  
412-728-7000

Medical Center of Delaware-Department of Pathology-S  
4755 Ogletown-Stanton Road  
Newark, DE 19718  
312-733-3625

Medical Center of Delaware-Department of Pathology-S  
501 W. 14th Street  
Wilmington, DE 19899  
302-733-3625

Medlab Clinical Testing, Inc.-S  
212 Cherry Lane  
New Castle, DE 19720  
800-633-5221

Memorial Hospital-SB  
325 South Belmont Street, P.O. Box 15118  
York, PA 17403  
717-843-8623

Memorial Hospital Lab-SB  
R.D. #1  
Towanda, PA 18848  
717-265-2191

Memorial Hospital of Bedford County-SB  
Route 1  
Everett, PA 15537  
814-623-6161

Mercy Catholic Medical Center-Fitzgerald Division-S  
Lansdowne Avenue and Bailey Road  
Darby, PA 19023  
610-237-4175

Mercy Catholic Medical Center-Misericordia Division-S  
5301 Cedar Avenue  
Philadelphia, PA 19143  
215-748-9170

Mercy Haverford Hospital Laboratory-S  
2000 Old West Chester Pike  
Haverford, PA 19083  
610-645-3600

Mercy Hospital-SB  
2500 Seventh Avenue  
Altoona, PA 16602  
814-949-4495

Mercy Hospital-S  
Pride and Locust Streets  
Pittsburgh, PA 15219  
412-232-7831

Mercy Hospital-S  
746 Jefferson Avenue  
Scranton, PA 18510  
717-348-7100

Mercy Hospital Laboratory-S  
25 Church Street  
Wilkes-Barre, PA 18765  
717-826-3100

Mercy Providence Hospital-S  
1004 Arch Street  
Pittsburgh, PA 15212  
412-323-5783

Methodist Hospital Division/TJUH, Inc.-SB  
2301 South Broad Street  
Philadelphia, PA 19148  
215-952-9059

MidValley Hospital-S  
1400 Main Street  
Peckville, PA 18452  
717-489-7546

Miner's Hospital Lab of North Cambria-B  
Crawford Avenue and First Street  
Spangler, PA 15775  
814-948-7171

Monongahela Valley Hospital, Inc.-S  
Country Club Road, Route 88  
Monongahela, PA 15063  
412-258-2000

Monsour Medical Center-S  
70 Lincoln Way East  
Jeannette, PA 15644  
412-527-1511

Montgomery Hospital Laboratory-S  
Powell and Fornance Streets  
Norristown, PA 19401  
610-270-2173

Montrose General Hospital-B  
3 Grow Avenue  
Montrose, PA 18801  
717-278-3801

Moses Taylor Hospital-S  
700 Quincy Avenue  
Scranton, PA 18510  
717-963-2100

Muhlenberg Hospital Center-S  
2545 Schoenersville Road  
Bethlehem, PA 18017  
610-861-2261

Nason Hospital-B  
Nason Drive  
Roaring Spring, PA 16673  
814-224-6215

National Medical Services, Inc.-Laboratory-SB  
2300 Stratford Avenue  
Willow Grove, PA 19090  
215-657-3565

Nazareth Hospital-SB  
2601 Holme Avenue  
Philadelphia, PA 19152  
215-335-6245

Neumann Medical Center, Inc.-S  
Frankford Avenue and Palmer Street  
Philadelphia, PA 19125  
215-291-2118

North Hills Passavant Hospital-S  
9100 Babcock Boulevard  
Pittsburgh, PA 15237  
412-367-6700

North Penn Hospital-S  
100 Medical Campus Drive  
Lansdale, PA 19446  
215-368-2100

Northeastern Hospital-S  
2301 East Allegheny Avenue  
Philadelphia, PA 19134  
215-291-3671

Northwest Medical Center-Franklin-S  
1 Spruce Street  
Franklin, PA 16323  
814-437-7000

Northwest Medical Center, Oil City Campus-SB  
174 East Bissell Avenue  
Oil City, PA 16301  
814-677-1711

Ohio Valley General Hospital-S  
Heckel Road  
McKees Rocks, PA 15136  
412-777-6244

Omega Medical Laboratories, Inc.-SB  
2001 State Hill Road, Suite 100  
Wyomissing, PA 19610  
610-378-1900

PA Department of Health, Bureau of Laboratories-SB  
P.O. Box 500  
Exton, PA 19341-0500  
610-363-8500

PA State Police Lab-Bethlehem Regional Laboratory-SB  
2930 Airport Road  
Bethlehem, PA 18017-2149  
610-861-2103

PA State Police Lab-Erie-SB  
4310 Iroquois Avenue  
Erie, PA 16511  
814-899-8447

PA State Police Lab-Greensburg-SB  
PA State Police, P.O. Box P  
Greensburg, PA 15601  
412-832-3299

PA State Police Lab-Harrisburg-SB  
1800 Elmerton Avenue  
Harrisburg, PA 17110  
717-783-5548

PA State Police Lab-Lima-SB  
350 N. Middletown Road  
Media, PA 19063  
610-566-9066

PA State Police Lab-Wyoming-SB  
479 Wyoming Avenue  
Wyoming, PA 18644  
717-826-2230

Palmerton Hospital-S  
135 Lafayette Avenue  
Palmerton, PA 18071  
610-826-3141

Philadelphia Police Laboratory-SB  
Room 305 PAB, 8th & Race Streets  
Philadelphia, PA 19106  
215-592-5831

Philipsburg Area Hospital-S  
210 Lock Lomond Road  
Philipsburg, PA 16866  
814-342-7112

Phoenixville Hospital-S  
140 Nutt Road  
Phoenixville, PA 19460  
610-933-9281

Pittsburgh Criminalistics-SB  
1320 Fifth Avenue  
Pittsburgh, PA 15219  
412-391-6118

Pocono Medical Center Lab-SB  
206 East Brown Street  
East Stroudsburg, PA 18301  
717-476-3544

Polyclinic Medical Center-SB  
2601 North Third Avenue  
Harrisburg, PA 17110  
717-782-4141

Pottstown Memorial Medical Center-S  
1600 East High Street  
Pottstown, PA 19464  
215-327-7111

Pottsville Hospital and Warne Clinic-SB  
420 South Jackson Streets  
Pottsville, PA 17901  
717-622-6120

Presbyterian Medical Center of UPHS-S  
51 North 39th Street  
Philadelphia, PA 19104  
215-662-6000

Reading Hospital and Medical Center-S  
Sixth and Spruce Streets  
Reading, PA 19603  
610-378-6080

Riddle Memorial Hospital-S  
Baltimore Pike Highway 1  
Media, PA 19063  
215-566-9400

Robert Packer Hospital-S  
200 South Wilbur Avenue  
Sayre, PA 18840  
717-888-6666

Roxborough Memorial Hospital-S  
5800 Ridge Avenue  
Philadelphia, PA 19128  
215-483-9900

Sacred Heart Hospital-S  
Fourth and Chew Streets  
Allentown, PA 18102  
610-776-4727

Saint Agnes Medical Center-S  
1900 South Broad Street  
Philadelphia, PA 19145  
215-339-4100

Saint Clair Memorial Hospital-S  
1000 Bower Hill Road  
Pittsburgh, PA 15243  
412-561-4900

Saint Francis Central Hospital-S  
1200 Centre Avenue  
Pittsburgh, PA 15219  
412-562-3060

Saint Francis Medical Center-North-SB  
One Francis Way  
Mars, PA 16046  
412-772-5300

Saint Francis Hospital-S  
1000 South Mercer Street  
New Castle, PA 16101  
412-658-3511

Saint Francis Medical Center-SB  
400-45th Street  
Pittsburgh, PA 15201  
412-622-4838

Saint Joseph Hospital-S  
250 College Avenue, P.O. Box 3509  
Lancaster, PA 17604  
717-291-8022

Saint Joseph Quality Medical Lab-SB  
215 North 12th Street, Box 316  
Reading, PA 19603  
215-378-2000

Saint Joseph's Hospital-Div. of NPHS-S  
16th Street and Girard Avenue  
Philadelphia, PA 19130  
215-787-9000

Saint Lukes Hospital-S  
801 Ostrum Street  
Bethlehem, PA 18015  
610-691-4141

St. Lukes Quakertown Hospital-S  
Eleventh Street & Park Avenue, PO Box 9003  
Quakertown, PA 18951  
215-536-2400

Saint Margaret's Memorial Hospital-S  
815 Freepoint Road  
Pittsburgh, PA 15215  
412-784-4000

Saint Mary Hospital-S  
Langhorne & Newtown Roads  
Langhorne, PA 19047  
215-750-2162

St. Marys Regional Medical Center-B  
763 Johnsonburg Road  
St. Marys, PA 15857  
814-834-8519

Saint Vincent Health Center-S  
232 West 25th Street  
Erie, PA 16544  
814-452-5383

Sewickley Valley Hospital Laboratory-S  
Blackburn Road and Fitch Drive  
Sewickley, PA 15143  
412-741-6600

Shadyside Hospital - S  
5230 Centre Avenue  
Pittsburgh, PA 15232  
412-622-2315

Sharon Regional Health System-SB  
740 East State Street  
Sharon, PA 16146  
412-983-3911

Sierra Analytical Laboratories-SB  
625 East Drinker Street  
Dunmore, PA 18512  
717-341-2224

SmithKline Beecham Clinical Laboratories, Inc.-SB  
400 Egypt Road  
Norristown, PA 19403  
610-631-4200

Soldiers & Sailors Memorial Hospital-S  
Central Avenue  
Wellsboro, PA 16901  
717-724-1631

Somerset Hospital Laboratory-SB  
225 South Center Avenue  
Somerset, PA 15501  
814-443-2626

South Hills Health System-Jefferson-SB  
Coal Valley Road  
Pittsburgh, PA 15236  
412-469-5723

Southern Chester County Medical Center-S  
1015 West Baltimore Pike  
West Grove, PA 19390  
610-869-1080

Suburban General Hospital-S  
100 S. Jackson Avenue  
Bellevue, PA 15202  
412-734-6000

Suburban General Hospital-S  
2701 DeKalb Pike  
Norristown, PA 19404  
610-278-2075

Taylor Hospital-S  
175 East Chester Pike  
Ridley Park, PA 19078  
610-595-6450

Temple University Hospital-S  
3401 N. Broad Street  
Philadelphia, PA 19140  
215-221-3453

Thomas Jefferson University Hospital-S  
125 South 11th Street, 204 Pavillion  
Philadelphia, PA 19107  
215-955-6374

Titusville Area Hospital-S  
406 West Oak Street  
Titusville, PA 16354  
814-827-1851

Toxi-Con-SB  
120 Monahan Avenue, Suite 101  
Dunmore, PA 18512  
717-963-0722

Tyler Memorial Hospital-S  
RD #1, Route 6  
Tunkhannock, PA 18657  
717-836-2161

Tyrone Hospital-SB  
Clay Avenue Extension  
Tyrone, PA 16686  
814-684-1255

Unilab-SB  
18408 Oxnard Street  
Tarzana CA 91356  
818-996-7300

United Community Hospital-S  
631 North Broad Street Ext.  
Grove City, PA 16127  
412-458-5442

University Hospital-M.S. Hershey Medical Center-S  
500 University Avenue  
Hershey, PA 17033  
717-531-8353

University of Pittsburgh Medical Center/Beaver Valley-SB  
2500 Hospital Drive  
Aliquippa, PA 15001  
412-857-1238

University of Pittsburgh Medical Center-CLSI-SB  
200 Lothrop Street, CLSI Room 5929 MT  
Pittsburgh PA 15213  
412-647-7813

Warren General Hospital-SB  
212 Crescent Park West  
Warren, PA 16365  
814-723-3300

Washington Hospital-S  
155 Wilson Avenue  
Washington, PA 15301  
412-225-7000

Wayne Memorial Hospital-S  
601 Park Street  
Honesdale, PA 18431  
717-253-1300

Waynesboro Hospital-SB  
East Main Street  
Waynesboro, PA 17268  
717-765-3403

West Virginia University Hospitals-S  
Clinical Laboratories  
PO Box 8009  
Morgantown, WV 26506  
304-598-4241

Western Pennsylvania Hospital-S  
4800 Friendship Avenue  
Pittsburgh, PA 15224  
412-578-5779

Western Reserve Care System-SB  
500 Gypsy Lane  
Youngstown, OH 44504  
216-740-3794

Westmoreland Hospital-S  
532 W. Pittsburgh Street  
Greensburg, PA 15601  
412-832-4365

Wilkes-Barre General Hospital-SB  
Corner North River and Auburn Streets  
Wilkes-Barre, PA 18764  
717-829-8111

Williamsport Hospital and Medical Center-B  
777 Rural Avenue  
Williamsport, PA 17701  
717-321-2300

Windber Hospital and Wheeling Clinic-SB  
600 Somerset Avenue  
Windber, PA 15963  
814-467-6611

York Hospital-SB  
1001 South George Street  
York, PA 17405  
717-771-2696

[Pa.B. Doc. No. 97-120. Filed for public inspection January 24, 1997, 9:00 a.m.]

### Renal Disease Advisory Committee; Public Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P. L. 419, No. 140) (35 P. S. § 6204), will hold a public meeting on Friday, January 31, 1997.

The meeting will be held in Room 812, Health and Welfare Building, Harrisburg, PA from 10 a.m. to 3 p.m.

For additional information, contact Jane E. Renaut, Director of the Renal Disease Program, Division of Special Health Care Needs at (717) 787-9772. Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact Isabell M. Cain at (717) 787-9772 [TDD: (717) 783-6514/Network TDD: 8-443-6514].

DANIEL F. HOFFMANN, FACHE,  
*Acting Secretary*

[Pa.B. Doc. No. 97-121. Filed for public inspection January 24, 1997, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Current Prevailing Wage Act Debarments

The contractors referenced below have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-11—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under Section 11(e) of the act (43 P. S. § 165-11(e)), these persons and firms, or any firm, corporation or partnership in which such persons and firms have an interest, shall be awarded no contract for 3 years after the date listed.

JOHNNY J. BUTLER,  
*Secretary*

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
1. Reese's Excavating and Paving, Inc. (Fed. ER Tax I. D. No. 23-2330470)	350 East Butler Avenue (Route 202) New Britain, PA 18901	02/03/94

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
—and—	—and—	
Charles S. Reese (Fed. ER Tax I. D. No. 23-1903560)	P. O. Box 5182 New Britain, PA 18901	
2. James B. Martin, d/b/a Roof Consultant Service	1429 Worth Street York, PA 17404	02/04/94
3. Calah Construction Corp. (Fed. ER Tax I. D. No. 25-1574962)	806 Fifth Avenue Brackenridge, PA 15014	02/22/94
—and—		
Charles Sarver	107 Second Street Freeport, PA 16229	
—and—		
Michael Kusenko, Sr.	148 Claremont Drive Lower Burrell, PA 15068	
4. Kline Mechanical Contracting, Inc., and Ernest A. Kline (Fed. ER I. D. No. 25-1403962)	One Landmark North Suite 202 20399 Route 19 Evans City, PA 16033	04/06/94
5. J. Turner Construction Co., Inc. (Fed. ER Tax I. D. No. 52-1017383)	1261 Ward Street Baltimore, MD 21230	04/07/94
6. Supermason Enterprises, Inc. (Fed. ER Tax I. D. No. 23-2200622), and Toni E. Lynch	P. O. Box 533 Main Street Portland, PA 18351	06/20/94
7. Tom Lawver, d/b/a Lawver Masonry (Fed. ER Tax I. D. No. 23-1902917)	P. O. Box 325 Hanover, PA 17331	07/21/94
8. Dowell Corporation, a/k/a Dowell, Inc. (Fed. ER Tax I. D. No. 23-1887852), and John J. O'Donnell, Jr.	8080 Welsh Road Huntingdon Valley, PA 19006	08/04/94
	3150 Comport Road New Hope, PA 18938	
9. H. M. Troutman & Sons (Fed. ER Tax I. D. No. 23-2582920), and Dennis Troutman	P. O. Box 2097 Sinking Spring, PA 19608	09/28/94
10. Allied Mechanical, Inc.	87 County Line Road Harwinton, CT 06791	09/28/94
—and—		
Allied Sprinkler and Mechanical Systems, Inc., a/k/a Allied Sprinkler and Mechanical Systems	87 County Line Road Harwinton, CT 06791	
—and—		
James D. Williams, 87 County Line Road, Harwinton, CT 06791	87 County Line Road Harwinton, CT 06791	
	—and/or—	
	Allied Sprinkler P. O. Box 1489 Burlington, CT 06791	
11. John C. Fekos, d/b/a John C. Fekos Painting Co., a/k/a John C. Fekos, Painting Contractor (Fed. ER Tax I. D. No. 25-1344589)	3057 Texas Avenue P. O. Box 7953 Pittsburgh, PA 15216	12/07/94
12. Yorktowne Sound & Communications, Inc. (Fed. ER Tax I. D. No. 23-2210787)	620 Owen Road York, PA 17403	01/13/95
—and—		
Robert A. Carrigan Ann K. Carrigan	1154 Harbour Drive Apartment 201 Wilmington, NC 28401	

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
13. Greene Mechanical Corporation (Fed. ER Tax I. D. No. 25-1348869)	253 East First Street P. O. Box 266 Waynesburg, PA 15370	06/29/95
—and—		
Michael Mesich		
14. General Mechanical Contractors, Inc. (Fed. ER Tax I. D. No. 25-1243634), d/b/a General Industries	15 Arentzen Boulevard Charleroi Industrial Park Charleroi, PA 15022	08/16/95
15. George W. Sirakos, George Sirakos, and Scott Sirakos, d/b/a George Sirakos, Contractor (Fed. ER Tax I. D. No. 25-1329207)	2207 West Pike Street Houston, PA 15342	08/16/95
—and/or—		
George W. Sirakos	2207 West Pike Street Houston, PA 15342	
—and/or—		
George Sirakos	200 Ross Street Houston, PA 15342	
—and/or—		
Scott Sirakos	200 Ross Street Houston, PA 15342	
16. Parmenter Excavating (Fed. ER Tax I. D. No. 25-1698794) and Timothy Parmenter	6280 Sterretania Road Fairview, PA 16415 —and/or— 10889 Smith Road Northeast, PA 16428	08/18/95
—and—		
P. C. Partnership and Bruce Eaton	P. O. Box 368 Fairview, PA 16415 —and/or— 12251 Lay Road Edinboro, PA 16412	
17. William Bradney	95 Louise Drive Ivyland, PA 18974	08/21/95
—and—		
Thomas Andress	43 Upper Stump Road Chalfont, PA 18914	
—and—		
Robert Kerns	1203 Olms House Road Jamison, PA 18929	
18. The Garnes Group	P. O. Box 15135 Harrisburg, PA 17105	11/20/95
—and—		
Park Garnes, Sr.		
19. Facility Automation Services, Inc. (Fed. ER Tax I. D. No. 25-1618301)	231 West Pittsburgh St. Greensburg, PA 15601	11/20/95
—and—		
James A. Gabrielse	10816 Highpoint Drive Pittsburgh, PA 15235	
20. Industrial Building Refinishers, Inc.	6845 Linden Circle Macungie, PA 18062	11/20/95
—and—		
William A. Tyrka		

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
21. DiLucente Corp.	215 Bessemer Avenue East Pittsburgh, PA 15112	01/19/96
—and—		
Domenic DiLucente (Fed. ER Tax I. D. No. 25-1485346)		
22. J. M. Spears & Sons, Inc., and James M. Spears, Sr., a/k/a J. M. Spears, Sr., a/k/a Jim Spears (Fed. ER Tax I. D. No. 25-1351922)	135 Seneca Drive Butler, PA 16001	03/01/96
23. Lehigh Tile and Marble Company (Fed. ER Tax I. D. No. 23-0139045)	1425 Chew Street Allentown, PA 18102	03/01/96
24. Dixon S. Lightcap, t/a Lightcap Electric (Fed. ER Tax I. D. No. 25-1005774)	285 Philadelphia St. Indiana, PA 15701	03/05/96
25. Edward Schench, Jr., t/a Deja Vu Mechanicals	600A Creamery Road Nazareth, PA 18064	03/29/96
—or—		
	Route 2, Box 147 Easton, PA 18042	
26. John C. Fekos, d/b/a John C. Fekos, Painting Contractor (Fed. ER Tax No. 25-1344589)	3057 Texas Avenue Pittsburgh, PA 15216	05/02/96
27. Yialouris Painting Co., Inc., and Paul Yialouris	P. O. Box 11556 Pittsburgh, PA 15238	05/31/96
—and/or—		
	7001 Craig Drive Murrysville, PA 15668-9409	
—and—		
Paul Yialouris	461 Dover Drive Pittsburgh, PA 15278	
—and/or—		
	740 Providence Road Pittsburgh, PA 15239	
28. Spadafora Corporation and Paul Spadafora (Fed. ER Tax I. D. Nos. 25-1644399 —and— 25-1231136)	4073 Route 8 Allison Park, PA 15101	06/05/96
29. M.D.A. Mechanical Contractors, Inc., and August McRandal (Fed. ER Tax I. D. No. 25-1429715)	305 Freeport Road Pittsburgh, PA 15215	06/28/96
30. Neutron Electric, Inc. (Fed. ER Tax I. D. No. 23-2063311)	3011 Edgemont Street Philadelphia, PA 19134	06/28/96
31. Gary Roccograndi, d/b/a Roccograndi Power Kleen Co. (Fed. ER Tax I. D. No. 23-2407840)	P. O. Box 1823 Kingston, PA 18704	09/30/96
32. Richard L. Knupp, d/b/a Richard L. Knupp & Associates, a/k/a Rick Knupp Associates	R. D. 1 Stahlstown, PA 15867	10/02/96
—and/or—		
	200 West Second Street Derry, PA 15627	
33. Larry E. Patterson, d/b/a L. E. Patterson Construction Co. (Fed. ER Tax I. D. No. 23-2329358)	2034 North Fifth Street Harrisburg, PA 17102-1511	11/26/96
—and/or—		
	P. O. Box 5269 Harrisburg, PA 17110-0269	

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
34. Jay Reed, d/b/a Jay Reed Concrete Finishing Company (Fed. ER Tax I. D. No. 25-1247205)	R. D. 1, Box 358A Hopewell, PA 16650	01/08/97

[Pa.B. Doc. No. 97-122. Filed for public inspection January 24, 1997, 9:00 a.m.]

**Maximum Pennsylvania Workers' Compensation Payable**

Based upon the Statewide Average Weekly Wage, as determined by the Department of Labor and Industry for the fiscal year ending June 30, 1996, the maximum compensation payable under the Workers' Compensation Act, under Article 1 subsections 105.1 and 105.2, shall be \$542 per week for injuries occurring on or after January 1, 1997. For purposes of calculating the update to payments for medical treatment rendered on and after January 1, 1997, the percentage increase in Statewide Average Weekly Wage is 2.8%.

JOHNNY J. BUTLER,  
*Secretary*

[Pa.B. Doc. No. 97-123. Filed for public inspection January 24, 1997, 9:00 a.m.]

**DEPARTMENT OF STATE**

**Transfer of Custody and Management of Orphan Corporate and Business Records**

The Department of State is authorized, under 15 Pa.C.S. § 140, to provide for the transfer on a progressive and phased basis to the custody and management of the Department any or all orphan corporate and business records. These records are corporate and limited partnership filings and recordings which were formally effected in the office of the Clerk of Court of Common Pleas or the office for the recording of deeds or an equivalent row office in a home rule charter county and which are no longer effected in such offices by reason of the enactment of corporate statutes.

Under 15 Pa.C.S. § 140(b) the Department is required to publish in the *Pennsylvania Code* a notice where, as between a county and the Department, custody of all orphan corporate and business records resides. Under this requirement, notice is hereby given that as of September 1, 1996, all orphan corporate records maintained in the 67 counties of the Commonwealth of Pennsylvania has been transferred to the Department of State's Corporation Bureau. The records are available on 16mm microfilm and are accessible to the public.

*(Editor's Note: This document will be codified at 19 Pa. Code Chapter 15 (relating to custody and management of orphan corporate and business records.)*

YVETTE KANE,  
*Secretary of the Commonwealth*

[Pa.B. Doc. No. 97-124. Filed for public inspection January 24, 1997, 9:00 a.m.]

**DEPARTMENT OF TRANSPORTATION**

**Retention of Engineering Firms**

**Erie County  
Project Reference No. 08430AG2046**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately 12 inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on S.R. 0090, Section A05, reconstruct Interstate Route 90 from T. R. 832 to T. R. 19, Erie County.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Past construction experience (list resumes).
- b. NICET (or other) certifications.
- c. Understanding Department specifications and policies.
- d. Past performance.
- e. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employes will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (2)

<i>Classification</i>		<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI)	(NICET Highway Construction Level 2 or equivalent)	7 (5)*
Technical Assistant (TA)	(NICET Highway Construction Level 1 or equivalent)	1 (0)

\*At least one TCI must be a licensed nuclear gage operator.

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year 1997 will be the following rates:

<i>Payroll Classification</i>		<i>Rate Per Hour</i>	
Transportation Construction Manager 1	(TCM-1)	\$43.96 (ST)	\$40.96 (OT)
Transportation Construction Inspector Supervisor	(TCIS)	\$38.90 (ST)	\$44.88 (OT)
Transportation Construction Inspector	(TCI)	\$34.42 (ST)	\$39.28 (OT)
Technical Assistant	(TA)	\$24.60 (ST)	\$27.00 (OT)

Maximum reimbursable rate per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting. The maximum rate per hour of inspection includes all costs to have the inspector on the project site.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

Letters of interest for this project must include a letter, signed by the individuals proposed for all TCM-1 and TCIS positions, giving their approval to use their names in the letter of interest for this specific project.

Transmittal letters for the letters of interest shall be four pages or less.

The maximum number of resumes to be included with the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	4
TCI	9

No resumes are required for the TA classification.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be 15% of the total contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: John L. Baker, District Engineer, Engineering District 1-0, 1140 Liberty Street, Franklin, PA 16323.

Technical questions concerning the requirements for this project should be directed to David W. Ruhlman, P.E., District 1-0 at (814) 437-4311.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Allegheny, Beaver, Lawrence Counties  
Project Reference No. 08430AG2047**

The Department of Transportation will retain an engineering firm for an open-end contract to provide supplementary construction inspection staff under the Department's Inspector(s)-in-Charge, to perform construction inspection services on various projects in Engineering District 11-0, that is Allegheny, Beaver and Lawrence Counties. The Contract will include roadway and bridge construction projects, and material plant inspection. The contract will be for a minimum period of 30 months with a minimum cost of \$750,000.

It is anticipated that a maximum supplementary construction inspections staff of 29 inspectors will be required for this assignment.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an open-end contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Understanding of Department's requirements, policies and specifications.
- b. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete, asphalt paving, drainage and bridge painting.
- c. Past performance.

- d. Workload.
- e. Number of NICET certified inspectors in each payroll classification.
- f. Ability to provide CPM scheduling.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	2 (1)
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	7 (5)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	14 (9)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	6 (0)

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year 1997 will be the following rates:

<i>Payroll Classification</i>	<i>Rate Per Hour</i>	
Transportation Construction Manager 1 (TCM-1)	\$43.96 (ST)	\$40.96 (OT)
Transportation Construction Inspector Supervisor (TCIS)	\$38.90 (ST)	\$44.88 (OT)
Transportation Construction Inspector (TCI)	\$34.42 (ST)	\$39.28 (OT)

<i>Payroll Classification</i>	<i>Rate Per Hour</i>	
Technical Assistant (TA)	\$24.60 (ST)	\$27.00 (OT)

Maximum reimbursable rate per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting. The maximum rate per hour of inspection includes all costs to have the inspector on the project site.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; one inspector on each project certified in computer documentation and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation or construction.

Transmittal letters for the letters of interest shall be four pages or less.

The maximum number of resumes to be included with the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	3
TCIS	9
TCI	17

No resumes are required for the TA classification.

The second copy of the letter of interest and required forms, (see general requirements and information section) shall be sent to: Henry M. Nutbrown, District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017-2853.

Technical questions concerning the requirements for this project should be directed to Robert Collins, District 11-0, at (412) 429-4928.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**General Requirements and Information**

Firms interested in providing the above work and services are invited to submit two copies of a letter of interest and required forms for each Project Reference Number for which the applicant wishes to be considered.

One copy of the letter of interest and required forms must be submitted to Director, Bureau of Design, Consultant Selection Committee, Forum Place, 555 Walnut Street, 7th Floor, Harrisburg, PA 17101-1900.

The letter of interest and required forms must be received within 13 calendar days of this notice. The deadline for receipt of a letter of interest at the above address is 4:30 p.m. prevailing time of the thirteenth day.

The second copy of the letter of interest and required forms must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm or corporation not authorized to engage in the practice of engineering desires to submit a letter of interest, said individual, firm or corporation may do so as part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof.

Proposed DBE firms must be certified at the time of submission of the letter of interest. If the selected firm fails to meet the goal established, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small engineering firms, disadvantaged business enterprise engineering firms and other engineering firms who have not previously performed work for the Department of Transportation.

Each letter of interest must include the following:

1. The project reference number for which the applicant wishes to be considered.
2. The firm's legal name, fictitious name (if applicable), and the firm's Federal identification number.
3. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant must indicate the names and license number of individuals who are directing heads or employees of the firm who is responsible of the firm's engineering activities, and whose names and seal shall be stamped on all plans, specifications, plats and reports issued by the firm.
4. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project." The Standard Form 255 must be signed, dated and filled out in its entirety including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project.

If a Disadvantage Business Enterprise (DBE) goal is specified for the project the DBE must be currently certified by the Department of Transportation, and the name of the firm and the work to be performed must be indicated in Item No. 6.

If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

5. Standard Form 254, "Architect-Engineer for Related Services Questionnaire" not more than 1 year old as of the date of this advertisement, must accompany each letter of interest for the firm, each party to a joint venture and for each subconsultant the firm or joint venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor of a Company, unless an acceptable Standard Form 254 for the prime and *each* subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office of Central Office Bureau identified in the individual project advertisement.

If the Standard Form 254 is not submitted with the letter of interest the transmittal letter shall indicate the dates that the Standard Forms 254 were submitted to the Bureau of Design and appropriate Engineering District/Central Office Bureau.

6. A "Workload Projection" form for the prime and each subconsultant/subcontractor. The "Workload Projection" form should indicate the firms current and anticipated workload compared to the anticipated capacity available during the agreement projected time frame.

7. Firms with out-of-State headquarters or corporations not incorporated in Pennsylvania must include with each letter of interest a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. The latest audited overhead rate of the prime consultant and each subconsultant.

The assignment of the agreement/contract for the above advertisements will be made to one of the firms who submitted an acceptable letter of interest in response to this project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 97-125. Filed for public inspection January 24, 1997, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

**Kniseley Coal Company v. DEP; Doc. No. 95-248-R**

The Department of Environmental Protection (Department) and Kniseley Coal Company (Kniseley) have agreed to a settlement of the above matter. Kniseley Coal

Company operated an underground bituminous coal mine in McCalmont Township, Jefferson County, under Coal Mining Activity Permit No. 33841305 (No. 10 Deep Mine). On October 16, 1995 the Department issued Compliance Order No. 95-2-083U to Kniseley, citing Kniseley for its failure to close, backfill, or otherwise permanently reclaim the No. 10 Deep Mine, and ordering Kniseley to submit a plan to the Department to reclaim the No. 10 Deep Mine. Kniseley appealed Compliance Order No. 95-2-083U to the Environmental Hearing Board, which appeal was docketed at EHB Docket No. 95-248-R. On December 4, 1995 the Department issued Compliance Order No. 95-2-087U, which cited Kniseley for failing to comply with Compliance Order No. 95-2-083U.

The parties have agreed to a settlement, the major provisions of which include:

1. On or before March 1, 1997, Kniseley shall seal all boreholes, shafts and other openings to the No. 10 Deep Mine in accordance with the revised closure plan.

2. On or before April 1, 1997, Kniseley shall:

a) demolish and remove all buildings and materials from the No. 10 Deep Mine except those allowed to remain as set forth in Kniseley's revised closure plan;

b) remove all scrap, equipment and machinery from the No. 10 Deep Mine, except for those items allowed to remain as set forth in Kniseley's revised closure plan; and

c) backfill the affected surface area of the No. 10 Deep Mine to approximate original contour.

3. On or before May 30, 1997, Kniseley shall revegetate the surface areas of the No. 10 Deep Mine to the specifications set forth in its revised closure plan and 25 Pa. Code § 89.86.

4. Civil penalties of \$23,810 are assessed against Kniseley. However, if Kniseley timely complies with the above-listed requirements, the Department shall waive the collection of these civil penalties.

5. Kniseley's appeal before the Environmental Hearing Board at EHB Docket No. 95-248-R is dismissed with prejudice.

Copies of the full agreement are in the possession of:

Steven Lachman, Assistant Counsel, Department of Environmental Protection, Office of Chief Counsel, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4262;

Francis Caltagarone, Kniseley Coal Company, P. O. Box 158, Reynoldsville, PA 15851, (814) 653-2978;

and at the offices of the Environmental Hearing Board, and may be reviewed by any interested person on request during normal business hours.

Persons who are aggrieved by the above settlement have a right to appeal to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457. Appeals must be filed within 20 days of this publication.

If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 783-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Service at 1 (800) 654-5984.

The Environmental Hearing Board is empowered to approve this settlement if no objection is timely filed with the Board.

GEORGE J. MILLER,  
*Chairperson*

[Pa.B. Doc. No. 97-126. Filed for public inspection January 24, 1997, 9:00 a.m.]

### **Power Operating Company, Inc. v. DEP; EHB Doc. Nos. 94-199-C, 96-208-C**

The Department of Environmental Protection (Department) and Power Operating Company, Inc. (Power) have agreed to a settlement, of the above matters. Power conducted surface coal mining at the Dugan mine site in Rush Township, Centre County, PA. On June 17, 1994, and on October 8, 1996, the Department issued Orders directing that Power treat or abate a postmining discharge to Moshannon Creek from the Dugan mine site. Power appealed both Orders. The parties have agreed to a settlement, the major provisions of which include:

1. By July 1, 1997, Power shall initiate construction of a passive treatment system, as approved by the Department.

2. By September 30, 1997, Power shall have completed construction of the Passive Treatment System. Upon completion of the system, all effluent discharged from the Passive Treatment System shall satisfy the effluent standards for a passively treated post-mining discharge.

3. After completion of the Passive Treatment System, the Department will release to Power \$250,000 of the total bonds posted for the Dugan mine site.

4. After 12 consecutive months of successful operation of the Passive Treatment System, such that the effluent discharged from the Passive Treatment System consistently meets the effluent standards for a passively treated post-mining discharge, Power may apply for a bond adjustment, in accordance with 52 P. S. § 1396.4 and 25 Pa. Code § 86.152 or may, in the alternative, establish a treatment trust, in the amount of \$167,726, in accordance with 52 P. S. § 1396.4, which trust will be calculated in accordance with the Department Program Guidance Manual for Bond Adjustments/Release for Post Mining Discharges (PGM No. II:04:50) and subject to the provisions in Paragraph 6 below. Upon the establishment of treatment trust in the amount of \$167,726 and assuming all of the criteria for release of bonds set forth at 25 Pa. Code §§ 86.171 and 86.172 are met, the Department shall release the remainder of the bond. The treatment trust in the amount of \$167,726 is subject to the provisions of Paragraph 6 below.

5. Power shall operate and maintain the Passive Treatment System and shall treat all water to the effluent standards applicable for a passively treated postmining discharge. Power shall take whatever steps are necessary, including modification of the Passive Treatment System or the addition of conventional treatment, to make the water discharged from the Passive Treatment System meet the effluent limits for a passively treated post-mining discharge.

6. In the event that Power finds it necessary to utilize conventional treatment to meet the applicable effluent limits, the applicable effluent limits shall be those found in 25 Pa. Code § 87.102, during the periods of time when the discharge does not meet the limits for a passively

treated post mining discharge utilizing passive treatment methods. In addition, if Power finds it necessary to utilize conventional treatment to meet the applicable effluent limits, Power may either establish a treatment trust or pursue a bond adjustment under Paragraph 4, above, provided that the treatment trust or adjusted bond includes the 50 year cost of conventional treatment.

Copies of the full agreement are in the hands of:

Marc A. Ross, Esquire, Assistant Counsel, P. O. Box 8464, 400 Market Street, Harrisburg, PA 17105-8464;

John W. Carroll, Esquire, Pepper, Hamilton & Scheetz, One Keystone Plaza, P. O. Box 1181, Harrisburg, PA 17108-1181;

and at the office of the Environmental Hearing Board and may be reviewed by any interested party on request during normal business hours.

Persons who are aggrieved by the above settlement have a right to appeal to the Environmental Hearing Board, 2nd Floor, Rachael Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457.

If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 783-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Appeals must be filed within 20 days of this publication.

The Environmental Hearing Board is empowered to approve this settlement if no objection is timely made.

GEORGE J. MILLER,  
*Chairperson*

[Pa.B. Doc. No. 97-127. Filed for public inspection January 24, 1997, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Request for Bids

The Health Care Cost Containment Council is soliciting bids from qualified vendors to conduct a financial and compliance audit of the books, records and documents of the Council, for the fiscal year period July 1, 1996—June 30, 1997. Interested parties are requested to contact the Council Office by writing the Health Care Cost Containment Council, Suite 400, 225 Market Street, Harrisburg, PA 17101, or by calling (717) 232-6787 for copies of the Request for Proposal. Bids are due to the Council Office no later than 5 p.m. on February 27, 1997. A preproposal conference will be held at the above address on February 5, 1997, at 10 a.m. Potential bidders are invited to submit questions in advance of the preproposal conference.

ERNEST J. SESSA,  
*Executive Director*

[Pa.B. Doc. No. 97-128. Filed for public inspection January 24, 1997, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Easton Hospital; Amendment No. 2 to the Member Hospital Prospective Payment Agreement; Filing No. 97-C

By filing no. 97-C, Capital Blue Cross submits for the Department's review and approval an Amendment No. 2 Form # F-1670(b) to the Member Hospital Prospective Payment Agreement with Easton Hospital regarding payment for implantable defibrillators. The proposed amendment has an effective date of September 1, 1996.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg. This filing consists of two pages. Refer to Insurance Department File Number 9701130017001.

Interested parties are invited to submit written comments, suggestions or objections to Richard W. Stoner, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 97-129. Filed for public inspection January 24, 1997, 9:00 a.m.]

### The Meadows Psychiatric Center; Amendment No. 1 to the Member Psychiatric Hospital Prospective Payment Agreement; Filing No. 97-B

By filing no. 97-B, Capital Blue Cross submits for the Department's review and approval an Amendment No. 1 Form #F-1684 to the Member Psychiatric Hospital Prospective Payment Agreement with The Meadows Psychiatric Center. The proposed amendment has an effective date of September 1, 1996 and provides for the payment of Psychiatric Partial Hospitalization services.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg. This filing consists of ten pages. Refer to Insurance Department File No. 9701130015001.

Interested parties are invited to submit written comments, suggestions or objections to Richard W. Stoner, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, Pa 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commission*

[Pa.B. Doc. No. 97-130. Filed for public inspection January 24, 1997, 9:00 a.m.]

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by section 9(a) of the act of June 5, 1968 (P. L. 140, No. 78) (40 P. S. § 1008.9(a)) in connection with their company's termination of the insured's automobile policies.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Clean Tyme Assoc., Inc.; file no. 96-264-37399; State Farm Fire & Casualty; doc no. PH96-12-034; January 23, 1997, at 1 p.m.;

Appeal of Smith, William; file no. 96-223-36494; Keystone Insurance Company; doc. no. PH96-12-032; January 29, 1997, at 9 a.m.;

Appeal of McBride, Brian P.; file no. 96-267-36766; The Insurance Company of the State of Pennsylvania; doc. no. PH96-12-033; January 29, 1997, at 10 a.m.;

Appeal of Hand, Marion L.; file no. 96-193-06457; Erie Insurance Exchange; doc. no. P96-12-040; January 29, 1997, at 11 a.m.;

Appeal of Thomas, James and Rosemarie; file no. 96-183-08103; Erie Insurance Group; doc. no. P96-12-042; January 29, 1997, at 1 p.m.;

Appeal of Conallen, Michael J.; file no. 96-280-37794; USAA; doc. no. PH97-01-003; January 29, 1997, at 2 p.m.;

Appeal of Dohrmann, Edward; file no. 96-215-36854; State Farm Fire & Casualty Co.; doc. no. PH96-12-035; January 30, 1997, at 9 a.m.;

Appeal of Evans, Richard M.; file no. 96-193-06715; GEICO; doc. no. P96-12-043; January 30, 1997, at 1 p.m.;

Appeal of Fow, O. Allen; file no. 96-121-07729; Old Guard Mutual Insurance Company; doc. no. P96-12-041; January 30, 1997, at 2 p.m.;

Appeal of Smith, Gibson and Sandra; file no. 96-124-07741; Aetna Insurance Company; doc. no. P96-12-039; January 31, 1997, at 9 a.m.;

Appeal of Morrison, James and Annette; file no. 96-407-91364; Providian Auto & Home Insurance Company; doc. no. E97-01-001; January 31, 1997, at 10 a.m.;

Appeal of Whipkey, John H. and Fay; file no. 96-407-91430; Nationwide Insurance Company; doc. no. E97-01-002; January 31, 1997, at 11 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files, documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The insured must bring any evidence which the insured may want to offer at the hearing. The hearing will be held in accordance with the requirements of sections 9 and 10 of the act (40 P. S. §§ 1008.9 and 1008.10) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4289.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 97-131. Filed for public inspection January 24, 1997, 9:00 a.m.]

### Review Procedure Hearings under The Unfair Insurance Practices Act

The following insured has requested a hearing as authorized by section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with his company's termination of the insured's policy.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Di Tommaso, Raymond; file no. 96-215-35705; Allstate Insurance Company; doc. no. PH97-01-004; January 30, 1997, at 10 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of The Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4289.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 97-132. Filed for public inspection January 24, 1997, 9:00 a.m.]

### Saint Luke's Hospital; Amendment No. 2 to the Member Hospital Prospective Payment Agreement; Filing No. 97-A

By filing no. 97-A, Capital Blue Cross submits for the Department's review and approval an Amendment No. 2 Form # F-1667(b) to the Member Hospital Prospective

Payment Agreement with Saint Luke's Hospital. The proposed amendment has an effective date of July 1, 1996 and provides for the payment of Psychiatric Partial Hospitalization services.

Copies are available for public inspection, by appointment, during normal working hours at the Insurance Department's Office in Harrisburg. This filing consists of nine pages. Refer to Insurance Department File Number 9701130012001.

Interested parties are invited to submit written comments, suggestions or objections to Richard W. Stoner, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, Pa 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 97-133. Filed for public inspection January 24, 1997, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before February 18, 1997, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.**

**A-00113659. Elite Coach, Inc.,** (1520 Walnut Street, Allentown, Lehigh County, PA 18102), a corporation of the Commonwealth of Pennsylvania—persons in group and party service, between points in the counties of Lehigh and Northampton, and from points in the said counties, to points in Pennsylvania; which is to be a transfer of part of the rights authorized Leonard Tours & Charters, Inc., under the certificate issued at A-00110519, subject to the same limitations and conditions. *Attorney:* Richard T. Mulcahey, Jr., Two Penn Center, Suite 1400, 1500 John F. Kennedy Boulevard, Philadelphia, PA 19102-1890.

**Applications of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.**

**A-00109436, F. 2. David E. Waligurski, Jr., t/d/b/a Lifestyle Limousine Unlimited** (2829 Sturbridge Court, Sinking Spring, Berks County, PA 19608)—

additional right—persons in group and party service, between points in the county of Berks, and from points in the said county to points in Pennsylvania and return. *Attorney:* J. Bruce Walter, P. O. Box 1146, Harrisburg, PA 17108-1146.

**A-00109436, F. 3. David E. Waligurski, Jr., t/d/b/a Lifestyle Limousine Unlimited** (2829 Sturbridge Court, Sinking Spring, Berks County, PA 19608)—additional right—persons in airport transfer service, from points in the county of Berks, to the Philadelphia International Airport in the city and county of Philadelphia and the township of Tinicum, Delaware County; the Allentown-Bethlehem-Easton Airport in the township of Hanover, Lehigh County; and the Harrisburg International Airport in the township of Lower Swatara, Dauphin County. *Attorney:* J. Bruce Walter, P. O. Box 1146, Harrisburg, PA 17108-1146.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer as described under each application.**

**A-00113647. Geo. W. Weaver & Son, Inc.** (A New Corporation) (165 Lamont Street, New Cumberland, Cumberland County, PA 17070), a corporation of the Commonwealth of Pennsylvania—(1) property, excluding household goods in use, between points in Pennsylvania; (2) household goods in use, between points in the city of Harrisburg, Dauphin County, and within 15 miles by the usually traveled highways of the limits of said city; and (3) household goods in use from points in the city of Harrisburg, Dauphin County, and within 15 miles by the usually traveled highways of the limits of said city, to other points in Pennsylvania and vice versa; which is to be a transfer of all of the rights authorized under the certificates issued at A-00069107, Fs. 2, 3, and 4 to Geo. W. Weaver & Son, Inc. (old corporation), subject to the same limitations and conditions. *Attorney:* Lloyd R. Persun, 3401 North Front Street, P. O. Box 5950, Harrisburg, PA 17110-0950.

**A-00113657. Jenks, Inc., t/d/b/a Georgia P. Carroll Moving Company** (42 Ridgecrest Drive, Pittsburgh, Allegheny County, PA 15235), a corporation of the Commonwealth of Pennsylvania—(1) as a Class D carrier, household goods in use, for the Relocation Department of the Urban Redevelopment Authority of Pittsburgh, between points in the city of Pittsburgh, Allegheny County, and from points in said city to other points in Allegheny County; (2) as a Class B carrier, household goods in use, between points in the city of Pittsburgh, Allegheny County; which is to be a transfer of the rights authorized under the certificates issued at A-00108243, Folders 2 and 3, to Georgia P. Carroll, subject to the same limitations and conditions. *Attorney:* David M. O'Boyle, 1450 Two Chatham Center, Pittsburgh, PA 15219-3427.

### Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing, with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before February 10, 1997.

- A-00113645 Richard Lawson Excavating, Inc.  
3467 Washington Avenue, Finleyville, PA  
15332: Jana L. Phillis, Esquire,  
Schnader, Harrison, Segal & Lewis, 8  
East Pine Street, Washington, PA 15301-  
6704
- A-00113660 Brian D. Herr, t/d/b/a Brian D. Herr Truck-  
ing  
190 Lancaster Avenue, Quarryville, PA  
17566
- A-00113650 Richard F. Knapp, Sr., t/d/b/a Circle K  
Transport  
12590 Blymire Hollow Road,  
Stewartstown, PA 17363: Nathaniel Boyd,  
23 East Princess Street, York, PA 17403
- A-00113651 Canterbury Coal Company  
R. D. 1, Box 119, Avonmore, PA  
15618: William A. Gray, 2310 Grant  
Building, Pittsburgh, PA 15219-2383
- A-00113652 Harold C. Myers, t/d/b/a ABC Courier Deliv-  
ery Service  
P. O. Box 141, 363 Pattison Street, York,  
PA 17405
- A-00113653 Christopher Thomas Grguric, t/d/b/a C. T.  
Trucking, & Excavating  
R. D. 1, Box 245, Clarksburg, Pa 15725
- A-00113654 Craig Brown  
100 West Central Avenue, Paoli, PA 19301
- A-00113655 Paul R. Maranchick, t/d/b/a Maranchick  
Brothers Transportation  
1805 Lakeside Drive, Eric, PA 16511
- A-00113656 David C. Trainer  
147 Rock Street, Lehighton, PA 18235
- A-00113661 Cynthia A. and Cal Lorenz, t/d/b/a Bear  
Valley Trucking  
R. D. 2, Box 852, Coal Township, PA  
17866
- A-00113662 Raymond L. Hartzell, t/d/b/a Ray's Mobile  
Home Moving  
Star Route 1, Box 10, Rixford, PA 16745
- A-00113663 Laurel Packaging, Inc.  
429 Industrial Park Road, Johnstown, PA  
15904
- A-00113664 Pillow Express Delivery, Inc.  
2105 North Meridan Street, Indianapolis,  
IND 46202: Joseph P. Murdock, Suite  
945, 9000 Keystone Crossing, Indianapo-  
lis, IN 46240

JOHN G. ALFORD,  
*Secretary*

[Pa.B. Doc. No. 97-134. Filed for public inspection January 24, 1997, 9:00 a.m.]

## STATE SYSTEM OF HIGHER EDUCATION

### Request for Proposals

California University of Pennsylvania of the State System of Higher Education (System) is interested in obtaining proposals for the construction of our new science and technology building, Project DGS-402-50. Interested bidders can request the University's project manual from Hayes Large Architects, Logan Boulevard and Fifth Avenue, P. O. Box 1784, Altoona, PA 16603 or contact by phone at (814) 946-0451 on or after Monday,

January 27, 1997. A deposit of \$260 for one set of general construction, heating, ventilating and air conditioning construction, fire protection construction, plumbing construction and/or electrical construction plans and specifications, which amount (less \$17.50 for expense of postage and handling if documents are mailed to bidder) will be refunded to the bidder only upon submission of a bona fide bid and the return of the plans and specifications, including addenda, to the architect in reusable condition within 10 days after the date of the opening of bids; otherwise, the deposit will be forfeited. A second set of construction plans and specifications may be obtained upon refundable deposit of an additional \$260. Additional sets of plans and specifications may be purchased. Checks are to be payable to Hayes Large Architects. There will be a preproposal hearing on Friday, February 14, 1997, at 10 a.m. in Room 100 World Culture Building. Bids must arrive by 2 p.m. on Friday, February 28, 1997, in Room 117, Azorsky Administration Building. The bid opening will be Friday, February 28, 1997, at 2:30 p.m. in Room 100 World Culture Building. The System encourages responses from small firms, minority firms, women owned firms and firms which have not previously performed work for the system and will consider joint ventures that will enable these firms to participate in the system's contracts.

JAMES H. MCCORMICK,  
*Chancellor*

[Pa.B. Doc. No. 97-135. Filed for public inspection January 24, 1997, 9:00 a.m.]

## STATE TRANSPORTATION ADVISORY COMMITTEE

### Meeting Scheduled

The State Transportation Advisory Committee will hold its yearly mandated meeting on Monday, February 3, 1997. This meeting is open to the public and will begin at 10 a.m. at the following location: Executive Conference Room 9B, Forum Place, 555 Walnut Street, Harrisburg, PA 17101.

The meeting location is accessible to persons having disabilities. Persons having special needs or requiring special aides are requested to contact the State Transportation Advisory Committee Office at (717) 787-2913 in order that special disability needs may be accommodated.

H. MICHAEL LIPTAK,  
*Chairperson*

[Pa.B. Doc. No. 97-136. Filed for public inspection January 24, 1997, 9:00 a.m.]

## STATE TRANSPORTATION COMMISSION

### Meeting Scheduled

The State Transportation Commission will hold a regular scheduled business meeting on Thursday, January 30, 1997. This meeting is open to the public to attend and will begin at 10 a.m. at the following location: Depart-

ment of Transportation, Forum Place, 555 Walnut Street, Conference Room 9B, Harrisburg, PA 17101.

The meeting is open to the public. Attendees are to enter Forum Place and proceed to the 6th Floor Reception Area.

The meeting location is accessible to persons having disabilities. Any persons having special needs or requiring special aides are requested to contact the State Transportation Commission Office at (717) 787-2913 in order that special disability needs may be accommodated.

BRADLEY L. MALLORY,  
*Chairperson*

[Pa.B. Doc. No. 97-137. Filed for public inspection January 24, 1997, 9:00 a.m.]

## TURNPIKE COMMISSION

### Request for Bids

The Turnpike Commission is requesting a sealed bid for:

Window Replacement at Harrison City Maintenance Building, Westmoreland County. Mandatory Site Inspection: February 11, 1997 at 11 a.m. at Harrison City Maintenance Building, M. P. 63.2, Harrison City, Westmoreland County. Open Date: February 26, 1997 at 11 a.m.

Bids will be received by the Purchasing Manager not later than the time indicated above. Bid proposal Forms and Conditions may be obtained, free of charge, by communicating with the Bid Clerk, Purchasing Department, (717) 939-9551, ext. 2830.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 97-138. Filed for public inspection January 24, 1997, 9:00 a.m.]

### Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

**Contract No. 96-001-RT07.** Bituminous overlay, ID-2, SRL-E between M. P. 24.94 and M. P. 35.06 on the PA Turnpike System in Butler and Allegheny Counties, PA.

*Bid Opening Date:* February 25, 1997, 11 a.m.

*Bid Surety:* 5%.

Plans, specifications and contract documents will be available and open to the public inspection at the Administration Building. Copies may be purchased upon payment of \$25 per paper copy set (do not add State tax) by check or U.S.P.S. Money Order (no cash) to the Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676; Attn: Secretary/Treasurer's Office. No refund will be made for any reason.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Director of Purchases for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 97-139. Filed for public inspection January 24, 1997, 9:00 a.m.]