

NOTICES

DELAWARE RIVER BASIN COMMISSION

Notice of Commission Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold an informal conference followed by a public hearing on Thursday, April 19, 2001. The hearing will be part of the Commission's regular business meeting. Both the conference session and business meeting are open to the public and will be held at the New York City Municipal Building, One Centre Street, Building One, Room 1019, in lower Manhattan.

The conference among the Commissioners and staff will begin at 10 a.m. Topics of discussion will include a progress report on the Commission's Comprehensive Plan; the status of a proposal to improve the flood warning system in the Delaware River Basin; and a summary of the Toxics Advisory Committee meeting of March 23, 2001, and related activities. The session will conclude with a historical slide presentation on the New York City water supply system.

The subjects of the public hearing to be held during the 1 p.m. business meeting include, in addition to the dockets listed, a resolution to amend the Commission's Comprehensive Plan and Water Code to establish water usage reporting requirements.

The dockets scheduled for public hearing are as follows:

1. *New York State Department of Environmental Conservation D-77-20 (Revision 4)*. A resolution to continue for 1 year the experimental augmented conservation release program for the New York City Delaware Basin Reservoirs.

2. *Merrill Creek Owners Group D-77-110 CP (Amendment 11)*. A resolution to amend Table A (Revised) of Docket No. D-77-110 CP (Amendment 10) to include the addition of the Liberty Electric Power, LLC facility as a "Designated Unit."

3. *Merrill Creek Owners Group D-77-110 CP (Amendment 12)*. A resolution to amend Table A (Revised) of Docket No. D-77-110 CP (Amendment 11) to include the addition of the Hay Road Unit #8 as a "Designated Unit."

4. *Pechiney Plastic Packaging, Inc. (formerly American National Can Company) D-97-50 RENEWAL*. An application for approval of a ground water withdrawal project to supply up to 14 mg/30 days of water to the applicant's manufacturing facility from new Well No. 5 in the Kittatinny Aquifer and to retain the existing withdrawal limit from all wells of 14 million gallons (mg)/30 days. The project is located in Washington Borough, Warren County, NJ.

5. *Bucks County Water & Sewer Authority D-99-66 CP*. An application for approval of a ground water withdrawal project to supply up to 6.4 mg/30 days of water to the applicant's distribution system from new Well No. S-3 in the Brunswick Formation and to limit the withdrawal from all wells to 6.4 mg/30 days. The project is located in Solebury Township, Bucks County, PA.

6. *Buckingham Township D-2000-38 CP*. An application for approval of a ground water withdrawal project to supply up to 3 mg/30 days of water to the applicant's public water distribution system from new Well No. F-3 in the Lockatong Formation and to retain the existing withdrawal limit from all wells of 33.2 mg/30 days. The project is located in Buckingham Township, Bucks County in the Southeastern Pennsylvania Ground Water Protected Area.

7. *Hellertown Borough Authority D-2000-53 CP*. A ground water withdrawal project to provide a standby source of supply for the applicant's public water distribution system which will continue to serve Hellertown Borough and Lower Saucon Township. The applicant requests that the withdrawal from standby Well No. 3 in the Limestone Aquifer be limited to 22 mg/30 days and that the total withdrawal from all sources remain limited to 22 mg/30 days. The project is located in Hellertown Borough, Northampton County, PA.

8. *Upper Uwchlan Township D-2000-55 CP*. An application to construct a 0.3 mgd secondary lagoon sewage treatment plant (STP) and spray irrigation system to serve development along the Route 100 North corridor of Upper Uwchlan Township, Chester County, PA. No surface water discharge is proposed.

In addition to the public hearing, the Commission will address the following at its 1 p.m. business meeting: minutes of the February 28, 2001, business meeting; announcements; report on hydrologic conditions in the basin; reports by the Executive Director and General Counsel; public dialogue; and resolutions 1) approving a working budget for the Comprehensive Plan and authorizing the Executive Director to issue a request for proposals for consultant services consistent with that budget; and 2) authorizing the Executive Director to issue a request for proposals to initiate a PCB TMDL stakeholder implementation process to implement the Commission's PCB management program.

Documents relating to the dockets and other items may be examined at the Commission's offices. Preliminary dockets are available in single copies upon request. Please contact Thomas L. Brand at (609) 883-9500 ext. 221 with any docket-related questions. Persons wishing to testify at this hearing are requested to register in advance with the Secretary at (609) 883-9500 ext. 203.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act who wish to attend the hearing should contact the Commission Secretary, Pamela M. Bush, directly at (609) 883-9500 ext. 203 or through the New Jersey Relay Service at (800) 852-7899 (TTY) to discuss how the Commission may accommodate their needs. Driving directions to the meeting location are posted on the Commission's website, at www.drbc.net.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 01-641. Filed for public inspection April 13, 2001, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending April 3, 2001.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-26-01	Iron and Glass Bank Pittsburgh Allegheny County Purchase of assets/assumption of liabilities of one branch office of First Commonwealth Bank, Indiana, located at: 3400 South Park Road Bethel Park Allegheny County	Pittsburgh	Effective
3-30-01	The Peoples State Bank, East Berlin, and The Glen Rock State Bank, Glen Rock Surviving institution—The Peoples State Bank, East Berlin <i>Branch Acquired Via Merger:</i> 57-59 Main Street Glen Rock York County	East Berlin	Effective
4-3-01	Fulton Bank Lancaster Lancaster County Purchase of assets/assumption of liabilities of one branch office of Sovereign Bank, Wyomissing, located at: 863 East Baltimore Pike Kennett Square Chester County	Lancaster	Approved

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-19-01	Mifflin County Savings Bank Lewistown Mifflin County	101 East Market St. Lewistown Mifflin County	Opened
4-3-01	Stonebridge Bank Exton Chester County	624 Willowbrook Lane West Goshen Chester County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-29-01	Parkvale Savings Bank Monroeville Allegheny County	<i>To:</i> 74 Allegheny River Boulevard Verona Allegheny County <i>From:</i> 736 Allegheny River Blvd. Verona Allegheny County	Effective

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-23-01	First Commonwealth Bank Indiana Indiana County	3400 S. Park Rd. Bethel Park Allegheny County	Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
4-1-01	White Rose Credit Union, York, and Stanreco Federal Credit Union, York Surviving Institution—White Rose Credit Union, York	York	Effective
4-1-01	Postmark Credit Union, Harrisburg, and DAUCO Federal Credit Union, Harrisburg Surviving Institution—Postmark Credit Union, Harrisburg	Harrisburg	Effective
4-3-01	Witco Credit Union, Petrolia, and Penacol Federal Credit Union, Petrolia Surviving Institution—Penacol Federal Credit Union, Petrolia	Petrolia	Filed

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-642. Filed for public inspection April 13, 2001, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of May 2001

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of May, 2001, is 7 3/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. 96-221). Further preemption was instituted with the signing of Pub. L. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such individual occupies or has occupied as his principal residence.

Each month the Department of Banking is required by State law to compute and announce the ceiling rate on residential mortgages in Pennsylvania. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the U. S. Treasury. The latest yield rate on long-term government securities is 5.24 to which was added 2.50 percentage points for a total of 7.74 that by law is rounded off to the nearest quarter at 7 3/4%.

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-643. Filed for public inspection April 13, 2001, 9:00 a.m.]

**DEPARTMENT OF
CONSERVATION AND
NATURAL RESOURCES****Conservation and Natural Resources Advisory
Council; Meeting Notice**

Notice is hereby given of a meeting of the Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) on Wednesday, April 25, 2001. The meeting will be held at 10 a.m. in Room 105, Lobby level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Claire Guisewite directly at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PAULETTE JOHNSON,
Chairperson

[Pa.B. Doc. No. 01-644. Filed for public inspection April 13, 2001, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and the Pennsylvania Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I below, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II below. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise below, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800)-654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0081744	York County Solid Water & Refuse Authority 2700 Blackbridge Road York, PA 17402-7901	York County Hopewell Township	UNT Rambo Run & UNT Ebaugh's Run (7I—Kruetz/Muddy Creeks)	Yes
PA0029106	Greenfield Township Municipal Authority R. D. 1, Box 948 Claysburg, PA 16625	Blair County Greenfield Township	Frankstown Branch Juniata River (11-A—Frankstown Branch Juniata River/Little Juniata River)	Yes
PA0024350	Dauphin Borough Municipal Authority 200 S. Church St. Dauphin, PA 17018	Dauphin County Dauphin Borough	Susquehanna River (7-C—Clark/Paxton Creeks)	Yes
PA0009288	Milton Hershey School 1201 Homestead Lane Hershey, PA 17033	Dauphin County Derry Township	UNT Spring Creek (7-D—Swatara Creek)	Yes
PA0084247	Berk-Tek, Inc. 132 White Oak Rd. New Holland, PA 17557	Lancaster County Earl Township	UNT Conestoga River (7-J—Conestoga River)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0082333	Conestoga Hills Community 1230 Stoney Lane Conestoga, PA 17516	Lancaster County Conestoga Township	UNT Stehman's Run (7-J— Conestoga River)	Yes
PA0082619	WTS Properties, LLC Shangri-La Mobile Home Park P. O. Box 278 King of Prussia, PA 19406	York County Newberry Township	Conewago Creek (7-F—Conewago Creek)	Yes
PA0084646	Southern Fulton Elementary School 13083 Buck Valley Rd. Warfordsburg, PA 17267	Fulton County Bethel Township	UNT White Oak Run (13-B Lick- ing—Tonoloway Creeks)	Yes
PA0082023	Upper Leacock Township 115 Newport Road Leola, PA 17540-0325	Lancaster County Upper Leacock Township	Tributary to Mill Creek & Conestoga River (7-J—Conestoga River)	Yes
PA0081418	Rutter's Dairy Inc. 2100 N. George St. York, PA 17404	York County Manchester Township	UNT Codorus Creek	Yes

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0111431 Industrial Waste	H H Knoebel Sons, Inc. R. R. #1 Box 317 Elysburg, PA 17824-0317	Columbia County Cleveland Township	Catawissa 5E	Yes Renewal
PA0110540 Industrial Waste	Furman Foods Inc. P. O. Box 500 Northumberland, PA 17857-0500	Northumberland County Point Township	Muncy 10D	Yes Renewal

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0221970, Industrial Waste. **Greenville Borough Municipal Authority**, 44 Clinton Street, P. O. Box 638, Greenville, PA 16125.

This facility is located in Greenville Borough, **Mercer County**.

Description of Proposed Activity: renewal of industrial waste discharge.

The receiving stream, the Shenango River, is in watershed 20A and classified for warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Reynolds Water Company on the Shenango River located at Pymatuning Township, approximately 3 miles below point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.6 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
Aluminum	20	40	4.0	8.0	10.0
Manganese	5.0	10	1.0	2.0	2.5
Iron (T)	10	20	2.0	4.0	5.0
Total Suspended Solids	150	300	30	60	75
Total Residual Chlorine			0.5		1.6
pH	Within limits of 6.0 to 9.0 standard units at all times.				

XX—Monitor and report on monthly DMRs.

The EPA Waiver is in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

PA0013323, Industrial Waste, **The Boeing Company**, Route 29 and Stuart Avenue, Ridley Park, PA 19078.

This application is for renewal of an NPDES permit to discharge industrial wastewater and stormwater from the Boeing Company facility, in Ridley Township, Delaware County. These are existing discharges to Crum Creek, Darby Creek and the Delaware River.

The receiving streams are classified for the following uses: migratory fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.101 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
Total Suspended Solids	30	60	75
Total Dissolved Solids	1,000	2,000	2,500
Oil and Grease	15		30
pH (standard units)	6.0 (I-Min)		9.0

The proposed effluent limits for Monitoring Point 101, based on an average flow of 0.05 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
Oil and Grease	15		30
Cadmium, Total	0.26	0.69	
Chromium, Total (+6)	1.71	2.77	
Copper, Total	2.07	3.38	
Lead, Total	0.43	0.69	
Nickel, Total	2.38	3.98	
Silver, Total	0.24	0.43	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Zinc, Total	1.48	2.61	
Cyanide, Total	0.65	1.20	
Total Toxic Organics		2.13	
pH (standard units)	6.0 (I-Min)		9.0

The proposed effluent limits for Monitoring Point 201, based on an average flow of 0.015 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
Oil and Grease	15		30
Cadmium, Total	0.26	0.69	
Chromium, Total (+6)	1.71	2.77	
Copper, Total	2.07	3.38	
Lead, Total	0.43	0.69	
Nickel, Total	2.38	3.98	
Silver, Total	0.24	0.43	
Zinc, Total	1.48	2.61	
Cyanide, Total	0.65	1.20	
Total Toxic Organics		2.13	
pH (standard units)	6.0 (I-Min)		9.0

The proposed effluent limits for Outfalls: 002 through 004 and 009 through 024, based on an average storm event are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		Monitor/Report
COD		Monitor/Report
Oil and Grease		Monitor/Report
pH		Monitor/Report
Total Suspended Solids		Monitor/Report
Total Kjeldahl Nitrogen		Monitor/Report
Total Phosphorus (as P)		Monitor/Report
Iron, Dissolved		Monitor/Report

The proposed effluent limits for Outfall 007, based on an average storm event are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease		15	30
pH (standard units)	6.0		9.0

The proposed effluent limits for Outfall 008, based on an average storm event are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease		15	30
pH (standard units)	6.0		9.0

The EPA Waiver is in effect.

No. PA0058203, Sewage, **Peter's Clay Pots**, 1320 North West End Boulevard, Quakertown, PA 18951.

This application is for issuance of an NPDES permit to discharge treated sewage from sewage treatment plant in Richland Township, **Bucks County**. This is a new discharge to unnamed tributary to Tohickon Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 2,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	10	20
Ammonia (as N)	3.0	6.0
Nitrite and Nitrate (as N)	10	20
Phosphorus (as P)	1.0	2.0
Total Residual Chlorine	0.5	1.2
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	Minimum of 3.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	

The EPA Waiver is in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA#0061093, Sewage, **Monroe County Vocational Technical School**, P. O. Box 66, Laurel Lake Drive, Bartonsville, PA 18321.

This proposed facility is located in Pocono Township, **Monroe County**.

Description of Proposed Activity: Application is for renewal of an NPDES permit to discharge treated sewage from their existing sewage treatment facility.

The receiving stream, tributary to Pocono Creek, is in the State Water Plan watershed #016 and is classified for: high quality cold water fishery, aquatic life, water supply and recreation. The nearest downstream public water supply intake for East Stroudsburg Borough is located on McMichaels Creek is 5 miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of .015 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	3.0		6.0
(11-1 to 4-30)	9.0		18.0
Dissolved Oxygen	A minimum of 5.0 mg/l at all times.		
Fecal Coliform	200/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times.		
Total Residual Chlorine	1.2		2.8

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PA0025399, SIC Code 4952, Sewage, **Christiana Borough**, 315 Newport Avenue, Christiana, PA 17509.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Buck Run, in West Sadsbury Township, **Chester County**.

The receiving stream is classified for trout stocking fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing downstream potable water

supply intake considered during the evaluation was Chester Water Authority located in Little Britain Township, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001, for a design flow of 0.25 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N (5-1 to 10-31)	17	XXX	34
Total Phosphorus	2	XXX	4
Total Residual Chlorine	0.5	XXX	1.6
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,400/100 ml as a geometric average		

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0038733, SIC Code 4952, Sewage, **East Providence Township Municipal Authority**, P. O. Box 83, Breezewood, PA 15533.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to an unnamed tributary to Tub Mill Run in Watershed 11-D, in East Providence Township, **Bedford County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Susquehanna Township, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001, for a design flow of 0.380 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N (5-1 to 10-31)	5	XXX	10
(11-1 to 4-30)	15	XXX	30
Total Phosphorus	2	XXX	4
Total Residual Chlorine	0.20	XXX	0.75
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 at all times		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0085707, SIC Code 2015, Industrial Waste, **Cocalico Valley Poultry Farms**, 1095 Mount Airy Road, Stevens, PA 17578.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to an unnamed tributary of Indian Run, in West Cocalico Township, **Lancaster County**.

The receiving stream is classified for trout stocking fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Lancaster Municipal Water Authority located in Lancaster City, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001, for a design flow of 0.012 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	30	60	75
Total Suspended Solids	40	80	100
NH ₃ -N	4	8	10

NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Oil and Grease	15	-	30
Total Residual Chlorine	0.5	-	1.6
Dissolved Oxygen	Minimum 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		
Fecal Coliform	200/100 ml as a geometric average		
(5-1 to 9-30)	400/100 ml as a geometric average		
(10-1 to 4-30)			

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0080632, SIC Code 0161, Industrial Waste, **B & W Quality Growers, Inc. (Huntsdale Facility)**, 17825 79th Street, Fellsmere, FL 32948.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Yellow Breeches Creek in Watershed 7-E, in Penn Township, **Cumberland County**.

The receiving stream is classified for high quality cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located in Fairview Township, York County. The discharge is not expected to impact any potable water supply.

The proposed conditions apply to the facility:

1. There shall be no discharge of floating solids or visible foam in other than trace amounts.
2. Maintain straw bales or silt fence at cress bed outlets during planting or harvesting to minimize sediment discharges.
3. Limit pesticide use to Dipel, Malathion, Induce, Safer Insecticidal Soap, Neemix, Kocide 101 and Roundup without prior Department approval.
4. Cease discharging from cress beds if there is a potential for a pollution incident.
5. Submit monthly reports indicating pesticides used, application rates and acres treated.

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0002054, Industrial Waste, SIC, 4911, **Reliant Energy**, 1001 Broad Street, Johnstown, PA 15907.

This application is for renewal of an NPDES permit to discharge treated process water, sewage, stormwater, untreated cooling water and stormwater runoff from Seward Generating Station in East Wheatfield Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, Conemaugh River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Saltsburg Municipal Water Works, located at Saltsburg, 22 miles below the discharge point.

Outfall 002: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Debris collected on the intake trash racks shall not be returned to the waterway.					

Other Conditions: Effluent chlorine minimization condition, influent pH monitoring, and conditions pertaining to storm water runoff and chemical additives, approval of a 316(a) variance.

Outfall 003: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Residual Chlorine				0.2	
Temperature			Monitor and Report		

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Heat	Heat discharged to the waterway shall not exceed 820.0 MBTU/hr.				
pH	not greater than 9.0				

Outfall 004: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	0.0072				
CBOD ₅			25	50	
Suspended Solids			30	60	
Total Residual Chlorine			3.5	7.0	
Chloroform	Monitor and Report				
Fecal Coliform	Monitor and Report				
(5-1 to 9-30)			200/100 ml		
(10-1 to 4-30)			100,000/100 ml		
pH	not less than 6.0 nor greater than 9.0				

Outfall 005: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Residual Chlorine				0.2	
Temperature	Monitor and Report				
Heat	Heat discharged to the waterway shall not exceed 550.0 MBTU/hr.				
pH	not greater than 9.0				

Outfall 006: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			35	70	
Oil and Grease			15	20	30
Iron			3.5	7.0	
Manganese			2.0	4.0	
Aluminum			5.0	10.0	
pH	not less than 6.0 nor greater than 9.0				

Outfall 007: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
This discharge shall consist solely of uncontaminated stormwater runoff					

Outfall 008: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
This discharge shall consist solely of uncontaminated stormwater runoff					

Outfall 009: existing stormwater discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	Monitor and Report				
Aluminum	Monitor and Report				

NOTICES

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron			Monitor and Report		
Manganese			Monitor and Report		
Zinc			Monitor and Report		
Cyanide, total			Monitor and Report		
Cyanide, free			Monitor and Report		
Mercury			Monitor and Report		
Lead			Monitor and Report		
Arsenic			Monitor and Report		

Outfall 010: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
This discharge shall consist solely of uncontaminated stormwater runoff					

Outfall 011: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
This discharge shall consist solely of uncontaminated stormwater runoff cooling tower overflow.					

Outfall 012: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron			3.5	7.0	
Manganese			2.0	4.0	
Aluminum			5.0	10.0	
TSS			35	70	
pH	not less than 6.0 nor greater than 9.0				

Outfall 013: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
This discharge shall consist solely of uncontaminated stormwater runoff					

Outfall 017: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron			Monitor and Report		
Aluminum			Monitor and Report		
Manganese			Monitor and Report		
pH	Monitor and Report				

Outfall 018: existing discharge

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron			Monitor and Report		
Aluminum			Monitor and Report		

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Manganese					
pH	Monitor and Report		Monitor and Report		

Outfall 117: new discharge of stormwater runoff

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron			3.5	7.0	
Aluminum			2.0	4.0	
Manganese			5.0	10.0	
TSS			35	70	
pH	not less than 6.0 nor greater than 9.0				

Outfall 019: new discharge of stormwater runoff

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron			3.5	7.0	
Aluminum			2.0	4.0	
Manganese			5.0	10.0	
TSS			35	70	
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is not in effect.

PA0037940, Sewage, **Center Township Sewer Authority**, 224 Center Grange Road, Aliquippa, PA 15001.

This application is for renewal of an NPDES permit to discharge treated sewage from Elkhorn Run Wastewater Treatment Plant in Center Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Ohio River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Works.

Outfall 001: existing discharge, design flow of 2 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.5			1.0
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA0093271, Sewage, **Dyna-Craft Industries, Inc.**, 194 Goodview Drive, Apollo, PA 15613.

This application is for renewal of an NPDES permit to discharge treated sewage from Dyna-Craft Industries STP in Washington Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Beaver Run, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority, Freeport Plant, on the Allegheny River.

Outfall 001: existing discharge, design flow of .0006 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	15			30
Suspended Solids	20			40
Ammonia Nitrogen				
(5-1 to 10-31)	5			10
(11-1 to 4-30)	15			30
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	Monitor and Report			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**WATER QUALITY MANAGEMENT PERMITS
CONTROLLED INDUSTRIAL WASTE AND SEWAGE
WASTEWATER**

**APPLICATIONS UNDER THE PENNSYLVANIA
CLEAN STREAMS LAW**

PART II PERMITS

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted above the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

**Industrial Waste and Sewerage Applications under
The Clean Streams Law (35 P. S. §§ 691.1—
691.1001).**

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 2301404. Sewerage. **Concord Township Sewer Authority**, 664 Concord Road, Glen Mills, PA 19342. Applicant is requesting approval for the construction and operation of a wastewater pumping station

to serve an existing single-family home development known as Conestoga Farms, located in Concord Township, Delaware County.

WQM Permit No. 0901405. Sewerage. **Thomas G. and Kathryn Kelso**, 1942 Lower State Road, Doylestown, PA 18901. Applicant is requesting approval for the construction and operation of a small flow treatment facility to serve the Kelso Residence located in Doylestown Township, Bucks County.

WQM Permit No. 1501407. Sewerage. **New Garden Township Sewer Authority**, 8934 Gap Newport Pike, Landenberg, PA 19350. Applicant is requesting approval for the installation of three pumping stations and force main to serve the proposed Hartefeld Phase III development located in New Garden Township, Chester County.

WQM Permit No. 1501408. Sewerage. **Unionville-Chadds Ford School District**, 740 Unionville Road, Kennett Square, PA 19348. Applicant is requesting approval for the construction and operation of a new 3,000-gallon sludge holding tank and two seepage beds to serve Hillendale Elementary School WWTP located in Pennsbury Township, Chester County.

WQM Permit No. 1501409. Sewerage. **Oxford Area Sewer Authority**, P. O. Box 380, Oxford, PA 19363. Applicant is requesting approval for the construction and operation of a sewage pump station to serve Twin Ponds a residential subdivision located in East Nottingham Township, Chester County.

Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 0601402. Sewerage, **Leesport Borough Authority**, 10 East Wall Street, Leesport, PA 19533.

This proposed facility is located in Leesport Borough, Berks County.

Description of Proposed Action/Activity: Expand an existing 0.200 mgd wastewater treatment plant to 0.500 mgd.

WQM Permit No. 2801401. Sewerage, **Kelly M. Martin**, 1341 S. 5th Street, Chambersburg, PA 17201.

This proposed facility is located in Guildord Township, Franklin County.

Description of Proposed Action/Activity: Construction of small flow treatment plant to serve single family residence.

WQM Permit No. 0601403, Sewerage, **Jerry Seaser & Dawn O'Neill**, P. O. Box 145, Lenhartsville, PA 19534.

This proposed facility is located in Greenwich Township, **Berks County**.

Description of Proposed Action/Activity: Construction of small flow treatment system to serve single family residence.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 1901401, Sewerage New, **Locust Township Municipal Authority**, 1223A Numidia Drive, Catawissa, PA 17820.

This proposed facility is located in Locust Township, **Columbia County**.

Description of Proposed Action/Activity: Locust Township Municipal Authority submitted an application package for the Village of Numidia, for a treatment plant and collection system to serve the village of Numidia. Application was received on March 2, 2001 at the Northcentral Regional office of DEP in Williamsport.

WQM Permit No 5501401, Sewerage Rerate, **Kreamer Municipal Authority**, P. O. Box 220, Kreamer, PA 17833.

This proposed facility is located in Middlecreek Township, **Snyder County**.

Description of Proposed Action/Activity: Kreamer Municipal Authority submitted an application package for rerate of the wastewater treatment facility. The rerate application is to establish the maximum month hydraulic capacity and maximum month organic loading of the treatment plant. The application was received on March 5, 2001, at the Northcentral Regional Office of DEP in Williamsport.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

No. 0201403—Sewerage—City of McKeesport, 201 Lysle Boulevard, McKeesport, PA 15132. Application for the construction and operation of a sewer extension and pump station to serve Center Street located City of McKeesport, Allegheny County.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4301409, Sewerage, **John D. Miller**, 76 Blom Road, Grove City, PA 16127.

This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for the construction of a single residence sewage treatment plant.

WQM Permit No. 4301202, Industrial Waste, **John Koller and Sons, Inc. T/A Fairview Swiss Cheese**, 1734 Perry Highway, Fredonia, PA 16124.

This proposed facility is located in Borough of Fredonia, **Mercer County**.

Description of Proposed Action/Activity: This project is to construct a second SBR and provide for sludge dewatering.

WQM Permit No. 1001405, Sewerage, **Preston Environmental Center, Camp Bucoco**, 830 Morton Avenue Extension, Butler, PA 16001.

This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Action/Activity: This project is for the construction and operation of a small flow treatment facility.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800)-654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit PAS10 J051 Stormwater. Sunoco, Inc., P. O. Box 426, Marcus Hook, PA 19061-0426, has applied to discharge stormwater associated with a construction activity located in Marcus Hook Borough, **Delaware County** to Delaware County Regional Water Quality Control Authority Storm Sewer.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10Q222	Upper Macungie Township Von George 8330 Schantz Rd. Brenigsville, PA 18031	Lehigh County Upper Macungie Township	Little Lehigh Creek HQ-CWF
PAS10Q191	Jaindl Land Co. David Jaindl 3150 Coffeetown Rd. Orefield, PA 18069	Lehigh County Lower Macungie Township	Little Lehigh Creek HQ-CWF

Northampton County Conservation District: Greystone Bldg., Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10U150	Global Property Investors, LLP 580 Shoemaker Rd. Suite 201 King of Prussia, PA 19406	Northampton County Forks Township	Bushkill Creek HQ-CWF
PAS10U151	Charles Chrin 400 S. Greenwood Ave. Easton, PA 18042	Northampton County Bethlehem Township	Bushkill Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit PAS10 5508, Stormwater. **Harrison Township**, P. O. Box 92, Harrison Valley, PA has applied to discharge stormwater associated with a construction activity located in Harrison Township, **Potter County** to the Cowanesque River, WWF.

Potter County Conservation District, 107 Market St., Coudersport, PA 16915.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS105508	Harrison Township P. O. Box 92 Harrison Valley, PA 16927	Harrison Township Potter County	Cowanesque River

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit PAS10L024, Stormwater. **NWL Company**, 1001 Lafayette Drive, Farmington, PA, 15437 has applied to discharge stormwater associated with a construction activity located in Wharton Township, **Fayette County** to Deadman Run/HQ-CWF.

Fayette County Conservation District: 10 Nickman Plaza, Lemont Furnace, PA 15456, (724) 438-4497.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10L024	NWL Company 1001 Lafayette Drive Farmington, PA 15437	Fayette County Wharton Township	Deadman Run/HQ-CWF

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Lawrence County Conservation District: Lawrence Co Government Center, 430 Court Street, New Castle, PA 16101-3593.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS103712	Pennsylvania Turnpike Commission Attention: Barry Troup 176 Kost Road Carlisle, PA 17103	Lawrence County Little Beaver/North Beaver	Honey Creek/North Form Little Beaver (HQ-CWF)

NOTICE OF INTENT (NOI) FOR COVERAGE UNDER CAFO NPDES GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage Under the Department's CAFO (Concentrated Animal Feeding Operation) General NPDES Permit—PAG 12 to develop and operate a facility that may discharge Wastewater into the Surface Waters of this Commonwealth.

The EPA Region III Administrator has not waived the right to review or object to this permit action under the waiver provision 40 CFR 123.24(d).

The notice of intent and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the Regional Office noted. Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The new or renewal notice of intent, including other information submitted with the applications, is available on file. The information may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800)-654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

CAFO Notices of Intent Received

PAG120002, Hickory Hollow Farm (J. Raymond Harnish), 4000 Barnsley Chrome Road, Oxford, PA 19363. J. Raymond Harnish has submitted an application for a General NPDES permit for a proposed Concentrated Animal Feeding Operation (CAFO), known as Hickory Farm, located on 4000 Barnsley Chrome Road in East Nottingham Township, **Chester County**. The CAFO is situated near the Northeast Creek, which is classified for warm water fishery (WWF). The CAFO will be designed to maintain an animal population of approximately 600 Animal Equivalent Units (AEUs) consisting of 4,200 hogs. These animals will be housed in two totally confined buildings. Manure will be collected through slatted floors in reinforced concrete manure storage facilities beneath each building. The total capacity of the manure storage facilities will be 1.5 million gallons, including 2 feet of freeboard. Prior to operation of the manure storage facilities, the design engineer will be required to submit certification that the facilities were properly constructed. Manure will be pumped from the facilities and sprayed

onto fields leased by Hickory Farm in accordance with the approved Nutrient Management Plan. Excess manure will be managed through an agreement with a manure broker.

A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary reviews of the application of lawful standards and regulations, including the Final CAFO Strategy, the Department has made a tentative determination to issue a General NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and proposed draft permit are on file at the Southeast Regional Office of the Department. Persons may make an appointment to review the files by calling Records Management at (610) 832-6270.

The Environmental Protection Agency permit review waiver provision under 40 CFR 123.24(e) applies to this General NPDES permit.

Persons wishing to comment on the proposed permit are invited to submit written comments to the above address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based. A public meeting/hearing may be held if the Department considers the public response or interest significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 0901508, Public Water Supply.

Applicant	St. John Baptist School
Township	Nockamixon
Responsible Official	Rev. Joseph Tobian 4040 Durham Road Ottsville, PA 18942
Type of Facility	Public Water Supply System
Application Received Date	March 26, 2001
Description of Action	Installation of a granular activated carbon treatment system along with replacement of a pressure tank and a retention tank.

Central Office: Bureau Director, Water Supply and Wastewater Management, P. O. Box 8467, Harrisburg, PA 17105-8467.

Permit No. 9996402, Public Water Supply.

Applicant **Great Spring Waters of America, Inc.**
 Township Framingham, MA
 Responsible Official Kent Kise,
 105 Pennsylvania Avenue,
 Framingham, MA 01701
 Type of Facility Out of State Bottled Water System.
 Application Received Date March 28, 2001
 Description of Action Applicant requests Department approval to replace its Ozone disinfection process with an Ultraviolet Light disinfection process. The following bottled water products will be marketed in Pennsylvania: Poland Spring Natural Spring Water and Great Beer Natural Spring Water.

Permit No. 9996217, Public Water Supply.

Applicant **Great Spring Waters of America, Inc.**
 Township Poland Spring, Maine
 Responsible Official Kristin Tardiff,
 Eastern Region Water Resources Manager,
 P. O. Box 499,
 Poland Spring, Maine 04274.
 Type of Facility Out of State Bottled Water System.
 Application Received Date March 28, 2001
 Description of Action Applicant requests Department approval to replace its Ozone disinfection process with an Ultraviolet Light disinfection process. The following bottled water products will be marketed in Pennsylvania: Poland Spring Natural Spring Water, Poland Spring Sparkling Spring Water, Deer Park Spring Water, Ice Mountain Spring Water and Deer Park Distilled Water.

Permit No. 9996491, Public Water Supply.

Applicant **Great Spring Waters of America, Inc.**
 Township Hollis, ME
 Responsible Official Tamara Risser,
 Quality Control Manager,
 400 Killick Pond Road,
 Hollis, ME 04042.
 Type of Facility Out of State Bottled Water System.

Application Received Date March 28, 2001

Description of Action Applicant requests Department approval to replace its Ozone disinfection process with an Ultraviolet Light disinfection process. The following bottled water products will be marketed in Pennsylvania: Poland Spring Natural Spring Water and Ice Mountain Spring Water.

Permit No. 9996499, Public Water Supply.

Applicant **Westover Dairy**
 Township Lynchburg, VA
 Responsible Official Mark Deis, Quality Control Manager,
 2801 Fort Avenue,
 P. O. Box 11558,
 Lynchburg, VA 24506
 Type of Facility Out of State Bottled Water System.
 Application Received Date March 30, 2001
 Description of Action Applicant requests Department approval to sell bottled water in Pennsylvania under the brand name Turkey Hill Spring Water.

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Minor Amendment, Public Water Supply.

Applicant **Borough of Alburdis**
 Township or Borough Alburdis Borough
 Responsible Official Russell C. Kressley
 Water System Operator
 Borough Hall
 260 Franklin Street
 Alburdis, PA 18011
 (610) 966-9661
 Type of Facility Community Water System
 Consulting Engineer James F. McLear, Jr.
 Project Manager
 R.E. Coleman Associates, Inc.
 604 Brandywine Parkway
 West Chester, PA 19380-4287
 (610) 738-7898
 Application Received Date February 23, 2001
 Description of Action Removal of chemical feed equipment for iron treatment at the Well No. 4 chlorination building.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of this Commonwealth.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA32-782D, Water Allocation. **Indiana County Municipal Service Authority**, 827 Water Street, Indiana, PA 15701. **Indiana County**. Extension of the Indiana County Municipal Services Authority's Shelocta water system to service the proposed Dominion Energy facility to be located in South Bend Township, Armstrong County.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WA 25-726, Water Allocation. **Millcreek Township Water Authority**, 3608 West 26th Street, Erie, PA 16506. Millcreek Township, **Erie County**. Modification of existing permit to construct a new take point facility along Sterrettania Road. The new take point will provide hydraulic relief for the sole western district take point known as the Asbury Road take point. The new take point connection will be to the Erie City Water Authority system and will be known as the Sterrettania Road/Greeley Avenue Take Point and Waterline Extension Project. Project does not involve any change in allocation amount.

Biosolids Individual Permits (PABIG and PABIS)

The following parties have applied for either an Individual Site Permit (PABIS) or an Individual Generator Permit (PABIG) for beneficial use of sewage sludge (biosolids) by land application. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to land apply biosolids subject to certain requirements set forth in the permit.

Persons wishing to comment on the proposed permit are invited to submit a statement to the responsible DEP Regional Office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Management Regional Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, comments received and other information are on file and may be inspected and arrangements made for copying at the responsible DEP Regional Office indicated above the application.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800)-654-5984.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PABIS 4821. Circle H Ranch, Pike Township, **Potter County**. Leslie's Septic Service, P O Box 211, Yahn Road, Galeton, PA 16922-0211 has applied to beneficially use their biosolids on the Circle H Ranch Farm in Pike Township, **Potter County**.

Special Conditions

1. Management Practice—In addition to applicable conditions of the Farm Conservation Plan, and unharvested grass/hay buffer strip, a minimum of 15 feet in width, shall be maintained along the downslope perimeter of each field closest to Pine Creek. This buffer strip shall not be utilized for the application of treated septage.

2. Monitoring—The effectiveness of the grass/hay buffer strip shall be visually monitored monthly and after/during major precipitation events for evidence of runoff beyond the unharvested grass/hay buffer strip.

Recordkeeping

1. Record of the date, time weather conditions and observations shall be maintained and made available to the Department and the Potter County Conservation District during site inspections.

Reporting

1. Any evidence of treated septage runoff beyond the grass/hay buffer strip shall be reported to the Department immediately by telephone and within 48 hours in writing.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide Health Standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will

be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified below, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified below. During this comment period the municipality may request that the person identified below, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Rybas Property, Bensalem Township, **Bucks County**. Darryl Schmitt, Brinkerhoff Environmental Services, Inc., 133 Jackson Rd., Suite D, Medford, NJ 08055, on behalf of John, Jr., Mary C., Walter G., David J., Barbara J. and Joan C. Rybas, 888 Frankford Ave., Philadelphia, PA, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with lead. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bucks County Courier Times* in March 2001.

Lee's Service Center, Upper Darby Township, **Delaware County**. Samuel J. Kucia, Environmental Consulting, Inc., 500 East Washington St., Suite 375, Norristown, PA 19401, on behalf of Wellington and Dennis Lee, 700 Burmont Rd., Drexel Hill, PA, has submitted a Notice of Intent to Remediate site soil contaminated with lead, BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Delaware County Daily Times* on March 20, 2001.

API Harowe, a Division of American Precision Industries, Inc., West Goshen Township, **Chester County**. C. Peter Barringer, Environmental Resources Management, 855 Springdale Drive, Exton, PA 19341, on behalf of High V Limited Partnership, 1835 William Penn

Way, Lancaster, PA 17605, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with solvents and BTEX. The applicant proposes to remediate the site to meet Statewide Health and Site-specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on March 19, 2001.

Madiro Property, Downingtown Borough, **Chester County**. Susan Ahern, Evans Mill Environmental, Inc., 101 Fellowship Road, P. O. Box 735, Uwchland, PA 19480, on behalf of Anthony J. Jr. and Teresa W. Madiro, 21 E. Lancaster Ave., Downingtown, PA, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with lead, BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on May 10, 2000.

Northcentral Region: Environmental Cleanup Program Manager; 208 West Third Street, Williamsport, PA 17701.

Matthews Motors—Covington Site, Covington Township, **Tioga County**. Brooks Petroleum Contracting Company, RR 7, Box 141, Wellsboro, PA 16901, on behalf of Putnam Company, 5 East Avenue, Wellsboro, PA 16901, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Wellsboro Gazette*, on January 10, 2001. (See additional notice in another part of this *Pennsylvania Bulletin*.)

Southwest Region: Environmental Cleanup Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Colinet Residence, Lucerne Township, **Fayette County**. James P. Gallagher, Marshall Miller and Associates, 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011 (on behalf of Sam and Madelyn Colinet, 192 Oakhill Drive, Adah, PA 15410) has submitted a Notice of Intent to Remediate soil contaminated with BTEX and PAHs. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Uniontown Herald Standard* on December 17, 2000.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications received or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 8471, Harrisburg, PA 17105-8471.

Renewal Applications Received

Bio-Haz Solutions, P. O. Box 152, 805 Blakeslee Boulevard E., Lehighton, PA 18235. **License No. 0191.** Received on April 2, 2001.

**DETERMINATION FOR APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Application for Determination of Applicability Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR035D001. Petroleum Recycling Corp., 597 Glen Meadow Road, Richboro, PA 18954. Description: the processing of tank clean-out sludges, separator clean-out sludges, oil spill clean-up residue, waste oil and waste oil/water emulsions, by chemical and physical means and thermal separation to produce an "on specification" waste oil fuel. This notice supersedes the notice published on April 7, 2001, which incorrectly stated that there would be a 60 day comment period for this application. The application for determination of applicability was received by the Division of Municipal and Residual Waste on March 21, 2001.

Persons interested in obtaining more information about the general permit application may contact the Division of Municipal and Residual Waste, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit Application No. 101494. Waste Management of Pennsylvania, Inc., 1121 Bordentown Road, Morrisville, PA, Borough of Tullytown and Falls Township, **Bucks County.** Application submitted for the Western Expansion of the Tullytown Resource Recovery Facility Landfill. An LMIP meeting was held on March 16, 2001, and an alternate project timeline of 320 days for the review of the Phase I and II components of the expansion application was negotiated. The application was received by the Southeast Regional Office on March 30, 2001.

AIR QUALITY

**NOTICE OF PLAN APPROVAL AND OPERATING
PERMIT APPLICATIONS**

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or

operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice, and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified below. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the Act.

Applications Received and Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0141: Synfin Industries, Div of TSG, Inc. (1400 Welsh Road, North Wales, PA 19454) on March 12, 2001, for approval of facility VOC/NOx RACT in Montgomery Township, **Montgomery County.**

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Michael Safko, Acting New Source Review Chief, (570) 826-2531.

39-313-037B: Fluoro-Seal, Inc. (16360 Park Ten Place, Suite 325, Houston, TX 77084) for operation of a

batch reactor operation and associated air cleaning device at the facility along 744 Roble Road in Hanover Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-03010: Dal-Tile Corp. (211 North 4th Street, Gettysburg, PA 17325) for a Natural Minor Operating Permit for the ceramic tile manufacturing facility in the Borough of Gettysburg, **Adams County**.

01-03011: Dal-Tile Corp. (211 North 4th Street, Gettysburg, PA 17325) for a Natural Minor Operating Permit for the ceramic tile manufacturing facility in the Borough of Bendersville, **Adams County**.

01-03016: Dal-Tile Corp. (211 North 4th Street, Gettysburg, PA 17325) for a Natural Minor Operating Permit for the ceramic tile manufacturing facility in Straban Township, **Adams County**.

01-03021: Agway, Inc. dba Andgrow Fertilizer (3150 Stoney Point Road, East Berlin, PA 17316) for a Natural Minor Operating Permit for the fertilizer mixing plant in Latimore Township, **Adams County**.

36-03016: Wyeth Laboratories, Inc. (PO Box 304, Marietta, PA 17547) for a Natural Minor Operating Permit for the pharmaceutical manufacturing facility in East Donegal Township, **Lancaster County**.

36-03123: Greenwood Cemetery and Crematorium (719 Highland Avenue, Lancaster, PA 17603) for a Natural Minor Operating Permit for the crematorium in Lancaster City, **Lancaster County**.

38-05027: Lebanon Materials Division of Reading Materials, Inc. (PO Box 1467, Skippack, PA 19474) for a Synthetic Minor for a batch asphalt plant in North Annville Township, **Lebanon County**.

67-03006: Osram Sylvania Products, Inc. (1128 Roosevelt Avenue, York PA 17404) for a Natural Minor Operating Permit for the lamp manufacturing facility in West Manchester Township, **York County**.

67-03043: Envirite of PA, Inc. (1600 Pennsylvania Avenue, York, PA 17404) for a Natural Minor Operating Permit for the refuse systems facility in York City, **York County**.

67-03049: Garrod Hydraulics (3466 Board Road, York, PA 17402) for a Natural Minor Operating Permit for the hydraulic cylinder and actuator manufacturing facility in Manchester Township, **York County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

37-00277: SLI Lighting Co. (One Early Street, Ellwood City, PA 16112) for a Synthetic Minor Permit to operate a residential lighting fixtures manufacturing facility in Ellwood City Borough, **Lawrence County**.

43-00039: Campbell's Asphalt Products, Inc. (73 Glacial Till Road, Grove City, PA 16161) for a Synthetic Minor Operating Permit for operation of the facility's air contamination sources consisting of a 100-tph-asphalt batch plant in Liberty Township, **Mercer County**.

OPERATING PERMITS

PUBLIC HEARINGS

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

Notice is hereby given under 25 Pa. Code § 127.521, that the Department of Environmental Protection (DEP) intends to issue **Title V Operating Permit No. 56-00166 to PBS Coals, Inc.** located in Shade Township, **Somerset County**. In accordance with 25 Pa. Code § 127.428, DEP will hold a public hearing on May 14, 2001, at 7 p.m. in the Shade High School in Cairnbrook, PA 15294. The hearing is to accept testimony concerning the proposed Title V Operating Permit. The PBS Coals, Inc. representative to contact regarding this application is Raymond W. McGraw, Vice-President Processing, PBS Coals, Inc., PO Box 260, Friedens, PA 15541.

PBS operates a thermal dryer at this facility, which is used in the drying and processing of coal. As a result of the levels of oxides of nitrogen, carbon monoxide and particulates emitted this facility is a major stationary source as defined in Title I, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code, Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

Notice is hereby given that the Department of Environmental Protection (Department) will conduct a public hearing on April 18, 2001, beginning at 1 p.m. in the Air Quality Conference Room of the DEP Regional Office Building located at 230 Chestnut Street, Meadville, PA 16335-3407.

The hearing is for the Department to accept testimony concerning the Department's decision to approve, with conditions, Reasonably Available Control Technology (RACT) plan by **GE Transportation Systems**, 1503 West Main Street Ext., Grove City, PA to meet the requirements under 25 Pa. Code §§ 129.91—129.95 (RACT), concerning the emissions of oxides of nitrogen (NOx) and volatile organic compounds (VOC) from various air contamination sources. The final RACT proposal will be submitted to the United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan. This facility is located in **Mercer County**.

The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in the RACT approval for the facility to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits including the Title V Operating Permit for the facility and will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The following is a summary of the preliminary RACT determination for GE Transportation Systems, Grove City:

<i>Source</i>	<i>Control</i>
Diesel Engine Test Cells	Fuel restriction, NOx emission limitation. Operated and maintained in accordance with the manufacturers' specifications. Operated and maintained in accordance with good air pollution control practices.
Diesel Fire Pump	Deminimis: 1.4 tons NOx/yr
400 Hp Boiler	Operated and maintained as per 25 Pa. Code § 129.93(b)(2)—(5). Operated and maintained in accordance with good air pollution control practices.
800 Hp Boiler	Operated and maintained in accordance with the manufacturer's specifications as per 25 Pa. Code § 129.93 (c)(5). Operated and maintained in accordance with good air pollution control practices.
Engine Cleaning Operations	Deminimis: 1.0 ton VOC/yr
2 Natural Gas Emergency Generators	Operated and maintained in accordance with the manufacturer's specifications as per 25 Pa. Code § 129.93(c)(5)
Combustion Source <20 MMBTU/hr	Operated and maintained in accordance with the manufacturer's specifications. Presumptive RACT emission limitation defined in 25 Pa. Code § 129.93(c)(1).

Also, the hearing is for the Department to accept testimony concerning the Department's decision to modify the facility's Title V permit (TV 43-00196) originally issued on July 12, 1999. The modification includes the following significant changes:

<i>Section</i>	<i>Source</i>	<i>Old Condition</i>	<i>New Condition</i>	<i>Citation</i>	<i>Changes made</i>
C		009	009	127.511	Made minor language changes to the daily monitoring requirement to clarify the condition. The frequency of monitoring remained daily.
C			018	127.441	Added applicability requirement of 40 CFR 82 Subpart F to the permit.
D	037	008	008	127.441	Added language to clarify when the tune-up was required to be performed (if operated more than 500 hours/yr).
D	039	003	003	127.511	Modified condition to allow the burning of propane or LPG as back-up fuel.
D	106 & 107	002	002	129.52	Revised condition to the newly promulgated requirement.
D	106 & 107	003		127.511	Streamlined condition out of permit due to the new § 129.52 requirements.
D	106 & 107	007(a)	005(a)	127.511	Added language to clarify when the maintenance inspections were to be performed (during weeks when source has been operated).
D	108	002(b)	002(b)	127.12b	Converted old limit into units consistent with the new § 129.52 requirements.
D	108	003	003	129.52	Revised condition to the newly promulgated requirement.
D	108	004		127.511	Streamlined condition out of permit due to the new § 129.52 requirements.
D	108	008(a)	006(a)	127.511	Added language to clarify when the maintenance inspections were to be performed (during weeks when source has been operated).
H	132				Paragraph (d) was clarified to show source 132 consists of only the 5 test cells and not the turbocharger tester as originally permitted.
H					Paragraph (e) has been updated from original permit.
H					Paragraph (h) has been added to the permit listing regulations determined to be non-applicable to the facility.

The modification to the original Title V permit also included other non-substantial changes not listed above.

Philadelphia Department of Public Health, Air Management Services: 321 University Ave., Philadelphia, PA 19104, Roger Fey, (215) 823-7584.

Notice is hereby given that the City of Philadelphia, Department of Public Health, Air Management Services, will conduct a public hearing on Friday, May 11, 2001, in the Auditorium of the Medical Examiners Office, Spelman Building, 321 University Avenue, beginning promptly at 6 p.m. and continuing to 8 p.m. or the conclusion of testimony. The hearing is being held to receive comments from the public on the proposed approval, by the Department, of Reasonably Available Control Technology (RACT) plans and permit amendments, related to emissions of nitrogen oxides (NOx) and volatile organic compounds (VOCs), submitted by the facilities listed below:

Exelon Generation Co. (formerly PECO Energy Company)—Delaware Station (1325 North Beach Street, Philadelphia, PA 19125) and **Schuylkill Station** (2800 Christian Street, Philadelphia, PA 19146). Exelon Generation Co. has submitted a request to modify the monitoring requirements of its current RACT for operation of NOx generating combustion equipment. The facility proposes to use parametric emissions monitoring systems (PEMS) in accordance with 40 CFR Part 75, Appendix E in place of its existing continuous emissions monitoring systems (CEMS).

Exelon Generation Co. (formerly PECO Energy Company)—Richmond Station (3901 North Delaware Avenue, Philadelphia, PA 19137). Richmond Station's original RACT is being modified to meet a new 12-month rolling capacity limitation of 15%.

The RACT proposals have been submitted under requirements of Title 25 Pa. Code, Chapter 129, Stationary Sources of NOx and VOCs (§§ 129.91—129.95). Final RACT plan and permit approval actions will be submitted to the Department of Environmental Protection and the United States Environmental Protection Agency as formal revisions to the Philadelphia portion of the Pennsylvania State Implementation Plan for Air Quality.

PLAN APPROVALS

Applications Received for Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0142A: Fluid Energy Processing and Equipment Co. (4th and State Streets, East Greenville, PA 18041) for installation of a 6" jet-o-drier chemical drying system in East Greenville Borough, **Montgomery County**.

23-312-216: Baker Petrolite Corp. (4th and Saville, Eddystone, PA 19022) for construction of a storage tank in Eddystone Borough, **Delaware County**.

15-0058A: Martin Limestone, Inc. (199 Quarry Road, Honey Brook, PA 19344) for installation of a primary crusher in West Brandywine Township, **Chester County**.

23-0001S: Sunoco, Inc. (R&M) (Delaware Avenue and Green Streets, Marcus Hook, PA 19061) for modification of a boiler and heater in Marcus Hook Borough, **Delaware County**.

23-0041A: Tosco Refining, L.P. (4101 Post Road, Trainer, PA 19061) for installation of low NOx burners in Trainer Borough, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Michael Safko, Acting New Source Review Chief, (570) 826-2531.

39-318-108: SKW-MBT Management, Inc. (Division of Master Builders, Inc., 421 Shantz Road, Allentown, PA 18104) for construction of a paint spray booth and associated air cleaning device in Lower Macungie Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05021A: Knouse Foods Cooperative, Inc. (PO Box 709, Biglerville, PA 17307) for installation of two natural gas/#5 reclaimed oil boilers (that is, 700 HP and 600 HP, respectively) at their Peach Glen Plant in Tyrone Township, **Adams County**. The sources are subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

01-05022A: Knouse Foods Cooperative, Inc. (PO Box 709, Biglerville, PA 17307) for installation of a 250 HP natural gas/#5 reclaimed oil boiler at their Orrtanna Plant in Hamiltonban Township, **Adams County**. The source is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

06-03040A: Quality Investment Castings, Inc. (PO Box 100, Reading, PA 19510-0100) for construction of a wax burn out oven controlled by a thermal oxidizer in Maiden Creek Township, **Berks County**.

06-05090A: Chiyoda America, Inc. (PO Box 470, Morgantown, PA 19543-0470) for modification of a decorative laminate surface coating operation controlled by two thermal oxidizers in Caernarvon Township, **Berks County**. The source is subject to 40 CFR Part 63, Subpart KK—National Emission Standards for the Printing and Publishing Industry.

07-05032A: New Enterprise Stone & Lime Co., Inc. (PO Box 77, New Enterprise, PA 16664) to modify the operation of the existing natural gas fired hot mix asphalt plant to operate the plant on No. 2/recycled oil, at the Roaring Spring Quarry in Taylor Township, **Blair County**. This source is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities.

21-03053: Parthemore Funeral Home and Cremation Services, Inc. (1303 Bridge Street, New Cumberland, PA 17070) for construction of a cremation unit in New Cumberland Borough, **Cumberland County**.

21-05029A: Atlantic Refining and Marketing Corp. (1801 Market Street, Philadelphia, PA 19103) for installation of a vapor combustion unit at the Mechanicsburg Terminal in Hampden Township, **Cumberland County**.

36-05004B: M&M/Mars, Inc. (295 Brown Street, Elizabethtown, PA 17022) for an increase in operating hours for a diesel generator at their facility in Elizabethtown Borough, **Lancaster County**.

67-05067A: Persing Enterprises, Inc. (214 North Franklin Street, Red Lion, PA 17356) for modification of an existing spray coating booth and the installation of an additional spray booth at the furniture manufacturing facility in Red Lion Borough, **York County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

04-00709A: Empire Terminal, Inc. (Suite 110, 731-733 Washington Road, Pittsburgh, PA 15228) for operation of barge unloading at Monaca Plant in Monaca Borough, **Beaver County**.

04-00497A: Tuscarora, Inc. (800 Fifth Avenue, New Brighton, PA 15066) for operation of foam products manufacturer at Blockhouse Run Road Facility in New Brighton Borough, **Beaver County**.

04-00710A: Cronimet Corp. (471 Railroad Street, E. Rochester, PA 15074) for installation of a dust collector at East Rochester in East Rochester Borough, **Beaver County**.

56-00166: PBS Coals, Inc. (PO Box 260, Friedens, PA 15541) for operation of Thermal Dryer Production Increase at Shade Creek Plant in Shade Township, **Somerset County**.

Intent to Issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

Notice of Intent to Issue a Plan Approval and Amend a Title V Operating Permit

46-00013: Clemens Family Corp. (2700 Funks Road, Hatfield, PA 19440) in Hatfield Township, **Montgomery County**. Amended to include the requirements of Plan Approval 46-0013 for modification of an inedible rendering process. This modification will result in an emission increase of 0.56 ton of particulate matter per 12-month rolling sum. The facility shall be required to exhaust emissions from the inedible rendering process to either a packed tower scrubber or both a venturi scrubber and a packed tower scrubber, as outlined in the amended Title V Operating Permit. The Operating Permit will contain recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

46-00036: Visteon Systems LLC (2750 Morris Road, Lansdale, PA 19446) in Worcester Township, **Montgomery County**. Amended to include the requirements of Plan Approval 46-0036 for installation of Selective Soldering Machine No. 6. This source will result in an emission increase of 01.00035 tons of Lead (particulate matter) and 2.37 tons of Volatile Organic Compounds (VOCs) per 12-month rolling sum. The Selective Soldering Machine No. 6 shall only be used for soldering electronic circuit boards. The Operating Permit will contain recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Michael Safko, Acting New Source Review Chief, (570) 826-2531.

39-309-055: Lafarge Corp. (5160 Main Street, Whitehall, PA 18052) for installation and operation of an OSEPA high efficiency separator for the No. 1 finish mill at their plant in Whitehall Township, **Lehigh County**. The facility currently has a Title V Permit No. 39-00011. The plan approval includes terms and conditions to assure the proper operation of the source with satisfying the State and Federal requirements. It includes at minimum the conditions related to source description, emissions limits for pollutants, monitoring, recordkeeping and reporting, temporary operations to facilitate shakedown

and temporary operation period. The particulate emissions from the separator will be controlled by a fabric collector and shall not exceed 7.8 pounds per hour (34.2 tons per year) based on the Best Available Technology (BAT) allowable particulate emission standard of 0.02 grain/DSCFT. Although the sources covered by this plan approval may be located at a major facility, the installations/modifications do not trigger major new source review or prevention of significant deterioration requirements. This plan approval will be incorporated into the Title V operating permit through an administrative amendment at a later date, and the action will be published as a notice in the *Pennsylvania Bulletin*.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments, objections or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

49871601R2. Calvin V. Lenig Coal Prep & Sales, Inc. (R. R. 1 Box 330, Shamokin, PA 17872-9702), renewal of an existing anthracite coal preparation plant operation in Little Mahanoy Township, **Northumberland County** affecting 3.2 acres, receiving stream—none. Application received March 27, 2001.

49910202R2. Split Vein Coal Company, Inc. (R. R. 1 Drawer 2, Paxinos, PA 17860-9637), renewal of an existing coal refuse reprocessing operation in Coal Township, **Northumberland County** affecting 191.0 acres, receiving stream—none. Application received March 28, 2001.

49851603R3. Split Vein Coal Company, Inc. (R. R. 1 Drawer 2, Paxinos, PA 17860-9637), renewal of an existing coal preparation plant operation in Ralpho Township, **Northumberland County** affecting 21.6 acres, receiving stream—none. Application received March 28, 2001.

54900205R2. Wheelabrator Culm Services, Inc. (Liberty Lane, Hampton, PA 03842), renewal and correction of an existing coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 580.0 acres, receiving stream—none. Application received March 29, 2001.

54851340R3. Neumeister Coal Company (28 Frank Lane, Ashland, PA 17921), renewal of an existing anthracite deep mine operation in Foster Township, **Schuylkill County** affecting 5.0 acres, receiving stream—none. Application received March 30, 2001.

Hawk Run District Mining Office: Empire Road, PO Box 209, Hawk Run, PA 16840-0209.

17960104. Sky Haven Coal, Inc. (R. D. 1, Box 180, Penfield, PA 15849), renewal of an existing bituminous surface mine-auger permit in Beccaria Township, **Clearfield County** affecting 79 acres. Receiving stream—Cofinan Run to Clearfield Creek to West Branch of the Susquehanna River. Application received March 6, 2001.

17950111. Sky Haven Coal, Inc. (R.D. 1, Box 180, Penfield, PA 15849), renewal of an existing bituminous surface mine-auger permit in Bigler Township, **Clearfield County** affecting 188 acres. Receiving stream—Maplepole Run to the West Branch of the Susquehanna River. Application received March 6, 2001.

17930129. Laurel Energy, L.P. (One Energy Place, Suite 7500, Latrobe, PA 15650) transfer of an existing bituminous surface mine permit from Penn Grampian Coal Company located in Jordan Township, **Clearfield County** affecting 436.4 acres. Receiving stream—unnamed tributaries of Gazzam Run and Potts Run and unnamed tributaries of McNeel Run. Application received March 13, 2001.

Greensburg District Mining Office: Armbrust Building, RR 2 Box 603-C, Greensburg, PA 15601-0982.

EGS26002. Mountain Watershed Association (P. O. Box 408, Melcroft, PA 15462). Received an Environmental Good Samaritan application for the purpose of passive treatment of the abandoned mine discharge (AMD) from the Gallentine Mine Drainage Remediation site located in Springhill Township, **Fayette County** affecting 10 acres. Receiving stream: Indian Creek Watershed. Environmental Good Samaritan application received: March 23, 2001.

02860201. Minerals Technology, Inc. (100 High Tower Blvd., Suite 301, Pittsburgh, PA 15205.) Renewal application received for continued operation of a coal refuse reprocessing mine located in Harmar Township, **Allegheny County** affecting 156.6 acres. Receiving stream: Guys Run to Allegheny River. Renewal application received: March 29, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

32850114. Permit Renewal, Beilchick Brothers (P. O. Box 7, Heilwood, PA 15745), for continued operation of a bituminous surface mine in Pine Township, **Indiana County**, affecting 147.5 acres, receiving stream unnamed tributaries of Little Yellow Creek. Application received March 26, 2001.

Knox District Mining Office: White Memorial Building, PO Box 669, Knox, PA 16232-0669.

24840103. Fairview Coal Company (P. O. Box R, Ridgway, PA 15853). Renewal of an existing bituminous surface strip and auger operation in Fox and Horton Townships, **Elk County** affecting 407.0 acres. Receiving streams: Unnamed tributary to Toby Creek and Curry Run. Application received March 27, 2001.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

28830302T. D. L. George & Sons Construction Company (13321 Midvale Road, Waynesboro, PA 17268), transfer of an existing quarry operation from Charles W. Kershner, Jr. & Sons and renewal of NPDES Permit #PA0613371 in Antrim Township, **Franklin County** affecting 9.0 acres, receiving stream—Paddy Run to Conococheague Creek. Application received March 23, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

37960303. B & P Slag Corp. (133 East Wallace Avenue, New Castle, PA 16101) Transfer of an existing topsoil and sand and gravel operation in Union Township, **Lawrence County** affecting 146.0 acres. Receiving streams: Mahoning River. Transfer from Grant R. Wright, Inc. Application received March 28, 2001.

FEDERAL WATER POLLUTION CONTROL ACT

SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401

Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. §§ 1341(a)).

WATER OBSTRUCTIONS & ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E23-410. Westlake Plastics Company, P. O. Box 127, Lenni, PA 19052, Chester Heights Borough, **Delaware County**, ACOE Philadelphia District.

To place and maintain fill in 0.04 acre of wetlands adjacent to an unnamed tributary of Chester Creek (WWF-MF). The work within the floodway of an unnamed tributary of Chester Creek meets the permit waiver provision of § 105.12(a)(2) of the Department's Chapter 105 Rules and Regulations. The purpose of these activities is to expand Westlake Plastics Company's facility located approximately 200 feet northwest of the intersection of Lenni Road and New Road (Media, PA Quadrangle N: 3.4 inches; W: 10.9 inches).

E46-885. The Elliott Building Corporation LTD, 406 Glen Eagles Drive, New Hope, PA 18938, Limerick Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain a road crossing consisting of 182 linear feet of twin cell galvanized steel plate arches with a skew angle of 64 degrees and to install and maintain 140 feet of streambank stabilization in and along Landis Creek (TSF). The project also proposes various utility line crossings to be constructed within the roadbed, which qualify for General Permit No. 5 (Utility Line Stream Crossings). This project is associated with

the construction of the Estates at Landis Brooke Subdivision located approximately 2,000 feet east of the intersection of Sunset Road and Ridge Pike (Phoenixville, PA Quadrangle N: 17.85 inches; W: 1.25 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E40-567. Thomas S. Czerniakowski, R.R. 3, Box 121, Harveys Lake, PA 18618-9789, Harveys Lake Borough, PA 18618 in Harveys Lake Borough, **Luzerne County**, ACOE Baltimore District.

To modify and maintain an existing pile-supported dock in Harveys Lake, increasing the dock area from approximately 650 square feet to approximately 1,910 square feet. The structure, as modified, has overall deminsions of approximately 51 feet (lakeward) by 45 feet. The project is located at Pole 257 along Lakeside Drive, Harveys Lake, PA, Quadrangle N: 19.4 inches; W: 5.35 inches.

E39-381. Jaindl Land Company, 3150 Coffeetown Road, Orefield, PA 18069, Lower Macungie Township, **Lehigh County**, ACOE Philadelphia District.

To construct and maintain the following structures/activities in, along and across Swabia Creek (HQ-CWF) and tributaries there to; 3 concrete box culverts, 1 stream enclosure, 15 utility line crossings, 8 stormwater outfall structures, fill in the floodway, and to relocate approximately 650 feet of stream channel. The project is a residential subdivision consisting of 700 homes and is located on a 272 acre tract of land on the south side of Conrail Railroad adjacent to T-480, T-482, T-484 and Lockridge Park and Furnace Museum, Allentown West, PA, Quadrangle N: 2.0 inches; W: 11.0 inches.

E52-171. Woodloch Pines, R. R. 1, Box 280, Hawley, PA 18428 in Lackawaxen Township, **Pike County**, ACOE Philadelphia District.

To rehabilitate the channel of Teedyuskung Creek (HQ-CWF), using log and stone deflectors, log and tree revetments and willow posts, for the purpose of addressing streambank erosion along a 2,000-foot reach of stream channel. The project is located approximately 4,000 feet upstream of the creek's confluence with the Lackawaxen River, Rowlan, PA, Quadrangle N: 20.6 inches; W: 14.6 inches.

E40-569. City of Nanticoke, 15 East Ridge Street, Nanticoke, PA 18634 in City of Nanticoke, **Luzerne County**, ACOE Baltimore District.

To remove the existing structure (known as the Union Street Bridge) and to construct and maintain a roadcrossing of South Branch Newport Creek (locally known as Forge Creek) (CWF), consisting of a 24.0-foot x 6.0-foot reinforced concrete box culvert with its invert depressed 2.5 feet below streambed elevation. A temporary stream diversion, utilizing three 48-inch culverts, is proposed. The project is located on West Union Street, approximately 850 feet upstream of Main Street (S.R. 3001), Nanticoke, PA, Quadrangle N: 12.6 inches; W: 1.5 inches.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E22-424. Richard Yingst, Yingst Homes, Inc., 7100 Fishing Creek Valley Road, Harrisburg, PA 17112, ACOE Baltimore District in West Hanover Township, **Dauphin County**.

To construct and maintain a waived culvert crossing in an unnamed tributary to Beaver Creek (WWF) which will require placing fill in 0.1 acre of wetlands and to restore

about 0.91 acre of previously filled wetlands by restoring 0.64 acre and mitigating on site 0.27 acre of wetlands for the purpose of developing a residential/commercial development to be known as Bradford Estates located on the east side of Sarhelm Road at its intersection with Jones-town Road (Harrisburg West, PA Quadrangle N: 14.0 inches; West 0.5: inch).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-366. Rome Township, R. R. 1 Box 590, Ulster, PA 18850. T-748 Bullard Creek bridge replacement, in Rome Township, **Bradford County**, ACOE Susquehanna River Basin District (Litchfield, PA Quadrangle N: 6.3 inches; W: 5.25 inches).

To construct and maintain a single span reinforced concrete box culvert having a span of 25 feet, and a minimum underclear of 5.91 feet with a skew of 90° and reinforced concrete abutments in Bullard Creek located 0.1 mile along T-748, east of the intersection of S.R. 1029 and T-748. This project proposes to impact 128 linear feet of Bullard Creek, which is, designated a Cold Water Fishery and does not propose to impact any jurisdictional wetlands.

E12-121. Pennsylvania Department of Conservation and Natural Resources, R. R. 1, Box 212, Emporium, PA 15834. East Cowley Run Bridge Replacement, in Portage Township, **Cameron County**, ACOE Baltimore River Basin District (Emporium, PA Quadrangle N: 17.5 inches; W: 8.0 inches).

To remove an existing structure and construct, operate and maintain a single span bridge across East Cowley Run (Exceptional Value) to provide public access within Sizerville State Park. The bridge shall be constructed with a single span of 20-feet and width of 16.8-feet, and underclearance of 6-feet. Construction of in-stream structures shall be conducted in dry work conditions through the use of dams and pumping or a fluming stream flow around work areas. The project will not impact wetlands while impacting 50-feet of waterway. The project is located along the eastern right-of-way of SR 0155 approximately 2800-feet south east of the Sizerville State Park day use road and SR 0155 intersection.

E12-122. Pennsylvania Department of Conservation and Natural Resources, R. R. 1, Box 212, Emporium, PA 15834. East Cowley Run Bridge Replacement, in Portage Township, **Cameron County**, ACOE Baltimore River Basin District (Emporium, PA Quadrangle N: 18 inches; W: 8.2 inches).

To remove an existing structure and construct, operate and maintain a single span bridge across West Cowley Run (Exceptional Value) to provide public access within Sizerville State Park. The bridge shall be constructed with a single span of 15-feet and width of 16.8-feet, and underclearance of 7-feet. Construction of in-stream structures shall be conducted in dry work conditions through the use of dams and pumping or a fluming stream flow around work areas. The project will not impact wetlands while impacting 50-feet of waterway. The project is located along the eastern right-of-way of SR 0155 approximately 1,800-feet south east of the Sizerville State Park day use road and SR 0155 intersection.

E49-244. Allen J. Cwalina, 50 South Second Street, Sunbury, PA 17801. Vine Street bridge, in Mount Carmel Borough, **Northumberland County**, ACOE Baltimore District (Mount Carmel, PA Quadrangle N: 9.0 inches; W: 6.0 inches).

To remove an existing single-span reinforced concrete arch bridge with a bituminous concrete wearing surface, a clear span of 20.0 feet, a minimum upstream underclearance of 14.7 feet and an upstream waterway opening of 220 square feet; and to construct and maintain a 20 feet wide by 10 feet high by 99 feet long reinforced concrete box culvert with a waterway opening of 200 square feet with a chamfered upstream top edge. The proposed structure will be located in Shamokin Creek on Vine Street one block north from the intersection of SR 54161 with North Vine Street in Mount Carmel Borough, Northumberland County. The project will not impact wetlands while impacting approximately 200 feet of waterway.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1329. Billy J. Marzec, 1237 Laurel Hill Drive, West Homestead, PA 15120. West Mifflin Borough, **Allegheny County**, ACOE Pittsburgh District.

To operate and maintain two existing 36 inch culverts 200 feet long, to construct and maintain a parallel 48 inch culvert 200 feet long, to construct and maintain an elevated 36 inch culvert 80 feet long and to construct and maintain an 18 inch stormwater culvert outfall in Thompson Run Creek (WWF), to provide additional capacity to the existing stream enclosure. The project is located in the northeast corner of Buttermilk Hollow Road and Thompson Road intersection (Glassport, PA Quadrangle N: 20.1 inches; W: 4.5 inches).

E04-276. Municipal Authority of the Borough of Zelenople, 1857 Route 588, Zelenople, PA 16063. Franklin Township, **Beaver County**, ACOE Pittsburgh District.

To place and maintain fill in 0.28 acre of wetlands (PFO) located within the flood plain of the Connoquenessing Creek (WWF) and to remove fill from the flood plain for the purpose of constructing a new access road from Route 588 to the Zelenople Municipal Airport in order to meet FAA requirements. To meet the wetland replacement requirements the applicant proposes to construct 0.28 acre of replacement wetlands. (Zelenople, PA Quadrangle N: 8.2 inches; W: 4.8 inches).

E65-721-A1. Westmoreland County Industrial Development Corporation, 601 Courthouse Square, 2 North Main Street, Greensburg, PA 15601. South Huntingdon Township, **Westmoreland County**, ACOE Pittsburgh District.

To amend Permit E65-721 to place and maintain fill in 0.45 acre of wetlands and construct 0.45 acre of replacement wetlands for the purpose of expanding the existing I-70 Industrial Park. The proposed work includes the construction and maintenance of two 36-inch CPP culverts in an unnamed tributary to the Youghiogheny River (WWF) and the installation and maintenance of two 8-inch PVC sewer lines and two 1-inch gas lines in an unnamed tributary to the Youghiogheny River (WWF). (Donora, PA Quadrangle N: 10.55 inches; W: 0.88 inch).

E65-773. North Huntingdon Township Municipal Authority, 11265 Center Highway, North Huntingdon, PA 15642-2018. North Huntingdon Township, **Westmoreland County**, ACOE Pittsburgh District.

To construct and maintain a 40-foot diameter tank to process flows from an existing sanitary sewage pump station in the 100-year floodplain of Long Run (HQ-TSF). Also to place and maintain fill along the right bank of said stream (McKeesport, PA Quadrangle N: 13.00 inches; W: 3.30 inches).

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

EA25-003CO. BBKC, Inc., 11340 Pont Road, Albion, PA 16401. Elk Creek Township, **Erie County**, ACOE Pittsburgh District.

Project proposes to construct a nonjurisdictional dam across a tributary to Temple Creek (WWF; MF) directly and indirectly impacting approximately 500 linear feet of stream channel for the purpose of stormwater management at the proposed Motorplex Raceway Park. The dam will be located approximately 1,700 feet west of the intersection of Pont Road and Whittaker Road (Conneautville, PA Quadrangle N: 20.3 inches; W: 10.7 inches).

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS

INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval.

Persons aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1599415 Amendment No. 1. Sewage. **Hideaway Mobile Home Park, L.P.**, 215 West Church Road, Suite 105, King of Prussia, PA 19406. Applicant is granted approval to make modifications to the effluent limitations contained in the existing permit for disposal of treated sewage on seepage beds located in West Caln Township, **Chester County**.

NPDES Permit No. PA0029343. Sewage. **Chatham Acres Nursing Home**, East London Grove Avenue, Chatham, PA 19318-001. Is authorized to discharge from a facility located in London Grove Township, Chester County, **Chester County** into the East Branch of White Clay Creek.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4001402, Sewerage, **Can-Do, Inc.**, One South Church Street, Hazleton, PA 18201.

This proposed facility is located in Hazle Township, **Luzerne County**.

Description of Proposed Action/Activity: for construction of effluent dechlorination facility. Sodium bisulfite solution will be used to dechlorinate the effluent from the 0.5 mgd. WWTP.

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0087181, Sewage, **Ephrata Borough Authority**, Ephrata Regional Wastewater Treatment Plant #2, 114 East Main Street, Ephrata, PA 17522.

This proposed facility is located in Ephrata Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Cocalico Creek in Watershed 7-J.

WQM Permit No. 0601401, Sewerage, **Amity Township**, 2004 Weavertown Road, Douglassville, PA 19518.

This proposed facility is located in Amity Township, **Berks County**.

Description of Proposed Action/Activity: Approval for the construction/operation of Sewers and Appurtenances.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PA0036846, Sewerage, **New Berlin Municipal Authority**, 701 Water Street, New Berlin, PA 17855-0396.

This proposed facility is located in New Berlin Borough, **Union County**.

Description of Proposed Action/Activity: Renewal of an existing permit. Consist of extended aeration with settling and chlorination.

NPDES Permit No. PA0228311, Sewerage, **Brady Township**, 1986 Elimsport Road, Montgomery, PA 17752.

This proposed facility is located in Brady Township, **Lycoming County**.

Description of Proposed Action/Activity: Is authorized to discharge treated effluent to receiving waters named Black Hole Creek.

NPDES Permit No. PA0020036, Sewerage, **Blossburg Municipal Authority**, 206 Main Street, Blossburg, PA 16912.

This proposed facility is located in Blossburg Borough, **Tioga County**.

Description of Proposed Action/Activity: renewal of existing permit to discharge treated effluent to receiving waters named Tioga River.

NPDES Permit No. PA0114821, Sewerage, **Gregg Township Municipal Authority**, P. O. Box 192, Allenwood, PA 17810-0192.

This proposed facility is located in Gregg Township, **Union County**.

Description of Proposed Action/Activity: Renewal of existing permit to discharge treated effluent to receiving waters named West Branch of the Susquehanna River.

WQM Permit No. 5300401, Sewerage. **Harrison Township**, 205 E Main Street, P. O. Box 92, Harrison Valley, PA 16927.

This proposed facility is located in Harrison Township, **Potter County**.

Description of Proposed Action/Activity: New collection system, pump station and extended aeration package treatment plant (including primary screening and grinding flow equalization, extended aeration activated sludge, final clarification, chlorination/dechlorination with sodium bisulfate, post aeration, aerobic digestion and reed sludge drying beds).

WQM Permit No. 1983406, Sewerage. **Patricia Eckroth**, 246 Eckroth Road, Bloomsburg, PA 17815.

This proposed facility is located in North Centre Township, **Columbia County**.

Description of Proposed Action/Activity: Transfer of single residence sewage treatment system.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2001405, Sewerage, **Nancy L. Overman**, 17707 Brookhouser Road, Saegertown, PA 16433.

This proposed facility is located in Hayfield Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for the construction of a Single Residence Sewage Treatment Plant.

NPDES Permit No. PA0104167, Industrial Waste, **Erie City Water Authority**, Chestnut Street, 340 West Bayfront Parkway, Erie, PA 16507-0729.

This proposed facility is located in City of Erie, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Presque Isle Bay.

NPDES Permit No. PA0100889, Industrial Waste, **Erie City Water Authority, Sommerheim**, 340 West Bayfront Parkway, Erie, PA 16507-0729.

This proposed facility is located in City of Erie, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Presque Isle Bay.

NPDES Permit No. PA0102962, Sewage, **Sugar**

Grove American Legion Home Corporation, P. O. Box 386, Sugar Grove, PA 16350.

This proposed facility is located in Sugar Grove Township, **Warren County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Stillwater Creek.

NPDES Permit No. PA0021792 Amendment No. 2, Sewage, **Municipal Authority of the Borough of Edinboro**, 124 Meadville Street, Edinboro, PA 16412.

This proposed facility is located in Borough of Edinboro, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Conneaut Creek.

WQM Permit No. 1001202, Industrial Waste, **AK Steel Corporation—Butler Operations**, P. O. Box 832, Route 8 South, Butler, PA 16003-0832.

This proposed facility is located in Butler Township, **Butler County**.

Description of Proposed Action/Activity: This project is for the conversion of four nitric acid pickling lines over to hydrogen peroxide pickling.

NPDES STORMWATER INDIVIDUAL PERMITS (PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10Q215	Edward E. Hartman Diamond Estates 6582 Central Rd. New Tripoli, PA 18066	Lehigh	Heidelberg Township	Unnamed Tributary To Jordon Creek HQ-CWF
PAS10R038	Carl Kern Kern Restaurant P. O. Box 246 Lehman, PA 18267	Luzerne	Lehman Township	Harvey's Creek HQ-CWF
PAS10U137	Northampton County Industrial Development Authority 669 Washington St. Easton, PA 18042	Northampton	Plainfield Township	Little Bushkill Creek HQ-CWF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS107420	Louis J. Zefran Superintendent Western Wayne School Dist. P. O. Box 500 South Cannan, PA	Wayne	South Canaan Township	Middle Creek HQ-CWF

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS102515	Fox Township P. O. Box 814 Kersey, PA 15846	Elk County	Fox Township	Beaver Run (CWF)

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage Under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Chadds Ford Township Delaware County	PAR10-J118-1	Henerson 112 Chesley Dr., Suite 200 Media, PA 19063	Brandywine Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Ridley Township Delaware County	PAR10-J205	Mullen-Dunmon Excavating 701 Second Avenue Prospect Park, PA 19076	UNT to Little Crum Creek (9WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Plymouth Township Montgomery County	PAR10-T701	Hillview Construction Co., Inc. 950 West Valley Forge Road King of Prussia, PA 19406	UNT to Plymouth Creek (WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Upper Pottsgrove Town- ship Montgomery County	PAR10-T615	Renovations by Design P. O. Box J Newtown, PA 19073	Sprogels Run (WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Lower Providence Town- ship Montgomery County	PAR10-T662	Toll Brothers, Inc. 3103 Philmont Avenue Huntingdon Valley, PA	Perkiomen Creek (WF, M)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Lower Salford Township Montgomery County	PAR10-T678	The Cutler Group, Inc. 5 Sentry Parkway West Blue Bell, PA 19422	Tributary to East Branch Perkiomen Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Worcester Township Montgomery County	PAR10-T722	Gambone Brothers Dev. P. O. Box 287 Fairview Village, PA 19409	UNT of Skippack Creek (WWF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Upper Merion Township Montgomery County	PAR10-T734	William Gallagher 462 Glennie Circle King of Prussia, PA 19403	Schuylkill River (WF,W)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Lackawanna County Glenburn Township	PAR10N121	Joseph Gagliardi P. O. Box 126 Clarks Summit, PA 18411	Ackerly Creek TSF	Lackawanna County Con- servation District (570) 281-9495
Schuylkill County Washington Township	PAR105813	Shoner Subdivision J. Allan & Carol M. Shoner R. D. #3, Box 137 Pine Grove, PA 17963	Lower Little Swatara Creek CWF	Schuylkill County Conser- vation District (570) 622-3742
Bern Township Berks County	PAR10C351	Berks Heim Nursing Home Board of County Com- missioners Berks County Services Center 633 Court Street Reading, PA 19601	Plum Creek	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Snyder Township Blair County	PAR100717	Perpetual Care LLC. 1025 Evergreen Road State College, PA 16801	Bald Eagle Creek (TSF)	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Allegheny Township Blair County	PAR100718	Leonard S. Fiore, Inc. 5506 6th Avenue Rear Altoona, PA 16603	Burgoon Run (TSF)	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Londonderry Township Dauphin County	PAR10I250	Hess Enterprises 13 Aberdeen Shopping Plaza Aberdeen, MD 21001	Iron Run Swatara Creek 2 UNTs to Swatara Creek	Dauphin County Conserva- tion District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
York City York County	PAR10Y518	York Catholic High School 601 E. Springettsbury Ave. York, PA 17403	Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Rd York, PA 17402 (717) 840-7430
Fairview Township York County	PAR10Y516	Michael Green Deer Run Associates 4075 Market Street Camp Hill, PA 17011	Fishing Creek (TSF)	York County Conservation District 118 Pleasant Acres Rd York, PA 17402 (717) 840-7430
Fairview Township York County	PAR10Y524	I-83 Warehouse Inves- tors LP. Adam Meinstein 110 E. 59th Street 18th Flr. New York, NY 10022	Fishing Creek (TSF)	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Shrewsbury Township York County	PAR10Y512	Shrewsbury Gospel Temple P. O. Box 193 Shrewsbury, PA 17361	UNT to Trout Run (WWF)	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Manchester Township York County	PAR10Y503	Blackbridge Industrial Park Markey Builders, Inc. 1732 W. King Street York, PA 17404	Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Dover Township York County	PAR10Y520	Wandering Streams Phase V Julie Martin 4115 Smith Street Dover, PA 17315	UNT to Fox Run (TSF)	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Shrewsbury Township York County	PAR10Y487	Presidential Heights Stephen Anderson 10883 Oak Ridge Avenue Red Lion, PA 17356	UNT to Deer Creek (CWF)	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Warwick Township Lancaster County	PAR10O466	Lancaster Evangelical Free Church 419 Pierson Road Lititz, PA 17543	Lititz Run (WWF)	Lancaster County Conser- vation District 1383 Arcadia Road Rm. 6 Lancaster, PA 17601 (717) 299-5361
Manor Township Lancaster County	PAR10O478	Penn Manor School District PO Box 1001 Millersville, PA 17551	West Branch Little Conestoga Creek (TSF)	Lancaster County Conser- vation District 1383 Arcadia Road Rm. 6 Lancaster, PA 17601 (717) 299-5361
West Donegal Township Lancaster County	PAR10O479	Borough of Elizabethtown 600 S. Hanover Street Elizabethtown, PA 17022	Conoy Creek (TSF)	Lancaster County Conser- vation District 1383 Arcadia Road Rm. 6 Lancaster, PA 17601 (717) 299-5361

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Hempfield Township Lancaster County	PAR100483	Hempfield School District 200 Church Street Landisville, PA 17538	Millers Run (CWF)	Lancaster County Conservation District 1383 Arcadia Road Rm. 6 Lancaster, PA 17601 (717) 299-5361

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Scott Township Columbia County	PAR102137	Camplese/Kmart Expansion Donald A. Carplese 20 E. 12th St. Bloomsburg, PA 17815	Tributary to Neals Run CWF	Columbia County Cons. Dist. 702 Sawmill Rd., Suite 204 Bloomsburg, PA 17815 (570) 784-3247

Southwest Region: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Allegheny County Ross Township	PAR10A488-1	The Home Depot, USA, Inc. 3096 Hamilton Boulevard South Plainfield, NJ 07080	UNT Girty's Run/ WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Franklin Park Borough Marshall Township	PAR10A491	Walnut Capital Partners, Inc. 5500 Walnut Street Suite 300 Pittsburgh, PA 15232	Pine Creek/CWF	Allegheny County Conservation District (412) 241-7645
Armstrong County Apollo Borough	PAR10B034	Borough of Apollo 405 N. Pennsylvania Avenue Apollo, PA 15613	Kiskiminetas River/WWF	Armstrong County Conservation District (724) 548-3425
Cambria County Cambria Township	PAR101071	Central Cambria School Dist 208 Schoolhouse Road Ebensburg, PA 15931	South Branch of Blacklick Creek/ CWF	Cambria County Conservation District (814) 472-2120
Somerset County Shade Township Quemahoning Township	PAR106140	Upper Stonycreek Joint Municipal Authority P. O. Box 24 Hooversville, PA 15936	Stonycreek/TSF Beaver Dam Creek/CWF Oven Run/CWF	Somerset County Conservation District (814) 445-4652
Washington County Cecil Township	PAR10W124-1	Pristine Fields Associates GP 3625 Washington Pike Bridgeville, PA 15017	Brush Run/WWF	Washington County Conservation District (724) 228-6774
Butler County Buffalo Township	PAR10E147	South Butler Primary Center South Butler School District P. O. Box 657 340 Knoch Road Saxonburg, PA 15056	Thorn Creek (CWF)	Butler Conservation District 122 McCune Drive Butler, PA 16001-65001 (724) 284-5270
Mercer County Liberty and Pine Townships	PAR104362	James E. Eury Browntown Development Company LLC 313 Beech Street Butler, PA 16001	Swamp Run (CWF)	Mercer Conservation District 747 Greenville Road Mercer, PA 16137 (724) 662-2242

NOTICES

2061

General Permit Type—PAG-3

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Hatfield Township Montgomery County	PAR120016	Hatfield Quality Meats 2700 Funks Road P. O. Box 902 Hatfield, PA 19440	Unnamed tributary to Skippack Creek—Perkiomen Watershed	Southeast Regional Office Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428-2233 (610) 832-6131
York County Springettsbury Township	PAR113524	Fenton LLC & Bowles LLC 1650 Des Peres Road Suite 303 St. Louis, MO 63131	Mill Creek / WWF	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lycoming County Fairfield Township	PAR804862	Federal Express World Headquarters Environmental Management Department Building B, Second Floor 3620 Hacks Cross Road Memphis, TN 38125-7113	Bennetts Run and West Branch of the Susquehanna River	Northcentral Regional Office DEP 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Clearfield County Pike Township	PAR214820	North American Refractories Company RHI Refractories America 501 East Market St. Suite 14 Clearfield, PA 16830	Anderson Creek	Northcentral Regional Office DEP 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Clearfield County Bradford Township	PAR224831	Willamette Industries Inc Johnsonburg Mill 100 Center Street Johnsonburg, PA 15845	Roaring Run	Northcentral Regional Office DEP 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Lycoming County City of Williamsport	PAR704807	HRI Inc. 1750 West College Ave. State College, PA 16801	Daugherty Run	Northcentral Regional Office DEP 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Cresson Township Cambria County	PAR806168	Woodland Equipment & Supply P. O. Box 241 Woodland, PA 16681	UNT to Clearfield Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Brookville Borough Jefferson County	PAR228322	Matson Lumber Company 132 Main Street Brookville, PA 15825	Tributary of Sandy Lick Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Eldred Township McKean County	PAR228324	Ethan Allen, Inc.—Eldred Division Route 446 Eldred, PA 16731-9664	Unnamed tributary to Allegheny River	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Franklin County Guilford Township	PAG043674	Kelly M. Martin 1341 S. 5th Street Chambersburg, PA 17201	Conococheague Creek/WWF	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Northumberland County Jordan Township	PAG044855	Darryl L. Croutharmel Box 1254 Herndon, PA 17830	Unnamed tributary to Mahantango Creek	Northcentral Regional Office DEP 208 West Third St. Suite 101 Williamsport PA 17701
Columbia County North Centre Township	PAG045054	Patricia Eckroth 246 Eckroth Road Bloomsburg, PA 17815	Cabin Run	Northcentral Regional Office DEP 208 West Third St. Suite 101 Williamsport PA 17701
Hayfield Township Crawford County	PAG048721	Nancy L. Overman 2520 Shetland Lane Poland, OH 44514	Unnamed tributary to Cussewago Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-9</i>				
<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name & Location</i>	<i>Contact Office and Telephone No.</i>
Farmington Township Clarion County	PAG098307	James T. Bauer 29998 Route 66 Lucinda, PA 16235	James T. Bauer 29998 Route 66 Lucinda, PA 16235	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-9 (SSN)</i>				
<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name & Location</i>	<i>Contact Office and Telephone No.</i>
Antrim Township Franklin County	PAG-09-3534	Antrim Septic Service 3119 Barr Road Greencastle, PA 17225	Burcker Farm Antrim Township Franklin County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 3390439, Operations Permit. Public Water Supply.

Applicant	John Kennedy, Jr. Supervisor of Buildings & Grounds Northwestern Lehigh School District Weisenberg Elementary School 6493 Route 209 New Tripoli, PA 18066
Borough or Township	Weisenberg Township
County	Lehigh
Type of Facility	Public Water Supply
Consulting Engineer	Barry Isett & Associates Inc. P. O. Box 147 Trexlerstown, PA 18087
Permit to Operate Issued	March 29, 2001

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 4146292-T3, Public Water Supply.

Applicant	Danone Waters of North America, Inc.
Township	Boggs Township

County **Centre**
 Type of Facility Bottled Water Plant
 Consulting Engineer Sweetland Engineering & Assoc., Inc.
 600 Science Park Road
 State College, PA 16803
 Permit to Operate Issued April 2, 2001

Permit No. 4146292-Amendment 6-T1, Public Water Supply.

Applicant **Danone Waters of North America, Inc.**
 Township Boggs Township
 County **Centre**
 Type of Facility Bottled Water Plant
 Consulting Engineer Sweetland Engineering & Assoc., Inc.
 600 Science Park Road
 State College, PA 16803
 Permit to Operate Issued April 2, 2001

Permit No. 4146292-Amendment 8-T1, Public Water Supply.

Applicant **Danone Waters of North America, Inc.**
 Township Boggs Township
 County **Centre**
 Type of Facility Bottled Water Plant
 Consulting Engineer Sweetland Engineering & Assoc., Inc.
 600 Science Park Road
 State College, PA 16803
 Permit to Operate Issued April 2, 2001

Permit No. 4146292-Amendment 9-T1, Public Water Supply.

Applicant **Danone Waters of North America, Inc.**
 Township Boggs Township
 County **Centre**
 Type of Facility Bottled Water Plant
 Consulting Engineer Sweetland Engineering & Assoc., Inc.
 600 Science Park Road
 State College, PA 16803
 Permit to Operate Issued April 2, 2001

Permit No. 4146292-Amendment 10-T1, Public Water Supply.

Applicant **Danone Waters of North America, Inc.**
 Township Boggs Township
 County **Centre**
 Type of Facility Bottled Water Plant
 Consulting Engineer Sweetland Engineering & Assoc., Inc.
 600 Science Park Road
 State College, PA 16803
 Permit to Operate Issued April 2, 2001

Permit No. 4146292-Amendment 13, Public Water Supply.

Applicant **Danone Waters of North America, Inc.**
 Township Boggs Township
 County **Centre**
 Type of Facility Bottled Water Plant
 Consulting Engineer Sweetland Engineering & Assoc., Inc.
 600 Science Park Road
 State College, PA 16803
 Permit to Operate Issued April 2, 2001

Permit No. 4146292-Amendment 7. Public Water Supply.

Applicant **Danone Waters of North America, Inc.**
 Township Boggs Township
 County **Centre**
 Type of Facility Bottled Water Plant
 Consulting Engineer Sweetland Engineering & Assoc., Inc.
 600 Science Park Road
 State College, PA 16803

Permit to Operate Cancelled April 2, 2001

Permit No. 4146292-Amendment 11. Public Water Supply.

Applicant **Danone Waters of North America, Inc.**
 Township Boggs Township
 County **Centre**
 Type of Facility Bottled Water Plant
 Consulting Engineer Sweetland Engineering & Assoc., Inc.
 600 Science Park Road
 State College, PA 16803

Permit to Operate Cancelled April 2, 2001

Southwest Region: Water Supply Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0201501, Minor Amendment. Public Water Supply.

Applicant **Oakmont Borough Municipal Authority**
 P. O. Box 73, 721 Allegheny Avenue
 Oakmont, PA 15139

[Borough or Township] Penn Hills
 County **Allegheny**
 Type of Facility Hunter Road Standpipe improvements
 Consulting Engineer Frank Lemmon, NIRA Consulting Engineers, Inc.
 950 Fifth Avenue
 Coraopolis, PA 15108

Permit to Construct Issued March 30, 2001

Permit No. 6301501, Minor Amendment. Public Water Supply.

Applicant **Pennsylvania American Water Company**
 P. O. Box 1290, 300 Galley Road
 McMurray, PA 15317

[Borough or Township] Cross Creek Township
 County **Washington**
 Type of Facility Quakers Knob 1.0 million gallon storage tank
 Consulting Engineer Jerry Hankey, PA American Water Company
 1909 Oakland Avenue
 Indiana, PA 15701

Permit to Construct Issued April 3, 2001

Operations Permit issued to: **NOVA Chemicals, Inc.**, Beaver Valley Site, 400 Frankfort Road, Monaca, PA 15061-2298, Potter Township, **Beaver County** on April 3, 2001.

Northwest Region: Water Supply Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 4301501, Public Water Supply.

Applicant **Jamestown Municipal Authority**
 406 Jackson Street, P. O. Box 188
 Jamestown, PA 16134

Borough or Township Jamestown Borough
 County **Mercer**

Type of Facility Community Water Supply
 Consulting Engineer Joseph Pacchioni, P.E., Hickory Engineering Inc.
 3755 East State Street
 Hermitage, PA 16148

Permit to Construct Issued March 27, 2001

Operations Permit issued to: **Millcreek Township Water Authority**, 3608 West 26th Street, Erie, PA 16505, Millcreek Township, Erie County on April 2, 2001.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WA15-182. Succession to Water Rights. The Department has acknowledged that **PA-American Water Company**, City of Coatesville, **Chester County** has given notice that it succeeded to all rights and obligations under the permit issued to the former City of Coatesville Authority, Chester County on March 23, 2001.

WA-917. Succession to Water Rights. The Department has acknowledged that **PA-American Water Company**, City of Coatesville, **Chester County** has given notice that it succeeded to all rights and obligations under the permit issued to the former City of Coatesville Authority, Chester County on March 23, 2001.

WA-182C. Succession to Water Rights. The Department has acknowledged that **PA-American Water Company**, City of Coatesville, **Chester County** has given notice that it succeeded to all rights and obligations under the permit issued to the former City of Coatesville Authority, Chester County on March 23, 2001.

WA-182D. Succession to Water Rights. The Department has acknowledged that **PA-American Water Company**, City of Coatesville, **Chester County** has given notice that it succeeded to all rights and obligations under the permit issued to the former City of Coatesville Authority, Chester County on March 23, 2001.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Franklin Township	Box 309, Cashtown, PA 17301	Adams County

Plan Description: The approved plan provides for the construction of a community sewerage treatment system to serve 13 homes along Poplar Springs Rd. in Franklin Township, Adams County. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Guilford Township	115 Spring Valley Road Chambersburg, PA 17201	Franklin County

Plan Description: The approved plan provides for extension of Guilford Township Authority sewers to serve the existing Vo-Tech School, Learning Center and a proposed Fire Fighting Training Center. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
West Hanover Township	7171 Allentown Boulevard, Harrisburg, PA 17112	Dauphin

Plan Description: The approved plan provides for a low pressure force main sewer extension with grinder pumps to serve three existing residential structures on Fox Mill Road. The anticipated sewage flow from this extension will be 1,200 gpd. This project expands the scope of previously approved planning in West Hanover Township.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional

Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Madiro Property, Downingtown Borough, **Chester County**. Susan Ahern, Evans Mill Environmental, Inc., 101 Fellowship Road, P. O. Box 735, Uwchland, PA 19480, on behalf of Anthony J., Jr. and Teresa W. Madiro, 21 E. Lancaster Ave., Downingtown, PA, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, BTEX and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Matthew Motors—Covington Site, Covington Township, **Tioga County**. Brooks Petroleum Contracting Company, R. R. 7, Box 141, Wellsboro, PA 16901, on behalf of Putnam Company, 5 East Avenue, Wellsboro, PA 16901, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with BTEX. The report is intended to document remediation of the site to meet the Statewide Health Standard. (See additional notice in this *Pennsylvania Bulletin*).

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.

Colinet Residence, Lucerne Township, **Fayette County**. James P. Gallagher, Marshall Miller and Associates, 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011 (on behalf of Sam and Madelyn Colinet, 192 Oakhill Drive, Adah, PA 15410) has submitted a Final Report concerning remediation of site soil contaminated with BTEX, and PAHs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and

Environmental Remediation Standards Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Binder Residence, Lower Moreland Township, **Montgomery County**. Jennifer Moyer, Brinkerhoff Environmental Services, Inc., 133 Jackson Rd., Suite D, Medford, NJ 08055, on behalf of Lucy Binder, Huntingdon Valley, PA, has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with BTEX. The Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 30, 2001.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Arco Chemical Company, Beaver Valley Plant (Over the Hill Tank Farm Area), Potter Township, **Beaver County**. Thomas J. Walsh, on behalf of ARCO Chemical Company, 3801 West Chester Pike, Newtown Square, PA 19073 and Beazer East, Inc., One Oxford Centre, Suite 3000, Pittsburgh, PA 15219, has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with heavy metals, BTEX, PHCs, PAHs and C8+HC. The report did not demonstrate attainment of the Site Specific Standard and was disapproved by the Department on March 27, 2001.

Arco Chemical Company, Beaver Valley Plant (Central Plant/Styrene II Area), Potter Township, Beaver County. Thomas J. Walsh, on behalf of ARCO Chemical Company, 3801 West Chester Pike, Newtown Square, PA 19073 and Beazer East, Inc., One Oxford Centre, Suite 3000, Pittsburgh, PA 15219, has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with heavy metals, BTEX, PHCs, PAHs and C8+HC. The report did not demonstrate attainment of the Site Specific Standard and was disapproved by the Department on March 27, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE RENEWED

Cambridge Chemical Cleaning, Inc., P. O. Box 4220, 1250 W. Elizabeth Avenue, Linden, NJ 07036. License No. **PA-AH 0356**. Effective March 28, 2001.

Philip Reclamation Services, Houston, Inc., 4050 Homestead Road, Houston, TX 77028. License No. **PA-AH 0546**. Effective March 28, 2001.

The Pennohio Corporation, 4813 Woodman Avenue, Ashtabula, OH 44004. License No. **PA-AH 0618**. Effective March 28, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Hazardous Waste Transporter License, actions taken under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE EXPIRED

EQ Industrial Services, Inc., 36255 Michigan Avenue, Wayne, MI 48184. License No. **PA-AH 0615**. Effective March 31, 2001.

Fenn-Vac, Inc., P. O. Box 62679, North Charleston, SC 29419. License No. **PA-AH 0542**. Effective March 31, 2001.

Northstar Marine, Inc., 45 Brooks Avenue, Swanton, NJ 08201. License No. **PA-AH 0614**. Effective March 31, 2001.

Peoria Disposal Company, 1113 N. Swords Avenue, Peoria, IL 61604-4898. License No. **PA-AH 0556**. Effective March 31, 2001.

Trans-Enviro Inc., 19701 South Miles Road, Suite 51, Cleveland, OH 44128. License No. **PA-AH 0480**. Effective March 31, 2001.

RESIDUAL WASTE GENERAL PERMITS

Permit Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR068. Northampton Generating Company, L.P., 1 Horwith Drive, Northampton, PA 18067. The beneficial use of carbonaceous wastes as an alternative fuel for circulating fluidized bed boilers, and the beneficial use of the resulting ash as a soil additive to promote revegetation at mine sties, and as prescribed in 25 Pa. Code §§ 287.661—666. The permit was issued by the Division of Municipal and Residual Waste on March 20, 2001.

Persons interested in reviewing the general permit may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a hazardous waste treatment, storage or disposal facility.

Southeast Region: Division of Municipal and Residual Waste, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

PAD4170022418. Philadelphia Naval Shipyard, Philadelphia, PA, City of Philadelphia. Hazardous waste container storage area has been closed and the permittee has requested that the RCRA permit be revoked. Permit revoked on March 30, 2001.

PAD098160906. Marcus Hook Processing, Inc., Penn Avenue, Marcus Hook, PA, Borough of Marcus Hook, Delaware County. Facility has been clean closed and the permittee has requested that the permit be revoked and the bond released. Permit revoked on March 30, 2001.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit modification authorizing a name change under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 101467. Kittanning Transfer Station (formerly Tri-Valley Transfer Station), Route 7, Box 302, Pony Farm Road, Kittanning, PA 16201. Operation of a municipal waste transfer station in North Buffalo Township, **Armstrong County**. Permit modification authorizing a name change and continued municipal waste operations until March 19, 2011, issued in the Regional Office on March 19, 2001. Please note this permit modification supercedes the one issued March 6, 2001, and published in the *Pennsylvania Bulletin* on March 24, 2001.

AIR QUALITY

General Plan Approval and Operating Permit usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

42-189: East Resources, Inc.—Gill Kane Station (Warrant 3085, Hamlin, PA 16749) on March 30, 2001, for operation of three natural gas fired compressor engines in Hamlin Township, **McKean County**.

De Minimis increases approved under 25 Pa. Code § 127.449 (relating to de minimis emission increases).

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Michael Safko, Acting New Source Review Chief, (570) 826-2531.

48-00006: Reliant Energy Mid-Atlantic Power Holding LLC—Portland Generating Station (Route 611, Portland, PA 18351) for installation of an emergency generator at their Title V facility in Upper Mt. Bethel Township, **Northampton County**.

Operating Permit Minor Modifications Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.462.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

62-00017: United Refining Co. (Bradley and Dobson Streets, Warren, PA 16365) amended the Title V Operating Permit on March 21, 2001, to incorporate the newly applicable requirements from Plan Approval No. 62-312-014A for operation of a vapor combustion unit to control volatile organic compound emissions from the Loading Rack (Source 211) in Warren, **Warren County**.

Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-00013: Wheelabrator Falls, Inc. (1201 New Ford Mill Road, Morrisville, PA 19067) issued a Title V Operating Permit on March 28, 2001, for operation of their facility in Falls Township, **Bucks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

11-000-318: Ebensburg Power Co. (2840 New Germany Road, P. O. Box 845, Ebensburg, PA 15931) on March 28, 2001, for a RACT approval for operation of Electricity Generation at Ebensburg Cogeneration Plant in Cambria Township, **Cambria County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

25-00931: Department of Corrections—SCI Albion (10745 Route 18, Albion, PA 16401) issued a Synthetic Minor Operating Permit on March 26, 2001, for operation of the facility's air contamination sources in Albion Borough, **Erie County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Michael Safko, Acting New Source Review Chief, (570) 826-2531.

13-399-010: Silberline Manufacturing Co., Inc. (130 Lincoln Drive, P. O. Box B, Tamaqua, PA 18252) on March 23, 2001, for modification of an aluminum pigment manufacturing process in Lansford Borough, **Carbon County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

07-05023A: A. P. Green Refractories, Inc. (600 Grant Street, Pittsburgh, PA 15219) on March 27, 2001, for replacement of an existing cone crusher with a rotapactor crusher controlled by a fabric collector at the Sproul Plant in Greenfield Township, **Blair County**.

22-05034A: Pennsy Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105) on March 27, 2001, for modification to an existing hot mix asphalt plant so as to have the capability to burn waste oil located at the Hummelstown Quarry in South Hanover Township, **Dauphin County**. This source is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities and 40 CFR Part 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels.

38-02011: Plain 'n Fancy Kitchens, Inc. (P. O. Box 519, Schaefferstown, PA 17088) on March 28, 2001, for a kitchen cabinet finish line at the Route 501 and Oak Street location in Heidelberg Township, **Lebanon County**. This source is subject to 40 CFR Part 63, Subpart JJ—National Emission Standards for Wood Furniture Manufacturing Operations. This Plan Approval also contains the Reasonably Available Controlled Technology (RACT) plan for existing equipment.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

11-498A: Pets After Life Services (316 Allen Street, Portage, PA 15946) on March 23, 2001, for operation of an Animal Crematory at the Crematory in Portage Township, **Cambria County**.

03-026A: Eljer Plumbingware, Inc. (1301 Eljer Way, Ford City, PA 16226) on March 27, 2001, for operation of Tunnel Kiln #1 at Ford City Plant in Burrell Township, **Armstrong County**.

Plan Approvals Extensions Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.13 (relating to extensions).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0024A: Waste Management of PA, Inc. (200 Bordentown Road, Tullytown, PA 19007) on March 29, 2001, for operation of a permitted landfill in Tullytown Borough, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-301-058: Pennsylvania Department of Agriculture (2301 North Cameron Street, Harrisburg, PA 17110) on January 18, 2001, for operation of a multi-chambered incinerator controlled by a venturi-wet scrubber and mist eliminator, covered under this Plan Approval until May 18, 2001, in Susquehanna Township, **Dauphin County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Richard Maxwell, New Source Review Chief, (570) 327-3637.

17-305-042A: DTE River Hill, LLC (P. O. Box 8614, Ann Arbor, MI 48107), owner, and **Covol Fuels** (11778 South Election Drive, Suite 210, Draper, UT 84020), operator, on March 22, 2001, for operation of a coal fines agglomerated pellet drying oven and associated air cleaning device (a fabric collector) as well as a coal crusher and associated air cleaning device (a fabric collector) on a temporary basis until July 20, 2001 in Karthaus Township, **Clearfield County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

11-498A: Pets After Life Services (316 Allen Street, Portage, PA 15946) on March 23, 2001, for operation of an Animal Crematory at the Crematory in Portage Township, **Cambria County**.

03-026A: Eljer Plumbingware, Inc. (1301 Eljer Way, Ford City, PA 16226) on March 27, 2001, for operation of Tunnel Kiln #1 at Ford City Plant in Burrell Township, **Armstrong County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

20-040A: Advanced Cast Products, Inc. (18700 Mill Street, Meadville, PA 16335) on March 30, 2001, for an automatic molding system in Vernon Township, **Crawford County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Issued

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

17860101, Sky Haven Coal, Inc. (R. D. 1, Box 180, Penfield, PA 15849), renewal of an existing bituminous surface mine permit in Ferguson Township, **Clearfield County** affecting 217 acres. Receiving stream—unnamed tributary to Wilson Run, unnamed tributary to Barrett Run, and Barrett Run. Application received January 22, 2001. Permit issued March 29, 2001.

14980101, Sky Haven Coal, Inc. (R. D. 1, Box 180, Penfield, PA 15849), revision to an existing bituminous surface mine permit for a change in permit acreage from 157.9 to 207.4 acres, located in Snow Shoe Township, **Centre County**. Receiving stream—Sandy Run to the West Branch of the Susquehanna River. Application received August 22, 2000. Permit issued March 27, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

56000104. Mountainside Excavating, Inc. (2692 Salco Road, Berlin, PA 15531), commencement, operation and restoration of a bituminous surface-auger mine in Brothersvalley Township, **Somerset County**, affecting 147.2 acres, receiving stream unnamed tributaries to Tubs Run; Tubs Run. Application received April 25, 2000. Permit issued March 26, 2001.

32950109. Permit Revision, **Britt Energies, Inc.** (2450 Philadelphia Street, Indiana, PA 15701), to add auger mining to this surface mine in White Township, **Indiana County**, affecting 83.3 acres, receiving stream unnamed tributary to, and, Yellow Creek. Application received January 30, 2001. Permit issued March 30, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

24900105. Tamburlin Brothers Coal Co., Inc. (P. O. Box 1419, Clearfield, PA 16830) Renewal of an existing bituminous strip, coal ash placement and shale and sandstone removal operation in Horton Township, **Elk County** affecting 30.0 acres. This renewal is issued for reclamation only. Receiving streams: unnamed tributary to Johnson Run. Application received: January 5, 2001. Permit Issued: March 27, 2001.

24890108. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824) Renewal of an existing bituminous

strip and auger operation in Horton Township, **Elk County** affecting 695.0 acres. This renewal is issued for reclamation only. Receiving streams: three unnamed tributaries to Mead Run and Mead Run. Application received: January 25, 2001. Permit Issued: March 21, 2001.

33940105. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767) Renewal of an existing bituminous strip operation in Pinecreek Township, **Jefferson County** affecting 118.1 acres. Receiving streams: two unnamed tributaries to Five Mile Run. Application received: January 26, 2001. Permit Issued: March 23, 2001.

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

58010805. Joseph Bowen, (R. R. 4 Box 263, Montrose, PA 18801), commencement, operation and restoration of a bluestone quarry operation in Rush Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued March 28, 2001.

40860301C. Pioneer Aggregates, Inc., (202 Main Street, Laflin, PA 18702), renewal of NPDES Permit #PA0593133 in Newport Township, **Luzerne County**, receiving stream—Newport Creek. Renewal issued March 26, 2001.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209.

59000802, Paul T. Hall (R. R. 2, Box 204, Tioga, PA 16946), commencement, operation and restoration of a Small Industrial Minerals (Sand and Gravel) permit in Lawrence Township, **Tioga County** affecting 4.2 acres. Receiving stream—Tioga River, tributary to North Branch Susquehanna River. Application received June 29, 2000. Permit issued March 29, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

37950304. Glacial Sand & Gravel Co. (P. O. Box 1022, Kittanning, PA 16201) Renewal of NPDES Permit No. PA0227145, Plain Grove, Scott & Worth Townships, **Lawrence & Butler Counties**. Receiving streams: Slippery Rock Creek, unnamed tributary to Jamison Run and Jamison Run. Application received: January 25, 2001. Permit Issued: March 23, 2001.

General Permit for Short-Term Construction Projects

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

4000GP01. Heavy Media, Inc., (P. O. Box 27, Nanticoke, PA 18634), commencement, operation and restoration of a short-term construction project (Wyoming Valley Levee Raising) in Larksville Borough, **Luzerne County** affecting 5.0 acres, receiving stream—Boston Run Watershed. Permit issued March 23, 2001.

ABANDONED MINE RECLAMATION

Bond	BF 444-101.1
Forfeiture	
Contract	
Awarded	
Location	Highland Township, Clarion County
Description	Abandoned Mine Land Reclamation
Contractor	S. Construction, Inc. Mineral Ridge, OH
Amount	\$30,722.50

Date of	March 29, 2001
Award	Contact: Mary Jane Olsen (717) 783-4800

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 P. S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

EA23-003SE. Cornerstone Communications, Concord Township, **Delaware County**, ACOE Philadelphia District.

An Environmental Assessment for impacts associated with the construction of a nonjurisdictional dam across a narrow section of wetlands (PFO1) which will provide stormwater management for the proposed Smithbridge Apartments Subdivision. The dam and associated components will impact about 0.19 acre of wetlands (PFO1).

The project is situated approximately 500 feet northeast of the intersection of Route 202 and Smith Bridge Road (Wilmington-North, Quadrangle N: 19.70 inches W: 5.60 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E45-382. Pinecrest Development Corporation, P. O. Box 760, Pocono Pines, PA 18350. Tobyhanna Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain ten road crossings and four utility line crossings impacting approximately 0.50 acre of wetlands associated with the proposed Wild Pines Golf Course and planned residential development. The permittee is required to provide 0.69 acre of replacement wetlands. The project is located on the south side of S.R. 4004, approximately 1 mile south east of the intersection of S.R. 4004 and S.R. 0940. (Pocono Pines, PA Quadrangle N: 17.3 inches; W: 7.5 inches).

E39-377. Pennsylvania Department of Transportation, Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103, Upper Saucon Township, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To remove the existing structure and to construct and maintain a single-span, prestressed concrete spread box beam bridge, having a clear normal span of 50.2 feet (15.3 meters) and an underclearance of 6.3 feet (1.9 meters) across Lower Saucon Creek. The bridge is located along S.R. 2047, Section 02B (Landis Mill Road), approximately 0.4 mile east of the intersection of S.R. 2047 and S.R. 0378 (Allentown East, PA Quadrangle N: 8.3 inches; W: 1.8 inches).

E58-237. Pennsylvania Department of Transportation, District 4-0, P. O. Box 111, Scranton, PA 18501, Middletown Township, Susquehanna County, Army Corps of Engineers Baltimore District.

To remove the existing structure and to construct and maintain a 20.0-foot x 8.0-foot precast reinforced concrete box culvert depressed 1.0-foot along a tributary to the North Branch Wyalusing Creek. The project is located along S.R. 0858 approximately 250 feet south of the intersection of S.R. 0858 and Township Road T-630 (Lawton, PA Quadrangle N: 14.5 inches; W: 14.0 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E01-219. Department of Conservation Natural Resources, 435 State Park Road, Schellsburg, PA 15559, ACOE Baltimore District in Menallen Township, **Adams County**.

To remove an existing single span bridge and to construct and maintain a single span aluminum arch culvert having a span of 12.58 feet and a rise of 5.17 feet in Mountain Creek (HQ-CWF) along with excavating the stream banks about 20 feet above and below the culvert and placing R-6 size riprap rock revetment and live stake plantings on both banks for about 7.0 feet upstream and downstream of the proposed culvert located on Huckleberry Trail in Forest District #1, Michaux State Forest (Caledonia Park PA Quadrangle N: 20.1 inches; W: 0.3 inch).

E06-546. Union Township, 177 Center Road, Douglassville, PA 19518, ACOE Philadelphia in Union Township, **Berks County**.

To remove the existing twin 48-inch diameter culvert and construct and maintain a 13-foot by 5-foot concrete

box culvert at the channel of an unnamed tributary to Schuylkill River (WWF) on T-357 (Hallman Road) located about 1 mile southwest of Unionville Village (Pottstown, PA Quadrangle N: 20.5 inches; W: 15.5 inches).

E07-340. Pennsylvania Department of Transportation, Engineering District 9-0, 1620 N. Juniata Street, Hollidaysburg, PA 16648, ACOE Baltimore District in Frankstown Township, **Blair County**.

To construct a 6-inch concrete slab and place original stream bed material on top of slab between the existing abutment of a bridge across the channel of a tributary to New Creek (HQ-CWF) at a point at SR 1016 (Frankstown, PA Quadrangle N: 17.33 inches; W: 9.95 inches).

E22-418. Milton Hershey School, Founders Hall, P. O. Box 830, Hershey, PA 17033, ACOE Baltimore District in Derry Township, **Dauphin County**.

To remove a wooden plank pedestrian bridge and to (1) construct and maintain a twin cell pre-cast concrete box culvert with wingwalls having twin spans of 15.0 feet and rises of 5.5 feet and 5.0 feet with concrete aprons between the wingwalls and a 10-foot long, 43-foot wide, R-6 riprap rock protection at both upstream and downstream ends of the crossing in an unnamed tributary to an unnamed tributary to Spring Creek (WWF); an 8-inch diameter ductile waterline, encased in concrete, will be installed at the upstream end of the crossing and the construction of the bridge will require excavation of about 90 feet of stream channel and bank area (Hershey, PA Quadrangle N: 15.5 inches; W: 1.5 inches); (2) construct and maintain a twin cell pre-cast concrete box culvert having twin spans of 17.0 feet and rises of 6.0 feet and 6.6 feet in an unnamed tributary to Spring Creek (WWF) along with an 8-inch diameter ductile iron pipe waterline, encased in concrete, and a 2-inch diameter natural gas line, installed below the streambed at the inlet end of the culvert, and placement of a 10-foot length of R-6 size riprap rock protection at both inlet and outlet ends of the culvert; the construction of the culvert will require excavation of about 113 feet of stream channel and bank area (Palmyra, PA Quadrangle N: 3.2 inches; W: 16.0 inches); and, (3) construct and maintain two single span aluminum box culverts having spans of 10.92 feet and rises of 4.25 feet, within 1,400 feet of each other, along with R-6 size riprap rock protection at outlet and R-5 size riprap rock protection at the inlet end of the culverts located in an unnamed tributary to an unnamed tributary to Spring Creek (WWF); an 8-inch diameter ductile iron water main, a 2-inch diameter natural gas line will be installed under the streambed at both of these crossings; all associated with the construction of the Milton Hershey School, Student Housing Expansion and Campus Consolidation Project located on both north and south sides of SR 0322 and on the east side of Homestead Road (Hershey, PA Quadrangle N: 6.1 inches; W: 0.1 inch and Palmyra, PA Quadrangle N: 6.3 inches; W: 16.9 inches).

E44-087. Menno Township, 1100 SR 655, Belleville, PA 17004, ACOE Baltimore District in Menno Township, **Mifflin County**.

To remove an existing culvert and to construct and maintain a 55-inch by 73-inch elliptical corrugated metal pipe culvert in an unnamed tributary to Saddler Creek (TSF) and to place R-5 riprap in the channel at the culvert outlet located at Mill Road about 0.4 mile northwest of its intersection with SR 0655 (Allensville, PA Quadrangle N: 7.05 inches; W: 10.2 inches).

E67-693. Princess Street, Incorporated, 458 W. Market Street, York, PA 17404, ACOE Baltimore District in Spring Garden Township, **York County**.

To construct and maintain a 43-foot long by 15-foot wide wooden deck for an outdoor dining area and an arched wooden pedestrian bridge having a span of 40 feet and an underclearance of 6 feet across Tyler Run (WWF). The purpose of the bridge is for access to a parking area located at the rear of the Cove Restaurant along South George Street (York, PA Quadrangle N: 11.0 inches; W: 12.7 inches).

E67-695. Pennsylvania Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, ACOE Baltimore District in West Manchester and Dover Townships, **York County**.

To (1) remove an existing culvert and to construct and maintain a 54-foot long reinforced concrete box culvert having a span of 7.0 feet and a rise of 5.0 feet in Honey Creek (TSF) on Emigs Mill Road (SR 4003); (2) extend an existing single span bridge having a clear span of 22.25 feet and an underclearance of about 9.0 feet over Honey Creek by 11.0 feet at its inlet on the south side of East Berlin Road (SR 0234); (3) place R-5 riprap revetment at the bridge's inlet abutment walls; and, (4) construct a temporary stream diversion and sandbag cofferdam to facilitate the construction of the culvert and bridge for the purpose of handling the increased traffic from the West Manchester Corporate Center located near the intersection of SR 4003 and SR 0234 (West York, PA Quadrangle N: 12.4 inches; W: 11.0 inches; and N: 12.8 inches; W: 10.9 inches respectively).

E36-695. East Hempfield Township, 1700 Nissley Road, P. O. Box 128, Landisville, PA 17538, ACOE Baltimore District in East Hempfield Township, **Lancaster County**.

To construct and maintain a 72-inch diameter by 160 feet stream enclosure at the channel of an unnamed tributary to Little Conestoga Creek (WWF) and to fill in 0.57 acre of associated wetlands in order to construct Good Drive located just upstream of US 30 about 1,900 feet east of the US 30 and PA 741 interchange (Lancaster, PA Quadrangle N: 11.3 inches; W: 14.5 inches). The applicant is required to provide 0.57 acre of replacement wetlands.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E18-311. Joseph E. Haagen, R. R. 1, Box 172, Beech Creek, PA 16822. Private Bridge, in Beech Creek Township, **Clinton County**, ACOE Baltimore District (Beech Creek, PA Quadrangle N: 18.1 inches; W: 5.7 inches).

To maintain a single span bridge structure with a span of 32 feet and an underclearance of 5 feet. This structure is located over Masden Run and 0.7 mile on Masden Run Road from its intersection with SR 150 (Beech Creek, PA Quadrangle, N: 18.1 inches, W: 5.7 inches) Beech Creek Township, Clinton County. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1332. Pennsylvania Department of Transportation, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017. City of Pittsburgh, **Allegheny County**, ACOE Pittsburgh District.

To rehabilitate and maintain the Fort Pitt Bridge having a total span of approximately 800.0 feet with an underclearance of 47.0 feet across the Monongahela River (WWF), to reconstruct and maintain the eastbound and westbound ramps of S.R. 0376 including the support piers on the Mon Wharf Parking Area and the viaduct to the Smithfield Street Bridge, to repair and maintain the north river wall in the floodplain and on the right bank of said stream and to install and maintain riprap stabilization along the southern shore and embankment of said stream for the purpose of improving highway safety. The project is located on S.R. 279, Section A06, approximately 1,300 feet upstream from the mouth of said stream (Pittsburgh West, PA Quadrangle N: 11.6 inches; W: 1.5 inches).

E56-296. New Enterprise Stone & Lime Company, Inc., Somerset Plant Extension Project, P. O. Box 77, New Enterprise, PA 16664. Somerset Township, **Somerset County**, ACOE Pittsburgh District.

To place and maintain fill in approximately 0.48 acre of wetland for the purpose of constructing a concrete mix plant. The project is located near the headwaters of Kimberly Run, adjacent to T-546, near its intersection with PA Turnpike (Murdock, Pennsylvania Quadrangle N: 20.00 inches; W: 3.00 inches). The applicant proposes to construct 6.15 acres of replacement wetland.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E25-625. Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16323. S.R. 0089, Section 00B Across Hubbel Run, in Amity Township, **Erie County**, ACOE Pittsburgh District (Union City, PA Quadrangle N: 17.7 inches; W: 3.3 inches).

To place concrete stream bed paving 1.0-foot below the existing stream bed and maintain the reinforced concrete slab bridge having a span of 13.5 feet and an underclearance of 6.4 feet in a tributary to Hubbel Run on S.R. 0089, Section 00B, Segment 0250, Offset 0281 approximately 2.6 miles south of S.R. 8.

E25-629. Springfield Township, 13300 Ridge Road, Box 274, West Springfield, PA 16443. McKee Road Bridge Across Conneaut Creek, in Springfield Township, **Erie County**, ACOE Pittsburgh District (East Springfield, PA Quadrangle N: 8.2 inches; W: 7.6 inches).

To remove the existing abutments and to construct and maintain a timber covered bridge having a clear, normal span of 83.5 feet and an average underclearance of 16 feet across Conneaut Creek on McKee Road (T-338) approximately 0.7 mile north of Cherry Hill Road.

E62-374. Shetler Lumber Company, Inc., 2850 Route 6, Waterford, PA 16441. Shetler Lumber Company Bridge Across Spring Creek, in Spring Creek Township, **Warren County**, ACOE Pittsburgh District (Spring Creek, PA Quadrangle N: 19.0 inches; W: 7.1 inches).

To operate and maintain a private bridge having a structure length of 50 feet and an underclearance of approximately 4 feet across Spring Creek on a private driveway south of S.R. 3010 approximately 0.2 mile east of S.R. 3001 (Oil Creek Road). This bridge was installed under BDWW-GP-8, Temporary Road Crossings, No. GP086299620.

E62-375. Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16323. S.R. 3022 Section B01 Segment 0110 Offset 0216 Across Brokenstraw Creek, in Youngsville Borough, **Warren County**, ACOE Pittsburgh District (Oil City, PA Quadrangle N: 4.68 inches; W: 14.43 inches).

To replace the superstructure, rehabilitate the pier and abutments by facing them with concrete and maintain a prestressed concrete spread box beam bridge having two clear spans of 74 feet and an average underclearance of 13.8 feet across Brokenstraw Creek on S.R. 3022, Section B01, Segment 0110, Offset 0216 in Youngsville Borough.

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of March 2001, the Department of Environmental Protection, under the authority contained

in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800)-23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
James Andrews	353 Loveville Road Warriors Mark, PA 16877	Mitigation
Alan Aulson The Aulson Company, Inc.	49 Danton Drive Methuen, MA 01844	Testing
Willis Bortmas Keystone Building Inspectors	370 Red Dog Road Butler, PA 16001	Mitigation
Jeffery Calta	106 Vensel Lane Chicora, PA 16025	Mitigation
Keith Carpenter	117 Stonybrook Lane Johnstown, PA 15904	Testing
Scott Hagan	78 Hamilton Drive Abbottstown, PA 17301	Testing
George Hart	21 Deerfield Drive Pequea, PA 17565	Testing
James Hetrick	766 Magaro Road Enola, PA 17025	Mitigation
Robert Hoffman	218-D West Main Street Leola, PA 17540	Mitigation
John Jenkins, Jr.	37 North Washington Road Wilkes-Barre, PA 18701	Testing
Ludwig Kubli, Jr.	1090 Aerie Drive North Huntingdon, PA 15642	Testing
Thomas Laurito	6006 Forest Drive Monaca, PA 15061	Testing
George Loudon, Jr.	4694 Lower Cherry Valley Road Stroudsburg, PA 18360	Testing
Tuan Nguyen American Radon Solutions	125 Brindle Road Mechanicsburg, PA 17055	Mitigation
Michael Nowicki	414 Manordale Road Pittsburgh, PA 15241	Mitigation
Frederick Reash, Jr.	505 North Broad Street Grove City, PA 16127	Testing
Keith Rutherford	5701 Cricket Lane Harrisburg, PA 17112	Testing
Scott Shenk	3024 Gloucester Street Lancaster, PA 17601	Testing
Chris Willig	675 Estelle Drive Lancaster, PA 17601	Testing

Notice of Permit Transfers for Facilities

The Department of Environmental Protection has transferred all permits, licenses and approvals for the following facilities. All permits, licenses and approvals previously issued to PECO Energy Company, or its prede-

cessors in interest, at the following facilities have been transferred to Exelon Generation Company, LLC. A complete listing of the permits, licenses and approvals transferred by facility follows. A list of specific permits, licenses and approvals involved in the transfer is also

available on the web at www.dep.state.pa.us (directLINK "PECO permit transfers"). Questions may also be directed to John Kennedy at DEP's Southeast Regional Office at (610) 832-6012.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact

the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of its self, create any right of appeal beyond that permitted by applicable statutes and decisional law.

<i>Facility</i>	<i>Municipality</i>	<i>County</i>
Barbadoes Island	W. Norriton	Montgomery
Bradshaw	Bedminster	Bucks
Perkiomen Creek Intake Structure	Bedminster	Bucks
Chester Generating Station	Chester	Delaware
Conowingo Generating Station	Darlington	Harford
Cromby Generating Station	E. Pikeland	Chester
Croydon Generating Station	Bristol	Bucks
Delaware Generating Station	Philadelphia	Philadelphia
Eddystone Generating Station	Eddystone	Delaware
Fairless Hills Steam Generating Station	Falls	Bucks
Limerick Generating Station	Limerick	Montgomery
Pottstown—Limerick Airport	Limerick	Montgomery
Falls Unit Substation	Falls	Bucks
Moser Unit Substation	Lower Pottsgrove	Montgomery
Muddy Run Recreation Park	Holtwood	Lancaster
Muddy Run Pumped Storage Facility	Drumore	Lancaster
Peach Bottom Atomic Power Station	Peach Bottom	York
Pennsbury Power Station	Falls	Bucks
Richmond Generating Station	Philadelphia	Philadelphia
Schuylkill Generating Station	Philadelphia	Philadelphia

[Pa.B. Doc. No. 01-645. Filed for public inspection April 13, 2001, 9:00 a.m.]

Stream Redesignation Evaluations; Water Quality Standards Review

Under 25 Pa. Code § 93.4d (relating to public notice of receipt of evaluation or assessment of waters for High Quality (HQ) or Exceptional Value (EV) Waters redesignation) the Department of Environmental Protection (Department) hereby gives notice that evaluations of all or portions of the streams listed are being conducted. The particular segments to be evaluated are described following the table. Stream evaluations for designated uses other than HQ or EV are also listed. Persons who have technical data concerning the water quality, instream habitat or biological condition of these waters are encouraged to make it available to the Department for consideration in the assessments. These assessments may lead to recommendations to the Environmental Quality Board for redesignation.

Data should be submitted to Robert F. Frey, Division of Water Quality Assessment and Standards, Bureau of

Water Supply and Wastewater Management, P. O. Box 8555, Harrisburg, PA 17105-8555, e-mail rofrey@state.pa.us. Data should be submitted no later than May 14, 2001. Questions concerning these evaluations can be directed to Robert Frey at (717) 787-9637.

<i>Stream Name</i>	<i>County</i>	<i>Tributary To</i>	<i>HQ/EV</i>
Clarion River	Clarion	Allegheny River	
Fishing Creek Tributaries	Clinton	Bald Eagle Creek	X
Indian Creek	Fayette	Youghiogheny River	
Indian Spring Run	Chester/Lancaster	Pequea Creek	X
Maiden Creek Tributaries	Lehigh/Berks	Maiden Creek	X

The Clarion River segment to be evaluated is from the Piney Reservoir to the mouth. This reach is currently designated Cold Water Fishes (CWF) and will be evaluated to determine the proper use designation.

The Fishing Creek tributaries that will be evaluated include: Mill Creek, Bull Run, Bear Run, Little Fishing Creek, Roaring Run, Cedar Run and Long Run.

The portion of Indian Creek from the confluence of Champion Creek to the mouth is not currently listed in the water quality standards (Chapter 93 of the Department's Rules and Regulations). This segment will be evaluated to determine the proper use designation.

The Indian Spring Run basin is currently designated CWF. It is being evaluated for redesignation to High Quality (HQ) or Exceptional Value (EV) Waters.

The Maiden Creek tributaries being evaluated include: Maiden Creek headwaters, also known as Ontelaune Creek, in Lehigh County, School Creek, Stony Run, Pine Creek, Furnace Creek, Sacony Creek and Moselem Creek.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Robert Frey directly at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

DAVID E. HESS,
Acting Secretary

[Pa.B. Doc. No. 01-646. Filed for public inspection April 13, 2001, 9:00 a.m.]

Water Resources Forums; Announcement of Three Additional Forums

The Department of Environmental Protection (DEP), in partnership with the Governor's Center for Local Government Services of the Department of Community and Economic Development, the Department of Conservation and Natural Resources and the Department of Agriculture, announced in the March 24, 2001, *Pennsylvania Bulletin* that 12 public forums have been scheduled to collect public input on Pennsylvania's current and future water resource needs. Three additional forums have been added in Pittsburgh, Philadelphia and Lancaster, bringing the total number of Statewide forums to 15. The complete list of forums is included in this notice.

The forums are an opportunity for the State to hear what Pennsylvanians have to say about water resource issues. In an effort to promote and focus discussion, two questions have been developed that will be presented to the attendees:

- What one water resource need or issue do you feel needs greatest attention in your community?
- What tools do we need to help ensure adequate water supplies in Pennsylvania?

The forums will begin at 7 p.m. There will also be water resource related state agency exhibits and information on display from 6 p.m. to 7 p.m. There is no cost to attend the forums and registration is not required. For additional information, contact:

Kimberly Chism, DEP Office of Water Management, Rachel Carson State Office Building, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-5807 or visit the DEP website at www.dep.state.pa.us (directLINK "Water Forums").

Water Resources Forums

April 16—Bucks County
Holiday Inn Northwest
3499 Street Road
Bensalem, PA 19020

April 17—Lehigh County
Days Inn Conference Center
1151 Bull Dog Drive
Allentown, PA 18104

April 23—Dauphin County
DEP
400 Market Street
2nd Floor Main Auditorium
Harrisburg, PA 17101

April 24—Luzerne County
Holiday Inn
880 Kidder Street
Wilkes-Barre, PA 18702

April 26—Centre County
State College Inn
1663 South Atherton Street
State College, PA 16801

May 1—Lycoming County
Genetti Hotel
200 West Fourth Street
Williamsport, PA 17701

May 3—Chester County
Best Western Hotel Conference Center
815 North Pottstown Pike
Exton, PA 19341

May 16—Butler County
Days Inn Conference Center
139 Pittsburgh Road
Butler, PA 16001

May 17—Westmoreland County
Greensburg Garden & Civic Center
951 Old Salem Road
Greensburg, PA 15601

May 21—Bedford County
Arena Hotel
4407 Business Route 220 North
PO Box 171
Bedford, PA 15522

May 23—Erie County
Ramada Inn
401 West Plum Street
Edinboro, PA 16412

May 24—Clearfield County
Holiday Inn
U.S. Route 219 & I 80
DuBois, PA 15801

May 30—Allegheny County
Ramada Plaza Suites
Conference Center
1 Bigelow Square
Pittsburgh, PA 15219

May 31—Philadelphia County
Hampton Inn
1300 Race Street
Philadelphia, PA 19107

June 4—Lancaster County
Quality Inn & Suites
2363 Oregon Pike
Lancaster, PA 17601

DAVID E. HESS,
Acting Secretary

[Pa.B. Doc. No. 01-647. Filed for public inspection April 13, 2001, 9:00 a.m.]

DEPARTMENT OF HEALTH

Division of Women, Infants and Children; Public Meeting

In accordance with 7 CFR 246.4(6), the Department of Health (Department) will hold a public meeting on Thursday, May 10, 2001 from 10 a.m. until 3 p.m. at the Department of Health, Room 610 Health and Welfare Building, Commonwealth and Forster Street, Harrisburg, PA.

The purpose of the meeting is to obtain comments and recommendations for the development of the 2002 State Plan of Program Operation and Administration for the Special Supplemental Nutrition Program for Women, Infants and Children (WIC) in Pennsylvania. The Department invites comments on all aspects of the Program's Operations. General comments on other issues pertinent to the Program are also requested.

Persons wishing to give testimony at this meeting are requested to pre-register with the State WIC Program office by calling (717) 783-1289. Persons unable to attend the meeting, but wishing to express their views, may submit written comments by May 31, 2001, to the Department of Health, Division of Women, Infants and Children (WIC), Planning and Review Section, P. O. Box 90, Harrisburg, PA 17108.

Persons with a disability who wish to attend the meeting, submit comments or give testimony at this meeting, and require an auxiliary aid service or other accommodation to do so, should contact Bonnie Mellott at (717) 783-1289; V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-648. Filed for public inspection April 13, 2001, 9:00 a.m.]

Division of Women, Infants and Children; Public Meeting

In accordance with 7 CFR 246.4(6), the Department of Health (Department) will hold a public meeting on Thursday, May 17, 2001 from 10 a.m. until 3 p.m. at the Allegheny County Health Department Investment Building, 239 Fourth Avenue, Pittsburgh, PA.

The purpose of the meeting is to obtain comments and recommendations for the development of the 2002 State

Plan of Program Operation and Administration for the Special Supplemental Nutrition Program for Women, Infants and Children (WIC) in Pennsylvania. The Department invites comments on all aspects of the Program's Operations. General comments on other issues pertinent to the Program are also requested.

Persons wishing to give testimony at this meeting are requested to preregister with the State WIC Program office by calling (717) 783-1289. Persons unable to attend the meeting, but wishing to express their views, may submit written comments by May 31, 2001, to the Department of Health, Division of Women, Infants and Children (WIC), Planning and Review Section, P. O. Box 90, Harrisburg, PA 17108.

Persons with a disability who wish to attend the meeting, submit comments or give testimony at this meeting, and require an auxiliary aid service or other accommodation to do so, should contact Bonnie Mellott at (717) 783-1289; V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-649. Filed for public inspection April 13, 2001, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health under sections 301 and 317 of the Public Health Service Act (42 U.S.C.A § 241(a) and 247(b)), will hold public meetings on Wednesday, May 16, and Thursday, May 17, 2001.

The meetings will be held at the Best Western Inn and Suites, 815 Eisenhower Boulevard, Middletown, PA 17057, from 9 a.m. to 3 p.m.

For additional information please contact Thomas M. DeMelfi, Department of Health, Bureau of Communicable Diseases, P. O. Box 90, Room 1010 Health and Welfare Building, Harrisburg, PA 17108, (717) 783-0572.

Persons with a disability who desire to attend the meetings and require an auxiliary aid service or other accommodation to do so, should also contact Thomas DeMelfi at (717) 783-0572 or at V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT & T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-650. Filed for public inspection April 13, 2001, 9:00 a.m.]

Renal Disease Advisory Committee Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P. L. 419, No. 140) (35 P. S. § 6204) will hold a public meeting on April 20, 2001.

The meeting will be held in Conference Room C, 2635 Paxton Street, Harrisburg, PA, from 10 a.m. to 3 p.m.

For additional information, contact Jane E. Wolfe, Director, Chronic Renal Disease Program, Division of Special Health Care Programs at (717) 787-9772.

Persons with a disability who desire to attend the meeting and require auxiliary aid, service or other accommodation to do so, should contact the Chronic Renal Disease Program at (717) 787-9772.

V/TT (717) 783-6514 for speech and/or hearing impaired

persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-651. Filed for public inspection April 13, 2001, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Range of Fees Charged by Utilization Review Organizations and Peer Review Organizations for Services Performed under the Workers' Compensation Act

Under 34 Pa. Code § 127.667(b) (relating to compensation policy) the Department of Labor and Industry, Bureau of Workers' Compensation hereby gives notice of the range of fees charged by Utilization Review Organizations (UROs) and Peer Review Organizations (PROs) for services performed under the Workers' Compensation Act during 2000.

JOHNNY J. BUTLER,
Secretary

<i>URO/PRO</i>	<i>Range of Fees</i>	
	<i>Min. \$</i>	<i>Max. \$</i>
Adams Chiropractic PC d/b/a A & A Reviews	\$175.00	\$1,270.00
A. E. Maxwell Associates	185.00	625.00
Action Review Group, Inc.	157.50	702.50
Advanced Rehabilitation Management, Inc	200.00	960.20
Alico Services, LTD	270.86	600.00
Alpha Review	275.00	904.67
Atlantic Medical Review Co., Inc.	227.87	950.91
C.A.B. Medical Consultants	100.00	665.00
Caduceus Review, Inc.	252.28	1,099.29
Caduceus-Lex Medical Auditing, Inc.	264.90	657.13
CEC Associates, Inc.	144.58	570.00
CEC, Inc.	150.00	650.00
Chiro-Med Review Company	200.00	650.00
Concentra Medical Examinations	143.00	517.40
Consolidated Service Group, Inc. d/b/a Consolidated Rehabilitation Company	200.00	717.38
Corvel Corporation	141.36	950.96
Crawford Care Management Services c/o Crawford & Company	158.33	948.12
Delaware Valley Peer Review Organization	130.38	909.23
Francene Tearpock-Martini & Associates., Inc.	600.00	600.00
Hajduk & Associates	100.00	566.10
Health Care Dimensions, Inc.	464.35	889.02
Hoover Rehabilitation Services, Inc.	113.28	931.48
IMX Medical Management Services, Inc.	188.43	700.89
Industrial Rehabilitation Associates c/o RJP Enterprises, Inc.	125.85	650.00
Kenneth Frank Enterprises	250.00	680.00
Keystone Peer Review Organization, Inc.	200.00	750.00
Laurel Rehabilitation Services, Inc.	162.50	900.00
LRC Disability Management Consultants	44.80	1,304.21
Medical Evaluation Specialists	125.00	905.38
Medical Review Associates	225.00	700.00
Medical Service & Evaluation Company	200.00	800.00
Orland Corporation d/b/a WRS	120.62	1,053.75
Peer, Inc.	150.00	650.00
Penn Executive Diagnostic Center, Inc.	100.00	850.00
Perspective Consulting, Inc.	150.00	550.00
Polombo Consulting & Review	150.00	655.00
Proclaim Review Company	625.70	844.60
QRS Managed Care Services	100.00	775.00
Quality Assurance Reviews	150.00	700.00
Reasonable Insurance Consultations Evaluations	180.32	975.39
Rehabilitation Planning, Inc.	150.00	600.00
Solomon Associates, Inc.	200.00	700.00
T & G Reviews, Inc.	175.00	695.00
The PT Group	150.00	798.00
Tom Sawchaks, Inc. Action of Pennsylvania	250.00	870.00
Tri-State IME, Inc.	125.00	893.82

<i>URO/PRO</i>	<i>Range of Fees</i>	
	<i>Min. \$</i>	<i>Max. \$</i>
Tri-State Rehabilitation Group, Inc.	267.66	832.12
TxReviews, Inc.	200.00	574.69
U. S. Medical Review, Inc.	175.00	725.00
Unimed/United Medical Associates	200.00	775.00
West Penn IME, Inc.	370.00	755.00
WMR Resources, Inc.	225.00	695.00
Workwell Physical Medicine, Inc.	75.00	600.00
Zabinski Robert C., D.C.	75.00	750.00

[Pa.B. Doc. No. 01-652. Filed for public inspection April 13, 2001, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Notice of Roundtable Discussions

The Department of Public Welfare (Department), in conjunction with the Department of Community and Economic Development (DCED) and the Pennsylvania Housing Finance Agency (PHFA), is announcing that it will host five regional roundtable meetings to discuss the housing initiative (Housing Initiative) proposed in the Governor's 2001-2002 budget.

The proposed Housing Initiative earmarks \$60 million of Temporary Assistance for Needy Families (TANF) funds to create housing opportunities for low-income families. The Department, DCED and PHFA are collaborating in the development of this multifaceted program.

The public is welcome to attend the roundtable discussions scheduled as follows. After discussion of issues and possible program ideas among the invited roundtable participants, public comments will be accepted as time permits.

The meeting schedule is as follows:

Northwest
April 26, 2001
9 a.m.—12 noon
Gannon University
1200 Palumbo Academic Center
West 9th & Peach Streets
Erie, PA 16541

Southwest
April 27, 2001
9 a.m.—12 noon
Community College of Allegheny County
Boyce Campus—Room N-106
595 Beatty Road
Monroeville, PA 15146

Northeast
May 1, 2001
9 a.m.—12 noon
Lackawanna Junior College
Multipurpose Room
501 Vine Street
Scranton, PA 18509

Southeast
May 2, 2001
9 a.m.—12 noon
Norristown State Hospital
Multipurpose Room—Bldg. 33
1001 Sterigere Street
Norristown, PA 19401

Central
May 3, 2001
9 a.m.—12 noon
Dixon University Center
Administration Conference Room A/B
2986 N. Second Street
Harrisburg, PA 17110

Persons who wish to attend and present comments at any of the public roundtable discussions are requested to advise the Department at the following address in writing or by calling at least 3 days prior to the meeting.

Please contact: Rose M. Samuel, Department of Public Welfare, Office of the Secretary, P. O. Box 2675, Harrisburg, PA 17105-2675, (717) 783-0628, Fax: (717) 772-2062, e-mail: RoseS@dpw.state.pa.us.

Persons who require an auxiliary aide service or other accommodation to attend the meeting or provide comment should contact Rose Samuel. Persons with a disability may use that AT&T Relay Service by calling (800) 651-5984 (TDD users) or (800) 654-5988 (voice users). In the event an individual is unable to attend one of the meetings, the individual is invited to submit written comment to the Department of Public Welfare as previously directed.

FEATHER O. HOUSTOUN,
Secretary

[Pa.B. Doc. No. 01-653. Filed for public inspection April 13, 2001, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Happy Birthday To You

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Happy Birthday To You.

2. *Price:* The price of a Pennsylvania Happy Birthday To You instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Happy Birthday To You instant lottery game ticket will contain one play area and one "Bonus" balloon area. The play symbols and their captions located in the play area are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV

DOL), \$10⁰⁰ (TEN DOL), \$15\$ (FIFTN), \$20\$ (TWENTY), \$30\$ (THIRTY), \$40\$ (FORTY), \$60\$ (SIXTY), \$70\$ (SEVENTY), \$80\$ (EIGHTY) and \$500 (FIV HUN). The play symbols and their captions located in the "Bonus" balloon area are: Bow Symbol (BOW) and TRY AGAIN.

4. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$5, \$10, \$15, \$20, \$30, \$40, \$60, \$70, \$80 and \$500. The player can win up to two times on a ticket.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 10,080,000 tickets will be printed for the Pennsylvania Happy Birthday To You instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets with three matching play symbols of \$500 (FIV HUN) in the play area on a single ticket, shall be entitled to a prize of \$500.

(b) Holders of tickets with three matching play symbols of \$80\$ (EIGHTY) in the play area on a single ticket, shall be entitled to a prize of \$80.

(c) Holders of tickets with three matching play symbols of \$70\$ (SEVENTY) in the play area on a single ticket, shall be entitled to a prize of \$70.

(d) Holders of tickets with three matching play symbols of \$60\$ (SIXTY) in the play area on a single ticket, shall be entitled to a prize of \$60.

(e) Holders of tickets with three matching play symbols of \$40\$ (FORTY) in the play area on a single ticket, shall be entitled to a prize of \$40.

(f) Holders of tickets with three matching play symbols of \$30\$ (THIRTY) in the play area on a single ticket, shall be entitled to a prize of \$30.

(g) Holders of tickets with three matching play symbols of \$20\$ (TWENTY) in the play area on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets with three matching play symbols of \$15\$ (FIFTN) in the play area on a single ticket, shall be entitled to a prize of \$15.

(i) Holders of tickets with three matching play symbols of \$10⁰⁰ (TEN DOL) in the play area on a single ticket, shall be entitled to a prize of \$10.

(j) Holders of tickets with a Bow Symbol (BOW) play symbol in the "Bonus" balloon area, on a single ticket, shall be entitled to a prize of \$5.

(k) Holders of tickets with three matching play symbols of \$5⁰⁰ (FIV DOL) in the play area on a single ticket, shall be entitled to a prize of \$5.

(l) Holders of tickets with three matching play symbols of \$4⁰⁰ (FOR DOL) in the play area on a single ticket, shall be entitled to a prize of \$4.

(m) Holders of tickets with three matching play symbols of \$2⁰⁰ (TWO DOL) in the play area on a single ticket, shall be entitled to a prize of \$2.

(n) Holders of tickets with three matching play symbols of \$1⁰⁰ (ONE DOL) in the play area on a single ticket, shall be entitled to a prize of \$1.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Get 3 Like Dollar Amounts, Win With Prize(s) Of:</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 10,080,000 Tickets</i>
\$1	\$1	1:7.06	1,428,000
\$2	\$2	1:15	672,000
\$4	\$4	1:150	67,200
\$5	\$5	1:300	33,600
BOW	\$5	1:37.50	268,800
\$10	\$10	1:300	33,600
\$5 + BOW	\$10	1:200	50,400
\$15	\$15	1:3,000	3,360
\$10 + BOW	\$15	1:750	13,440
\$20	\$20	1:1,500	6,720
\$20 + BOW	\$25	1:4,068	2,478
\$30	\$30	1:24,000	420
\$30 + BOW	\$35	1:24,000	420
\$40	\$40	1:24,000	420
\$60	\$60	1:24,000	420
\$70	\$70	1:24,000	420
\$80	\$80	1:24,000	420
\$500	\$500	1:80,000	126

BOW = Win \$5 Instantly

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Happy Birthday To You instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Happy Birthday To You, prize money from winning Pennsylvania Happy Birthday To You instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Happy Birthday To You instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Happy Birthday To You or through normal communications methods.

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 01-654. Filed for public inspection April 13, 2001, 9:00 a.m.]

Pennsylvania Krazy 8's

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Crazy 8's.

2. *Price:* The price of a Pennsylvania Crazy 8's instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Crazy 8's instant lottery game ticket will contain four play areas known as "Game 1," "Game 2," "Game 3" and "Game 4." Each game is played separately. The play symbols and their captions located in the four play areas are: 1 (ONE), 2 (TWO), 3 (THR), 4 (FOR), 5 (FIV), 6 (SIX), 7 (SVN), 8 (EGT) and 9 (NIN).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the four "Prize" areas are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$8⁰⁰ (EGT DOL), \$16\$ (SIXTN), \$32\$ (TRY TWO), \$64\$ (SXTY FOR), \$88\$ (ETY EGT), \$188\$ (HNETYEGT) and \$8,888 (ETHEHEYET).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$8, \$16, \$32, \$64, \$88, \$188 and \$8,888. The player can win up to four times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 12,960,000 tickets will be printed for the Pennsylvania Crazy 8's instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$8,888 (ETHEHEYET) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$8,888.

(b) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$188\$ (HNETYEGT) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$188.

(c) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$88\$ (ETY EGT) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$88.

(d) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$64\$ (SXTY FOR) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$64.

(e) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$32\$ (TRY TWO) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$32.

(f) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$16\$ (SIXTN) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$16.

(g) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$8⁰⁰ (EGT DOL) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$8.

(h) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$4⁰⁰ (FOR DOL) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$4.

(i) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$2⁰⁰ (TWO DOL)

appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$2.

(j) Holders of tickets with a play symbol of 8 (EGT) in any "Game," and a prize play symbol of \$1⁰⁰ (ONE DOL) appearing in the "Prize" area for that "Game," on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Get</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 12,960,000 Tickets</i>
\$1	\$1	1:10	1,296,000
\$1 x 2	\$2	1:21.43	604,800
\$2	\$2	1:42.86	302,400
\$1 x 4	\$4	1:150	86,400
\$4 x 2	\$8	1:75	172,800
\$8	\$8	1:100	129,600
\$8 x 2	\$16	1:300	43,200
\$16	\$16	1:300	43,200
\$8 x 4	\$32	1:9,600	1,350
\$16 x 2	\$32	1:16,000	810
\$32	\$32	1:24,000	540
\$16 x 4	\$64	1:12,000	1,080
\$32 x 2	\$64	1:24,000	540
\$64	\$64	1:60,000	216
\$88	\$88	1:13,333	972
\$188	\$188	1:30,000	432
\$8,888	\$8,888	1:864,000	15

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Crazy 8's instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Crazy 8's, prize money from winning Pennsylvania Crazy 8's instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Crazy 8's instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Crazy 8's or through normal communications methods.

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 01-655. Filed for public inspection April 13, 2001, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Borough of Hanover v. DEP; EHB Doc. No. 2001-070-K

The Borough of Hanover has appealed the issuance by the Department of Environmental Protection of an NPDES permit to same for a facility in Conewago Township, Adams County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 01-656. Filed for public inspection April 13, 2001, 9:00 a.m.]

HUMAN RELATIONS COMMISSION

Public Hearing Opinions

The Human Relations Commission, under section 7(o) of the Pennsylvania Human Relations Act (43 P. S. § 957(o)) (act) hereby announces the publication of the Findings of Fact, Conclusions of Law, Opinion and Final Order made after public hearings held under section 9(e)—(g) of the act, in the following cases:

Ronald Bigger, Sr. v. Kimberly-Clark Corporation; Doc. No. E68573D; (Pennsylvania Human Relations Commission, March 27, 2001)

- Race-based unequal employment conditions; Ruling for Complainant, 8-0 decision; 50 pages.

Darlene Sweigart v. Bruce and Patricia Nicholl; Doc. No. H7407; (Pennsylvania Human Relations Commission, March 27, 2001)

- Familial status, refusal to rent; Ruling for Complainant, 8-0 decision; 13 pages.

Ronald J. McNeil v. Fuller Company; Doc. Nos. E90572D and E92059D; (Pennsylvania Human Relations Commission, March 26, 2001)

- Race-based harassment and retaliation case on damages; Ruling for Complainant, 8-0 decision; 18 pages.

The final orders in the above-listed cases are subject to appeal to Commonwealth Court, and if appealed are subject to being affirmed, reversed or modified, in whole or part.

A copy of the opinions listed in this notice may be obtained by mailing a request indicating the opinion desired, accompanied by a check or money order in the amount of 10 cents per page (the number of pages in the opinion is set forth at the end of the case listing), to Laura J. Treaster, Information Director, Human Relations Commission, 101 South Second Street, Suite 300, Harrisburg, PA 17101. The check or money order should be made payable to the "Commonwealth of Pennsylvania."

HOMER C. FLOYD,
Executive Director

[Pa.B. Doc. No. 01-657. Filed for public inspection April 13, 2001, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

Final-Form

Reg. No.	Agency/Title	Received
59-07	Coroners' Education Board Education Requirements	03-28-01

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-658. Filed for public inspection April 13, 2001, 9:00 a.m.]

INSURANCE DEPARTMENT

Aetna US Healthcare; Rate Filing

On March 30th, 2001, Aetna US Healthcare submitted a filing for the age/gender banded individual rates for this Commonwealth. Rates vary by service area, tier factor and age/gender factors. This proposed increase will affect approximately 11,000 members and will produce additional annual premium income of about \$3.5 million.

The increases by Service area are shown below.

Service Area	Medical Increase	Pharmacy Increase	Total Increase
SEPA	8.71%	30.00%	11.00%
PITTS/WEPA	38.48%	30.00%	37.57%
CEPA/NEPA/Berks	38.52%	30.00%	37.61%

The requested effective date of the change is July 1st, 2001.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg, Pittsburgh, Erie and Philadelphia regional offices.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-659. Filed for public inspection April 13, 2001, 9:00 a.m.]

Blue Cross of Northeastern Pennsylvania; Rate Filing

On March 30th, 2001, Blue Cross of Northeastern Pennsylvania submitted a filing requesting the Insurance Department's (Department) approval to increase the approved monthly rates by 19.65% for the Blue Cross Community Rated Program. The projected average number of contracts per month during the October 1, 2000, to October 1, 2001, period is approximately 17,000. The proposed increase will generate additional revenue of \$6,900,000. An effective date of October 1st, 2001, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Department's Harrisburg regional office.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-660. Filed for public inspection April 13, 2001, 9:00 a.m.]

Highmark, Inc. d/b/a Pennsylvania Blue Shield; Filing No. 200104; Community Group Medigap and Prestandardized Medical/Surgical Rate Filing

Highmark Inc. d/b/a Pennsylvania Blue Shield, submitted a request for approval to increase rates for Community Group Medigap and Prestandardized Medical/Surgical plans. Rates vary by Blue Cross region to reflect differences in claim costs and expenses. The filing requests an average increase of about 15%. This will affect about 138,963 subscribers and produce additional premium income of about \$2 million. The requested effective date of the change is October 1, 2001, for approval of quarterly rates for the Blue Cross of Northeastern Pennsylvania service area, and January 1, 2002, for approval of rates for a 12 month period for the Independence Blue Cross service area. No rate adjustment is requested in the Capital Blue Cross region at this time.

The requested rate increases by region are as follows:

<i>Region</i>	<i>% Increase</i>
Independence	22.4%
Blue Cross of Northeastern PA	15.8%

<i>Region</i>	<i>% Increase</i>
Capital	0.0%
Overall	15.0%

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-661. Filed for public inspection April 13, 2001, 9:00 a.m.]

Highmark Inc. d/b/a Pennsylvania Blue Shield and Highmark Blue Cross Blue Shield; Filing No. 200108

On March 28, 2001, Highmark Inc. d/b/a Pennsylvania Blue Shield and Highmark Blue Cross Blue Shield submitted a change to the definition of UCR (Usual, Customary and Reasonable), to amend direct pay agreements—Blue Shield UCR100 Medical-Surgical Agreement and Blue Shield 80/20 Medical-Surgical Agreement. The change clarifies the method by which allowances are established.

Copies of this filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg, Pittsburgh, Erie and Philadelphia regional offices.

Interested parties are invited to submit written comments, suggestions or objections to Yen Lucas, Supervisor, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-662. Filed for public inspection April 13, 2001, 9:00 a.m.]

Highmark Inc. d/b/a Pennsylvania Blue Shield; Rate Filing No. 200105

On March 30, 2001, Highmark Inc. d/b/a Pennsylvania Blue Shield, requests approval to revise rates for Community Group Medical/Surgical Plans in the Capital Blue Cross, Independence Blue Cross and Blue Cross of Northeastern Pennsylvania regions. Rates vary by agent plan region and program to reflect differences in claim costs and expenses. The filing requests an overall average increase of about 7.91%. This will produce additional annual premium income of about \$4.3 million.

<i>Region</i>	<i>% Increase</i>	<i>Contracts</i>
Capital Blue Cross		
Fee Schedule	45.7%	11,039
UCR	4.0%	309,608
Independence Blue Cross		
Fee Schedule	36.1%	3,555
UCR	25.1%	39,971
Blue Cross of Northeast PA		
Fee Schedule	28.9%	6,721
UCR	6.8%	166,479
All Regions Combined		
Fee Schedule	37.6%	21,315
UCR	7.3%	516,058

The requested effective date of the change is October 1, 2001.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg and Philadelphia regional offices.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-663. Filed for public inspection April 13, 2001, 9:00 a.m.]

Ian Grove; Doc. No. AG01-02-024

A hearing shall occur on May 24, 2001, at 1 p.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 701—704 (relating to Administrative Agency Law), and the General Rules of Administrative Practice and Procedure, 1 Pa. Code § 31.1 et seq. and the Insurance Department's Special Rules of Administrative Practice and Procedure, 31 Pa. Code Chapter 56.

On or before May 3, 2001, each party must file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and addresses of witnesses along with the specialties of experts, if any, to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) an estimated time for that party's case. Each party must simultaneously serve the other with a copy of the prehearing statement. Failure to comply with this provision may result in the preclusion of witnesses and evidence from the hearing.

Motions preliminary to those at hearing, if any, must be filed on or before May 10, 2001, with the Docket Clerk, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

The Presiding Officer will consider a written request for continuance for the scheduled hearing for good cause only. Prior to requesting a continuance, a party must contact

the opposing party. All continuance requests must indicate whether the opposing party objects to a continuance.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid service or other accommodations to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-664. Filed for public inspection April 13, 2001, 9:00 a.m.]

(Correction)

List of Approved Data Service Vendors; Notice No. 2001-03

An error appeared in an Insurance Department notice which was published at 31 Pa.B. 1927 (April 7, 2001). The Notice Number was inadvertently deleted from the title.

[Pa.B. Doc. No. 01-619. Filed for public inspection April 6, 2001, 9:00 a.m.]

Prudential Property and Casualty Insurance Company; Homeowners Insurance Rate and Rule Revision

On March 30, 2001, the Insurance Department (Department) received from Prudential Property and Casualty Insurance Company a filing for a proposed rate level and rule changes for homeowners insurance.

The company requests an overall 3.7% increase amounting to \$1,800,000 annually, to be effective upon approval.

Unless formal administrative action is taken prior to May 29, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, (e-mail: xlu@state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-665. Filed for public inspection April 13, 2001, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with the termination of the insured's automobile policy. The hearing will be held in accordance with

the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in the Insurance Department's Regional Office in Philadelphia, PA. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Melissa M. Smyth and David McHugh; file no. 01-265-00923; Progressive Insurance Company; doc. no. PH01-03-042; June 8, 2001, at 2 p.m.

Each party may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-666. Filed for public inspection April 13, 2001, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Lackawanna County, Wine & Spirits Shoppe #3501, 3364 Birney Plaza, Moosic, PA 18507-1560.

Lease Expiration Date: September 30, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,300 to 2,700 net useable square feet of new or existing retail commercial space within the Borough of Moosic.

Proposals due: May 4, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110.
Contact: Ronald Hancher, Jr., (717) 657-4228

Lackawanna County, Wine & Spirits Shoppe #3520, Green Ridge Plaza, 1600 Nay Aug Avenue, Scranton, PA 18509-1868.

Lease Expiration Date: November 30, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 to 5,000 net useable square feet of new or existing retail commercial space within 1/2 mile of the intersection of Nay Aug Avenue and Green Ridge Street, within the city of Scranton.

Proposals due: May 4, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110.
Contact: Ronald Hancher, Jr., (717) 657-4228

Alcohol Education, North Progress Avenue, Harrisburg, PA.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,900 to 2,700 net useable square feet of new or existing retail commercial space. Location must have immediate access to North Progress Avenue between I-81 to the South and Linglestown Road to the North. Site will have free on-site parking for up to 30 vehicles.

Proposals due: May 4, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110.
Contact: Charles D. Mooney, (717) 657-4228

Luzerne County, Wine & Spirits Shoppe #4032, 6 North Broad Street, West Hazleton, PA 18201-3765.

Lease Expiration Date: March 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 to 4,000 net useable square feet of new or existing retail commercial space within West Hazleton Borough.

Proposals due: May 4, 2001 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110.
Contact: Charles D. Mooney, (717) 657-4228

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 01-667. Filed for public inspection April 13, 2001, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before May 7, 2001, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00117679. Michael R. Napolitan, t/d/b/a South Hills Shuttle (P. O. Box 891, Bethel Park, Allegheny County, PA 15102)—persons in airport transfer service, from points in the Washington County, to the Greater Pittsburgh International Airport located in Allegheny County.

A-00117686. Andrews Transportation Co., Inc. (3236 A Street, Philadelphia, PA 19134-2227), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, from points in the city and county of Philadelphia, to correctional facilities located in Pennsylvania and return.

A-00117689. Linda G. Krein, t/d/b/a We Care Limousine Service (225 Alcoma Boulevard, Pittsburgh, Allegheny County, PA 15235)—persons in limousine service, from points in the county of Allegheny, to other points in Pennsylvania, and vice versa.

A-00117690. Brandon C. Dalusia, t/d/b/a Fine Line Limousine Service (823 Lincoln Avenue, West Chester, Chester County, PA 19382)—persons in limousine service, between points in the county of Chester, and from points in said county, to points in Pennsylvania, and return.

A-00117693. A Plus Limousine Service, LLC (412 Wooded Way, Newtown Square, Delaware County, PA 19073), a corporation of the Commonwealth of Pennsylvania—persons in limousine service, between points in the county of Delaware, and within an airline distance of 10 statute miles of the limits thereof, and from points in said area, to points in Pennsylvania, and return. *Attorney:* Raymond J. Peppelman, Jr., 606 East Baltimore Pike, Media, PA 19063.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-668. Filed for public inspection April 13, 2001, 9:00 a.m.]

Telecommunications

A-310725F0002. Verizon Pennsylvania Inc. and Fairpoint Communications Solutions Corp. Joint Petition of Verizon Pennsylvania Inc. and Fairpoint Communications Solutions Corp. for approval of a replacement interconnection agreement, with Amendment No. 1 and Amendment No. 2, under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Fairpoint Communications Solutions Corp. filed on April 2, 2001, at the Pennsylvania Public Utility Commission, a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Fairpoint Communications Solutions Corp. Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-669. Filed for public inspection April 13, 2001, 9:00 a.m.]

Telecommunications

A-310771. Verizon Pennsylvania Inc. and Global NAPs, Inc. Joint Petition of Verizon Pennsylvania Inc. and Global NAPs, Inc. for approval of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Global NAPs, Inc. filed on April 2, 2001, at the Pennsylvania Public Utility Commission, a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Global NAPs, Inc. Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-670. Filed for public inspection April 13, 2001, 9:00 a.m.]

**Transfer of Peaking Assets
Without Hearing**

A-123100 F0028. UGI Utilities, Inc. Application of UGI Utilities, Inc., for approval of the transfer of peaking assets in accordance with the terms of its restructuring settlement agreement.

This Application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before April 30, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: UGI Utilities, Inc.

Through and By Counsel: Mark C. Morrow, 460 North Gulph Road, King of Prussia, PA 19406.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-671. Filed for public inspection April 13, 2001, 9:00 a.m.]
