

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 19, 2012.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-14-2012	<p><i>From:</i> The Gratz National Bank Gratz Dauphin County</p> <p><i>To:</i> The Gratz Bank Gratz Dauphin County</p> <p>Application for approval to convert from a National banking association to a Pennsylvania State-chartered bank.</p>	Approved

Mutual Holding Company Reorganizations

<i>Date</i>	<i>Name of Bank</i>	<i>Action</i>
6-19-2012	<p>Indiana First Savings Bank Indiana Indiana County</p> <p>Indiana First Savings Bank, a mutual savings bank, proposes to reorganize into a two-tier, mutual holding company structure.</p>	Filed

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-14-2012	<p>Susquehanna Bank Lititz Lancaster County</p> <p>Application for approval to purchase assets and assume liabilities of one branch of Community First Bank, Pikesville, Maryland, located at:</p> <p>3725 Old Court Road Pikesville Baltimore County Maryland</p>	Approved
6-14-2012	<p>The Bryn Mawr Trust Company Bryn Mawr Montgomery County</p> <p>Application for approval to purchase assets and assume liabilities of one branch of First Bank of Delaware, Wilmington, Delaware, located at:</p> <p>1000 Rocky Run Parkway Wilmington New Castle County Delaware</p>	Filed

Branch Applications
Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-14-2012	Northwest Savings Bank Warren Warren County	553 Market Street Johnsonburg Elk County	Approved

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-14-2012	Incol Credit Union Old Forge Lackawanna County Application for approval to merge N.M.H. Federal Credit Union, Wyoming, with and into Incol Credit Union, Old Forge.	Approved

Branch Applications
Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-21-2012	Belco Community Credit Union Harrisburg Dauphin County	Brady Hall-HBG Hospital Harrisburg Dauphin County	Effective

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 12-1265. Filed for public inspection July 6, 2012, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062588	Pennsylvania American Water Company Ceasetown WTP Jackson Township, PA 18708	Luzerne County Jackson Township	Pikes Creek HQ_CWF (5E)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PAG123735 (CAFO)	Edward Horst Hog Farm 251 West Bunker Hill Road Womelsdorf, PA 19567	Heidelberg Twp Berks County	UNT Tulpehocken Creek / 3-C / TSF	Y
PAG123734 (CAFO)	Mount Rock Jerseys, LLC 473 Mount Rock Road Newville, PA 17241	West Pennsboro Twp Cumberland County	Mount Rock Spring Creek / 13-C WWF	Y
PAG123730 (CAFO)	Steven Hykes 1239 Hykes Road Greencastle, PA 17225	Antrim Township Franklin County	Conococheague Creek / 7-B / WWF	Y
PAG123540 (CAFO)	MACH Farm 651 Pine Road Palmyra, PA 17078	East Hanover Twp Lebanon County	Swatara Creek / 7-D / WWF	Y
PAG123538 (CAFO)	Swatara Swine Farm 1921 Blacks Bridge Road Annville, PA 17003	East Hanover Twp Lebanon County	UNT to Swatara Creek / 7-D / WWF	Y
PA0029335 (Sew)	PA Lions Beacon Lodge Camp Inc. 114 SR 103 South Mount Union, PA 17066	Mifflin County Wayne Township	Sugar Valley Run / 12-A / CWF	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0033901 (Sewage)	Willow Bend MHP 1309-100 Bend Road Mercer, PA 16137	Mercer County Lackawannock Township	Unnamed Tributary to Little Neshannock Creek (20-A)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0261009, SIC Code 4952, **Fletcher, Robert D.**, 6836 Old Harrisburg Pike, York Springs, PA 17372. Facility Name: Robert Fletcher Residence. This existing facility is located in Huntington Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unnamed Tributary to Bermudian Creek, is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	Report
COD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Manager, Clean Water, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; 412-442-4000

PA0218073, SIC Code 1389, **Keyrock Energy LLC**, 417 Oxford Court, Kingsport, TN 37663-4214. Facility Name: Scottdale Treatment Facility.

This existing facility is located in East Huntingdon Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated coalbed methane production water.

The receiving stream(s), Jacobs Creek, is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.6 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	XXX	0.6	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	59.55	109.6	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Acidity, Total (as CaCO ₃)	XXX	XXX	XXX	Report	Report	XXX
Alkalinity, Total (as CaCO ₃)						
Effluent Net	XXX	XXX	0	XXX	XXX	XXX
Alkalinity, Total (as CaCO ₃)	XXX	XXX	XXX	Report	Report	XXX
Total Cadmium (µg/L)						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.592	0.923	XXX
Dissolved Iron	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	3.5	XXX	7.0
Total Mercury (µg/L)						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.109	0.171	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

• Toxics Reduction Evaluation (TRE), Chemical Additives and Total Dissolved Solids- Chapter 95.10 Discharge Loadings

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0253499, Sewage, **Janice K. Polito**, 256 Park Lane, Darlington, PA 16115. Facility Name: Polito Property Single Residence STP. This existing facility is located in Big Beaver Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sanitary sewage.

The receiving stream(s), Unnamed Tributary of Clarks Run, located in the North Fork Little Beaver Creek, is located in State Water Plan watershed 20-B and is classified for High Quality Waters - Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly		
Flow (MGD)	0.0005	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	20	XXX	40
Fecal Coliform (CFU/100 ml)						
May 1 - Oct 31	XXX	XXX	XXX	200	XXX	1,000
Nov 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean 5.0	XXX	10.0

The EPA Waiver is in effect.

PA0253201, Sewage, **East Franklin Township**, 106 Cherry Orchard Avenue, Kittanning, PA 16201. Facility Name: Tarrtown Sewage Treatment Plant. This existing facility is located in East Franklin Township, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s) of Allegheny River, is located in State Water Plan watershed 17-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Inst. Minimum	Daily Maximum		
Flow (MGD)	Monitor and Report			XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	1.4	XXX	3.3
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
%Removal (CBOD-5 Day & SS)	Refer to Part C					
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10000
				Geo Mean		

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P. S. §§ 691.1—91.1001)

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

WQM Permit No. 3212202, Industrial Waste, **EME Homer City Generation, LP**, 1750 Power Plant Road, Homer City, PA 15748-8009

This proposed facility is located in Center & Blacklick Townships, **Indiana County**

Description of Proposed Action/Activity: Application for the construction and operation of a dewatering treatment facility.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 4399201, Industrial Waste, **Amend No. 1**, **John Maneely Company d/b/a JMC Steel Group**, P. O. Box 608, Wheatland, PA 16161-0608

This proposed facility is located in Wheatland Borough, **Mercer County**.

Description of Proposed Action/Activity: Application for a permit amendment to expand the amount of industrial wastewater treated.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI01511203	JERC Partners XVI, LP 171 State Route 173, Suite 201 Asbury, NJ 08802	Philadelphia	City of Philadelphia	Non-Tidal Schuylkill River (WWF-MF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, 610-391-9583.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI023912009	Peter & Gayle Gaumer PO Box 53 Macungie, PA 18062	Lehigh	Borough of Macungie	Little Lehigh Creek, HQ-CWF, MF

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Potter County Conservation District: 107 Market Street, Coudersport, PA 16915 (814) 274-8411, X 4

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI045312001	Headwaters Water Reclamation LLC 4 Windham Hill Mendon NY 14506	Potter	Ulysses Township	Luddington Run CWF, HQ

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation

measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop

and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

A & M Hibbard 1H/3H Well Site, State Route 29, Dimock Township, **Susquehanna County**. James Pinta and David Testa, URS Corporation, 501 Holiday Drive, Foster Plaza 4, Suite 300, Pittsburgh, PA 15220 have submitted a Notice of Intent to Remediate on behalf of their client, Cabot Oil & Gas Corporation, 5 Penn Center West, Suite 401, Pittsburgh, PA 15276, concerning the remediation of soil found to have been impacted by VOCs, SVOCs, metals, and ethylene glycol due to a release from the reserve pit and a release from the mud shelf. The applicant proposes to meet the residential Statewide Health Standard and the Background Standard for soil. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future. A Final Report was simultaneously submitted.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

456 Old York Road, New Cumberland, PA 17070, Fairview Township, **York County**. Patriot Environmental Management, LLC, PO Box 629, Douglassville, PA 19518, on behalf of Orrstown Bank, 2695 Philadelphia Avenue, Chambersburg, PA 17201, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with gasoline from an abandoned vehicle. The site will be remediated to the Residential Statewide Health standard and remain residential.

Homes at Thackston Park, 335 West College Avenue, York, PA 17401, City of York, **York County**. SSM Group, Inc., 1047 North Park Road, Reading, PA 19610, on behalf of Thackston Park, LP, 31 South Broad Street, York, PA 17403, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with chlorinated solvents and #2 fuel oil. The site will be developed for public housing. The applicant seeks to remediate the site to a combination of the Residential Statewide Health and Site Specific standards.

Millerstown Municipal Authority Waste Water Treatment Plant (WWTP), 110 West Juniata Parkway (SR 1015), Millerstown, PA 17062, Greenwood Township, **Perry County**. Advantage Engineers, LLC, 910 Century Drive, Mechanicsburg, PA 17055, on behalf of Millerstown Municipal Authority, 44 North High Street, Millerstown, PA 17062, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with #2 fuel oil. The site will be remediated to the Statewide Health Standard. Future use of the site is unknown.

334 North Cedar Street, Lititz, PA 17543, Lititz Borough, **Lancaster County**. Liberty Environmental, 50

North Fifth Street, 5th Floor, Reading, PA 19601, on behalf of Sovereign Bank, N.A. 75 State Street, MAI SST 04-11, Boston, MA 02109, submitted a Notice of Intent to Remediate soils contaminated with #2 fuel oil. The site will be remediated to the Residential Statewide Health standard and remain residential.

Donegal Springs Airport, 186 Airport Road, Marietta, PA 17547-9105, East Donegal Township, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of N71, Incorporated, PO Box 269, Dameron, MD 20626, submitted a Notice of Intent to Remediate site soils contaminated with trimethylbenzenes. The site will be remediated to the Residential Statewide Health standard and remain an airport.

Hershey 19 East Facility—The Hershey Company, 19 East Chocolate Avenue, Hershey, PA 17033, Derry Township, **Dauphin County**. Langan Engineering and Environmental Services, PO Box 1569, Doylestown, PA 18901, on behalf of The Hershey Company, 100 Crystal Drive, Hershey, PA 17033, submitted a Notice of Intent to Remediate soils and groundwater contaminated with VOCs, SVOCs, pesticides and inorganics. The site will be remediated to the Site Specific and Residential Statewide Health standards. Future use of the site is for residential and commercial purposes.

Environmental Recovery Corporation (ERC), 1076 Old Manheim Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Lancaster Oil Company dba ERC, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with diesel fuel and gasoline. The site will be remediated to the Site Specific standard. Future use of the site is for industrial purposes.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held

concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

24-131Q: SGL Carbon LLC (900 Thersia Street, St Marys, PA 15857) for replacement of two (2) control devices used in the chemical vapor deposition process under Plan Approval 24-131Q for their facility in the City of St Marys, **Elk County**.

43-359A: GE Transportation—UX Facility (1503 West Main Street Extension, Grove City PA, 16531) for installation of a surface coating process at 660 Barkleyville Road, in Pine Township, **Mercer County**. A dry filter device will be used to control particulate matter emissions.

61-220A: EQT Gathering, LLC (625 Liberty Ave., Pittsburgh, PA 15222) for construction of a natural gas transmission compressor station in Pine Grove Township, **Venango County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

38-03001B: Lebanon Chemical Corp. (1600 East Cumberland Street, Lebanon, PA 17042) for replacement of the Norblo baghouse with a new Donaldson Torit baghouse on Line 5. Also, on Line 5 the replacement of the current two (2) Munson mixers with two (2) new Munson mixers. On Line 3 the replacement of the Sackett

Triton mixer with the two (2) Munson mixers removed from Line 5. This project will be implemented at the Lebanon Chemical Corporation in South Lebanon Township, **Lebanon County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

The company shall be subject to and comply with 25 Pa. Code § 123.13 particulate matter emission limit. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The expected actual air emissions from the proposed project are 3.45 tpy of PM. The estimated HAPs are 0.00057 lbs/hr of Carbaryl, 0.0003 lbs/hr of Chlorothanilil and 0.00086 lbs/hr of Trifluralin.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Facility Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Plan approvals issues to sources identified in 25 Pa. Code § 127.44(b)(1)—(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

49-00043A: Shamokin Filler Co., Inc. (PO Box 568, Venn Access Road, Shamokin, PA 17872) for the proposed construction and operation of a natural gas fired rotary coal dryer and associated material handling equipment at their facility located in Coal Township, **Northumberland County**. The air contaminant emissions from the rotary coal dryer and the associated material handling equipment will be controlled by separate air cleaning devices (fabric collectors).

The Department's review of the information contained in the application submitted by Shamokin Filler Co., Inc. indicates that the rotary dryer, material handling system and the fabric collectors will comply with all applicable

air quality requirements pertaining to air contamination sources and the emission of air contaminants, including the best available technology (BAT) requirements of 25 Pa. Code §§ 127.1 and 127.12, the fugitive air contaminant emission requirement of 25 Pa. Code § 123.1, the visible emission limitation of 25 Pa. Code § 123.41, and 40 CFR 60, Subpart Y requirements related to Standards of Performance for Coal Cleaning Facilities. The plan approval, if issued, will subsequently be incorporated in an operating permit via an administrative amendment in accordance with 25 Pa. Code § 127.450 at a later date.

Based upon this finding, the Department proposes to issue a plan approval for the construction of a rotary dryer and associated material handling equipment. The following is a summary of the types of conditions the Department intends to place in the plan approval to ensure compliance with applicable regulatory requirements.

1. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Source ID P201 is a Heyl & Patterson, Inc. manufactured rotary dryer which will be equipped with a 25 MMBtu per hour Maxon Kinedizer natural gas fired burner. The particulate matter emissions from the rotary dryer shall be controlled by a MAC Processes manufactured model #120MCF416 Style III fabric collector.

2. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Source ID P202 is a material handling equipment which consist of a crusher, a screen, bucket elevators, conveyors, screw feeders, truck and rail car loading spouts. The particulate matter emissions from the material handling equipment of Source ID P202 shall be controlled by a MAC Processes manufactured model #120MCF416 Style III fabric collector.

3. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the rotary dryer shall only be fired on natural gas.

4. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the rotary dryer shall not be operated in excess of 7,000 hours in any 12 consecutive month period.

5. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the total particulate matter emission from the exhaust of the fabric collector associated with the rotary dryer shall not exceed 0.005 grains per dry standard cubic foot.

6. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the total particulate matter emission from the exhaust of the fabric collector associated with the material handling equipment of Source ID P202 shall not exceed 0.005 grains per dry standard cubic foot.

7. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the nitrogen oxides (NO_x) emissions from the rotary dryer shall not exceed 0.9 pounds per hour (lbs/hr) and 3.15 tons in any 12 consecutive month period.

8. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the carbon monoxide (CO) emissions from the rotary dryer shall not exceed 0.74 lbs/hr and 2.59 tons in any 12 consecutive month period.

9. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the volatile

organic compounds (VOC) emissions from the rotary dryer shall not exceed 0.5 lbs/hr and 1.75 tons in any 12 consecutive month period.

10. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the fabric collector associated with the rotary dryer and the material handling system shall be equipped with instrumentation which continuously monitors the pressure drop across the collector.

11. The permittee shall record the pressure drop reading across the fabric collector associated with the rotary dryer and the material handling system at least once per day in a log book or other acceptable recording device. These records shall be retained for a minimum of five years and be presented to the Department upon request.

12. Within 180 days of startup of operation the rotary dryer the permittee shall perform stack testing upon the exhaust for nitrogen oxides, carbon monoxide, volatile organic compounds and particulate matter in order to verify compliance with the emission limitations established in this plan approval.

13. The permittee shall maintain monthly records of the amount of hours the rotary dryer is operated, the amount of coal and other carbon products processed and the amount of natural gas burned. These records shall be retained for a minimum of five years and be presented to the Department upon request.

14. The permittee shall take all reasonable actions immediately including, but not limited to, enclosing the belt conveyor, reducing the drop height of the transfer points, installing a wind barrier at the feeders and around stockpiles etc. to control the fugitive dust emissions from the open material transfer points located at the upstream of the rotary dryer.

15. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, a vacuum sweeper and an operable water truck equipped with a pressurized spray bar and nozzle must be available on site at all times for control of fugitive particulate matter from plant roadways and stockpile areas. Additionally, such equipment and materials as are necessary to take reasonable action (including but not necessarily limited to the application of water, oil or chemicals) shall be available at all times and shall be used for the prevention and control of fugitive air contaminant emissions becoming airborne resulting from the use of any roadways and/or stockpiling operations.

16. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, If at any time, the Department determines that air contaminant emissions from the equipment of ID P201 are in excess of any applicable air contaminant emission limitation, the permittee shall immediately install additional pickup points and/or take such other control measures as are necessary to reduce the air contaminant emissions to within the applicable limitations.

17. The permittee shall keep on hand a sufficient quantity of spare fabric collector bags for IDs C201 and C202 associated with Source IDs P201 and P202, respectively in order to be able to immediately replace any bags requiring replacement due to deterioration.

18. The rotary dryer (Source ID P201) and the material handling equipment (Source ID P202) are subject to 40 CFR Part 60, Subpart Y. The permittee shall comply with all applicable requirements of 40 CFR Part 60, Subpart Y, Sections 60.250 through 60.258.

A copy of the plan approval application is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office. Appointments for scheduling a review may be made by calling the Department at 570-327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Air Quality Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3648.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

*Contact: Edward Orris, New Source Review Chief—
Telephone: 814-332-6636*

10-284F: Seneca Landfill, Inc. (PO Box 1080, Mars, PA 16046), for the permitting of alternative compliance procedures at their facility in Jackson Township, **Butler County**.

Under 25 Pa. Code §§ 127.44(b) and 127.424(b), the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 10-284F to Seneca Landfill, Inc. for the addition of alternative compliance procedures in accordance with 40 CFR 60.753(c) at their existing municipal solid waste landfill in Jackson Township, Butler County. The Plan Approval will subsequently be incorporated into a Title V Operating Permit.

Plan Approval No. 10-284F is for the addition of alternative compliance procedures in accordance with 40 CFR 60.753(c) at their existing municipal solid waste landfill in Jackson Township, Butler County. This will allow for alternate work practice and monitoring requirements for specific categories of gas extraction wells as noted below:

Alternative 1: Wells in uncapped areas and leachate collection piping used for gas extraction may be operated at an oxygen level as high as 15 percent (volumetric basis), since the majority of the air intrusion occurs directly from the ground surface and not through the waste mass. Documentation of extraction point readings shall be performed as required to insure that the higher operating value does not cause an adverse reaction or combustion within the waste mass, and that degradation of the anaerobic decomposition process is not occurring. In the event that monitoring data for an Alternative 1 well indicates temperatures above 55°C (131°F), the well will be shut down. If the temperature does not subside to an acceptable level within 5 days, carbon monoxide monitoring (to ensure a carbon monoxide level below 100 ppmv) will be conducted to verify that combustion within the waste mass is not occurring.

Alternative 2: A well may be placed on an inactive list if it exhibits a methane quality that is consistently below 40 percent by volume and an oxygen level that is consistently above 5 percent while the throttle is either closed or slightly open with a negative pressure applied to the well of less than one-inch of water column. During the period of inactivity and while on the inactive list, the well will be exempt from oxygen concentration and negative pressure requirements. If at any time the landfill observes conditions that warrant the operation of a well on the inactive list, the well shall be reactivated and normal default operational standards shall apply.

Alternative 3: A well in an area of active waste placement that is inaccessible due to its casing height (generally having a casing height of five feet or greater) may be temporarily placed on the inactive list, whereby

the well would be exempt from wellhead monitoring requirements until landfilling around the well allows for safe access.

Alternative 4: A well may be operated at temperatures higher than 55°C (131°F), provided the following steps are taken:

(a) Upon observation of a well temperature greater than 55°C (131°F), the initial course of action shall be to adjust the valve to either reduce or eliminate the vacuum applied to the well. This corrective action shall be taken within 5 days of the observation of an elevated reading.

(b) If the reduction of vacuum favorably lowers the temperature but appears to be detrimental to gas collection, the operator shall adjust the well to the benefit of gas collection. If, as a result, the temperature climbs above 55°C (131°F), or if the temperature remained elevated throughout the well adjustments, carbon monoxide monitoring (to ensure carbon monoxide levels below 100 ppmv) will be conducted to verify that combustion within the waste mass is not occurring. In addition to measuring the temperature and carbon monoxide levels, the operator shall visually inspect the area around the well for signs of settlement or distressed vegetation, and shall inspect the wellhead for soot or other indications of combustion.

(c) If the elevated temperatures persist at a well, and there are no signs of combustion or detrimental effects on anaerobic activity, the operator shall consider the well to be an Alternative 4 well and shall place the well under a period of observation. The observation period shall be characterized by the inclusion of carbon monoxide monitoring with the regular monthly monitoring events. This monitoring is in addition to the regular measurement of gauge pressure, temperature, and oxygen or nitrogen levels. Visual inspection of the wellhead and the area immediately surrounding the well will also be conducted.

(d) At such time when the landfill has acquired sufficient background data, a new maximum operating temperature shall be selected for the well. The new temperature and supporting data shall be provided to PADEP and USEPA through a notification letter. If no objections are received from the regulatory agencies within 15 days of the letter submittal date, the landfill may conclude that the alternative temperature is acceptable. At that time, routine carbon monoxide monitoring of the well will be discontinued. However, visual inspection of the wellhead and the area immediately surrounding the well shall be included with the regular monthly monitoring events throughout the entire period of time that a well is operated under Alternative 4.

The Plan Approval will result in no change in emission limits associated with this facility. The facility will continue to be subject to 40 CFR 60 Subpart WWW and 40 CFR 63 Subpart AAAA, and all requirements of their existing Title V Operating Permit No. 10-00284.

Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the address shown below. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the address shown below. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person

submitting comments, identification of the proposed Plan Approval; No. 10-284F and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to John Guth, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00251: Anders Detweiler Funeral Home (130 East Broad Street, Souderton, PA 18964) for renewal of a State Only Operating Permit for a human crematory in Souderton Borough, **Montgomery County**. This Operating Permit renewal includes emission restrictions, monitoring, and recordkeeping requirements designed to ensure this facility complies with all applicable air quality regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

36-05139: AFP Advanced Food Products, LLC (158 West Jackson Street, New Holland, PA 17557) for their food processing operations in New Holland Borough, **Lancaster County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue a State-only Operating Permit renewal for the abovementioned facility.

The subject facility has actual emissions of 22.0 tpy of CO, 10.2 tpy of SO₂, 3.6 tpy of NO_x, 1.7 tpy of VOCs, and 1.0 tpy of PM. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units and 40 CFR Part 63, Subpart JJJJJ—Boiler MACT requirements for area sources.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information

to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Facility Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

67-05075: York Memorial Hospital (P. O. Box 15118, York, PA 17405) for their hospital in Spring Garden Township, **York County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the abovementioned facility.

The subject facility had the following actual emissions in 2011: 2.6 tons NO_x; 0.6 ton CO; 0.2 ton PM₁₀; 0.1 ton VOC; 1,900 tons CO₂; and 1,913 tons CO₂e. The Operating Permit will include emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period from the date of publication of this notice in the *Pennsylvania Bulletin* will exist for the submission of comments or protests.

Daniel C. Husted, P.E., New Source Review Chief, may be contacted at 717-705-4863, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the appli-

cable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

32120102 and NPDES No. PA0269026. Amerikohl Mining, Inc., 202 Sunset Drive, Butler, PA 16001, commencement, operation and restoration of a bituminous surface and auger mine in Center and Brushvalley Townships, **Indiana County**, affecting 80.0 acres. Receiving stream(s): unnamed tributaries to Laurel Run classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. The application includes a stream encroachment to install and maintain a stream crossing (no. 1) within the barrier area of unnamed tributary no. 5; to install and maintain a stream crossing (no. 2) within the barrier area of unnamed tributary no. 8; to install and maintain a stream crossing (no. 3) within the barrier area of unnamed tributary no. 7; to install and maintain a stream crossing (no. 4) within the barrier area of unnamed tributary no. 2; to install and maintain a stream crossing (no. 5) within the barrier area of unnamed tributary no. 1; to install and maintain a stream crossing (no. 6) within the barrier area of unnamed tributary no. 9; to install and maintain a stream crossing (no. 7) within the barrier area of unnamed tributary no. 5; to install

and maintain a stream crossing (no. 8) within the barrier area of unnamed tributary no. 10; to conduct support activities within the barrier area of unnamed tributary no. 1 to Laurel Run; to conduct support activities within the barrier area of unnamed tributary no. 2 to Laurel Run; to conduct support activities within the barrier area of unnamed tributary 5 and 9 to Laurel Run; to conduct support activities within the barrier area of unnamed tributary no. 10 to Laurel Run; to conduct support activities within the barrier area of unnamed tributary no. 11 to Laurel Run; to conduct support activities within the barrier area of unnamed tributary no. 12 to Laurel Run; to conduct support activities within the barrier area of unnamed tributary no. 13 to Laurel Run; to conduct support activities within the barrier area of unnamed tributary no. 14 to Laurel Run. The application also includes a request for a Section 401 Water Quality Certification. Application received: May 12, 2012.

56120110 and NPDES No. PA0269069. Berwind Coal Sales, 509 15th Street, Windber, PA 15963, commencement, operation and restoration of a bituminous surface and coal refuse reprocessing mine in Shade Township, **Somerset County**, affecting 279.3 acres. Receiving stream(s): unnamed tributaries to Miller Run classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. The application includes stream encroachments to divert unnamed tributaries 'A', 'E', and 'F' into a replacement channel which will flow into unnamed tributary 'C' and then into unnamed tributary 'B' and then into Miller Run. Unnamed tributary 'A' will also be encroached upon for mining activities within 100 feet. A section 620 feet in length will be encroached upon for construction of collection ditch CD-4A. Another section of unnamed tributary 'A' will be encroached upon for the purpose of removing an abandoned coal refuse pile; unnamed tributary 'B' will be encroached upon for the purpose of a haul road crossing. Application received: May 21, 2012.

56120112 and NPDES No. PA0269077. PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541 commencement, operation and restoration of a bituminous surface and auger/highwall mine in Somerset Township, **Somerset County**, affecting 177.3 acres. Receiving stream(s): unnamed tributaries to/and Kimberly Run classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. The application includes a stream encroachment to install and maintain a stream crossing within the barrier of an Unnamed Tributary to Kimberly Run. Application received: May 30, 2012.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

49970202R3. Susquehanna Coal Company, (P. O. Box 27, Nanticoke, PA 18634), renewal of an existing anthracite coal refuse reprocessing operation in Mt. Carmel Township, **Northumberland County** affecting 808.0 acres, receiving stream: North Branch Shamokin Creek, classified for the following uses: cold water and migratory fishes. Application received: May 31, 2012.

54-305-026GP12. Northeastern Power Co., (P. O. Box 7, McAdoo, PA 18237), application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 54960201 in Kline, Hazle and Banks Townships, Schuylkill, **Luzerne and Carbon Counties**. Application received: May 31, 2012.

54071301R. Kimmel's Mining, Inc., (P. O. Box 1, Wiconisco, PA 17097), renewal of an existing anthracite underground mine operation in Porter, Williams and Wiconisco Townships, **Schuylkill** and **Dauphin Counties** affecting 26.4 acres, receiving stream: Wiconisco Creek. Application received: June 1, 2012.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

48870301C8 and NPDES Permit No. PA0593893. Haines & Kibblehouse, Inc., (PO Box 196, Skippack, PA 19474), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Lower Mt. Bethel Township, **Northampton County**, receiving streams: Mud Run, classified for the following use: cold water fishes and Delaware River, classified for the following use: warm water fishes. Application received: June 1, 2012.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	
pH*			

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan,

a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL). The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0249157 (Mining permit no. 56020102), Croner, Inc., P. O. Box 260, Friedens, PA 15541, renewal of an NPDES permit for bituminous surface mine in Brothersvalley and Summit Townships, **Somerset County**, affecting 170.8 acres. Receiving stream(s): unnamed tributaries to Blue Lick Creek, classified for the following use(s): cold water fishery. This receiving stream is included in the Casselman River TMDL. Application received: May 22, 2012.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to Blue Lick Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
004	N
005	N
006	N

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

NPDES No. PA0594148 on Surface Mining Permit No. 8173SM1C15. Hanson Aggregates Pennsylvania, LLC, (7660 Imperial Way, Allentown, PA 18195), revised NPDES Permit for a Limestone Quarry operation in East Caln and West Whiteland Townships, **Chester County**, affecting 303.62 acres. Receiving streams: unnamed tributary to Valley Creek, classified for the following uses: cold water fishes and migratory fishes (TMDL for PCB's). Application received: May 10, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to unnamed tributary to Valley Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
1	No	O.D.

(Increase Average Discharge Rate from 2.0 MGD to 4.0 MGD)

NPDES No. PA0595322 on Surface Mining Permit No. 7773SM1A2C10. Reading Materials, Inc., (PO Box 1467, Skippack, PA 19474), renewal of an NPDES Permit for a Argillite/Diabase Quarry operation in Douglass Township, **Berks County**, affecting 335.0 acres. Receiving streams: unnamed tributary to Schuylkill River, classified for the following use: warm water fishes (TMDL for PCB's). Application received: May 30, 2012.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to unnamed tributary to Schuylkill River.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
PTD-001	No	O.D. (Pit Discharge)

NPDES No. PA0612871 on Surface Mining Permit No. 8274SM2C10. New Enterprise Stone & Lime Co., Inc. d/b/a Eastern Industries, Inc., (4401 Camp Meeting Road, Center Valley, PA 18034), renewal of an NPDES Permit for a Limestone Quarry operation in West Cocalico Township, **Lancaster County**, affecting 309.0 acres. Receiving stream: unnamed tributary to Indian Run Creek, classified for the following use: trout stock fishery. Application received: May 31, 2012.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to unnamed tributary to Indian Run Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	O.D. (Pit Discharge)

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Common-

wealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E49-321. PA Department of Conservation and Natural Resources, PO Box 8451, Harrisburg, PA 17105-8451. Shikellamy State Park Marina Building in Upper Augusta Township, **Northumberland County**, ACOE Baltimore District (Northumberland, PA Quadrangle Latitude: 40-52-53.76; Longitude: 76-47-40).

The PA Department of Conservation and Natural Resources is applying for a Chapter 106 Floodplain Management permit to renovate and create a 1300 square foot addition on an existing building to facilitate The Susquehanna River Heartland Coalition for Environmental Studies to occupy this space. The majority of the changes in the floodplain are grading changes to facilitate safe access to the building by the general public. This project is located at the downstream tip of Packers Island at the confluence of the West Branch and North Branch of the Susquehanna River.

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5729-036: Carrizo Marcellus, LLC, 251 Drainlick Road, P. O. Box 231, Drifting, PA 16834, Fox Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain a permanent access road crossing using an 18 inch diameter smooth lined

corrugated plastic pipe impacting 70 linear feet of an unnamed tributary to Schrader Creek (EV) (Grover, PA Quadrangle 41°34'44"N, 76°48'00"W)

The project will result in 58 linear feet of permanent stream impacts and 12 linear feet of temporary stream impacts for the purpose of installing an access road for Marcellus well development in Fox Township, Sullivan County.

E5829-014: Bluestone Pipeline Company of Pennsylvania, LLC, One Energy Plaza, 1722 WCB, Detroit, Michigan, 48226-1211, Harmony, Jackson, New Milford, and Thompson Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain the Bluestone Gathering System-Phase II natural gas pipeline project, which includes the following impacts:

1) 129.0 linear feet of a UNT to Cascade Creek (CWF, MF) and 8,300 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via boring and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°59'54.9", W75°32'26.7");

2) 10,900 square feet of temporary impacts and 9,150 square feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°59'51.3", W75°32'36.0");

3) 86.0 linear feet of a UNT to Little Roaring Brook (CWF, MF) and 1,750 square feet of temporary impacts and 1,350 square feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°59'49.3", W75°32'37.8");

4) 4,400 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°59'07.9", W75°32'59.1");

5) 12.0 linear feet of a UNT to Pigen Creek (CWF, MF) and 1,300 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°59'04.0", W75°32'59.2");

6) 70.0 linear feet of a UNT to Pigen Creek (CWF, MF) via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°58'59.8", W75°32'58.7");

7) 54.0 linear feet of a UNT to Pigen Creek (CWF, MF) and 2,600 square feet of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°58'54.1", W75°33'0.2");

8) 8,700 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°58'24.6", W75°32'25.5");

9) 86.0 linear feet of a UNT to Little Roaring Brook (CWF, MF) via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°58'22.3", W75°32'21.0");

10) 79.0 linear feet of Little Roaring Brook (CWF, MF) via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°58'21.7", W75°32'18.9");

11) 307.0 linear feet of a UNT to Little Roaring Brook (CWF, MF) for a construction access road (Susquehanna, PA Quadrangle, N41°58'17.4", W75°32'23.9");

12) 900 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°58'11.4", W75°31'53.9");

13) 1,000 square feet of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°58'12.3", W75°31'43.7");

14) 83.0 linear feet of Roaring Run (CWF, MF), 400 square feet of temporary impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands, and 3,050 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°58'12.9", W75°31'30.3");

15) 69.0 linear feet of a UNT to Roaring Run (CWF, MF), 450 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands, and 150 square feet of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°58'11.9", W75°31'22.8");

16) 76.0 linear feet of a UNT to Hemlock Creek (CWF, MF) via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°57'42.2", W75°31'19.3");

17) 83.0 linear feet of Hemlock Creek (CWF, MF) via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°57'40.83", W75°31'18.1");

18) 231.0 linear feet of UNTs to Starrucca Creek (CWF, MF), 2,600 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands, and 2,200 square feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°57'28.6", W75°30'56.1");

19) 77.0 linear feet of a UNT to Starrucca Creek (CWF, MF), 1,050 square feet of temporary impacts to Palustrine Scrub/Shrub (PSS) Wetlands, 250 square feet of permanent impacts to PSS Wetlands, and 250 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°57'18.4", W75°30'57.0");

20) 4,350 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands and 1,300 square feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°57'13.7", W75°30'55.2");

21) 87.0 linear feet of a UNT to Starrucca Creek (CWF, MF) via open cut trenching and temporary timber mat-

ting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°57'11.1", W75°30'54.7");

22) 83.0 linear feet of a UNT to Starrucca Creek (CWF, MF) via open cut trenching and temporary timber matting for one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°57'08.6", W75°30'54.4");

23) 900 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands for via open cut trenching and temporary timber matting one 20-inch steel gasline (Susquehanna, PA Quadrangle, N41°57'05.7", W75°30'56.4");

24) 78.0 linear feet of a UNT to Starrucca Creek (CWF, MF), 3,900 square feet of temporary impacts to Palustrine Scrub/Shrub (PSS) Wetlands, and 900 square feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°56'41.3", W75°30'48.3");

25) 92.0 linear feet of Starrucca Creek (CWF, MF) via boring and 50 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°56'43.6", W75°30'48.1");

26) 79.0 linear feet of a UNT to Starrucca Creek (CWF, MF) and 150 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°56'29.2", W75°30'48.4");

27) 104.0 linear feet of a UNT to Starrucca Creek (CWF, MF) and 1,750 square feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°56'26.2", W75°30'47.9");

28) 31.0 linear feet of a UNT to Starrucca Creek (CWF, MF) for a construction access road via temporary timber matting (Susquehanna, PA Quadrangle, N41°56'18.7", W75°30'42.6");

29) 84.0 linear feet of a UNT to Starrucca Creek (CWF, MF) for a construction access road via temporary timber matting (Susquehanna, PA Quadrangle, N41°56'16.9", W75°30'41.6");

30) 87.0 linear feet of a UNT to Starrucca Creek (CWF, MF) and 250 square feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°56'10.1", W75°30'40.7");

31) 81.0 linear feet of a UNT to Starrucca Creek (CWF, MF) and 5,650 square feet of temporary impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°56'08.6", W75°30'40.1");

32) 172.0 linear feet of UNTs to Starrucca Creek (CWF, MF) and 5,350 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°56'02.6", W75°30'37.6");

33) 150 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands

for a construction access road via temporary timber matting (Susquehanna, PA Quadrangle, N41°55'39.2", W75°30'01.3");

34) 1,300 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°55'36.0", W75°30'57.6");

35) 78.0 linear feet of a UNT to Wildcat Run (CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°55'32.9", W75°31'01.3");

36) 350 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands for a construction access road via temporary timber matting (Susquehanna, PA Quadrangle, N41°55'29.07", W75°30'54.51");

37) 60.0 linear feet of UNTs to Wildcat Run (CWF, MF) for a construction access road via temporary timber matting (Susquehanna, PA Quadrangle, N41°55'27.17", W75°30'54.80");

38) 127.0 linear feet of a UNT to Wildcat Run (CWF, MF) and 4,350 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°55'20.8", W75°31'08.2");

39) 1,300 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°55'16.1", W75°31'12.5");

40) 75.0 linear feet of a UNT to Wildcat Run (CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°55'13.3", W75°31'16.9");

41) 81.0 linear feet of a UNT to Wildcat Run (CWF, MF) via boring and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°55'05.7", W75°31'22.3");

42) 13,050 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via boring and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°54'36.8", W75°31'52.3");

43) 10,900 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°54'31.6", W75°32'15.3");

44) 91.0 linear feet of East Branch Canawacta Creek (CWF, MF) and 1,300 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°54'30.2", W75°32'18.4");

45) 101.0 linear feet of a UNT to South Branch Canawacta Creek (CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°54'20.7", W75°32'38.8");

46) 85.0 linear feet of a UNT to South Branch Canawacta Creek (CWF, MF) and 2,600 square feet of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands via open cut trenching and

temporary timber matting for one 16-inch steel gasline (Susquehanna, PA Quadrangle, N41°54'17.4", W75°33'03.3");

47) 151.0 linear feet of South Branch Canawacta Creek (CWF, MF), 850 square feet of temporary impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands, and 1,450 square feet of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°54'21.5", W75°33'29.8");

48) 2,200 square feet of permanent impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands for a construction access road via temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°54'11.0", W75°33'28.8");

49) 2,200 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°54'19.9", W75°33'40.2");

50) 1,550 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°54'12.9", W75°33'43.4");

51) 95.0 linear feet of a UNT to South Branch Canawacta Creek (CWF, MF) and 150 square feet of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°54'07.4", W75°33'46.4");

52) 111.0 linear feet of a UNT to South Branch Canawacta Creek (CWF, MF) and 2,600 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°53'57.4", W75°33'52.4");

53) 120.0 linear feet of UNTs to South Branch Canawacta Creek (CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°53'55.9", W75°33'50.8");

54) 76.0 linear feet of a UNT to South Branch Canawacta Creek (CWF, MF) and 1,300 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°53'52.0", W75°33'41.3");

55) 99.0 linear feet of South Branch Canawacta Creek (CWF, MF) and 27,000 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel

gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°53'47.7", W75°33'38.6");

56) 79.0 linear feet of a UNT to South Branch Canawacta Creek (CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°53'40.7", W75°33'32.1");

57) 75.0 linear feet of a UNT to South Branch Canawacta Creek (CWF, MF) and 850 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°53'25.7", W75°33'36.8");

58) 103.0 linear feet of South Branch Canawacta Creek (CWF, MF), 4,350 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands, 1,300 square feet of permanent impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands, and 5,250 square feet of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands via boring and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°53'17.4", W75°34'00.6");

59) 81.0 linear feet of South Branch Canawacta Creek (CWF, MF) and 21,800 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°53'08.0", W75°34'14.8");

60) 1,000 square feet of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands and 1,300 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°53'01.8", W75°34'14.4");

61) 30.0 linear feet of a UNT to South Branch Canawacta Creek (CWF, MF) for a construction access road via a temporary crossing (Susquehanna, PA Quadrangle, N41°52'53.14", W75°34'57.2");

62) 32.0 linear feet of South Branch Canawacta Creek (CWF, MF) for a construction access road via a temporary crossing (Susquehanna, PA Quadrangle, N41°53'01.5", W75°34'49.0");

63) 8,700 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°52'32.5", W75°35'03.2");

64) 800 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands, 3,100 square feet of temporary impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands, and 1,500 square feet of permanent impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°52'31.6", W75°35'08.4");

65) 88.0 linear feet of Tunkhannock Creek (CWF, MF) and 10,000 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°52'33.2", W75°35'19.6");

66) 94.0 linear feet of Drinker Creek (CWF, MF), 12,200 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands, and 7,400 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°52'41.4", W75°35'47.9");

67) 89.0 linear feet of a UNT to Drinker Creek (CWF, MF) and 4,350 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Thompson, PA Quadrangle, N41°52'27.1", W75°36'17.0");

68) 76.0 linear feet of Drinker Creek (CWF, MF) and 3,850 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Thompson, PA Quadrangle, N41°52'28.6", W75°36'37.3");

69) 850 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Thompson, PA Quadrangle, N41°52'27.0", W75°36'52.3");

70) 7,850 square feet of permanent impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands and 3,900 square feet of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°52'38.3", W75°35'59.5");

71) 1,750 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°52'41.9", W75°37'05.8");

72) 1,150 square feet of temporary impacts to Exceptional Value (EV) Palustrine Open Water (POW) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Susquehanna, PA Quadrangle, N41°52'43.8", W75°37'25.3");

73) 150 square feet of temporary impacts to Palustrine Scrub/Shrub (PSS) Wetlands and 400 square feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'51.2", W75°37'36.1");

74) 25.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch

steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'53.4", W75°37'39.0");

75) 111.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) via boring and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°53'05.7", W75°37'58.7");

76) 94.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) via boring and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°53'06.4", W75°38'0.7");

77) 149.0 linear feet of UNTs to Salt Lick Creek (HQ-CWF, MF) and 900 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°53'02.6", W75°38'22.5");

78) 117.0 linear feet of UNT's to Salt Lick Creek (HQ-CWF, MF) and 14,350 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°53'01.3", W75°38'24.3");

79) 1,300 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'57.6", W75°38'30.3");

80) 233.0 linear feet of UNTs to Salt Lick Creek (HQ-CWF, MF) and 850 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'54.8", W75°38'37.5");

81) 116.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'56.1", W75°39'05.9");

82) 95.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'53.1", W75°39'08.9");

83) 81.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'50.4", W75°39'11.9");

84) 188.0 linear feet of UNTs to Salt Lick Creek (HQ-CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'48.9", W75°39'13.7");

85) 81.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'46.0", W75°39'17.6");

86) 2,700 square feet of temporary impacts to Palustrine Scrub/Shrub (PSS) Wetlands and 800 square feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Great Bend, PA Quadrangle, N41°52'27.9", W75°39'24.2");

87) 1,750 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°52'25.8", W75°39'30.7");

88) 21,800 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°52'21.8", W75°39'32.0");

89) 78.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) and 150 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°52'17.9", W75°39'32.8");

90) 850 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°52'24.7", W75°40'20.0");

91) 84.0 linear feet of a UNT to East Lake Creek (HQ-CWF, MF) via boring and 11,750 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°52'23.7", W75°40'38.1");

92) 30.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) and 2,600 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands for a construction access road via temporary timber matting (Harford, PA Quadrangle, N41°51'56.5", W75°41'26.8");

93) 300 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands for a construction access road via temporary timber matting (Harford, PA Quadrangle, N41°51'55.2", W75°41'26.1");

94) 850 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands for a construction access road via temporary timber matting (Harford, PA Quadrangle, N41°51'53.6", W75°41'25.4");

95) 3,050 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°51'56.7", W75°41'35.6");

96) 77.0 linear feet of a UNT to Salt Lick Creek (HQ-CWF, MF) and 200 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via boring for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°51'53.7", W75°41'32.5");

97) 76.0 linear feet of Salt Lick Creek (HQ-CWF, MF) via boring for one 16-inch steel gasline, one 12-inch steel

gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°51'51.8", W75°41'32.7");

98) 2,600 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°51'47.3", W75°41'48.5");

99) 50.0 linear feet of a UNT to Salt Lick Creek via boring for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA, Quadrangle, N41°51'48.1", W75°41'54.0");

100) 3,500 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°51'46.2", W75°42'01.5");

101) 150 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°51'47.1", W75°42'08.8");

102) 11,750 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and temporary timber matting for one 16-inch steel gasline, one 12-inch steel gasline, and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°51'36.6", W75°42'28.1");

103) 1,550 square feet of permanent impacts to Palustrine Emergent (PEM) Wetlands via the placement of fill within the wetland for the construction of a natural gas compressor station (Harford, PA Quadrangle, N41°51'33.3", W75°42'44.5");

104) 17,100 square feet of permanent impacts to Palustrine Emergent (PEM) Wetlands via the placement of fill within the wetland for the construction of a natural gas compressor station (Harford, PA Quadrangle, N41°51'30.7", W75°42'48.3"); and

105) 60.0 linear feet of a UNT to Wellmans Creek (HQ-CWF, MF), 5,950 square feet of temporary impacts to Palustrine Scrub/Shrub (PSS) Wetlands, and 1,850 square

feet of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands via open cut trenching and temporary timber matting for one 12-inch steel gasline and one 16-inch HDPE waterline (Harford, PA Quadrangle, N41°51'35.1", W75°42'54.3").

The project will result in the following: 6,262.0 linear feet of stream impacts; 95,900 square feet (2.20 acres) of temporary impacts to Palustrine Emergent (PEM) Wetlands; 32,050 square feet (0.74 acre) of temporary impacts to Palustrine Scrub/Shrub (PSS) Wetlands; 18,650 square feet (0.43 acre) of permanent impacts to Palustrine Emergent (PEM) Wetlands; 20,200 square feet (0.46 acre) of permanent impacts to Palustrine Scrub/Shrub (PSS) Wetlands; 66,500 square feet (1.53 acres) of permanent impacts to Palustrine Forested (PFO) Wetlands; 102,600 square feet (2.36 acres) of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands; 6,550 square feet (0.15 acre) of temporary impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands; 10,650 square feet (0.24 acre) of permanent impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands; 18,100 square feet (0.42 acre) of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands; and 1,150 square feet (0.03 acre) of temporary impacts to Exceptional Value (EV) Palustrine Open Water (POW) Wetlands; all for the purpose of installing two steel natural gas lines, one HDPE water line, a natural gas compressor station, and associated access roadways for the development of Marcellus Shale natural gas. A contingency plan may be utilized for bored crossings in the event an inadvertent return occurs during the boring operations.

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, 400 Market Street, Floor 3, PO Box 8460, Harrisburg, PA 17105-8460

D15-029. Westtown School, 975 Westtown Road West Chester, PA 19382-5700. To modify, operate, and maintain the Westtown Dam across the Hickman Run (TSF), impacting 100 linear feet of the stream channel, for the purpose of increasing spillway capacity to comply with Department regulations. (West Chester, PA Quadrangle N: 13.65 inches; W: 11.15 inches) in Westtown Township, **Chester County**.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains

notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2553.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0060020 (Sewage)	Milford Sr. Care & Rehab Center 264 Route 6 & 209 Milford, PA 18337	Pike County Westfall Township	Delaware River (1-D)	Y

Southcentral Region: Clean Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0248223 (Sew)	Douglas R. Elsasser 83 Douglas Drive Cocolamus, PA 17014	Juniata County Fayette Township	Cocolamus Creek / 12-B	Y
PA0082651 (Sew)	Landisburg Municipal Authority 202 East Main Street Landisburg, PA 17040	Perry County Tyrone Township	Montour Creek / 7-A	Y
PAS603505 (Stormwater)	J & K Salvage, Inc. 1099 Kings Mill Road York, PA 17403	York County Spring Garden Township	Codorus Creek & UNT to Codorus Creek / 7-H	Y

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0228419 (CAFO)	Ideal Family Farms, LLC 89 BP Finishing Lane Beaverton, PA 17813	Snyder County Beaver Township	Wetzel Run (06A)	N

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2112402, Sewerage, **Wormleysburg Borough**, 20 Market Street, Wormleysburg, PA 17043.

This proposed facility is located in Wormleysburg Borough, **Cumberland County**.

Description of Proposed Action/Activity: Approval for the construction / modification of sewage facilities consisting of the existing Wormleysburg Pumping Station No. 1 and a new force main to convey flows to East Pennsboro's conveyance system.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 151134	Ms. Anna Chamness 13 Green Gable Lane New Square, PA 19073	Chester	East Whiteland Township	Valley Creek (EV)
PAI01 231202	Tyler Arboretum 515 Painter Road Media, PA 19063-4424	Delaware	Middletown Township	Ridley Creek (HQ-TSF-MF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024503021R	First National Community Bank 200 S. Blakely Street Dunmore, PA 18512	Monroe	Middle Smithfield Township	Sand Hill Creek, HQ-CWF, MF

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Lycoming County Conservation District: 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI044112002	Sam Marranta Shumbat Partnership LP 41 S Main St Pittston PA 18640	Lycoming	Old Lycoming Township	Lycoming Creek EV, WWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

*General Permit Type—PAG-02**Facility Location:
Municipality &
County**Permit No.**Applicant Name &
Address**Receiving
Water/Use**Contact Office &
Phone No.*Liberty Township
Adams County

PAG02000112016

Rick Fuller
Mid-Atlantic Soaring Assn.
5257 Buckeystown Pike
PO Box 181
Frederick, MD 21704

Flat Run/WWF

Adams Co.
Conservation
District
670 Old Harrisburg
Rd, Suite 201
Gettysburg, PA
17325
717.334.0636Oxford Township
Adams County

PAG02000111018

Harry P. McKean
New Age Associates, Inc.
126 Onyx Road
New Oxford, AP 17350South Branch of
Conewago Creek/
WWFAdams Co.
Conservation
District
670 Old Harrisburg
Rd, Suite 201
Gettysburg, PA
17325
717.334.0636Cumberland
Township
Adams County

PAG02000110015R

Michael Robinson
1403 Gridley Lane
Silver Spring, MD 20902Tributary to Rock
Creek/WWFAdams Co.
Conservation
District
670 Old Harrisburg
Rd, Suite 201
Gettysburg, PA
17325
717.334.0636Oxford Township
Adams County

PAG02000105010R

T. Wayne Stefanovich
Integrity Bank
3314 Market Street
Camp Hill, PA 17011UNT to South
Branch Conewago
Creek/07F,
Conewago Creek/
WWFAdams Co.
Conservation
District
670 Old Harrisburg
Rd, Suite 201
Gettysburg, PA
17325
717.334.0636Bethel Township
Berks County

PAG02000608069(1)R

Joseph Horning
901 South College Street
Myerstown, PA 17067UNT to Little
Swatara Creek/
CWFBerks County
Conservation Dist.
1238 County Welfare
Rd, Ste 200
Leesport, PA
19533-9710
610.372.4657,
Ext. 142Derry Township
Dauphin County

PAG02002209008(1)R

Derry Township School District
PO Box 898
Hershey, PA 17033Spring Creek
(East)/WWFDauphin Co
Conservation
District
1451 Peters
Mountain Rd
Dauphin, PA 17018
717.921.8100Peters Township
Franklin County

PAG02002812010-1

Stanley Morgan
Tuscarora School District
JBHS Athletic Field
118 East Seminary Street
Mercersburg, PA 17236UNT to
Conococheague
Creek/TSF, MFFranklin Co
Conservation
District
185 Franklin Farm
Lane
Chambersburg PA
17201
717.264.5499

NOTICES

4211

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Rapho Township Lancaster County	PAG02003607055R	G & L Developers 1003 Cornerstone Drive Mount Joy, PA 17552	UNT Little Chickies Creek/ TSF, MF	Lancaster Co Conservation District 1383 Arcadia Road, Room 200 Lancaster PA 17601 717.299.5361, Ext. 5
Brecknock Township Lancaster County	PAG02003610036R	Martin Bros. Builders 119 Furlow Road Reinholds, PA 17569	UNT Muddy Creek/TSF	Lancaster Co Conservation District 1383 Arcadia Road, Room 200 Lancaster PA 17601 717.299.5361, Ext. 5
Mount Joy Borough Lancaster County	PAG02003610039R	The Florin Hill Partnership 114 Foxshire Drive Lancaster, PA 17601	Donegal Creek/ CWF	Lancaster Co Conservation District 1383 Arcadia Road, Room 200 Lancaster PA 17601 717.299.5361, Ext. 5
Manheim Township Lancaster County	PAG02003610044R	Presbyterian Homes, Inc. One Trinity Drive, Suite 201 Dillsburg, PA 17019	UNT Conestoga River/WWF, MF	Lancaster Co Conservation District 1383 Arcadia Road, Room 200 Lancaster PA 17601 717.299.5361, Ext. 5
Clay Township Lancaster County	PAG02003612016	Refreshing Mountain Camp, Inc. 455 Camp Road Stevens, PA 17578	UNT Middle Creek/TSF	Lancaster Co Conservation District 1383 Arcadia Road, Room 200 Lancaster PA 17601 717.299.5361, Ext. 5
East Lampeter Twp. Lancaster County	PAG02003612036	John E. Lapp 2522 Meadow Lane Ronks, PA 17572	UNT Mill Creek/ WWF	Lancaster Co Conservation District 1383 Arcadia Road, Room 200 Lancaster PA 17601 717.299.5361, Ext. 5
Manor Township Lancaster County	PAG02003612037	Star Rock Dairy, Inc. 175 Chestnut Grove Road Conestoga, PA 17516	Frys Run/WWF, MF	Lancaster Co Conservation District 1383 Arcadia Road, Room 200 Lancaster PA 17601 717.299.5361, Ext. 5
Granville Township Mifflin County	PAG02004407002R(2)	First Quality Baby Products, LLC 80 Cuttermill Road, Suite 500 Great Neck, NY 11021	Juniata River/ WWF	Mifflin Co. Conservation District 20 Windmill Hill #4 Burnham, PA 17009 717.248.4695
Carroll Township York County	PAG02006712024-1R	Mark DeSouza Old York Homes, Ltd. 225 North Presidential Avenue Bala Cynwyd, PA 19004	Fishers Run/CWF	York Co. Conservation District 118 Pleasant Acres Rd York, PA 17402-8984 717.840.7430

Northcentral Region: Waterways & Wetlands Program Manager, 208 W Third Street, Williamsport, Pa 17701
570.327.3636

Facility Location:

*Municipality &
County*

Permit No.

*Applicant Name &
Address*

*Receiving
Water/Use*

*Contact Office &
Phone No.*

Troy Township Bradford County	PAG02000812022	Mark Stenseger Guthrie Health Systems 1 Guthrie Sq Sayre PA 18840	Sugar Creek TSF	Bradford County Conservation District Stoll Natural Resource Center 200 Lake Rd Ste E Towanda PA 18848 (570) 265-5539 X 120
Lower Augusta Twp Northumberland County	PAG02004907007R	Susquehanna Rail Works LLC 7347 SR 147 Sunbury PA 17801	Susquehanna River WWF, MF	Northumberland Cnty Conservation Dist 441 Plum Creek Rd Sunbury PA 17801 (570) 286-7114 Ext. 4
Rush Twp Northumberland County	PAG02004912004	Timothy Newswanger 402 Elysburg Rd Danville PA 17821	UNT Logan's Run CWF, MF	Northumberland Cnty Conservation Dist 441 Plum Creek Rd Sunbury PA 17801 (570) 286-7114 Ext. 4
Coal Twp Northumberland County	PAG02004912005	Coal Township 805 W Lynn St Coal Township PA 17866	UNT Shamokin Creek CWF, MF	Northumberland Cnty Conservation Dist 441 Plum Creek Rd Sunbury PA 17801 (570) 286-7114 Ext. 4
Sharon Twp Potter County	PAG02005312001	Gas Field Specialists Inc Greg West 2107 SR 448 Shinglehouse PA 16748	Wildcat Creek CWF	Potter County Conservation District 107 Market St Coudersport PA 16915 Phone: (814) 274-8411 ext. 4
E Buffalo Township Union County	PAG02006012003	Vito Mazzamuto 2593 Old Turnpike Rd Lewisburg PA 17837	Limestone Run WWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg PA 17837 (570) 524-3860
Summit Township Erie County	PAG02002512011	Loyal Christian Benefit Association PO Box 13005 Erie PA 16512-1305	Walnut Creek / Lake Erie CWF; MF	Erie County Conservation District 814-825-6403
Port Allegany Borough McKean County	PAG02004212003	Port Allegany School District 20 Oak Street Port Allegany PA 16743	Lillibridge Creek CWF	McKean County Conservation District 814-887-4001
Jenner & Quemahoning Townships Somerset County	PAG-02 105612006	BAMR P. O. Box 8461 Harrisburg, PA 17105-8461	Two Mile Run (CWF) to Quemahoning Creek (CWF) to Stony Creek River (TSF)	BAMR P. O. Box 8461 Harrisburg, PA 17105-8461 717-783-7924

*General Permit Type—PAG-03**Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant's Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Bensalem Township Bucks County	PAR230062 General Electric Betz, Inc. 4636 Somertown Road Trevose, PA 19053	Poquessing Creek - 3J	Southeast Region Clean Water Program 484.250.5970
Ridley Township Delaware County	PAR210017 Fizzano Bros. Concrete Products 1776 Chester Pike Crum Lynne, PA 19022	Crum Creek - 3G	Southeast Region Clean Water Program 484.250.5970
City of Philadelphia Philadelphia County	PAR800167 USPS 7500 Lindbergh Boulevard Philadelphia, PA 19176	Mingoo Creek to Schuylkill River - 3F	Southeast Region Clean Water Program 484.250.5970

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

*Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Sharon Mercer County	PAR218328 RW Sidley, Inc. PO Box 150 436 Casement Avenue, Painesville, OH 44077	Unnamed Tributary to the Thornton Run 20-A	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Ellwood City Borough Lawrence County	PAR118332 Heraeus Electro-Nite Company, LLC 3 Fountain Avenue Ellwood City, PA 16117	Drainage swales to Slippery Rock Creek 20-C	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-04

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

*Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Jackson Township Butler County	PAG041070 Jeffrey J. Mattys 104 Oakridge Trail, Evans City, PA 16033-9530	Unnamed Tributary to Breakneck Creek 20-C	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
	Larry Sergi 100 Oakridge Trail, Evans City, PA 16033-9350		
	William Cone 110 Timberview Trail, Evans City, PA 16033-9530		

*General Permit Type—PAG-10**Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office & Phone No.</i>
Philadelphia County	PAG100034 Westway Terminal Co., LLC 2900 East Allegheny Avenue Philadelphia, PA 19134	Delaware River-3J	Southeast Region Clean Water Program 484-250-5970

*General Permit Type—PAG-15**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Falls Township Bucks County	PAG150001	Penn Warner Club 1111 Bordentown Road Morrisville, PA 19067	Van Sciver Lake -2E	Southeast Region Clean Water Program 484-250-5970
Falls Township Bucks County	PAG150002	Penn Warner Club 1111 Bordentown Road Morrisville, PA 19067	Manor Lake to Delaware River-2E	Southeast Region Clean Water Program 484-250-5970
Benton Township Lackawanna County	PAG152204	Baylor's Lake Association PO Box 130 Fleetville, PA 18420-0130	Baylor's Lake (on an Unnamed Tributary to South Branch Tunkhannock Creek) - 4-F	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2553

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Creek Bottom Farms Mike Snook 1510 White Church Road Middleburg, PA 17842	Snyder	320 Acres	558.82	Swine, Dairy Heifers and Calves	N/A	Action
Hummel Family Farms, LLC Jonathan and Pauline Hummel 3493 Middle Road Middleburg, PA 17842	Snyder	88.4	682.85	Swine	N/A	Action

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448

Permit No. 4111503 —Operation Public Water Supply.	
Applicant	Lycoming County Water and Sewer Authority
[Township or Borough]	Muncy Township
County	Lycoming
Responsible Official	Ms. Christine Weigle Lycoming County Water and Sewer Authority P. O. Box 186 Montoursville, PA 17754
Type of Facility	Public Water Supply
Consulting Engineer	David M. Swisher, P.E. Herbert, Rowland & Grubic, Inc. 474 Windmere Drive State College, PA 16801
Permit Issued	June 22, 2012
Description of Action	Operation of the high service pump station and 3 interconnections to the Lycoming Mall system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401

Lonza Inc., Upper Merion Township, **Montgomery County**. Michael Gonshor, Roux Associates, 1222 Forest Parkway Suite 190, West Deptford, PA 08066, Peter Sieracki, Lonza, Inc., 90 Boroline Road, Allendale, NJ 07401 on behalf of Peter McGinnis, Johnson Matthey, 900 River Road, Conshohocken, PA 19428 has submitted a Final Report concerning remediation of site groundwater and soil contaminated with inorganic. The report is intended to document remediation of the site to meet the Site Specific Standard.

Cohrae Site, Lower Pottstown Township, **Montgomery County**. Justin Lineman, Lewis Environmental, Inc., P. O. Box 639, 155 Railroad Plaza, Royersford, PA 19468 on behalf of Janet Cohrae, 3000 East High Street, Lot 101, Sanatoga, PA 19464 has submitted a Final Report concerning remediation of site soil contaminated with no.

2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Printworks/Nash Printing, Montgomery Township, **Montgomery County**. Alexander Ulmer, Barry Isett & Associates, Inc., PO Box 147, Trexlertown, PA 18087, Bill Kunsch, J&J Environmental Inc. PO Box 370 Blue Bell, PA 19422 on behalf of Martin Wolfe, Marlin Properties, LP, 1617 North Line Street, Lansdale, PA 19446 has submitted a Final Report concerning remediation of site soil contaminated with unleaded gasoline and leaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

901 West Berks Street, City of Philadelphia, **Philadelphia County**. Bill Schmidt, Pennoni Associates, Inc. 3001 Market Street, Philadelphia, PA 19104, Rose V. Gray, Asociacion Puertorriquenos En Marcha, 600 West Diamond Street, Philadelphia, PA 19122 on behalf of Joanna Cuevas, Jonathan Rose Companies, 551 5th Avenue, 23rd Floor, New York, PA 10176 has submitted a Final Report concerning remediation of site soil contaminated with metals. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Dubow Residence, Lower Merion Township, **Montgomery County**. Douglas B. Schott, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19380, Kurt Spiess, EMG Remediation Services, PO. Box 129, Edgemont, PA 19028 on behalf of Mr. and Mrs. Stephan Dubow, 635 Revere Road, Merrion Station, PA 19066 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

45 West Haines Street Property, City of Philadelphia, **Philadelphia County**. Thomas Hippensteel, Environsearch Consultants Inc., PO Box 940, Springhouse, PA 19477 on behalf of David Plane, Lafayette School LP, 4220 Main Street, Philadelphia, PA 19127 has submitted a Final Report concerning remediation of site groundwater and soil contaminated with heating oil. The report is intended to document remediation of the site to meet the statewide Health Standard.

Chapel Steel, Borough of Pottstown, **Montgomery County**. Craig Herr, RT Environmental Services Inc., 215 West Church Road, King of Prussia, PA 19406, Patrick Jones, Chapel Steel, 590 North Bethlehem Pike, Lower Gwynedd, PA 19002 on behalf of Jay Bown, Pottstown Industrial Complex, L.P. PO Box 128, Ambler, PA 19022 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Gwynedd Mercy School, Lower Gwynedd Township, **Montgomery County**. Staci Cottone, J&J Spill Service and Supplies, Inc., PO Box 370, Blue Bell, PA 19422 on behalf of Kevin O'Flaherty, Gwynedd Mercy College, PO Box 901, Gwynedd Valley, PA 19437 has submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

1636 & 1646 2nd Street Pike, Northampton Township, **Bucks County**. Bill Schmidt, Pennoni Associates, Inc. 3001 Market Street, Philadelphia, PA 19104 on behalf of Susan Peck, Sovereign Bank, N.A., 1130 Berkshire Blvd, Wyomissing, PA 19610 has submitted a Final Report concerning remediation of site soil contami-

nated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

12 Catfish Lane, Lower Providence Township, **Montgomery County**. Staci Cottone, J&J Environmental, PO Box 370, Blue Bell, PA 19422 on behalf of Joe Carbone, Valley Forge Group, Inc., LP, 31200 Northwestern Highway, Farmington Hills, MI 48334 has submitted a 90 day Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Rehoric Property, Media Borough, **Delaware County**. Charles Burger, Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, Jim McMahan, Allstate Insurance Company Inc., 1200 Atwater Drive, Suite 110, Malvern PA 19355 on behalf of Zelko Rehoric, 435 South Orange Street, Media, PA 19063 has submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

A & M Hibbard 1H/3H Well Site, State Route 29, Dimock Township, **Susquehanna County**. James Pinta and David Testa, URS Corporation, 501 Holiday Drive, Foster Plaza 4, Suite 300, Pittsburgh, PA 15220 have submitted a Final Report on behalf of their client, Cabot Oil & Gas Corporation, 5 Penn Center West, Suite 401, Pittsburgh, PA 15276, concerning the remediation of soil found to have been impacted by VOCs, SVOCs, metals, and ethylene glycol due to a release from the reserve pit and a release from the mud shelf. The report was submitted to document attainment of the residential Statewide Health Standard and the Background Standard for soil. A Notice of Intent to Remediate was simultaneously submitted.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Fillings Dry Cleaners, 3885 Columbia Avenue, Mountville, PA 17554, West Hempfield and Manor Townships, **Lancaster County**. Geological Services, Inc., PO Box 578, Rock Hall, MD 21661, on behalf of Fillings Clothing, 681 Harrisburg Avenue, Lancaster, PA 17603, submitted a Remedial Investigation Report concerning site soils and groundwater contaminated with Stoddards Solvent. The site is being remediated to meet the Site-Specific Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Safeguard Properties/Diane Traver Residence, Greenwood Township, **Columbia County**. Black Rock Environmental, LLC, PO Box 288, Nazareth, PA 18064 on behalf of Ms. Diane Traver, 1520 Old State Road, Millville, Pa 17846 has submitted a Final Report concerning remediation of site soils contaminated with benzene, ethylbenzene, cumene, MTBE, naphthalene, toluene, 1,2,4-TMB, 1,3,5-TMB. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Goodman Tank Lines, Intersection on Interstate 99 Northbound on ramp and North Atherton Street, Patton Township, **Centre County**. Mountain Research LLC, 825

25th Street, Altoona, Pa 16601 on behalf of PennDot District 2-0, 1054 Ridge Road, Mill Hall, PA 17751 has submitted a Final Report concerning remediation of site soils contaminated with unleaded gasoline compounds including Benzene, Toluene, Ethylbenzene, Xylenes, Cumene, Naphthalene, Methyl-tert-butyl-ether (MTBE), 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401

Gwynedd Mercy College, Lower Gwynedd Township **Montgomery County**. Staci Cottone, J&J Spill Service and Supplies Inc. PO Box 370, Blue Bell, PA 19422 on behalf of Kevin O'Flaherty, Gwynedd Mercy College, PO Box 901, Gwynedd Valley, PA 19437 has submitted a 90 day Final Report concerning the remediation of site soil contaminated with heating oil. The 90 day Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 11, 2012.

Chapel Steel Borough of Pottstown **Montgomery County**. Matt Martelli, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, Craig Herr, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Patrick Jones, Chapel Steel, 590 Bethlehem Pike, Lower Gwynedd, PA 19002, Jay Bown, Pottstown Industrial Complex, LP, PO Box 128, Ambler, PA 19022 has submitted a Final Report concerning the remediation of site soil contaminated with diesel fuel. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 11, 2012

CSX Locomotive 6149, City of Philadelphia, **Philadelphia County**. Megan Kellner ARCADIS, 114 Benfield Boulevard, Suite A, Millersville, MD 21108 on behalf of William Parry, CSX Transportation, Inc., One Bell Crossing Road, Albany, NY 12158 has submitted a 90 day Final Report concerning the remediation of site soil contaminated with no. diesel fuel. The 90 day Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 9, 2012.

US Steel Fairless Works 37.96 Acre Facility, Falls Township **Bucks County**. Colleen Costello, Langan Engineering and Environmental Service Inc., 2700 Kelly Road, Suite 200, Warrington, PA 18976 on behalf of Kathleen Mayher, United States Steel Corporation, 600 Grant Street, Pittsburgh, PA 15219 has submitted a Final Report concerning the remediation of site soil contaminated with other organics. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 23, 2012

Delaware Emergency Service Training Center, Delaware Township and Folcroft Borough **Delaware County**. Frank Aceto, Stantec Consulting Corporation, 1060 Andrew Drive Suite 140, West Chester, PA 19380 on behalf of Marianne Grace, County of Delaware, 201 West Front Street, Media, PA 19063 has submitted a Final Report concerning the remediation of site groundwater contaminated with undetermined contaminants. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on March 30, 2012.

Rehoric Property, Media Borough **Delaware County**. Charles Burger, Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, Jim McMahan, Allstate Insurance Company, 1200 Atwater Drive, Suite 110, Malvern, PA 19355 on behalf of Zelko Rehoric, 435 South Orange Street, Media, PA 19063 has submitted a Final Report concerning the remediation of site soil contaminated with heating soil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 23, 2012.

Keenan Valley View Inn/Green Woods Charter School, City of Philadelphia, **Philadelphia County**. Toby J. Kessler, Kessler, P.G. Gilmore & Associates, Inc. 65 East Avenue, Suite 100, New Britain, PA 18901 on behalf of Green Wood Chapter School, 8480 Hagys Mill Road, Philadelphia, PA 19128, Donna Lee, Sickenberger, Keenan Valley View Inn, 468 Domino Lane, Philadelphia, PA 19128 has submitted a Cleanup Plan and Remedial Investigation Report concerning the remediation of site groundwater contaminated with benzo, arsenic and lead. The Cleanup Plan and Remedial Investigation Report were approved by the Department on May 14, 2012.

Amos Realty LP, Ridley Township **Delaware County**. Phil Getty, Boucher & James, Inc., 1456 Ferry Road, Doylestown, PA 18901, Greg Tax, US Environmental, 409 Boot Road, Downingtown, PA 19335 on behalf of Mike Evans, Amos Realty LLP, 126 Talbot Avenue, Holmes, PA 19403 has submitted a Final Report concerning the remediation of site groundwater and soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 5, 2012.

Feasterville Plaza Shopping Center, Lower Southampton Township **Bucks County**. Michael A. Christie, Penn Environmental & Remediation, 2755 Bergey Road, Hatfield, PA 19440, Deborah A. Colson, Federal Realty Investment Trust, 1626 East Jefferson Street, Rockville, MD on behalf of Jeffery W. Franz, FTP Feasterville Plaza, LP, 1138 Swell Lane, Jenkintown, PA 19046 has submitted a Final Report concerning the remediation of site groundwater and soil contaminated with inorganics and chlorinated solvents. The Final report was withdrawn on May 21, 2012.

Krashny Residence, Lower Makefield Township **Bucks County**. Thomas Hippensteal, Environsearch Consultants Inc., PO Box 940, Springhouse, PA 19477 on behalf of Scot Krasny, 1007 Yardley Road Yardley, PA 19067 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 15, 2012.

Apfelbaum Residence, Cheltenham Township **Montgomery County**. Richard Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Ed Applegate, State Farm Insurance, Pennsylvania Fire Claims, PO Box, 10610, Atlanta, GA 30348-6110 on behalf of Sharon Hicson-Camack, 210 Paxson Avenue, Glenside, PA 19038 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 23, 2012

777 South Broad Street, City of Philadelphia, **Philadelphia County**. Paul Martino, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104, William Schmidt, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104 on behalf of Josh Weingra, 777 South Broad Associates, LP, 3180 Chestnut Street, Philadelphia, PA 19104 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with lead, benzo and unleaded gasoline. The Final report was withdrawn on May 24, 2012.

Dansko Distribution Center, Penn Township **Chester County**. Jennifer Risser, Reliance Environmental, Inc. 130 East Chester Street, Lancaster, PA 17601 on behalf of Daria Payne Cobot Kjellerup Realty Trust, 8

Federal Road, West Grove PA 19390 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 14, 2012.

Florig Equipment Company Inc., Plymouth Township **Montgomery County**. Craig Herr, RT Environmental Service, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Alicia M. Lyskanyca, Florig Equipment Company, Inc., 906 Ridge Pike, Conshohocken, PA 19428 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on February 16, 2012.

375 Commerce Drive, Upper Dublin Township **Montgomery County**. Michael A. Christie, Penn Environmental & Remediation, 2755 Bergey Road, Hatfield, PA 19440 on behalf of marc Weinberg, Weinberg Family Trust, 803 Camarillo Road, Suite C, Camarillo, CA 93012, has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinate solvents. The Final report was withdrawn on December 17, 2011

Manill Mill Road Company, Upper Merion Township **Montgomery County**. Waler Hungarter, III, RT Environmental Services, Inc. 215 West Church Road, King of Prussia, PA 19406 on behalf of Annunzio Calvarese, Mancill Road Company, 50 Barndon Road, Jeffersonville, PA 19043 has submitted a Cleanup Plan concerning the remediation of site soil contaminated with asbestos. The Cleanup Plan was approved by the Department on February 23, 2012.

5526-5548 Vine Street, City of Philadelphia, **Philadelphia County**. Charlene Drake, REPSG, Inc. 6901 Kingsessing Avenue, 2nd Floor, Philadelphia, PA 19142, Susan Shourds, REPSG, Inc. 6901 Kingsessing Avenue, 2nd Floor, Philadelphia, PA 19142, Bruce Conus, Liberty Resources, Inc., 714 Market Street, Suite 100, Philadelphia, PA on behalf of Robert La Brum, Redevelopment Authority of the City of Philadelphia, 1234 Market Street, 16th Floor Philadelphia, PA 19106 has submitted a Cleanup Plan and Remedial Investigation Report concerning the remediation of site soil contaminated with inorganics. The Cleanup Plan and Remedial Investigation Report were approved on August 11, 2011.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042, South Lebanon Township, **Lebanon County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042, submitted a Final Report concerning remediation of site soils and groundwater contaminated with pesticides and VOCs. The Final Report demonstrated attainment of the Site Specific standard, and was approved by the Department on June 20, 2012.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Penske, Delaware Township, **Northumberland County**. Northridge Group, Inc., on behalf of Penske has submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Napthalene, 1,3,5-Trimethylbenz-

ene, 1,2,4-Trimethylbenzene, and Methyl Tertiary Butyl Ether for a site located at Interstate 180 MM5E. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 12, 2012.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Babich # 3 Gas Well Site, Sewickley Township, **Westmoreland County**. Environmental Coordination Services and Recycling, 3237 Highway 19, Cochranon, PA 16314 on behalf of Atlas Resources, LLC, Park Place Corporate Center One, 1000 Commerce Drive, Pittsburgh, PA 15275-1011 has submitted a Final Report concerning the remediation of site soil contaminated with spilled diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 14, 2012.

Beaver Valley Industrial Park Site, (Former Teledyne Vasco Colonial Plant), Monaca Borough, **Beaver County**. R.A.R. Engineering Group, Inc., 1135 Butler Avenue, New Castle, PA 16101 on behalf of Beaver Valley Industrial Park Corporation, 1 Industrial Park Road, Monaca, PA 15061 has submitted a Baseline Environmental Report concerning the remediation of site soil contaminated with metals. The Baseline Environmental Report was approved by the Department on June 20, 2012.

Beazer East Bridgeville Facility AOE-1, South Fayette Township **Allegheny County**. Civil and Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, Pennsylvania 15205-1751 on behalf of Newbury Development Associates, 100 Emerson Lane, Suite 1509, Bridgeville, PA 15017 has submitted a Final Report concerning the remediation of site soil and ground water contaminated with metals and Naphthalene. The Final report demonstrated attainment of the Site Specific and Non-Residential Statewide Health standards for AOE-1 was approved by the Department on June 20, 2012.

RESIDUAL WASTE GENERAL PERMITS

Permits Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.

General Permit No. WMGR081D034. Commonwealth Computer Recycling LLC. This permit is for the beneficial use of electronic equipment and components by sorting, disassembling or mechanical processing. The permit was issued by Central Office on June 19, 2012.

Persons interested in reviewing the general permit may contact Scott Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 101680. Waste Management Disposal Services of Pennsylvania, Inc., (GROWS North Landfill), 1000 New Ford Mill Road, Morrisville PA 19067. This minor permit modification is to make permanent a temporary leachate forcemain currently being used to connect the Cell IIB Riser House to the leachate storage tanks at GROWS North Landfill. The GROWS North Landfill is a municipal waste landfill located in Falls Township, **Bucks County** The permit was issued by the Southeast Regional Office on June 15, 2012.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

GP3-46-0105: Haines & Kibblehouse, Inc. (Route 29, Skippack, PA 19426) on June 21, 2012, to operate a portable nonmetallic mineral processing plant in Skippack Township, **Montgomery County**.

GP9-46-0060: Haines & Kibblehouse, Inc. (Route 29, Skippack, PA 19426) on June 21, 2012, was authorized to operate (4) four diesel-fired internal combustion engines in Skippack Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

GP3-67-03124E: Codorus Stone & Supply Co., Inc. (135 Mundis Race Road, York, PA 17406-9723) on June 15, 2012, to install and operate a portable nonmetallic mineral processing plant at the Codorus Stone Quarry in East Manchester and Manchester Townships, **York County**.

GP11-67-03124E: Codorus Stone & Supply Co., Inc. (135 Mundis Race Road, York, PA 17406-9723) on June 19, 2012, to install and operate a non-road diesel engine under GP11 to power portable nonmetallic stone crushing equipment at their Codorus Stone Quarry in East Manchester and Manchester Townships, **York County**.

GP3-06-03155A: Kinsley Construction, Inc. (PO Box 2886, York, PA 17405) on June 20, 2012, for portable nonmetallic mineral processing equipment under GP3 at the Western Berks Landfill in Cumru Township, **Berks County**.

GP9-06-03155A: Kinsley Construction, Inc. (PO Box 2886, York, PA 17405) on June 20, 2012, for three diesel-fired internal combustion engines under GP9, to

power portable nonmetallic mineral processing equipment, at the Western Berks Landfill in Cumru Township, **Berks County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP3-59-184: FS Lopke Contracting, Inc. (3430 State Route 434, Apalachin, NY 13732-1232) on May 30, 2012, to operate a portable crushing operation pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at the EWR Plant No. 20 facility in Lawrence Township, **Tioga County**.

GP3-59-184: FS Lopke Contracting, Inc. (3430 State Route 434, Apalachin, NY 13732-1232) on May 30, 2012, to operate two (2) diesel engines to power a portable crushing operation pursuant to the General Plan Approval and/or General Operating Permit for Diesel or #2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the EWR Plant #20 facility located in Lawrence Township, **Tioga County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

GP5-26-00593: Mountain Gathering LLC, 810 Houston Street, Fort Worth, Texas 76102, on June 19, 2012, to install and operate one (1) Caterpillar G3306 TA, 4SRB gas fired compressor engine, rated at 203 bhp, one (1) Exterran Triethylene Glycol dehydrator (TEG) rated at 15 MMscfd attached to a reboiler rated at 0.50 MMBtu/hr, and one (1) condensate storage tank with a capacity of 16,800 gallons (400 bbl) at their Hall Compressor Station in Springfield Township, **Fayette County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP5-20-308A: Kastle Resources Enterprises, Inc. (Mill Grove Road, Springboro, PA 16435) on June 15, 2012, to operate one (1) lean burn, 2 stroke natural gas engine, Ajax Model rated 296 bhp at 440 rpm; one (1) 4,200 gallon produced water/residual compressor oil storage tank (BAQ-GPA-GP-5) in Spring Township, **Crawford County**.

GP3-42-194A: Glenn O. Hawbaker, Inc.—Shinglehouse Plant 8 (497 Horserun Rd, Shinglehouse, PA 16748), on June 12, 2012, for the operation of a Portable Nonmetallic Mineral Processing Plant (Nordberg LT213 Track Mounted Impact Plant, 440 tph) (BAQ-GPA-GP-3) in Ceres Township, **McKean County**. This is a relocation from Clinton County, previously permitted under General Permit No. GP3-18-205C.

GP11-42-194B: Glenn O. Hawbaker, Inc., Shinglehouse Plant # 8 (497 Horserun Rd, Shinglehouse, PA 16748), on June 12, 2012, for the operation of a Caterpillar, Model No. C-12 DITA Nonroad Engine (BAQ-GPA-GP-11) in Ceres Township, **McKean County**. This is a relocation from Clinton County, previously permitted under General Permit No. GP11-18-205C.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

40-399-066A: Acton Technologies, Inc. (100 Thompson Street, Pittston, PA 18640) on June 18, 2012, to install a Regenerative Thermal Oxidizer (RTO) to control VOC and NH₃ emissions and a new film processing line at the facility in Jenkins Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

36-05156A: L & S Sweeteners, Inc. (388 East Main Street, Leola, PA 17540-1925) on June 18, 2012, for construction and temporary operation of two (2) landfill gas-fired engine generator sets at the facility in Upper Leacock Township, **Lancaster County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

23-0108C: Barry Callebaut USA, LLC. (903 Industrial Highway, Eddystone, PA 19022) on June 21, 2012, to operate a regenerative thermal oxidizer (RTO) in Eddystone Borough, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

36-05015D: Dart Container Corp. of PA (60 East Main Street, Leola, PA 17540) on June 21, 2012, to install and operate a new combined heat and power (CHP) project incorporating the use of two landfill gas-fired turbines with electric generators and waste heat recovery steam generators, at the expandable polystyrene container manufacturing facility located in Upper Leacock Township, **Lancaster County**. The plan approval was extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

20-304A: Ernst Biomass LLC (9006 Mercer Pike, Meadville, PA 16335) on June 30, 2012, for the construction of a wood and switchgrass pellet manufacturing plant at their facility in Union Township, **Crawford County**.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Zaman, Environmental Program Manager—Telephone: 570-327-3648

49-00014: Jeraco Enterprises (135 Sodom Road, Milton, PA 17847-9232) on June 20, 2012, for renewal of their Title V Operating Permit for their facility in Milton Borough, **Northumberland County**. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

67-03030: Bickel's Snack Foods, Inc. (1120 Zinns Quarry Road, York, PA 17404-3533) on June 20, 2012, for their snack food manufacturing facility on Zinns Quarry Road in West Manchester Township, **York County**. The State-only permit was renewed.

28-03011: ATI Landis Threading Systems (360 South Church Street, Waynesboro, PA 17268-2610) on June 20, 2012, for their machine tool manufacturing facility in Waynesboro Borough, **Franklin County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00069: Fisher Mining Co. (40 Choate Circle, Montoursville, PA 17754-9791) on June 13, 2012, issued a state only operating permit for their facility in Williamsport, **Lycoming County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

57-00002: Haines and Kibblehouse, Inc. (PO Box 196, Skippack, PA 19474-0196) on June 20, 2012, issued a permit for their Dushore Materials facility in Cherry Township, **Sullivan County**. The facility's major sources include four (4) stone crushers, three (3) screening units, and six (6) diesel-fired engines each rated between 99 and 890 horsepower. The facility has the potential to emit all criteria pollutants below the major emission thresholds. The State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

59-00004: Ward Manufacturing, LLC (117 Gulick Street, Blossburg, PA 16912), issued an amendment of Title V operating permit on June 21, 2012 for their facility located in Blossburg Borough, **Tioga County**. This operating permit amendment incorporates all terms and conditions specified in Plan Approval 59-00004G.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

4673SM15 and NPDES Permit No. PA0258237 (5510 State Park Road, Penfield, PA 15849) Renewal of an existing bituminous surface mine in Jay Township, **Elk County** affecting 173.8 acres. Receiving streams: Two unnamed tributaries to Spring Run. This renewal is issued for reclamation only. Application received: February 23, 2012. Permit Issued: June 20, 2012.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

14960101 and NPDES No. PA 0220388. River Hill Coal Company, Inc. (P. O. Box 141, Kylertown, PA 16847). Renewal permit issued for reclamation only to an existing bituminous surface mine located in Snow Shoe Township, **Centre County**, affecting 48.5 acres. Receiving streams: Unnamed Tributaries to Black Moshannon Creek and Unnamed Tributaries to North Fork Beech Creek, classified as High Quality Cold Water Fishery and Cold Water Fishery. There are no potable water supply intakes within 10 miles downstream. Application received: May 9, 2012. Permit issued: June 19, 2012.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54960101R3 and NPDES Permit No. PA0223743. Moutaintop Coal Mining, Inc., (PO Box 183, Elysburg, PA 17824), renewal of an existing anthracite surface mine and refuse disposal operation in Barry and Foster Townships, **Schuylkill County** affecting 255.18 acres, receiving stream: Hans Yost Creek. Application received: July 7, 2011. Renewal issued: June 19, 2012.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

37020306 and NPDES Permit No. PA0259241. The East Fairfield Coal Company (P. O. Box 217, 10900 South Avenue, North Lima, OH 44452) Revision to an existing large industrial minerals mine to add 23.3 acres to the surface mining permit in North Beaver Township, **Lawrence County** affecting 202.6 acres. Receiving streams: Honey Creek. Application received: November 21, 2011. Permit Issued: June 20, 2012.

61122804. Lester C. Henry (1555 Route 208, Emlenton, PA 16373) Commencement, operation and restoration of a small industrial minerals mine in Cranberry Township, **Venango County** affecting 6.0 acres. Receiving streams: East Sandy Creek. Application received: April 6, 2012. Permit Issued: June 20, 2012.

61122804-GP-104. Lester C. Henry (1555 Route 208, Emlenton, PA 16373) General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 61122804 in Cranberry Township, **Venango County**. Application received: April 6, 2012. Permit Issued: June 20, 2012.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08100303 and NPDES No. PA0257419. Robert Johnson Flagstone, Inc. (3658 Old Stage Coach Road, Wyalusing, PA 18853). Commencement, operation and restoration of an overburden, shale, and bluestone quarry located in Herrick and Wyalusing Townships, **Bradford County** affecting 47.2 acres. This quarry replaced small noncoal 08030801. Receiving streams: Camp Creek and Wyalusing Creek, classified as: Warm Water Fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 4, 2010. Application issued: June 14, 2012.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

30124002. Sheehen Pipe Line Construction Co. (2431 E. 61st St., Suite 700, Tulsa, OK 74136). Blasting activity permit for the construction of the M3 Appalachia Gathering System—natural gas pipe line, located in Perry, Wayne, Whitely, Franklin & Jefferson Townships, **Greene County**. The duration of blasting is expected to last two months days. Blasting permit issued: June 18, 2012.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

36124132. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Farmdale Elementary School in West Hempfield Township, **Lancaster County** with an expiration date of June 14, 2013. Permit issued: June 19, 2012.

52124104. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Hemlock Farms in Porter, Blooming Grove and Dingman Town-

ships, **Pike County** with an expiration date of June 30, 2013. Permit issued: June 19, 2012.

36124133. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Village in Paradise in Paradise Township, **Lancaster County** with an expiration date of June 30, 2013. Permit issued: June 21, 2012.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E46-1075. Skippack Township, 1108 North Bethlehem Pike, Suite 5, Lower Gwynedd Township, **Montgomery County,** ACOE Philadelphia District.

To construct and maintain an approximately 4,400 linear feet of 8-foot wide paved walking trail along the 100-year floodplain of the Pekiomen Creek. This work includes construction and maintenance of five outfall structures, and stabilization of approximately 310 linear feet of stream bank.

The site is located approximately 3 miles northwest of the intersection of Skippack Pike (SR 0073) and Bridge Road (SR 0113), (Collegeville, PA USGS Quadrangle N: 18.5 inches; W: 13.5 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E15-825. RT/TC Atwater, L.P., 300 Conshohocken State Road, Suite 250, Conshohocken, PA 19428, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain an 18-foot high by 48-foot long by 80 foot wide closed loop of GEO-cooling system at a depth of 140 feet below the water surface elevation of the existing Atwater Lake (quarry), a tributary of Valley Creek (EV, MF), associated with cooling the proposed building at Lot 14 of Atwater office building development. The proposed system will be located at Atwater Drive (Malvern, PA USGS map, N: 5.6 inches; W: 6.5 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E09-960. Pennsylvania Department of Transport, District 6, 7000 Geerdes Blvd, King of Prussia, PA 19406, Springfield Township, **Bucks County**, ACOE Philadelphia District

To perform the following water obstruction and encroachment activities associated with the replacement of the existing bridge that carries S. R. 0412, Section 53M (Hellertown Road) over an unnamed tributary (UNT) of Cooks Creek (EV, MF):

1. To remove the existing bridge and to construct and maintain, in its place, a single span open bottom arch culvert and associated wingwalls. This project temporarily impacts approximately 0.003 acre of wetlands (Palustrine Emergent). The proposed culvert will be approximately 36-foot long, 24-foot wide and will have a 6-foot crown height at upstream face. This work includes removal of the accumulated sediment at the upstream of the existing bridge, associated with maintenance of the bridge's hydraulic opening and the stream's conveyance channel.

2. To stabilize approximately 100 linear feet of streambank. This work includes installation and maintenance of rock cross vanes and step pools, associated with stream enhancement, at approximately 70 feet upstream of the proposed culvert.

The project will permanently impact approximately 144 linear feet of the stream and temporarily impact approximately 116 linear feet of the stream. The site is located approximately 278 feet northeast of the intersection of Moyer Road and Hellertown Road in Springfield Township, Bucks County (Hellertown, PA USGS Quadrangle N: 8.31 inches; W: 7.45 inches).

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717.705.4802.

E22-567: Ronald and Patricia Burkholder, 1403 Farmhouse Lane, Middletown, Pennsylvania 17057, in Lower Swatara Township, **Dauphin County**, ACOE Baltimore District

To remove the existing structure and restore the streambed and banks: 1) an existing 21.0-foot long, 24.0-inch corrugated plastic pipe in an unnamed tributary (UNT) to Swatara Creek (WWF, MF); 2) two 21.0-foot long, 12.0-inch diameter corrugated plastic pipes in a UNT to Swatara Creek (WWF, MF), temporarily impacting 0.01 acre of palustrine emergent wetland; 3) a 14.0-foot long, 10.0-inch diameter corrugated metal pipe in a UNT to Swatara Creek (WWF, MF), temporarily impacting 0.01 acre of palustrine emergent wetland; 4) a 20.0-foot long, 12.0-inch diameter reinforced concrete pipe in a UNT to Swatara Creek (WWF, MF), temporarily impacting 0.01 acre of palustrine emergent wetland;

To construct and maintain: 1) a 79.0-foot long, 1.0-foot depressed, 12.0-foot wide by 5.5-foot high reinforced concrete box culvert with concrete endwalls and an R-6 riprap apron in a UNT to Swatara Creek (WWF, MF) and associated wetlands, permanently impacting 0.04 acre of palustrine emergent wetland; 2) an 18.0-inch HDPE stormwater pipe outfall with an R-5 riprap apron; 3) a 6.0-foot long Type-C inlet in the floodway of a UNT to Swatara Creek (WWF, MF); 4) an 18.0-inch diameter, 33.0-foot long HDPE stormwater pipe and outfall in the floodway of a UNT to Swatara Creek (WWF, MF); 5) an 8.0-inch diameter ductile iron water line in and across a UNT to Swatara Creek (WWF, MF); 6) a 4.0-inch diameter PVC natural gas line inside of a 6.0-inch diameter PVC conduit in and across a UNT to Swatara Creek (WWF, MF); 7) an electrical utility line contained in a 4.0-inch diameter PVC conduit in and across a UNT to Swatara Creek (WWF, MF); 8) two 1.5-inch PVC conduits containing telephone and cable utilities in and across a UNT to Swatara Creek (WWF, MF); 9) a 4.0-inch diameter ductile iron sanitary sewer force main with concrete encasement in and across a UNT to Swatara Creek (WWF, MF) and associated wetlands, temporarily impacting 0.01 acre of palustrine emergent wetland; 10) an 8.0-inch diameter ductile iron sanitary sewer line with concrete encasement in and across a UNT to Swatara Creek (WWF, MF) and associated wetlands, temporarily impacting 0.01 acre of palustrine emergent wetland; 11) an 8.0-inch diameter ductile iron water line in and across a UNT to Swatara Creek (WWF, MF) and associated wetlands, temporarily impacting 0.01 acre of palustrine emergent wetland; 12) a sanitary sewer manhole with a water-tight frame and cover in the floodway of a UNT to Swatara Creek (WWF, MF); 13) an 8.0-inch PVC sanitary sewer line in the floodway of a UNT to Swatara Creek (WWF, MF); 14) a 42.0-foot wide single span bridge having a normal span of 44.0 feet and an underclearance of 5.7 feet across a UNT to Swatara Creek (WWF, MF) and associated wetlands, temporarily impacting 0.01 acre of palustrine emergent wetland; 15) a 24.0-inch diameter HDPE stormwater pipe outfall with a concrete endwall and an R-5 riprap apron in the floodway of a UNT to Swatara Creek (WWF, MF); 16) a 24.0-inch diameter HDPE stormwater pipe outfall with a concrete endwall and an R-5 riprap apron in the floodway of a UNT to Swatara Creek (WWF, MF); 17) an 18.0-inch diameter HDPE stormwater pipe outfall with a concrete endwall and an R-5 riprap apron in the floodway of a UNT to Swatara Creek (WWF, MF); 18) a 24.0-inch diameter HDPE stormwater pipe outfall with a concrete endwall and an R-5 riprap apron in the floodway of a UNT to Swatara Creek (WWF, MF); and 19) 1,165.0 square feet of a

proposed assisted living facility in the floodway of a UNT to Swatara Creek (WWF, MF); and

To place and maintain: 1) 800.0 cubic yards of fill in the floodway of a UNT to Swatara Creek (WWF, MF); 2) 87.0 cubic yards of fill in the floodway of a UNT to Swatara Creek (WWF, MF); and 3) 4,101.0 cubic yards of fill in the floodway of a UNT to Swatara Creek (WWF, MF), all for the purpose of constructing a proposed subdivision with mixed commercial and residential uses. The project is located approximately 700.0 feet east of the intersection of Longview Drive and Strites Road (Steelton, PA Quadrangle N: 21.30 inches, W: 0.60 inch; Latitude: 40°14'33", Longitude: -76°45'15") in Lower Swatara Township, Dauphin County.

E36-888: Little Britain Township Board of Supervisors, 323 Green Lane, Quarryville, Pennsylvania 17566, in Little Britain Township, **Lancaster County**, ACOE Baltimore District

To: 1) install and maintain two 18.0-inch diameter HDPE stormwater outfalls, including end-walls and R-4 riprap aprons, discharging to an unnamed tributary to Reynolds Run (HQ-CWF, MF); 2) install and maintain an 18.0-inch diameter HDPE stormwater outfall, including an endwall and R-4 riprap apron, discharging to an unnamed tributary to Reynolds Run (HQ-CWF, MF); 3) replace and maintain three 18.0-inch diameter HDPE stormwater outfalls, each including Type-D endwalls and R-4 riprap aprons, discharging to Reynolds Run (HQ-CWF, MF); and 4) replace and maintain an 18.0-inch diameter culvert in an unnamed tributary to Reynolds Run (HQ-CWF, MF). The project is located on Kirks Mill Road just east of its intersection with Little Britain Road (Start: Wakefield, PA Quadrangle; N: 0.60 inch, W: 0.15 inch; Latitude: 39°45'12", Longitude: -76°07'33.9"; End: Kirkwood, PA Quadrangle; N: 0.96 inch, W: 14.98 inches; Latitude: 39°45'19.1", Longitude: -76°06'23.8") in Little Britain Township, Lancaster County.

The purpose of the project is to improve site distance and increase the safety of the roadway.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

E25-744, Greg Ganzer, 2101 Chapline Street, Wheeling, WV 26003. (Erie North, PA Quadrangle N: 42°, 7', 43.4"; W: 80°, 6', 22") in the City of Erie, **Erie County**.

To construct and maintain a private pile supported watercraft lift and dock together measuring approximately 40 feet by 14 feet and an adjacent floating dock measuring approximately 40 feet by 8 feet located at a point on the northeastern corner of the Niagara Pier within Lake Erie's Presque Isle Bay.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E4129-034: Anadarko Marcellus Midstream, L.L.C., 33 West Third Street, Suite 200, Williamsport, PA 17701, Gamble, Cascade, Cogan House, & Pine Townships, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 1501 square feet of a palustrine scrub shrub (PSS) wetland (Bodines, PA Quadrangle 41°24'21"N 76°57'32"W);

2) a temporary road crossing using a timber mat bridge two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 3773 square feet of a palustrine scrub shrub (PSS) wetland (Bodines, PA Quadrangle 41°24'25"N 76°57'33"W);

3) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 96 square feet of a palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°24'48"N 76°57'20"W);

4) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 69 linear feet of East Branch Murray Run (EV, MF) and 18870 square feet of adjacent palustrine forested (PFO) wetland (Bodines, PA Quadrangle 41°24'23"N 76°56'57"W);

5) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 4649 square feet of a palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°24'23"N 76°56'48"W);

6) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 572 square feet of a pond (Bodines, PA Quadrangle 41°25'26"N 76°57'39"W);

7) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 189 square feet of a palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°24'22"N 76°56'11"W);

8) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 138 linear feet of an unnamed tributary (UNT) to Wallis Run (EV, MF) (Bodines, PA Quadrangle 41°24'22"N 76°56'06"W);

9) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 64 linear feet of an unnamed tributary (UNT) to Wallis Run (EV, MF) (Bodines, PA Quadrangle 41°24'37"N 76°55'53"W);

10) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 63 linear feet of Roaring Run (EV, MF) (Bodines, PA Quadrangle 41°24'42"N 76°55'38"W);

11) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 83 linear feet of an unnamed tributary (UNT) to West Branch Murray Run (EV, MF) (Bodines, PA Quadrangle 41°24'44"N 76°57'50"W);

12) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 518 square feet of a palustrine forested (PFO) wetland (Bodines, PA Quadrangle 41°24'43"N 76°57'48"W);

13) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 76 linear feet of an unnamed tributary (UNT) to East Branch Murray Run (EV, MF) (Bodines, PA Quadrangle 41°25'09"N 76°57'12"W);

14) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 96 linear feet of an unnamed tributary (UNT) to East Branch Murray Run (EV, MF) (Bodines, PA Quadrangle 41°24'55"N 76°57'25"W);

15) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 11516 square feet of a palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°27'15"N 76°54'43"W);

16) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 66 linear feet of an unnamed tributary (UNT) to Slacks Run (HQ-CWF, MF) and 21199 square feet of adjacent palustrine forested (PFO) wetland (Bodines, PA Quadrangle 41°27'16"N 76°54'30"W);

17) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 280 linear feet of an unnamed tributary (UNT) to Slacks Run (HQ-CWF, MF) and 2814 square feet of adjacent palustrine scrub-shrub (PSS) wetland (Bodines, PA Quadrangle 41°27'17"N 76°54'25"W);

18) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line bored beneath 4408 square feet of a palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°27'18"N 76°53'59"W);

19) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line bored beneath 7316 square feet of a palustrine forested (PFO) wetland (Bodines, PA Quadrangle 41°27'18"N 76°53'56"W);

20) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline and one electric/fiber optic line bored beneath 100 linear feet of an unnamed tributary (UNT) to Salt Run (EV, MF) (Bodines, PA Quadrangle 41°27'18"N 76°53'51"W);

21) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line bored beneath 4846 square feet of a palustrine forested (PFO) wetland (Bodines, PA Quadrangle 41°27'19"N 76°53'42"W);

22) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line bored beneath 254 linear feet of an unnamed tributary (UNT) to Salt Run (EV, MF) (Bodines, PA Quadrangle 41°27'19"N 76°53'41"W);

23) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE

waterline, and one electric/fiber optic line bored beneath 289 linear feet of an unnamed tributary (UNT) to Salt Run (EV, MF) (Bodines, PA Quadrangle 41°27'19"N 76°53'38"W);

24) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line bored beneath 94 linear feet of an unnamed tributary (UNT) to Salt Run (EV, MF) and 26025 square feet of adjacent palustrine forested (PFO) wetland (Bodines, PA Quadrangle 41°27'19"N 76°53'19"W);

25) a timber mat bridge impacting 35 linear feet of an unnamed tributary to Salt Run (EV, MF) and 1254 square feet of adjacent palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°27'14"N 76°53'16"W);

26) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 130 linear feet of an unnamed tributary (UNT) to Salt Run (EV, MF) and 42826 square feet of adjacent palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°27'16"N 76°53'07"W);

27) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 239 linear feet of an unnamed tributary (UNT) to Salt Run (EV, MF) and 14326 square feet of adjacent palustrine forested (PFO) wetland (Bodines, PA Quadrangle 41°27'12"N 76°52'59"W);

28) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line bored beneath 15754 square feet of a palustrine forested (PFO) wetland (Bodines, PA Quadrangle 41°27'06"N 76°52'35"W);

29) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line bored beneath 1834 square feet of a palustrine forested (PFO) wetland (Bodines, PA Quadrangle 41°27'06"N 76°52'29"W);

30) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line bored beneath 60 linear feet of an unnamed tributary (UNT) to West Branch Wallis Run (EV, MF) and 4621 square feet of adjacent palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°27'06"N 76°52'26"W);

31) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch steel gas line, one 12 inch HDPE waterline, and one electric/fiber optic line bored beneath 60 linear feet of an unnamed tributary (UNT) to West Branch Wallis Run (EV, MF) (Barbours, PA Quadrangle 41°27'06"N 76°52'24"W);

32) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 6826 square feet of a palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°24'15"N 76°59'03"W);

33) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 12 inch HDPE waterline, and one electric/fiber optic line impacting 27125 square feet of a palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°24'15"N 76°59'08"W);

34) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 24 inch steel gas line, one 12 inch HDPE waterline, one electric/fiber optic line impacting 13 linear feet of an unnamed tributary (UNT) to Bear Run (EV, MF) (White Pine, PA Quadrangle 41°26'29"N 77°12'08"W);

35) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 24 inch steel gas line, one 12 inch HDPE waterline, one electric/fiber optic line impacting 69 linear feet of an unnamed tributary (UNT) to Bear Run (EV, MF) and 106 square feet of adjacent palustrine emergent (PEM) wetland (White Pine, PA Quadrangle 41°26'45"N 77°12'01"W);

36) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 24 inch steel gas line, one 12 inch HDPE waterline, one electric/fiber optic line impacting 5 linear feet of Bear Run (EV, MF) and 169 square feet of adjacent palustrine emergent (PEM) wetland (White Pine, PA Quadrangle 41°26'47"N 77°12'01"W);

37) two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 24 inch steel gas line, one 12 inch HDPE waterline, one electric/fiber optic line impacting 5 linear feet of an unnamed tributary (UNT) to Bear Run (EV, MF) (White Pine, PA Quadrangle 41°27'18"N 77°12'01"W);

38) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 24 inch steel gas line, one 12 inch HDPE waterline, one electric/fiber optic line impacting 79 linear feet of an unnamed tributary (UNT) to Bear Run (EV, MF) (White Pine, PA Quadrangle 41°27'40"N 77°11'57"W);

39) a temporary road crossing using a timber mat bridge, two 6 inch flex steel gas lines, two 6 inch flex steel waterlines, one 24 inch steel gas line, one 12 inch HDPE waterline, one electric/fiber optic line impacting 63 linear feet of an unnamed tributary (UNT) to Bear Run (EV, MF) (White Pine, PA Quadrangle 41°27'41"N 77°11'58"W).

The project will result in 1656 linear feet of temporary stream impacts and 3.62 acres of temporary wetland impacts all for the purpose of installing natural gas and freshwater pipelines with associated roadways for Marcellus well development.

E5829-016: Williams Field Services Company, LLC, 1605 Coraopolis Heights Road, Moon Township, PA 15108-4310, Brooklyn Township, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a 10 inch steel gas gathering line and a temporary road crossing impacting 50 lineal feet of an unnamed tributary to Horton Creek (CWF-MF) (Hop Bottom, PA Quadrangle; Latitude: 41° 43' 47", Longitude: -75° 50' 15");

2) a 10 inch steel gas gathering line and a temporary road crossing impacting 55 lineal feet of an unnamed tributary to Horton Creek (CWF-MF) (Hop Bottom, PA Quadrangle; Latitude: 41° 44' 02", Longitude: -75° 49' 32");

3) a 10 inch steel gas gathering line and a temporary road crossing impacting 58 lineal feet of Horton Creek (CWF-MF) (Hop Bottom, PA Quadrangle; Latitude: 41° 44' 07", Longitude: -75° 48' 58");

4) a 10 inch steel gas gathering line and a temporary road crossing impacting 436 square feet of a PEM wetland (Hop Bottom, PA Quadrangle; Latitude: 41° 43' 47", Longitude: -75° 50' 16");

5) a 10 inch steel gas gathering line and a temporary road crossing impacting 4,356 square feet of a PFO wetland (Hop Bottom, PA Quadrangle; Latitude: 41° 43' 44", Longitude: -75° 50' 11");

6) a 10 inch steel gas gathering line and a temporary road crossing impacting 871 square feet of a PFO wetland (Hop Bottom, PA Quadrangle; Latitude: 41° 43' 54", Longitude: -75° 49' 54");

7) a temporary road crossing impacting 871 square feet of a PEM wetland (Hop Bottom, PA Quadrangle; Latitude: 41° 43' 55", Longitude: -75° 49' 53");

8) a 10 inch steel gas gathering line and a temporary road crossing impacting 3,049 square feet of a PEM wetland (Hop Bottom, PA Quadrangle; Latitude: 41° 43' 57", Longitude: -75° 49' 40");

9) a 10 inch steel gas gathering line and a temporary road crossing impacting 436 square feet of a PEM wetland (Hop Bottom, PA Quadrangle; Latitude: 41° 44' 03", Longitude: -75° 49' 33");

10) a 10 inch steel gas gathering line and a temporary road crossing impacting 4,356 square feet of a PSS wetland (Hop Bottom, PA Quadrangle; Latitude: 41° 43' 57", Longitude: -75° 49' 29");

11) a 10 inch steel gas gathering line and a temporary road crossing impacting 10,019 square feet of a PEM wetland (Hop Bottom, PA Quadrangle; Latitude: 41° 44' 08", Longitude: -75° 48' 59");

12) a 10 inch steel gas gathering line and a temporary road crossing impacting 27,443 square feet of a PEM wetland (Hop Bottom, PA Quadrangle; Latitude: 41° 44' 03", Longitude: -75° 48' 52").

The purpose of the project is for the conveyance of natural gas from the Corbin well site for 2.10 miles to the Post Natural Gas Pipeline. The project will result in 163 linear feet of temporary stream impacts, 51,836 square feet (1.19 acres) of temporary wetland impacts, and 9,583 square feet (0.22 acre) of permanent wetland impacts.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in

and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northcentral Region: Waterways & Wetlands Program Manager, 208 W Third Street, Williamsport, Pa 17701

ESCP # 5312802
Applicant Name National Fuel Gas Supply Corp
Contact Person
Address SR 244 (Rose Lake Rd)
City, State, Zip Genesee, PA 16923
County Potter
Township(s) Allegany Township
Receiving Stream(s) and Classification(s) Rose Lake Run
HQ

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, PO Box 8763, Harrisburg, PA 17105-8763.

SSIP

Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
12-39-008	St. Luke's University Hospital 801 Ostrum Street Bethlehem, PA 18015 Attn: David Alban	Lehigh	Fountain Hill Borough	1 AST storing diesel fuel	25,000 gallons

SPECIAL NOTICES

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

Request for Section 401 Water Quality Certification

17110105. AMFIRE Mining Company LLC (One Energy Place, Latrobe, PA 15650). Request for Section 401 Water Quality Certification for a temporary stream crossing in Girard Township, **Clearfield County**, LeContes Mills, PA USGS Quadrangle N: 40° 05' 48"; W: 78° 17' 24", ACOE Baltimore District.

Crossing will consist of one 48-inch diameter CPP pipe installed across Bald Hill Run. The crossing will be temporary. Upon completion of mining, the crossing will be removed and the site will be reclaimed to existing or better conditions. The stream is classified as CWF under 25 PA Code Chapter 93. Persons wishing to comment on or object to this request for Section 401 Water Quality Certification must submit comments or objections to the District Mining Office identified above within 30 days of the date of this public notice. Comments should contain the name, address and telephone number of the person commenting, the identification of the permit application to which the comments pertain, and a concise statement of the comments, objections or suggestions including relevant facts upon which they are based. The application describing the details of the proposed installation is available for review, by appointment, at the District Mining Office identified above.

[Pa.B. Doc. No. 12-1266. Filed for public inspection July 6, 2012, 9:00 a.m.]

Coastal Zone Grant Application Period for Federal Fiscal Year 2013 Grants

The Interstate Waters Office in the Department of Environmental Protection (Department) will be accepting applications beginning August 13, 2012, for Federal Fiscal Year 2013 Coastal Zone grants. Applications must be received no later than October 15, 2012.

Applicants must meet certain eligibility requirements (for example, the applicant must be an authority, a 501(c)(3) nonprofit organization, a political subdivision or an educational institution) and must be located within the Delaware Estuary Coastal Zone or the Lake Erie Coastal Zone. Proposals must also support the Coastal Zone Program's mission to protect and enhance coastal resources in this Commonwealth.

The Department and the Department of Conservation and Natural Resources have launched an electronic grant

application system called Environmental eGrants (eGrants), which standardizes the application process and provides an environmentally friendly way to submit a grant application through a secure internet connection.

Applications for Coastal Zone Management Program grants must be submitted electronically through the eGrants system. To access an online application go to <http://www.grants.dcnr.state.pa.us>, register as a user by clicking the "Log In/Register" link, click on "Find a Grant" to find this grant opportunity and then select the option to "Apply for This Grant." eGrants will guide applicants through the process of starting the electronic grant application.

To obtain more information concerning Coastal Zone grants, visit the Department web site at <http://www.dep.state.pa.us> and select "DEP Programs A - Z" tab, then choose "Coastal Zone" and then click on "Grants" or contact the Department of Environmental Protection,

Interstate Waters Office, 400 Market Street, P. O. Box 8465, Harrisburg, PA 17105-8465, (717) 772-4785.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 12-1267. Filed for public inspection July 6, 2012, 9:00 a.m.]

Nutrient Credit Trading Program; Action

The Department of Environmental Protection (Department) provides notice of the following action under the Nutrient Credit Trading Program (Trading Program). The approval of this request is considered a final action of the Department. This action was taken under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed), published at 40 Pa.B. 5790 (October 9, 2010).

Borough of Chambersburg. This approval is for a 3-year pilot program for the use of nitrogen and phosphorus credits that will be generated in the Susquehanna River Basin to meet National Pollutant Discharge Elimination System nitrogen and phosphorous annual effluent limits related to compliance with the Chesapeake Bay Total Maximum Daily Load at its waste water treatment facility (WWTF) located in the Potomac River Basin. Chambersburg asserts that there are insufficient certified credits within the Potomac River Basin to meet the projected nitrogen and phosphorous credit needs at its WWTF. This pilot program is valid until November 30, 2015, as long as the following requirements are met:

- Any certified, verified and registered credits generated in the Susquehanna River Basin must first be calculated in accordance with the procedures set forth in 25 Pa. Code § 96.8. The first step will be for Chambersburg to submit an application for the certification of the pollutant reduction activities to generate credits. The contents of this application are listed in 25 Pa. Code § 96.8(e) and on the Department's web site at www.dep.state.pa.us (DEP Programs: Nutrient Trading). The Department expects the certification application to include a comprehensive listing of all the locations where Chambersburg is installing practices to generate credits, a listing of the practices to be installed and the calculations used to estimate the amount of credits.

- Chambersburg will obtain an additional 5% of credits needed for permit compliance if the credits are obtained from the Susquehanna River Basin. The additional 5% percent must come from the Susquehanna River Basin. The Department will permanently retire these additional credits. The Department intends this factor to act as an incentive to Chambersburg to buy credits from the local river basin.

After November 30, 2015, approval for the continuation of inter-basin trading by Chambersburg would be based on the program requirements in place on the date the Department receives an application by Chambersburg to continue this program. Notice of the interbasin trading request was published for comment at 42 Pa.B. 2450 (May 5, 2012).

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457,

Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For further information about this action or the Nutrient Credit Trading Program, contact Brian Schlauderaff, Bureau of Point and NonPoint Source Management, Department of Environmental Protection, P. O. Box 8774, Harrisburg, PA 17105-8465, (717) 705-4090, bschlauder@pa.gov or visit the Department's web site at www.dep.state.pa.us (DEP Keywords: "Nutrient Trading").

The following certification requests have been approved by the Department.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 12-1268. Filed for public inspection July 6, 2012, 9:00 a.m.]

Potomac Regional Water Resources Committee Meeting

The Potomac Regional Water Resources Committee, associated with the Department of Environmental Protection (Department), will meet on July 11, 2012, from 1 to 3 p.m. at the Adams County Agricultural Center, 670 Old Harrisburg Road, Gettysburg, PA 17325.

Questions concerning the schedule or agenda items can be directed to Heidi Moltz at (301) 274-8116 or hmoltz@icprb.org. This schedule, an agenda for the meeting and meeting materials will be available through the Public Participation Center on the Department's web site at <http://www.dep.state.pa.us>.

Persons with a disability who require accommodations to attend the previously listed meeting should contact the Department at (717) 783-2402 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 12-1269. Filed for public inspection July 6, 2012, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Drugs for ALS Ambulance Services

Under 28 Pa. Code § 1005.11(b) (relating to drug use, control and security), the following drugs are approved for use by ground advanced life support (ALS) ambulance services and may be administered by emergency medical technicians—paramedics, prehospital registered nurses and health professional physicians when use of the drugs is permitted by the applicable Department of Health (Department) approved regional medical treatment protocols:

1. Activated charcoal
2. Acetaminophen
3. Adenosine
4. Albuterol
5. Amiodarone
6. Antimicrobials—for interfacility transports only
7. Aspirin
8. Atropine sulfate
9. Benzocaine—for topical use only
10. Bivalirudin—for interfacility transports only
11. Calcium chloride
12. Calcium gluconate
13. Captopril
14. Dexamethasone sodium phosphate
15. Diazepam
16. Dilaudid—for interfacility transports only
17. Diltiazem
18. Diphenhydramine HCL
19. Dobutamine
20. Dopamine
21. Enalapril
22. Epinephrine HCL
23. Etomidate (only permitted for services approved by a regional EMS council and participating in the required QI program)
24. Fentanyl
25. Furosemide
26. Glucagon
27. Heparin by intravenous drip—for interfacility transports only
28. Hydrocortisone sodium succinate
29. Glycoprotein IIb/IIIa Inhibitors—for interfacility transports only
 - a. Abciximab
 - b. Eptifibatide
 - c. Tirofiban
30. Intravenous electrolyte solutions
 - a. Dextrose
 - b. Lactated Ringer's
 - c. Sodium chloride
 - d. Normosol

- e. Potassium—for interfacility transports only
31. Ipratropium Bromide
32. Isoproterenol HCL—for interfacility transports only
33. Levalbuterol—for interfacility transports only
34. Lidocaine HCL
35. Lorazepam
36. Magnesium sulfate
37. Methylprednisolone
38. Midazolam
39. Morphine sulfate
40. Naloxone HCL
41. Nitroglycerin (all forms/routes, but continuous intravenous infusion must be regulated by an infusion pump)
42. Nitrous oxide
43. Ondansetron
44. Oxytocin
45. Pralidoxime CL
46. Procainamide
47. Sodium bicarbonate
48. Sodium thiosulfate
49. Sterile water for injection
50. Terbutaline
51. Tetracaine—for topical use only
52. Total parenteral nutrition—for interfacility transport only
53. Verapamil

During interfacility transport, all medications given by continuous infusion (except intravenous electrolyte solutions with potassium concentrations of no more than 20 mEq/L) must be regulated by an electronic infusion pump. For prehospital transport, continuous infusions of crystalloid solutions containing medication (except intravenous electrolyte solutions with potassium concentrations of no more than 20 mEq/L) must be rate controlled by electronic IV pump or a manual flow control device capable of setting specific numeric flow rates.

This list supersedes the list of approved drugs published at 41 Pa.B. 2286 (April 30, 2011). The changes from the previous notice are:

1. The removal of heparin flush.
2. The addition of prehospital transport continuous infusions of crystalloid solutions containing medication (except intravenous electrolyte solutions with potassium concentrations of no more than 20 mEq/L) must be rate controlled by an electronic IV pump or a manual flow control device capable of setting specific numeric flow rates.

Ambulance services are not authorized to stock drugs designated "for interfacility transports only." However, paramedics and health professionals may administer a drug so designated if the facility transferring a patient provides the drug, directs that it be administered to the patient during the transfer, and the regional transfer and medical treatment protocols permit the administration of the drug by those personnel. See 28 Pa. Code § 1005.11(a)(3) and (d).

Section 1005.11 of 28 Pa. Code permits a ground ALS ambulance service, with Department approval, to stock drugs, under specified circumstances, in addition to those drugs on the approved list if a region's medical treatment protocols authorize their use within the region.

The list of drugs in this notice does not apply to air ambulance services. Under 28 Pa. Code § 1007.7(i)(2) (relating to licensure and general operating requirements), each air ambulance service is to develop its own medical treatment protocols that identify drugs that may be used by the air ambulance service. The air ambulance service is to then submit the protocols to the medical advisory committee of the appropriate regional emergency medical services council for the medical advisory committee's review and recommendations. Following its consideration of the recommendations and making further revisions if needed, the air ambulance service is to file the protocols with the Department for approval.

Persons with a disability who require an alternate format of this notice (for example, large print, audiotope, Braille) should contact Robert Cooney, Department of Health, Bureau of Emergency Medical Services, Room 606, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120-0701, (717) 787-8740. Speech or hearing impaired persons may use V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-1270. Filed for public inspection July 6, 2012, 9:00 a.m.]

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined lists of prearrest breath testing devices and evidential breath testing devices.

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol), and section 2102(g) of The Administrative Code of 1929 (71 P. S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking, while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating

to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance), or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published a conforming products list (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed testing of interpretive screening devices (ISDs) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current CPL was published at 77 FR 35745 (June 14, 2012). Since this notice lists only those devices which test breath, items on the NHTSA list that test saliva or other bodily fluids are not included in this notice.

The following list adds nine alcohol screening devices that have been evaluated by the NHTSA and found to conform to the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. One device is distributed by two different companies, so it has been listed twice, for a total of ten new entries.

(1) AK Solutions USA, LLC submitted the AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500) alcohol screening device. This is a handheld, battery powered device with a semiconductor sensor.

(2) Alcohol Countermeasure Systems Corp. submitted the DRIVESAFE alcohol screening device. This is a handheld, battery powered device with a fuel cell sensor.

(3) KHN Solutions, LLC submitted two screening devices for testing. Their trade names are: BACTRACK Element and the BACTRACK S75 Pro. Both devices are handheld, battery powered with fuel cell sensors.

(4) PAS Systems International, Inc. submitted the Alcovisor MARS screening device. This is a handheld, battery powered device with a fuel cell sensor.

(5) Q3 Innovations, Inc. submitted the CA2010 screening device. This is a handheld, battery powered device with a semiconductor sensor.

(6) Skyfine, Inc. Ltd. submitted three devices (AT577, AT578 and AT579). All three devices are hand-held, battery powered, and use fuel cell sensors. The AT578 is also distributed by Express Diagnostics, Int'l, Blue Earth, Minnesota under the trade name of AlcoCheck FC90, so it has been listed twice on the CPL, once under each of its distributors/manufacturers.

All of the previously listed devices meet the NHTSA Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

The Department approves evidential breath testing devices under the authority of the Motor Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)), the Game and Wildlife Code (34 Pa.C.S. § 2502(c)) and section 2102(g) of The Administrative Code of 1929.

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802, or any other violation of the Vehicle Code arising out of the same action, or 30 Pa.C.S. § 5502, or any other violation of the Fish and Boat Code arising out of the same action, or 34 Pa.C.S. § 2501, or any other violation of the Game and Wildlife Code arising out of the same action. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted this standard to Model Specifications for Evidential Breath Testing Devices (Model Specifications), and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D at 49 FR 48854 (December 14, 1984). Those instruments are identified in this notice with an asterisk.

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated, from 0.000, 0.050, 0.101 and 0.151 BAC to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984, and which have been determined to meet the Model Specifications, as revised and published in 1993. Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The approval of evidential equipment listed in this notice updates the CPL published at 75 FR 11624 (March

11, 2010) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices dated September 17, 1993. The current CPL was published at 77 FR 35747 (June 14, 2012).

This list adds nine new instruments that have been evaluated by the NHTSA and found to conform to the Model Specifications, as amended on September 17, 1993, for mobile and nonmobile use. One instrument is distributed by two different companies, so it has been listed twice, for a total of ten new entries on this CPL. In alphabetical order by company, they are:

1) The "SAF'IR Evolution" manufactured by Alcohol Countermeasure Systems, Corp. Toronto, Ontario, Canada. This is a hand-held instrument intended for use in stationary or mobile operations. It uses an infrared sensor and powered by internal batteries.

2) The "Intoxilyzer 600" manufactured by CMI, Inc., Owensboro, Kentucky. This is a hand-held instrument intended for use in stationary or mobile operations. It uses a fuel cell sensor and powered by an internal battery. The Intoxilyzer 600 is also distributed as the Alcolmeter 600 by Lion Laboratories outside the US, so it has been listed twice on the CPL, once under each of its distributors/manufacturers.

3) The "Guth 38" manufactured by Guth Laboratories, Inc., Harrisburg, Pennsylvania. This is a hand-held instrument intended for use in stationary or mobile operations. It uses a fuel cell sensor and is powered by internal batteries.

4) The "Alco-Sensor V XL" manufactured by Intoximeters, Inc., St. Louis, Missouri. This is a hand-held instrument intended for use in stationary or mobile operations. It uses a fuel cell sensor and is powered by internal batteries.

5) The "LifeGuard Pro" manufactured by Lifeloc Technologies, Inc., Wheat Ridge, Colorado. This is a hand-held instrument intended for use in stationary or mobile operations. It uses a fuel cell sensor and is powered by internal batteries.

6) The "DataMaster DMT with fuel cell option series number (SN) 555555" and the "DataMaster DMT with fuel cell option series number (SN) 100630" manufactured by National Patent Analytical Systems, Inc., Mansfield, Ohio. These instruments can be used in stationary and mobile operations. These instruments use both infrared and fuel cell sensors. These instruments can be powered by either 110 volts alternate current or 12 volts direct current.

7) The "Alcovisor Jupiter" and the "Alcovisor Mercury" manufactured by PAS International, Fredericksburg, Virginia. These are hand-held instruments intended for use in stationary or mobile operations. Both instruments use a fuel cell sensor and are powered by internal batteries.

This update also removes four instruments no longer supported by the manufacturer and makes one minor change. The following instruments (PBA 3000B, PBA 3000-P, PBA 3000 C and Alcohol Data Sensor), manufactured by Lifeloc Technologies, Inc., Wheat Ridge, Colorado, are being removed from the CPL because these instruments were determined to be obsolete. These instruments are no longer manufactured, in use, or being maintained by the manufacturer.

The minor change includes a change of address for Alcohol Countermeasure Systems Corp., from Missis-sauga, Ontario, Canada to Toronto, Ontario, Canada.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is nonmobile equipment) or can be transported to nonfixed operational sites in the field (mobile equipment). Most equipment on the list is approved for mobile and nonmobile operation.

The instruments not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments marked with an asterisk may be used as evidentiary devices for law enforcement purposes that are concerned with blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies that plan to utilize a device which does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Dr. M. Jeffery Shoemaker at the following address that the

Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer. This is due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In such instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility to information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*. This practice was implemented in 2009 and will proceed even if an updated conforming products list has not appeared in the *Federal Register* since the Department's last annual publication of approved breath testing devices.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) may contact Dr. M. Jeffery Shoemaker at V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

Conforming Products List of Alcohol Screening Devices (Prearrest breath testing devices)

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey 1	<ul style="list-style-type: none"> • AlcoScan AL-2500. • SafeMate.² • SafeDrive. • AlcoMate.³ (aka: AlcoHAWK Pro by Q3 Innovations). • AlcoMate Accu Cell AL-9000. • AlcoMate Pro.³ • AlcoMate Core.⁴ • AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).^{4 5} • AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).^{4 6} • AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. ⁷ Alco Check 9000. ⁷
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol ✓ .02 Detection System. ⁸
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE.
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
CMI, Inc., Owensboro, Kentucky	Intoxilyzer 500 (aka: Alcometer 500—Lion Laboratories).
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> • Alco Tector Mark X. • Mark X Alcohol Checker. • Alcotector WAT89EC-1. • Alcotector WAT90.

Distributors/Manufacturers	Devices
Han International Co., Ltd., ² Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> • ACTRACK Element. • BACTRACK S 75 Pro.
Lion Laboratories, Ltd., Wales, United Kingdom	Alcometer 500 (aka: Intoxilyzer 500-CMI, Inc.).
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> • PAS Vr. • Alcovisor MARS.
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> • AlcoHAWK Precision. • AlcoHAWK Slim. • AlcoHAWK Slim 2. • AlcoHAWK Elite. • AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.). • AlcoHAWK Micro. • AlcoHAWK PRO (aka: AlcoMate by AK Solutions). • AlcoHAWK PT 500. • CA2010.
RepcO Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> • T577. • AT578 (aka: AlcoCheck FC90). • AT579.
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. ⁷

1 The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

2 Manufactured by Seju Engineering, Korea.

3 Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

4 Manufactured by Sentech Korea Corp.

5 These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with 4 detectors including the one that was already installed.

6 These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with 5 detectors including the one that was already installed.

7 While these devices are still being sold, they are no longer manufactured or supported.

8 The Breath Alcohol \blacktriangleright .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

Conforming Products List of Evidential Breath Testing/Measurement Devices

Manufacturer/Distributor and Model	Mobile	Nonmobile
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF'IR Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcometer 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X
600 (aka: Lion Alcometer 600 outside the U.S.)	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/ 3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger Safety, Inc. (aka: National Draeger) Irving, Texas:		
Alcotest Model:		
6510	X	X
6810	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Photo Electric Intoximeter*		X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Auto Intoximeter*	X	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor		X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)	X	X
Portable Intox EC/IR		X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0	X	X
EV 30	X	X
FC 10	X	X
FC 20	X	X
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
EBA*	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*		X
2000*		X
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc., Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/ or without the Delta-1 accessory)	X	X
DataMaster cdm (w/ or without the Delta-1 accessory)	X	X
DataMaster DMT	X	X
DataMaster DMT w/ Fuel Cell option SN: 555555	X	X
DataMaster DMT w/ Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Mark V Alcovisor	X	X
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Siemans-Allis, Cherry Hill, New Jersey:		
Alcomat *	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

Instruments marked with an asterisk () meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. Instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-1271. Filed for public inspection July 6, 2012, 9:00 a.m.]

Chronic Renal Disease Advisory Committee Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P. L. 419, No. 140) (35 P. S. § 6204), will hold a public meeting on Friday, July 20, 2012, from 10 a.m. to 2 p.m. The meeting will be held in Conference Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Carolyn S. Cass, Director, (717) 772-2762. For speech and/or hearing impaired persons call V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-1272. Filed for public inspection July 6, 2012, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P. S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the Department’s Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood or "Se" for serum, or both. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses are designated on the approval list by a "C" followed by the letters "B" for blood or "Se" for serum, or both. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after their laboratory name.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at the previously

referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

30483
AIT LABORATORIES—SBSe, CBSe
2265 EXECUTIVE DRIVE
INDIANAPOLIS, IN 46241
(317) 243-3894

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SBSe,
CBSe
1520 PENN AVENUE
2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SBSe,
CBSe
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

31684
BUCKS COUNTY CRIME LABORATORY—SBSe, CBSe
850 EAGLE BOULEVARD
WARMINSTER, PA 18974
(215) 431-5187

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SSe, CSe
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00977
DRUGSCAN INC—SBSe, CBSe
1119 MEARNS RD
PO BOX 2969
WARMINSTER, PA 18974
(267) 960-3407

24655
HEALTH NETWORK LABORATORIES—SBSe, CBSe
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

20512
LABCORP OCCUPATIONAL TESTING SER—SBSe,
CBSe
1904 ALEXANDER DRIVE PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-6900

09003
MAYO CLINIC LABS-ROCH MAIN CAMPUS—SSe, CSe
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

29251
MAYO MEDICAL LABORATORIES NEW ENGLAND—
SSe, CSe
160 DASCUMB ROAD
ANDOVER, MA 01810
(978) 658-3600

05574
MEDTOX LABORATORIES INC—SBSe, CBSe
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SBS_e,
CBS_e
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

29741
NORTHERN TIER RESEARCH—SBS_e, CBS_e
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153

30984
OFFICE OF THE DISTRICT ATTORNEY—SS_e
37 E HIGH STREET, FORENSIC LAB
CARLISLE, PA 17103
(717) 240-6526

00250
PARKWAY CLINICAL LABORATORIES—SS_e
3494 PROGRESS DRIVE, SUITE D
BENSALEM, PA 19020
(215) 245-5112

00520
PC LAB INC—SBS_e, CBS_e
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

31399
QUEST DIAGNOSTICS—SB, CB
EMPLOYER SOLUTIONS,
1777 MONTREAL CIRCLE
TUCKER, GA 30084
(770) 936-5007

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SBS_e,
CBS_e
14225 NEWBROOK DRIVE PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

00482
QUEST DIAGNOSTICS OF PA INC—SBS_e, CBS_e
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SBS_e, CBS_e
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00151
ST JOSEPH QUALITY MEDICAL LAB—SBS_e, CBS_e
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SS_e
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
(570) 829-8111

00141
YORK HOSPITAL—SS_e
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-1273. Filed for public inspection July 6, 2012, 9:00 a.m.]

Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (Act) (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories.

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance), as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside this Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are licensed by the Department and approved for that purpose.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes, and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the

facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare and Medicaid Services (CMS). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The Commonwealth's Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood and/or serum and plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S and B indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

00212
ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 576-2350

27180
ADVANCED TOXICOLOGY NETWORK—B
3560 AIR CENTER COVE
SUITE 101
MEMPHIS, TN 38118
(901) 794-5770

00233
ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK RD
LABS—TOWER BLDG GROUND FL
PHILADELPHIA, PA 19141-3001
(215) 456-6157

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SB
1520 PENN AVENUE
2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

28233
ALLEGHENY GENERAL HOSP DEPT OF LAB
MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077
ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886

00100
ALLEGHENY VALLEY HOSPITAL LAB—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100

00119
ALTOONA REGIONAL HEALTH SYSTEM LAB—SB
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340

00192
ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

00236
ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068

00341
ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-4000

00041
ARMSTRONG COUNTY MEMORIAL HOSP—S
1 NOLTE DRIVE
KITANNING, PA 16201
(724) 543-8500

00047
ASSOCIATED CLINICAL LABORATORIES—SB
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

- 00251
 AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S
 800 SPRUCE STREET
 PHILADELPHIA, PA 19107
 (215) 829-3541
- 00320
 BARNES KASSON HOSPITAL LAB—S
 400 TURNPIKE STREET
 SUSQUEHANNA, PA 18847
 (570) 853-5059
- 00001
 BERWICK HOSPITAL LABORATORY—S
 701 EAST 16TH STREET
 BERWICK, PA 18603
 (570) 759-5110
- 00301
 BHS LABORATORY—S
 ONE HOSPITAL WAY
 (911 E BRADY STREET)
 BUTLER, PA 16001
 (724) 284-4510
- 00002
 BLOOMSBURG HOSPITAL—S
 549 E FAIR STREET
 BLOOMSBURG, PA 17815
 (570) 387-2124
- 00033
 BRADFORD REGIONAL MEDICAL CENTER—B
 116-156 INTERSTATE PKWY
 BRADFORD, PA 16701-0218
 (814) 362-8247
- 00296
 BRANDYWINE HOSPITAL—S
 201 REECEVILLE ROAD
 COATESVILLE, PA 19320
 (610) 383-8000
- 00053
 BROOKVILLE HOSPITAL LAB—S
 100 HOSPITAL ROAD
 BROOKVILLE, PA 15825
 (814) 849-2312
- 31684
 BUCKS COUNTY CRIME LABORATORY—B
 850 EAGLE BOULEVARD
 WARMINSTER, PA 18974
 (215) 431-5187
- 00107
 CANONSBURG GENERAL HOSPITAL—S
 100 MEDICAL BOULEVARD
 CANONSBURG, PA 15317
 (724) 745-3916
- 00131
 CARLISLE REGIONAL MEDICAL CENTER—S
 361 ALEXANDER SPRING ROAD
 CARLISLE, PA 17015-9129
 (717) 249-1212
- 00132
 CHAMBERSBURG HOSPITAL DEPT OF
 PATHOLOGY—S
 112 NORTH SEVENTH STREET
 CHAMBERSBURG, PA 17201
 (717) 267-7153
- 00310
 CHARLES COLE MEMORIAL HOSPITAL—S
 1001 EAST SECOND STREET
 COUDERSPORT, PA 16915
 (814) 274-5510
- 00198
 CHESTER COUNTY HOSPITAL—S
 701 E MARSHALL ST
 WEST CHESTER, PA 19380
 (610) 431-5182
- 00227
 CHESTNUT HILL HOSPITAL—S
 DEPARTMENT OF PATHOLOGY
 8835 GERMANTOWN AVENUE
 PHILADELPHIA, PA 19118
 (215) 248-8113
- 00228
 CHILDRENS HOSP OF PHILADELPHIA—S
 3401 CIVIC CENTER BLVD.
 PHILADELPHIA, PA 19104
 (215) 590-4446
- 00329
 CLARION HOSPITAL—S
 1 HOSPITAL DRIVE
 CLARION, PA 16214
 (814) 221-8969
- 00026
 CLEARFIELD HOSPITAL LABORATORY—S
 809 TURNPIKE AVENUE
 PO BOX 992
 CLEARFIELD, PA 16830
 (814) 768-2280
- 00005
 COMMUNITY MEDICAL CENTER—S
 1800 MULBERRY STREET
 SCRANTON, PA 18510
 (570) 969-8000
- 00125
 CONEMAUGH VALLEY MEMORIAL HOSP—SB
 LABORATORY DEPT
 1086 FRANKLIN STREET
 JOHNSTOWN, PA 15905
 (814) 534-9000
- 00326
 CORRY MEMORIAL HOSPITAL—S
 612 WEST SMITH STREET
 CORRY, PA 16407
 (814) 664-4641
- 00201
 CROZER CHESTER MED CENTER—S
 1 MEDICAL CENTER BOULEVARD
 UPLAND, PA 19013
 (610) 447-2000
- 00209
 CROZER-CHESTER MED CTR-SPRINGFLD—S
 FIRST FLOOR LABORATORY
 190 WEST SPROUL ROAD
 SPRINGFIELD, PA 19064
 (610) 447-2000
- 00204
 DELAWARE COUNTY MEMORIAL HOSP—S
 501 NORTH LANSDOWNE AVENUE
 DREXEL HILL, PA 19026-1186
 (610) 284-8100

- 00266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423
- 00194
DOYLESTOWN HOSPITAL—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250
- 00977
DRUGSCAN INC—SB
1119 MEARNES RD
PO BOX 2969
WARMINSTER, PA 18974
(267) 960-3407
- 00027
DUBOIS REG MED CTR—WEST UNIT—S
100 HOSPITAL AVE
DUBOIS, PA 15801
(814) 371-2200
- 00175
EASTON HOSPITAL—S
250 SOUTH 21ST ST
EASTON, PA 18042-3892
(610) 250-4819
- 00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081
- 00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
25 GROW AVENUE
MONTROSE, PA 18801-1103
(570) 278-3801
- 00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE
PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311
- 00032
ERHC ST MARYS LABORATORY—B
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525
- 00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510
- 00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 537-1550
- 00085
FORBES REGIONAL HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2560
- 00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500
- 00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169
- 00173
GEISINGER MEDICAL LABORATORIES—SB
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338
- 00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 826-7830
- 00122
GETTYSBURG HOSPITAL LABORATORY—SB
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 337-4120
- 00152
GNADEN HUETTEN MEMORIAL HOSP—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083
- 00299
GOOD SAMARITAN HOSPITAL—B
4TH & WALNUT STS
PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7986
- 00196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
(215) 453-4528
- 00061
GROVE CITY MEDICAL CENTER—S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7125
- 00024
GUTHRIE CLINIC LAB AT TROY COMM—S
101 ELMIRA STREET
TROY, PA 16947
(570) 297-2121
- 00654
GUTHRIE CLINIC LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 882-4160
- 00239
HAHNEMANN UNIVERSITY HOSPITAL—S
BROAD & VINE STS MS 113
PHILADELPHIA, PA 19102
(215) 762-1783
- 00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 637-3711

00010
HAZLETON GENERAL HOSPITAL—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4152

00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-8150

00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150

00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(610) 402-8150

24655
HEALTH NETWORK LABORATORIES—SB
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

00166
HEART OF LANCASTER REGIONAL MEDICAL
CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605

00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000

00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 741-6600

00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500

00130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2206

00052
INDIANA REGIONAL MEDICAL CENTER—S
HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167

00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645

00054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080

00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347

00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119
565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723

00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080

00034
KANE COMMUNITY HOSPITAL—S
4372 ROUTE 6
KANE, PA 16735
(814) 837-4570

01088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE
PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
PO BOX 3555
LANCASTER, PA 17604
(717) 544-4331

00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022

00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4625

00138
LEWISTOWN HOSPITAL—B
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7474

00030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

09003
MAYO CLINIC LABS-ROCH MAIN CAMPUS—SB
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

29251
MAYO MEDICAL LABORATORIES NEW
ENGLAND —SB
160 DASCUMB ROAD
ANDOVER, MA 01810
(978) 658-3600

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

05574
MEDTOX LABORATORIES INC—SB
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
PO BOX 15118
YORK, PA 17403
(717) 843-8623

00023
MEMORIAL HOSPITAL LAB—SB
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262

00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9181

00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
(610) 278-2078

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

00231
MEYERSDALE COMMUNITY HOSPITAL—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 634-5911

00269
MID-VALLEY HOSPITAL—S
1400 MAIN STREET
PECKVILLE, PA 18452
(570) 383-5520

00128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
(814) 247-3100

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00217
MONTGOMERY HOSPITAL LAB—S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
(610) 270-2173

00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2100

00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ATTN: LAB
ELKINS PARK, PA 19027
(215) 456-6150

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

29741
NORTHERN TIER RESEARCH—SB
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153

30984
OFFICE OF THE DISTRICT ATTORNEY—SB
37 E HIGH STREET
FORENSIC LAB
CARLISLE, PA 17103
(717) 240-6526

00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

00334
PALMERTON HOSPITAL—SB
135 LAFAYETTE AVENUE
PALMERTON, PA 18071
(610) 826-1100

31516
PAML LLC—SB
611 N PERRY
BLDG II SUITE 100
SPOKANE, WA 99202
(509) 954-9519

00520
PC LAB INC—SB
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST
DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

31869
PERLL DIAGNOSTICS INC—S
5010 RITTER ROAD
SUITE 104
MECHANICSBURG, PA 17055
(570) 394-2776

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD
DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612

00157
PINNACLE HEALTH AT COMMUNITY GENERAL
HOSPITAL—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00155
PINNACLE HEALTH AT HARRISBURG HOSPITAL
LAB—SB
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 782-3340

00022
POCONO MEDICAL CENTER LAB—SB
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7000

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

22715
QUEST DIAGNOSTICS—SB
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

29214
QUEST DIAGNOSTICS—SB
5601 OFFICE BLVD NE
ALBUQUERQUE, NM 87109
(505) 727-6209

31399
QUEST DIAGNOSTICS—SB
EMPLOYER SOLUTIONS
1777 MONTREAL CIRCLE
TUCKER, GA 30084
(770) 936-5007

27461
QUEST DIAGNOSTICS INC—SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4219

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

- 00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600
- 25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631
- 00150
READING HOSPITAL & MED CTR—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(610) 988-8080
- 00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100
- 00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394
- 00171
SACRED HEART HOSPITAL—S
4TH & CHEW STS
ATTN LAB DEPT
ALLENTOWN, PA 18102
(610) 776-4727
- 00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900
- 00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558
- 00328
SAINT MARY MEDICAL CENTER—S
LANGHORNE - NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162
- 00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5383
- 00182
SCHUYLKILL MC E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032
- 00183
SCHUYLKILL MC S JACKSON ST—SB
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262
- 00064
SHARON REGIONAL HEALTH SYSTEM—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3911
- 00039
SOLDIERS & SAILORS MEM HOSP—S
CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133
- 00297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000
- 00105
SOUTHWEST REGIONAL MEDICAL CENTER—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2608
- 00361
ST CATHERINE MED CTR-FOUNTAIN SPRINGS—S
101 BROAD STREET
ASHLAND, PA 17921
(570) 875-5988
- 00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
ERIE AVENUE AT FRONT STREET
PHILADELPHIA, PA 19134
(215) 427-4207
- 00151
ST JOSEPH QUALITY MEDICAL LAB—SB
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8646
- 00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET
PO BOX 67
COALDALE, PA 18218
(570) 645-2131
- 00195
ST LUKES QUAKERTOWN HOSPITAL—S
1021 PARK AVENUE
QUAKERTOWN, PA 18951
(215) 538-4681
- 32021
ST. LUKES HOSPITAL-ANDERSON LAB—S
1872 RIVERSIDE CIRCLE
EASTON, PA 18045
(484) 503-1075
- 00094
SUBURBAN CLINICAL LABORATORY—S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
(412) 734-6020

00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450

00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4353

00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
DEPT OF PATH & LAB MED
2ND FL. OPB RM 249
PHILADELPHIA, PA 19140
(215) 707-4353

00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET 204 PAVILLION
PHILADELPHIA, PA 19107
(215) 955-1644

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384

00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506

32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD.
GROUND FLOOR
ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682

00046
UPMC HAMOT—S
201 STATE STREET
ERIE, PA 16550
(814) 877-3131

00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831

00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
(412) 367-6700

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00111
WASHINGTON HOSPITAL—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3136

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SB
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
(570) 829-8111

00095
WESTERN PENNSYLVANIA HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

30245
WESTFIELD HOSPITAL MEDICAL CENTER LABORATORY—S
4815 W TILGHMAN STREET
ALLENTOWN, PA 18104
(610) 973-8425

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT REGIONAL MEDICAL CENTER—SB
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00106
WINDBER HOSPITAL—S
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-6611

25064
WVU HOSPITAL CLINICAL LABS—S
1 MEDICAL CENTER DR
PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-1274. Filed for public inspection July 6, 2012, 9:00 a.m.]

Laboratories Approved to Determine Urine Controlled Substance Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to

determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought. The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under the influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-5768, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

00212
ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 576-2350

27908
ACM MEDICAL LABORATORY—SC
160 ELMGROVE PARK
ROCHESTER, NY 14624
(716) 429-2264

27180
ADVANCED TOXICOLOGY NETWORK—SC
3560 AIR CENTER COVE
SUITE 101
MEMPHIS, TN 38118
(901) 794-5770

31695
AEGIS SCIENCES CORPORATION—SC
515 GREAT CIRCLE ROAD
NASHVILLE, TN 37228
(615) 255-2400

30483
AIT LABORATORIES—SC
2265 EXECUTIVE DRIVE
INDIANAPOLIS, IN 46241
(317) 243-3894

00233
ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK RD
LABS-TOWER BLDG GROUND FL
PHILADELPHIA, PA 19141-3001
(215) 456-6157

24496
ALERE TOXICOLOGY SERVICES—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130

26008
ALERE TOXICOLOGY SERVICES INC—SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989

00116
ALLE KISKI MED CNTR NEW KENSINGTON—S
651 FOURTH AVENUE
NEW KENSINGTON, PA 15068
(724) 226-7089

25019
ALLEGHENY CNTY HEALTH DEPT STD—S
3333 FORBES AVENUE
PITTSBURGH, PA 15213
(412) 578-8070

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SC
1520 PENN AVENUE
2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

28233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077
ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886

00100
ALLEGHENY VALLEY HOSPITAL LAB—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100

00119
ALTOONA REGIONAL HEALTH SYSTEM LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340

31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC
728 LARKFIELD ROAD
EAST NORTHPORT, NY 11731
(631) 923-0166

30223
AMERITOX LTD—SC
9930 WEST HWY 80
MIDLAND, TX 79706
(432) 561-5091

31814
AMERITOX, LTD.—SC
486 GALLIMORE DAIRY ROAD
GREENSBORO, NC 27409
(336) 387-7600

26620
AMMON ANALYTICAL LABORATORY—SC
1622 SOUTH WOOD AVENUE
LINDEN, NJ 07036
(908) 862-4404

31148
ANALYTICAL DIAGNOSTIC LAB—S
2115 AVENUE X
BROOKLYN, NY 11235
(718) 646-6000

00192
ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

00236
ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068

00341
ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-4000

00047
ASSOCIATED CLINICAL LABORATORIES—S
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC
3520 PROGRESS DRIVE
UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 31171
AVEE LABORATORIES INC—SC
14440 MYERLAKE CIRCLE
CLEARWATER, FL 33760
(757) 530-9990
- 31111
AXIS DIAGNOSTICS INC.—S
900 TOWN CENTER DRIVE
SUITE H-50
LANGHORNE, PA 19047
(267) 212-2000
- 00251
AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541
- 00320
BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059
- 21553
BENDINER & SCHLESINGER INC—SC
140 58TH STREET
SUITE 8D
BROOKLYN, NY 11220
(212) 254-2300
- 00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110
- 00301
BHS LABORATORY—S
ONE HOSPITAL WAY
(911 E BRADY STREET)
BUTLER, PA 16001
(724) 284-4510
- 27615
BIOLOGICAL SPECIALTY CORPORATION—S
2165 NORTH LINE STREET
COLMAR, PA 18915
(215) 997-8771
- 27616
BIOLOGICAL SPECIALTY CORPORATION—S
1236 NEW RODGERS RD #851
BRISTOL, PA 19007
(215) 826-9282
- 27617
BIOLOGICAL SPECIALTY CORPORATION—S
22 SOUTH 4TH STREET
READING, PA 19602
(610) 375-9862
- 22757
BIOREFERENCE LABORATORIES INC—SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 00002
BLOOMSBURG HOSPITAL—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2124
- 00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247
- 00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000
- 00472
BROOKSIDE CLINICAL LAB INC—S
4000 EDMONT AVENUE
BROOKHAVEN, PA 19015
(610) 872-6466
- 31684
BUCKS COUNTY CRIME LABORATORY—S
850 EAGLE BOULEVARD
WARMINSTER, PA 18974
(215) 431-5187
- 29116
CALLOWAY LABORATORIES INC—SC
34 COMMERCE WAY
WOBURN, MA 01801
(781) 224-9899
- 00107
CANONSBURG GENERAL HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916
- 00131
CARLISLE REGIONAL MEDICAL CENTER—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 249-1212
- 00751
CEDAR CREST EMERGICENTER—S
1101 SOUTH CEDAR CREST BOULEVARD
ALLENTOWN, PA 18103
(610) 435-3111
- 00132
CHAMBERSBURG HOSPITAL DEPT OF PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153
- 00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510
- 00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182
- 00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113

4250

00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD.
PHILADELPHIA, PA 19104
(215) 590-4446

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 221-8969

00026
CLEARFIELD HOSPITAL LABORATORY—S
809 TURNPIKE AVENUE
PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280

27845
CLINICAL REFERENCE LABORATORY—SC
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

24916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106

00005
COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 969-8000

00125
CONEMAUGH VALLEY MEMORIAL HOSP—S
LABORATORY DEPT
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9000

00326
CORRY MEMORIAL HOSPITAL—S
612 WEST SMITH STREET
CORRY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000

00209
CROZER-CHESTER MED CTR-SPRINGFLD—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2000

00204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

NOTICES

32240
DOMINION DIAGNOSTICS, LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(401) 667-0891

00194
DOYLESTOWN HOSPITAL—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SC
1119 MEARNS RD
PO BOX 2969
WARMINSTER, PA 18974
(267) 960-3407

00175
EASTON HOSPITAL—S
250 SOUTH 21ST ST
EASTON, PA 18042-3892
(610) 250-4819

00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

31625
EMPIRE CITY LABORATORIES—S
4306 3RD AVENUE
2ND FLOOR
BROOKLYN, NY 11232
(516) 941-7244

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
25 GROW AVENUE
MONTROSE, PA 18801-1103
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE
PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

00032
ERHC ST MARYS LABORATORY—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 537-1550

00085
FORBES REGIONAL HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2560

- 00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500
- 20644
FRIENDS HOSPITAL—S
4641 ROOSEVELT BOULEVARD
LABORATORY
PHILADELPHIA, PA 19124-2399
(215) 831-4600
- 09163
FRIENDS MEDICAL LAB INC—SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
(412) 247-4417
- 00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169
- 30188
GARCIA CLINICAL LABORATORY INC—S
2195 SPRING ARBOR ROAD
JACKSON, MI 49201
(517) 787-9200
- 00173
GEISINGER MEDICAL LABORATORIES—SC
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338
- 00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES BARRE, PA 18711
(570) 826-7830
- 00185
GEISINGER-SHAMOKIN AREA COMMUNITY HOSPITAL—S
4200 HOSPITAL ROAD
COAL RUN, PA 17866-9697
(570) 644-4200
- 26799
GHHA/HHWC OCC HEALTH LAB—S
50 MOISEY DRIVE
HAZLETON, PA 18202
(570) 459-1028
- 00152
GNADEN HUETTEN MEMORIAL HOSP—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083
- 00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS
PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7986
- 00654
GUTHRIE CLINIC LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 882-4160
- 00239
HAHNEMANN UNIVERSITY HOSPITAL—S
BROAD & VINE STS MS 113
PHILADELPHIA, PA 19102
(215) 762-1783
- 00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 637-3711
- 00010
HAZLETON GENERAL HOSPITAL—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4152
- 00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-8150
- 00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150
- 00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(610) 402-8150
- 24655
HEALTH NETWORK LABORATORIES—SC
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150
- 00166
HEART OF LANCASTER REGIONAL MEDICAL CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605
- 00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000
- 00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 741-6600
- 00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500
- 00216
HOLY REDEEMER HOSPITAL—S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 947-3000
- 00130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2206

00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167

00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645

00054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080

00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347

00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119
565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723

00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080

00312
JERSEY SHORE HOSPITAL—S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
(570) 398-0100

21306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(886) 827-8042

20512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE
PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-6900

01088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVENUE
PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
PO BOX 3555
LANCASTER, PA 17604
(717) 544-4331

00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022

00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4625

00138
LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7474

24802
LGH DIAB/HBP/DUKE-LIME ST CAMPUS—S
620 N DUKE STREET DUKE & LIME STREET
CAMPUS LABS
LANCASTER, PA 17604
(717) 544-4331

00030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00639
MAGEE-WOMENS HOSPITAL OF UPMC HEALTH SYS-
TEM—S
300 HALKET STREET
PITTSBURGH, PA 15213
(412) 647-4651

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

27684
MARWORTH—S
BOX 36 LILLY LAKE ROAD
WAVERLY, PA 18471
(570) 563-1112

09003
MAYO CLINIC LABS-ROCHESTER MAIN CAMPUS—
SC
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

- 29251
MAYO MEDICAL LABORATORIES NEW ENGLAND—
SC
160 DASCUMB ROAD
ANDOVER, MA 01810
(978) 658-3600
- 00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000
- 05574
MEDTOX LABORATORIES INC—SC
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217
- 00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
PO BOX 15118
YORK, PA 17403
(717) 843-8623
- 00023
MEMORIAL HOSPITAL LAB—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191
- 00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262
- 00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9181
- 00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
(610) 278-2078
- 28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057
- 31050
MILLENIUM LABORATORIES—SC
16981 VIA TAZON, SUITE F
SAN DIEGO, CA 92127
(858) 451-3535
- 00128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
(814) 247-3100
- 28907
MIRMONT TREATMENT CENTER—S
100 YEARSLEY MILL ROAD
LIMA, PA 19063
(610) 744-1400
- 00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021
- 00217
MONTGOMERY HOSPITAL LAB—S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
(610) 270-2173
- 00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ATTN: LAB
ELKINS PARK, PA 19027
(215) 456-6150
- 00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117
- 00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282
- 00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141
- 00504
NATIONAL MED SVCS INC/DBA NMS LABS—SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900
- 00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245
- 27246
NORCHEM DRUG TESTING LABORATORY—SC
1760 EAST ROUTE 66
SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011
- 29741
NORTHERN TIER RESEARCH—SC
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153
- 30984
OFFICE OF THE DISTRICT ATTORNEY—S
37 E HIGH STREET
FORENSIC LAB
CARLISLE, PA 17103
(717) 240-6526
- 00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

31516
PAML LLC—SC
611 N PERRY
BLDG II SUITE 100
SPOKANE, WA 99202
(509) 954-9519

00250
PARKWAY CLINICAL LABORATORIES—S
3494 PROGRESS DRIVE
SUITE D
BENSALEM, PA 19020
(215) 245-5112

00520
PC LAB INC—SC
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST
DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SC
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

31082
PHAMATECH INC—SC
10151 BARNES CANYON ROAD
SAN DIEGO, CA 92121
(858) 643-5555

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD
DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612

31965
PHYSICIANS CHOICE LABORATORY SERVICES,
LLC— SC
300 WESTINGHOUSE BLVD
CHARLOTTE, NC 28273
(336) 407-1499

32215
PHYSICIANS TOXICOLOGY LABORATORY, LLC—SC
4433 MANCHESTER ROAD
KALAMAZOO, MI 49001
(239) 269-0035

00157
PINNACLE HEALTH AT COMMUNITY GENERAL
HOSPITAL—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00155
PINNACLE HEALTH AT HARRISBURG HOSPITAL
LAB—S
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 782-3340

00022
POCONO MEDICAL CENTER LAB—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7000

21648
PSYCHEMEDICS CORPORATION—SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
(800) 522-7424

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

22715
QUEST DIAGNOSTICS—SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

31399
QUEST DIAGNOSTICS—SC
EMPLOYER SOLUTIONS
1777 MONTREAL CIRCLE
TUCKER, GA 30084
(770) 936-5007

09620
QUEST DIAGNOSTICS CLIN LABS INC—SC
8401 FALLBROOK AVENUE
WEST HILLS, CA 91304
(818) 737-6268

00315
QUEST DIAGNOSTICS CLINICAL LABS INC—SC
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
(215) 957-9300

27461
QUEST DIAGNOSTICS INC—SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4219

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

24249
QUINTILES LABORATORIES LTD—SC
1600 TERRELL MILL ROAD
SUITE 100
MARIETTA, GA 30067
(770) 373-3500

00150
READING HOSPITAL & MED CTR—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(610) 988-8080

25348
REDWOOD TOXICOLOGY LABORATORY—SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
(707) 577-7958

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

30821
RXTOX INC—SC
51 PROF PLAZA
850 CLAIRTON BLVD
SUITE 1300
PITTSBURGH, PA 15236
(412) 460-1310

00171
SACRED HEART HOSPITAL—S
4TH & CHEW STS
ATTN LAB DEPT
ALLENTOWN, PA 18102
(610) 776-4727

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900

00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER—S
LANGHORNE—NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

29838
SAN DIEGO REFERENCE LABORATORY—SC
6122 NANCY RIDGE DRIVE
SAN DIEGO, CA 92121
(800) 677-7995

00182
SCHUYLKILL MC E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

00183
SCHUYLKILL MC S JACKSON ST—S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262

28471
SECON OF LOUISIANA—S
825 KALISTE SALOOM RD
BRANDYWINE 1 SUITE 100
LAFAYETTE, LA 70508
(337) 235-3712

29038
SECON OF NEW ENGLAND—SC
415 MAIN STREET
4TH FLOOR
WORCESTER, MA 01608
(508) 831-0703

00064
SHARON REGIONAL HEALTH SYSTEM—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3911

27649
SMA MEDICAL LABORATORIES—S
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590

00039
SOLDIERS & SAILORS MEM HOSP—S
CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

00297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000

00105
SOUTHWEST REGIONAL MEDICAL CENTER—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2608

00361
ST CATHERINE MED CTR-FOUNTAIN SPRINGS—S
101 BROAD STREET
ASHLAND, PA 17921
(570) 875-5988

00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
ERIE AVENUE AT FRONT STREET
PHILADELPHIA, PA 19134
(215) 427-4207

00151
ST JOSEPH QUALITY MEDICAL LAB—SC
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000

00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8646

00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET
PO BOX 67
COALDALE, PA 18218
(570) 645-2131

29015
STERLING HEALTHCARE HOLDINGS, LLC—SC
2617 EAST L STREET #A
TACOMA, WA 98421-2205
(253) 552-1551

00094
SUBURBAN CLINICAL LABORATORY—S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
(412) 734-6020

00187
SUNBURY COMMUNITY HOSPITAL—S
350 NORTH 11TH STREET
SUNBURY, PA 17801
(570) 286-3491

31474
TASC INC—SC
2234 N 7TH STREET
PHOENIX, AZ 85006
(602) 257-7588

00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450

00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4353

00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
DEPT OF PATH & LAB MED
2ND FL. OPB RM 249
PHILADELPHIA, PA 19140
(215) 707-4353

00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET 204 PAVILLION
PHILADELPHIA, PA 19107
(215) 955-1644

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384

00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506

32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD.
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682

00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831

00058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
(814) 676-7120

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

27225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770

00335
VALLEY FORGE MED CTR & HOSP—S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
(610) 539-8500

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SC
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
(570) 829-8111

00095
WESTERN PENNSYLVANIA HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

30245
WESTFIELD HOSPITAL MEDICAL CENTER LABORATORY—S
4815 W TILGHMAN STREET
ALLENTOWN, PA 18104
(610) 973-8425

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT REGIONAL MEDICAL CENTER—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-1275. Filed for public inspection July 6, 2012, 9:00 a.m.]

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P. S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ($\mu\text{g}/\text{dL}$) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hardcopy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry

and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example: large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

22912
ACL LABORATORIES—LP
8901 WEST LINCOLN AVE
WEST ALLIS, WI 53227
(414) 328-7945

29169
ADVANCED TOXICOLOGY NETWORK—LP
3560 AIR CENTER COVE
SUITE 101
MEMPHIS, TN 38118
(901) 794-5770

00016
ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES BARRE, PA 18701
(570) 822-4278

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

26302
BDHG FAMILY MEDICINE AND PEDIATRICS—P
935 HIGHLAND BLVD
SUITE 2200
BOZEMAN, MT 59715
(406) 587-5123

20506
CENTRAL PA ALLIANCE LABORATORY—L
1803 MT ROSE AVENUE
SUITE C3-C4
YORK, PA 17403
(717) 851-1426

00228
CHILDRENS HOSP OF PHILADELPHIA—L
3401 CIVIC CENTER BLVD.
PHILADELPHIA, PA 19104
(215) 590-4446

31847
DOCTOR'S DATA, INC.—L
3755 ILLINOIS AVENUE
ST. CHARLES, IL 60174-2420
(630) 377-8139

00561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER
PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361

00332
ELLWOOD CITY HOSPITAL—LP
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

- 31378
ENZO CLINICAL LABS—L
60 EXECUTIVE BLVD
FARMINGDALE, NY 11735
(631) 755-5500
- 00173
GEISINGER MEDICAL LABORATORIES—L
100 N ACADEMY AVENUE
DANVILLE, PA 17822—0131
(570) 271-6338
- 25914
GENOVA DIAGNOSTICS—L
63 ZILLICOA STREET
ASHEVILLE, NC 28801
(828) 253-0621
- 24655
HEALTH NETWORK LABORATORIES—L
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150
- 05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300
- 21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(800) 334-5161
- 01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE
PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 00242
MAIN LINE HOSPITALS LAB-LANKENAU—L
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615
- 09003
MAYO CLINIC LABS-ROCH MAIN CAMPUS—P
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018
- 29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—L
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458
- 29251
MAYO MEDICAL LABORATORIES NEW ENGLAND—
LP
160 DASCUMB ROAD
ANDOVER, MA 01810
(978) 658-3600
- 24668
MCMURRAY PEDIATRIC & ADOLESCENT MEDI-
CINE—L
6000 WATERDAM PLAZA DRIVE #280
MCMURRAY, PA 15317
(724) 941-8199
- 05574
MEDTOX LABORATORIES INC—LP
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217
- 20802
MERITUS MEDICAL LABORATORY, LLC—L
11110 MEDICAL CAMPUS RD
STE 230
HAGERSTOWN, MD 21742
(301) 790-8670
- 00504
NATIONAL MED SVCS INC/DBA NMS LABS—LP
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900
- 30553
NATIONWIDE CHILDRENS HOSPITAL—LP
CORE LAB AND LAB INFORMATION SYSTEMS
700 CHILDRENS DRIVE
COLUMBUS, OH 43205
(614) 722-5376
- 23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110
- 02125
PED ALLIANCE ST CLAIR PED DIV—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS
SUITE 208
UPPER ST CLAIR, PA 15241
(412) 221-2121
- 22533
PENNSYLVANIA DEPT OF HEALTH—LP
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 00022
POCONO MEDICAL CENTER LAB—L
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544
- 00324
PRIMARY CARE HLTH SERV INC LAB—L
7227 HAMILTON AVE
PITTSBURGH, PA 15208
(412) 244-4728
- 00255
PUBLIC HEALTH LAB CITY OF PHILA—L
500 SOUTH BROAD STREET
ROOM 359
PHILADELPHIA, PA 19146
(215) 685-6501
- 22715
QUEST DIAGNOSTICS—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770
- 00669
QUEST DIAGNOSTICS INCORPORATED—LP
ONE MALCOLM AVENUE
TETERBORO, NJ 07608
(201) 393-5895

21422

QUEST DIAGNOSTICS INCORPORATED—LP
1901 SULPHUR SPRING ROAD
BALTIMORE, MD 21227
(301) 247-9100

01136

QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

22376

QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—L
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482

QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461

QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00150

READING HOSPITAL & MED CTR—L
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(610) 988-8080

31527

SHIEL MEDICAL LABORATORY—L
63 FLUSHING AVENUE
BROOKLYN NAVY YARD UNIT 336
BROOKLYN, NY 11205
(718) 552-1000

00151

ST JOSEPH QUALITY MEDICAL LAB—L
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

26198

THE WRIGHT CENTER MEDICAL GROUP, PC—L
5 SOUTH WASHINGTON AVENUE
JERMYN, PA 18433
(570) 383-9934

00083

UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000

00018

WBGH COMMONWEALTH HEALTH LAB SVS—L
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
(570) 829-8111

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-1276. Filed for public inspection July 6, 2012, 9:00 a.m.]

Primary Stroke Centers

On May 29, 2012, Governor Corbett signed Act 54 of 2012 (P.L. 549, No. 54) (Act 54). Act 54 creates a mechanism for the identification of acute care hospitals that are designated as primary stroke centers. Under Act 54, the Department of Health (Department) will recognize hospitals as primary stroke centers upon submission of an application that states that the hospital is certified as a primary stroke center by the joint commission or another Nationally recognized accreditation organization. The designation shall last as long as the hospital remains certified as a primary stroke center, unless suspended or revoked by the Department. Act 54 takes effect on July 30, 2012.

Hospitals that are seeking recognition as a primary stroke center can obtain an application by contacting the Division of Acute and Ambulatory Care at (717) 783-8980 or at the Department's web site at www.health.state.pa.us/. A hospital seeking this recognition will be required to show proof of its designation as a primary stroke center by the joint commission or another National recognized accreditation organization. Questions concerning the application process may be sent to Joanne Salsgiver, JSalsgiver@pa.gov.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Joanne Salsgiver or for speech and/or hearing impaired persons may use VTT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-1277. Filed for public inspection July 6, 2012, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Designated Exceptional Durable Medical Equip- ment

In accordance with the Department of Public Welfare's (Department) currently approved State Plan, the Department is required to publish an annual list of exceptional durable medical equipment (DME) by notice in the *Pennsylvania Bulletin* in July of each year. Interested persons may petition the Department to consider additions to the exceptional DME list by submitting a written request to the Department. Requests received on or before December 31 will be considered in developing the list for the following July.

During calendar year 2011, the Department received no written requests to add or remove items of DME from the list of exceptional DME. Therefore, this notice makes no changes in either the acquisition cost or the list of qualifying DME.

"Exceptional DME" is defined as DME that has an acquisition cost of \$5,000 or more and is either Specially Adapted DME or other DME that is designated as Exceptional DME by the Department annually by notice in the *Pennsylvania Bulletin*.

"Specially Adapted DME" is DME that is uniquely constructed or substantially adapted or modified in ac-

cordance with the written orders of a physician for the particular use of one resident, making its contemporaneous use by another resident unsuitable.

The list of Exceptional DME that has been designated by the Department is as follows:

(1) *Air fluidized beds.* The pressure relief provided by this therapy uses a high rate of airflow to fluidize fine particulate material (for example, beads or sand) to produce a support medium that has characteristics similar to liquid. May have a Gortex cover.

(2) *Powered air flotation bed (low air loss therapy).* A semi-electric or total electric bed with a fully integrated powered pressure-reducing mattress which is characterized by all of the following:

(a) An air pump or blower with a series of interconnected woven fabric air pillows which provides sequential inflation and deflation of the air cells or a low interface pressure throughout the mattress allowing some air to escape through the support surface to the resident. May have a Gortex cover.

(b) Inflated cell height of the air cells through which air is being circulated is 5 inches or greater.

(c) Height of the air chambers, proximity of the air chambers to one another, frequency of air cycling (for alternating pressure mattresses) and air pressure provide adequate patient lift, reducing pressure and prevent bottoming out.

(d) A surface designed to reduce friction and shear.

(e) May be placed directly on a hospital bed frame.

(f) Automatically readjusts inflation pressures with change in position of bed (for example, head elevation, and the like).

(3) *Augmentative communication devices.* Used by residents who are unable to use natural oral speech as a primary means of communication. The specific device requested must be appropriate for use by the resident and the resident must demonstrate the abilities or potential abilities to use the device selected. Portable devices need to supplement, aid or serve as an alternative to natural speech for residents with severe expressive communication disorders. Nonportable devices may be covered only if required for visual enhancement or physical access needs that cannot be accommodated by a portable device.

(4) *Ventilators (and related supplies).*

(a) Used by residents 21 years of age and older who require full ventilator support for a minimum of 8 hours per day to sustain life.

(b) Used by residents 20 years of age and younger who require ventilator support to sustain life (no minimum time requirement).

Effective Date

This notice is effective upon publication in the *Pennsylvania Bulletin*.

Public Comment

Interested persons are invited to submit petitions for the Department to consider additions to the Exceptional DME list or written comments regarding this notice to Marilyn Yocum, Department of Public Welfare/ Department of Aging, Office of Long-Term Living, 555

Walnut Street, Forum Place, 5th Floor, Harrisburg, PA 17101-1919. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

GARY D. ALEXANDER,
Secretary

Fiscal Note: 14-NOT-768. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 12-1278. Filed for public inspection July 6, 2012, 9:00 a.m.]

FISH AND BOAT COMMISSION

Approved Courses of Instruction in Boating Safety Education

Section 91.6(a)(1) of 58 Pa. Code (relating to Boating Safety Education Certificates) defines a Boating Safety Education Certificate for residents of this Commonwealth as a document issued by the Fish and Boat Commission (Commission) certifying that the person named on the certificate has established proof of competency through the successful completion of a course approved in accordance with 58 Pa. Code § 91.7 (relating to criteria for courses of instruction in boating safety education). Under 58 Pa. Code § 91.7, the Executive Director of the Commission may approve, by notice, boating safety education courses that meet the course criteria established under that section and will publish a list of approved boating safety education courses in the *Pennsylvania Bulletin* on an annual basis or more frequently as required. The Executive Director has approved the following courses in boating safety education for Commonwealth residents, effective July 1, 2012:

- Fish and Boat Commission (classroom course)
- United States Coast Guard Auxiliary (classroom course)
- United States Power Squadrons (classroom course)
- United States Sailing Association (classroom course)
- Kalkomey Enterprises, Inc., d/b/a Boat Ed (correspondence course)
- BoaterExam America, Inc. (Internet course)
- Kalkomey Enterprises, Inc., d/b/a Boat Ed (Internet course)

For nonresidents, a Boating Safety Education Certificate is a certificate, card or other official document that indicates on the certificate, card or other document successful completion of a course approved by the National Association of State Boating Law Administrators.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 12-1279. Filed for public inspection July 6, 2012, 9:00 a.m.]

GOVERNOR'S OFFICE

Regulatory Agenda

Executive Order 1996-1 requires all agencies under the jurisdiction of the Governor to submit for publication an agenda of regulations under development or consideration. The following is the 33rd publication of the Administration's regulatory agenda, grouped by agency. Subsequent agendas will be published on the first Saturdays in February and July.

The agendas are compiled to provide members of the regulated community advanced notice of regulatory activity. It is the intention of the Administration that these agendas will serve to increase public participation in the regulatory process.

Agency contacts should be contacted for more information regarding the regulation and the procedure for submitting comments.

This Agenda represents the Administration's present intentions regarding future regulations. The nature and complexity of an individual regulation obviously will determine whether and when any particular regulation listed below (as well as any considered subsequent to publication of this Agenda) is published.

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
ADMINISTRATION			
No regulations being developed or considered at this time.			
AGING			
PA Code Title VI Chapter 15 Protective Services for Older Adults	January 2013, as proposed.	The Older Adults Protective Services Act is under review in light of current interest in enhancing protections for vulnerable Pennsylvanians, the decision of the <i>PA Supreme Court in Nixon et al. v. Commonwealth, et al.</i> (which found the current protective services law to be unconstitutional) and numerous technical and administrative provisions that need to be revised. Regulations are routinely being reviewed as numerous pieces of pending legislation are being considered in addition to this omnibus proposal.	Denise Getgen (717) 772-0184
AGRICULTURE			
Domestic Animal 7 Pa. Code Chapter 2, 3, and 16	December 2012, as proposed.	The long-term project is intended to update the Department's Regulatory authority to make it more consistent with the provisions of the Domestic Animal Law (3 Pa.C.S. §§ 2301—2389).	Craig E. Shultz, DVM, Director (717) 772-2852
Cervidae 7 Pa. Code Chapter 18	December 2012, as proposed.	Act 190 of 2002 amended the Domestic Animal Law to require the Department to license and regulate Cervidae livestock operations. Act 51 of 2006 further amended the requirements for Cervidae livestock operations. (3 Pa.C.S. §§ 2303—2380.9).	Craig E. Shultz, DVM, Director (717) 772-2852
Animal Exhibition Sanitation 7 Pa. Code Chapter 20a	July 2012, as proposed.	Act 211 of 2002 requires the Department to enforce sanitation requirements at animal exhibitions, and to regulate as necessary to meet this requirement. (3 Pa.C.S. §§ 2501—2504).	Craig E. Shultz, DVM, Director (717) 772-2852
Biofuels 70 Pa. Code Chapter 11	December 2012, as proposed.	Act 78 of 2008 (the Biofuel Development and In-State Production Incentive Act) is currently being amended by the legislature. The Department has proposed regulations ready for submission but, will wait to see the final version of the amended Act.	Walt Remmert (717) 787-6772
Weights and Measures Regulations 70 Pa. Code Chapters 1 through 101	November 2012, as proposed	This long-term project is intended to update the Department's regulations authorized by the Consolidated Weights and Measures Act.	Walt Remmert (717) 787-6772

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Harness Racing Commission 58 Pa. Code Chapters 181, 183, 185 and 186—190	September 2012, as proposed.	This regulation is necessary to update current regulations, make them more user-friendly and address conditions which exist in harness racing that did not exist when the current regulations were originally promulgated. This regulation is a long-term project and would amend 58 Pa. Code Chapters 181, 183, 185, and 186—190, including the general authority of the Commission and provisions relating to associations licensed to conduct pari-mutuel wagering, individual licensing, licensing of officials, rules of the conduct of races, veterinary practices, equine health, and medication, wagering, due process and disciplinary action.	Jorge Augusto (717) 787-8744
Horse Racing Commission 58 Pa. Code Chapters 161, 163, 165, 167, 169, 171 and 173	September 2012, as proposed.	This regulation is necessary to update current regulations, make them more user-friendly and address conditions which exist in thoroughbred horse racing that did not exist when the current regulations were originally promulgated. This regulation is a long-term project and would amend 58 Pa. Code Chapters 161, 163, 165, 167, 169, 171, and 173 including the general authority of the Commission and provisions relating to associations licensed to conduct pari-mutuel wagering, individual licensing, licensing of officials, rules of the conduct of races, veterinary practices, equine health and medication, wagering, due process and disciplinary action.	Jorge Augusto (717) 772-5215
Commercial Feed Rules and Regulations 7 Pa. Code Chapter 71	October 2012, as proposed.	This regulation will replace 7 Pa. Code Chapter 71 and implement provisions of 3 Pa.C.S. §§ 5101—5115 (Commercial Feed Act)	Erin Bubb (717) 772-5215
Pet Food Rules and Regulations 7 Pa. Code Chapter 72	October 2012, as proposed.	This regulation will replace 7 Pa. Code Chapter 72 and implement provisions of 3 Pa.C.S. §§ 5101—5115 (Commercial Feed Act)	Erin Bubb (717) 772-5215
Fertilizer Regulations 7 Pa. Code Chapter 73	September 2013, as proposed	This regulation will replace 7 Pa. Code Chapter 73 and implement provisions of 3 Pa.C.S. §§ 6701—6725 (Fertilizer Act)	Erin Bubb (717) 772-5215
Soil and Plant Amendment Regulations 7 Pa. Code Chapter 130a	September 2013, as proposed	This regulation will replace 7 Pa. Code Chapter 130a and implement provisions of 3 Pa.C.S. §§ 6901—6921 (Soil and Plant Amendment Act).	Erin Bubb (717) 772-5215
Clean and Green Regulations 7 Pa. Code Chapter 137b	June 2012, as proposed.	This regulation will address statutory changes made by Act 235 of 2004, Act 88 of 2010 and Act 109 of 2010 and will otherwise update the current regulations.	Douglas Wolfgang (717) 783-3167
Agricultural Conservation Easement Purchase Program Regulations 7 Pa. Code Chapter 138e	August 2012, as proposed.	This regulation will address statutory changes made by Act 61 of 2005 and Act 46 of 2006, and will otherwise update the current regulations.	Douglas Wolfgang (717) 783-3167
PA Food Code 7 Pa. Code Chapter 46	June 2012, as proposed.	This regulation will amend 7 Pa. Code Chapter 46 to make this Chapter consistent with the Retail Food Facility Safety Act and the Food Safety Act.	Lydia Johnson (717) 787-4315

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
BANKING			
Annual Assessment Regulation	Early 2013, still in formulation	Required pursuant to 17 Pa.C.S. § 503(a) and 71 P. S. § 733-204.A.	Carter D. Frantz Chief Counsel (717) 787-1471
Regulation governing continuing education under the Debt Management Services Act.	Early 2013, as proposed	Required pursuant to 63 P. S. § 2409.	Carter D. Frantz Chief Counsel (717) 787-1471
BOARD OF PARDONS			
No regulations being developed or considered at this date.			
COMMUNITY & ECONOMIC DEVELOPMENT			
No regulations being developed or considered at this date.			
COMMISSION ON CRIME AND DELINQUENCY			
37 Pa. Code Chapter 431 Constables' Education and Training Board	September 2012, as Final	The purpose of this regulation is to eliminate any waivers of the firearms portion of the basic training course, preclude any constable under the age of 21 from participating in the firearms portion of the basic training course and to require a constable who fails a first and second examination in the basic training course bear the financial responsibility for a second or third basic training. The proposed rulemaking also eliminates the 10mm caliber firearm from the firearms training course. Recent statutory changes have necessitated updates to the regulations.	John Pfau (717) 265-8546
CONSERVATION & NATURAL RESOURCES			
State Forests (Chapter 21)	July 2012, Publish proposed rulemaking	A number of provisions in this chapter need to be clarified and updated. The State Forest Picnic Area chapter (23) will be incorporated into this chapter to eliminate duplication and for ease of reference. Legal basis: Sections 302, 313, 502 of the Conservation & Natural Resources Act (71 P. S. §§ 1340.302, 1340.313, 1340.502)	Matt Beaver, (717) 783-0379 Susan Wood, Esq. (717) 772-4171
State Forest Picnic Areas (Chapter 23)	July 2012, Publish proposed rulemaking	The provisions of this chapter will be incorporated into Chapter 21 (State Forests) for purposes of simplification and ease of reference. Legal basis: Sections 302, 313, 502 of the Conservation & Natural Resources Act (71 P. S. §§ 1340.302, 1340.313, 1340.502)	Matt Beaver, (717) 783-0379 Susan Wood, Esq. (717) 772-4171
Conservation of Pennsylvania Native Wild Plants (Chapter 45)	July 2012, Publish proposed rulemaking	Major purpose of rulemaking is to update the lists of native wild plants within the classifications and change the beginning date of the ginseng harvest season from Aug. 1 to Sept. 1. Legal basis: Section 7 of the Wild Resource Conservation Act (32 P. S. § 5307); and Section 313 of the Conservation and Natural Resources Act (71 P. S. § 1340.313).	Ellen Shultzabarger (717) 214-3813 Susan Wood, Esq. (717) 772-4171
CORRECTIONS			
Revisions to 37 Pa. Code Chapter 91.3	September 2012, as proposed	The county reception regulations are being revised to be consistent with statutory law mandating that certain documentation be presented by the counties before inmate reception can occur.	Travis Anderson (717) 728-7761
Revisions to 37 Pa. Code Chapter 93.2	September 2012, as proposed	The inmate correspondence regulations are being revised for clarification and to more accurately comport with current standards.	Randall N. Sears (717) 728-7763
Revisions to 37 Pa. Code Chapter 93.301—93.308	September 2012, as Proposed	The Motivational Boot Camp regulations are being revised to reduce costs by eliminating unnecessary mandates.	Jamie Boyd (717) 728-7761

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Revisions to 37 Pa. Code Chapter 94	September 2012, as proposed	The release and prerelease regulations are being revised to maximize cost-savings through efficient use of prerelease facilities.	Joseph Fulginiti (717) 728-7761
Revisions to 37 Pa. Code Chapter 96(a)	September 2012, as proposed	The temporary transfers of regulations are being revised to require the counties to pay reasonable transportation costs for inmates transferred pursuant to court appearances.	Julie Tilghman (717) 728-7761
EDUCATION			
Standards for Approved Private Schools 22 Pa. Code, Chapter 171 Subchapter C	Spring 2013, as final.	These standards define the elements of Approved Private Schools and the Chartered Schools (schools for the deaf and blind). These standards contain general provisions and allowable expenses and costs. The standards are promulgated under the Authority of the Public School Code of 1949, as amended, P.L. 30, No. 14, March 16, 1949, P. S. Section 1—101, et. seq.	John Tommasini (717) 783-6134
Regulations of the State Board of Private Academic Schools 22 Pa. Code Chapters 51, 53, 55, 57, 61 and 63	Spring 2013, as proposed	These regulations define the requirements for obtaining licensure as a Private Academic School. The Board plans to update the regulations, which were promulgated in 1988. The regulations are promulgated under the Authority of the Private Academic Schools Act (24 P. S. section 6701 et. seq.)	Robert Staver (717) 783-6583
State Board of Private Licensed Schools 22 Pa. Code, Chapter 73	Winter 2012, as proposed.	These regulations define the requirements for obtaining licensure or registration and for operating as a Private Licensed School. The regulations also define the investigatory and hearing process for enforcement of statutory and regulatory requirements. The Board plans to update the regulations which were promulgated in 1988 to reflect inflation and to address certain issues that have arisen during that time. The regulations are promulgated under the authority of the Private Licensed Schools Act (24 P. S. Section 6501, et. seq.)	Patricia Landis (717) 783-8228
State Board of Education 22 Pa. Code, Chapter 4	September 2012, as proposed.	These regulations establish rigorous academic standards and assessments to facilitate the improvement of student achievement and to provide parents and communities a measure by which school performance can be determined. The regulations are promulgated under the authority of the Public School Code of 1949, 24 P. S. §§ 26-2603-B and 2604-B.	Karen Molchanow (717) 787-3787
EMERGENCY MANAGEMENT AGENCY			
Chapter 113. Volunteer Fire Company, Ambulance Service, and Rescue Squad Assistance Chapter 114. Volunteer Fire Company and Volunteer Ambulance Service Grant	September 2012, as proposed	35 Pa.C.S. 7385 (c)—The Volunteer Loan Assistance Program regulations found in 4 Pa. Code Ch. 113 (relating to volunteer fire company, ambulance service and rescue squad assistance) are hereby transferred to the commissioner from the agency. The commissioner shall fully implement and administer those regulations on or before January 12, 1996. The commissioner may be substituted for the agency throughout the regulations and the regulations may be renumbered and published in the <i>Pennsylvania Bulletin</i> as final regulations without those regulatory changes being subject to the provisions of the act of June 25, 1982 (P. L. 633, No. 181), known as the regulatory review act.	Vince Hudock (717) 651-2728

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Act 9 of 2012	July 2012, as proposed	Act 9 of 2012 directed the Pennsylvania Emergency Management Agency and Department of Environmental Protection to adopt emergency regulations directing the operators of all unconventional wells within the Commonwealth to: 1.) adopt unique GPS coordinate address for each well and access road; 2.) Register the address with emergency management organizations; 3.) Require the development of an emergency response plan; 4.) Post well information at the entrance to each unconventional well site.	Vince Hudock (717) 651-2728
ENVIRONMENTAL HEARING BOARD			
PA Code Title 25 Chapter 1021 Practice and Procedure	The Environmental Hearing Board intends to propose corrections to existing rules in Fall of 2012.	The Environmental Hearing Board intends to correct an omission in the language of 25 Pa. Code sec. 1021.51 which was amended in 2009, and eliminate its rules pertaining to the Costs Act which has expired. The Environmental Hearing Board also intends to adopt new rules regarding mandatory electronic filing in order to streamline the filing process.	Maryanne Wesdock (412) 565-5245
ENVIRONMENTAL PROTECTION			
Noncoal Program Noncoal Surface Mining Conservation and Reclamation Act 25 Pa. Code, Chapter 77.	Fall 2012, as proposed	This rulemaking includes revisions to Chapter 77 (Noncoal Mining) that govern the licensing of mine operators and permitting of mines of minerals other than coal. Specific areas for revision include clarification of permit application requirements including hydrologic data requirements.	Bill Allen (717) 783-9580 wallen@pa.gov
Water Supply Replacement Surface Mining Conservation & Reclamation Act 25 Pa. Code, Chapters 87 and 88	Fall 2012, as proposed	This rulemaking includes revisions to Chapters 87 and 88, which will clarify what is necessary to meet the coal mine operator's obligation to permanently pay the operation and maintenance costs for replacement water supplies.	Greg Shuler (717) 783-1199 gshuler@pa.gov
Remining Requirements (Subchapters F and G Revisions) Surface Mining Conservation and Reclamation Act, 25 Pa Code Chapters 86 and 88	Fall 2012, as proposed	The rulemaking includes amendments to remining requirements in Chapters 86 and 88 (Subchapters F and G) in order to reflect changes enacted in EPA regulations.	Keith Brady (717) 787-4814 kbrady@pa.gov
Federal Office of Surface Mining (OSM) Program Consistency Updates Surface Mining Conservation and Reclamation Act, 25 Pa. Codes, Chapters 86, 89, and 90	Fall 2012, as proposed	The regulatory package will include amendments to clarify the definition of "mining activities" in Chapter 86 effluent limits for passive treatment systems to comply with Federal requirements; revisions to Chapter 89 effluent limits for passive treatment systems to comply with Federal regulations; and updates to Chapter 90 coal refuse site selection regulations to comply with the revised Coal Refuse Disposal Control Act.	Bill Allen (717) 783-9580 wallen@pa.gov
Coal Mining Permit Fees Surface Mining Conservation and Reclamation Act, 25 Pa. Code, Chapter 86	Summer 2012, as final	The rulemaking increases permit application fees to support program activities. Bill Allen	(717) 783-9580 wallen@pa.gov
Areas Unsuitable for Surface Mining Surface Mining Conservation and Reclamation Act, 25 Pa. Code, Chapter 86	Fall 2012, as proposed	The rulemaking includes amendments to Chapter 86 to designate coal seams within Big Run watershed, Graham Township, Clearfield County, as unsuitable for surface mining operations. The regulations results from a petition submitted to the EQB by the Graham Township Supervisors, which requested that the Big Run drainage be designated as unsuitable for surface mining operations.	Geoff Lincoln (717) 783-9582 glincoln@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Handling and Use of Explosives Act of 1937; The Administrative Code of 1929; Reorganization Plan No. 2 of 1975; Reorganization Plan No. 8 of 1981; Surface Mining Conservation and Reclamation Act; and Noncoal Surface Mining Conservation and Reclamation Act 25 Pa. Code, Chapter 211	Fall 2012, as proposed	The rulemaking will revise current explosive regulations to address blasting activities relating to seismic exploration. The rulemaking will also update explosives use requirements, enforcement authority and eliminate antiquated requirements.	Rick Lamkie (814) 472-1885 rlamkie@pa.gov
Oil & Gas Well Program Oil and Gas Act 25 Pa. Code, Chapter 78 Subchapter C	Summer 2012, as proposed	This rulemaking includes revisions to Chapter 78 (Oil and Gas) subchapter C, regulating all surface activities associated with Oil and Gas exploration and development, including; changes to PPC planning, production fluid control, storage, disposal and containment in pits/tanks, liner standards for centralized impoundments, disposal of drill cuttings and residual wastes, secondary containment, site restoration, pipelines, water management plans, reporting releases and road spreading of brine.	Kurt Klapkowski (717) 772-2199
Oil & Gas Well Program Oil and Gas Act 25 Pa. Code, Chapter 78 Subchapter D	Fall 2012, as proposed	The rulemaking includes revisions to Chapter 78 (Oil and Gas) Subchapter D, regulating the drilling, casing, cementing, completion, operation, production, plugging and other subsurface activities associated with Oil and Gas exploration and development, including revisions to well plugging procedures, venting, alternative methods, and to address the plugging of unconventional wellbore laterals and coal bed methane wells.	Kurt Klapkowski (717) 772-2199
Underground Coal Mine Safety Automated External Defibrillators Bituminous Coal Mine Safety Act 25 Pa Code, Chapter 208	Spring 2012, as final	The rulemaking establishes safety standards relating to Automated External Defibrillators in underground bituminous coal mines.	Joseph Sbaffoni (724) 439-7469 jsbaffoni@pa.gov
Underground Coal Mine Safety Bituminous Coal Mine Safety Act 25 Pa Code, Chapter 208	Spring 2012, as proposed	This rulemaking adopts by reference, with certain modifications, the MSHA regulations (30 CFR Part 75) for a high voltage continuous mining machine standard for underground bituminous coal mines.	Joseph Sbaffoni (724) 439-7469 jsbaffoni@pa.gov
Underground Coal Mine High Voltage Continuous Mining Machine Standards for Underground Coal Mines Bituminous Coal Mine Safety Act 25 Pa. Code, Chapter 208	Fall 2012, as proposed	This rulemaking adopts by reference, with certain modifications, the MSHA regulations (30 CFR Part 75) for a high voltage continuous mining machine standard for underground bituminous coal mines.	Joseph Sbaffoni (724) 439-7469 jsbaffoni@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Underground Coal Mine Safety Maintenance of Incombustible Content of Rock Dust in Underground Coal Mines Bituminous Coal Mine Safety Act 25 Pa. Code, Chapter 208	Fall 2012, as proposed	This rulemaking adopts by reference, with certain modifications, the MSHA regulations (30 CFR Part 75) for maintenance of incombustible content of rock dust in underground bituminous coal mines.	Joseph Sbaffoni (724) 439-7469 jsbaffoni@pa.gov
Water Quality Standards Triennial Review Clean Streams Law 25 Pa. Code Chapters 93 and 16	Summer 2012, as proposed	The proposed rulemaking will include revisions to the Commonwealth's water quality criteria and standards in Chapters 93 and 16 to reflect the latest scientific information and Federal guidelines for criteria development, as required by the triennial review requirements in the Federal Clean Water Act.	Tom Barron (717) 787-9637 tbarron@pa.gov
Dam Safety and Waterways Management Fees Dam Safety and Encroachments Act and Clean Streams Law 25 Pa. Code, Chapter 105	Summer 2012, as proposed	The purpose of this rulemaking package is to amend existing regulations at 25 Pa. Code, Chapter 105 to update existing fees and include additional fees for activities performed by the Department. The fees have not been increased since 1991.	Jeff Means (717) 787-3411 jemeans@pa.gov
HEDD-High Electric Demand Days Air Pollution Control Act 25 Pa Code Chapters 121 and 129	Summer 2013, as proposed	The proposed rulemaking would amend 25 Pa Code Chapter 129 to limit emissions of nitrogen oxides (NO _x) from electric generating units (EGUs) and emergency generator sets used during non-emergency periods that operate less than 1200 hours per Ozone Season and generate electricity during periods of peak electric demand, including high electric demand days (HEDD), which frequently coincide with periods of high ground-level ozone concentrations. Amendments to § 121.1 (relating to definitions) would also be made to support the proposed amendments to Chapter 129.	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Sulfur Limits in Commercial Fuel Oil Air Pollution Control Act 25 Pa Code Chapters 121 and 123	Fall 2012, as final	The final rulemaking amends 25 Pa. Code § 123.22 (relating to combustion units) to lower the maximum allowed percent sulfur content in commercial fuel oil sold for and used in combustion until in this Commonwealth, to further limit the emissions of sulfur dioxide (SO ₂) from these sources. Amendments to § 121.1 (relating to definitions) will also be made to support the final amendments to § 123.22. The final rulemaking will ensure consistency with the State Implementation Plan revision submitted by Pennsylvania to meet reasonable progress goals for reducing regional haze.	Susan Hoyle (717) 772-2329 shoyle@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Flexible Packaging Printing Presses and Offset Lithographic and Letterpress Printing Presses Air Pollution Control Act 25 Pa. Code Chapter 121 and 129	Fall 2012, as Final	The proposed rulemaking would amend 25 Pa. Code Chapter 129 (relating to standards for sources) to add requirements to reduce the emissions of volatile organic compounds (VOCs) from flexible packaging printing presses and offset lithographic printing and letterpress printing presses to meet the Clean Air's Act's "reasonably available control measures" requirement for ozone nonattainment areas. The final rulemaking would amend §§ 129.51 and 129.67 (relating to general; and graphic arts systems) and adds §§ 129.67a and 129.67b (relating to control of VOC emissions from flexible packaging printing presses and offset lithographic printing and letterpress printing presses. Amendments to § 121.1 (relating to definitions) would also be made to support the proposed amendments to Chapter 129.	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Emissions of Particulate Matter Air Pollution Control Act 25 Pa. Code Chapter 139, § 139.12	Summer 2012, as proposed	The proposed rulemaking would amend 25 Pa. Code § 139.12 (relating to emissions of particulate matter) to reflect changes in Federal test method requirements. The Environmental Quality Board amended § 139.12 at 27 Pa.B. 6804 (December 27, 1997) to require source testing only for filterable particulate matter. The United States Environmental Protection Agency has revised the source of test method (Method 202) to require the testing of both filterable and condensable particulate matter for purposes of emission inventories and new source review applicability determinations. Other clarifying amendments to Chapter 139 (relating to sampling and testing) would also be proposed for timeliness of reporting requirements.	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Amendments for the Control of Major Sources of NO _x and VOCs Air Pollution Control Act 25 Pa. Code Chapter 129	Fall 2012, as proposed	The proposed rulemaking would amend the Reasonably Available Control Technology Requirements for major NO _x - and VOC-emitting stationary sources; the proposal would not apply to major VOC-emitting facilities subject to Federal Control Technique Guidelines adopted by the Board as final rulemakings.	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Transport Rule NO _x and SO ₂ Trading Programs Air Pollution Control Act 25 Pa Code Chapter 145	Fall 2012, as proposed	The Federal Transport Rule has been stayed by the U.S. Court of Appeals for the DC Circuit. A decision is expected in 2012. If the Federal Rule is upheld, the proposed rulemaking would add a Subchapter E to Chapter 145 to establish the Commonwealth's allowance allocation provisions for the Environmental Protection Agency (EPA) Transport Rule (TR) nitrogen oxides (NO _x) Annual Trading Program, TR NO _x Ozone Season Trading Program and TR Sulfur dioxides (SO ₂) Group 1 Trading Program as a means of mitigating the interstate transport of fine particulates and ozone, and their precursors, NO _x and SO ₂ . The TR identifies emission reduction responsibilities of upwind states, and also promulgates enforceable Federal Implementation Plans (FIPs) to achieve the required emission reductions in each state through cost effective and flexible requirements for power plants. Each state has the option to replacing FIPs with State rules approved as part of the State Implementation Plan (SIP). The proposed rulemaking would affect fossil fuel fired electric generating units (EGUs) with a rated capacity of greater than 25 megawatts and subject to the applicability provisions of the TR in 40 CFR 97.404, 97.504, and 97.604.	Susan Hoyle (717) 772-2329 shoyle@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Air Quality Plan Approval and Operating Permit Fees Air Pollution Control Act 25 Pa. Code, Chapters 127 and 139	Summer 2012, as proposed	The proposed rulemaking would: amend existing requirements and fees codified in 25 Pa. Code Chapter 127, Subchapter 1 (relating to plan approval and operating permit fees); add new categories of fees to Chapter 127, Subchapter 1, to address modifications of existing plan approvals and requests for determination of whether a plan approval is required; add a new section to address fees for risk assessment applications; amend the existing emission fee paid by the owner or operator of a Title V facility; and add Subchapter D (relating to testing, auditing and monitoring fees) to Chapter 139 (relating to sampling and testing) to add new categories of fees and to establish a fee schedule to address Department-performed source testing and auditing and monitoring activities for continuous emission monitoring systems (CEMS).	Dean Van Orden (717) 783-9664 dvanorden@pa.gov
Control of VOC Emissions from Miscellaneous Metal Parts and Plastic Parts Surface Coating Processes, Automobile and Light-duty Truck Assembly Surface Coating Processes and Fiberglass Boat Manufacturing Processes, and Amendments to Mobile Equipment Repair and Refinishing Air Pollution Control Act 25 Pa. Code Chapters 121 and 129	Fall 2012, as proposed	The proposed rulemaking would amend the existing surface coating regulations under 25 Pa. Code Chapter 129 (relating to standard for sources) to further replace the emissions of volatile organic compounds (VOCs) from miscellaneous metal parts and plastic parts surface coating processes, automobile and light-duty truck assembly surface coating processes and fiberglass boat manufacturing processes and industrial cleaning solvent operations; and amend the tables of VOC content limits for adhesives or sealant products applied to particular substrates, as applied, under § 129.77 and 25 Pa. Code § 130.702 to add the categories of “porous material, except wood” and “wood” to meet the Clean Air Act (CAA) “reasonably available control measures,” including “reasonably available control technology” (RACT), requirements for ozone nonattainment areas. The proposed rulemaking would amend the existing surface coating regulations in 25 Pa. Code § 129.75 (relating to mobile equipment repair and refinishing) to coordinate emission limits and work practice requirements of the CAA RACT for automobiles and light-duty trucks and the Ozone Transport Commission model rule requirements for motor vehicle and mobile equipment non-assembly line coating operations. Amendments to 25 Pa. Code § 121.1 (relating to definitions) would also be proposed to support the amendments to Chapter 129.	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Waste Transportation and Safety Program Waste Transportation and Safety Act (Act 90 of 2002) 25 Pa. Code Chapters 285 and 299	Summer 2012, as proposed	The proposed rulemaking will modify existing regulations in Chapter 285 (Storage, Collection and Transportation of Municipal Waste) and 299 (Storage and Transportation of Residual Waste) to include the authorization requirements for waste transportation vehicles, as established by the Waste Transportation and Safety Act (Act 90 of 2002)	Mike Texter (717) 783-591 mtexter@pa.gov
Regulated Medical and Chemotherapeutic Waste Amendments Solid Waste Management Act 25 Pa. Code Chapters 271, 284, and 285.	Spring 2012, as proposed	This rulemaking would amend the existing Chapter 284 and Section 285.218. The amendments will include some definitions in Chapter 271 that will be added or revised. The term infectious waste will be replaced with the term “regulated medical waste”. This terminology change will be a global change. In addition to definitional changes, this proposal also includes changes to storage, transporter licensing, and manifesting requirements for regulated medical waste.	Steve Socash (717) 787-7381 ssocash@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Residual Waste Generator Amendments Solid Waste Management Act and Waste Transportation Safety Act 25 Pa. Code Chapter 287	Fall 2012, as proposed	These proposed revisions streamlined and update biennial reporting requirements, reduce the number of generators subject to biennial reporting and annual chemical analyses requirements The requirement for source reduction strategies is proposed for elimination.	Cuong Vu (717) 787-7381 cvu@pa.gov
Radiological Health 25 Pa Code Chapters 215—240	Fall 2012, as proposed	This rulemaking will amend Pa Code Chapters 215—240 in order to incorporate by reference Federal regulations pertaining to the security of certain radioactive material; to address new x-ray technology that is not addressed in current regulations; and to include radon revisions that are not addressed in current regulations.	Joe Melnic (717) 783-9730 jmelnic@pa.gov
GENERAL SERVICES			
Responsibility, 4 Pa. Code Chapter 60	Summer 2012, as proposed	This chapter will be amended to be consistent with the Procurement Code and to provide for uniform debarment and suspension procedures.	Michael C. Barrett (717) 346-9781
Committee on Construction Contract Documents, 4 Pa. Code Chapter 62	Summer 2012, as final omitted	The Procurement Code repealed the legislation creating this committee, which no longer exists.	Michael C. Barrett (717) 346-9781
Selections Committee, 4 Pa. Code Chapter 64	Summer 2012, as final omitted	These regulations should be rescinded since they have been superseded by the Commonwealth Procurement Code.	Michael C. Barrett (717) 346-9781
Emergency Construction Repairs 4 Pa. Code Chapter 67	Summer 2012, as final omitted	These regulations should be rescinded since they have been superseded by the Commonwealth Procurement Code.	Michael C. Barrett (717) 346-9781
Contract Compliance 4 Pa. Code Chapter 68, Subchapter A, Prequalification of Vendors and Non-construction Contractors	Summer 2012, as final omitted	These regulations should be rescinded since the subject matter of these rules is now covered by the directives management system.	Michael C. Barrett (717) 346-9781
Methods of Awarding Contracts, 4 Pa. Code Chapter 69	Summer 2012, as final omitted	These regulations should be rescinded since they have been superseded by the Commonwealth Procurement Code.	Michael C. Barrett (717) 346-9781
Use of the Forum 4 Pa. Code Chapter 87	Summer 2012, as final omitted	The regulations will be amended to reflect the Department's current use of a rental agreement instead of a permit and to reflect the current organizational structure.	Michael C. Barrett (717) 346-9781
Small Business 4 Pa. Code	Summer 2012, as proposed	With the Small Business Initiative Executive Order and the Veteran-Owned Business Executive Order, we need new regulations regarding certification.	Michael C. Barrett (717) 346-9781
Exercise of First Amendment Rights/Use of Capitol Complex 4 Pa. Code Chapter 85 and 86	Winter 2012, as proposed	We need to take the existing Statement of Policy and regulation and combine them as an amended regulation if we are to sustain DGS action in regard to protestors.	Michael C. Barrett (717) 346-9781
Minority-and Women Businesses 4 Pa. Code	Summer 2012, as proposed	Changes in policy require adaptation of the existing Statements of Policy (two chapters) 1) certification and 2) construction	Michael C. Barrett (717) 346-9781

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
HEALTH			
Communicable and Non-Communicable Diseases 28 Pa. Code § 27.1 et seq.	Preparing for promulgation, no date available	These regulations provide “Disease Control Measures” creating a better system for the prevention of communicable and non-communicable diseases. Certain communicable and non-communicable diseases represent substantial public health threats because of their potential to spread or because they represent preventable health risks. The current revision reflects the fact that new diseases are always emerging. The Department’s authority to promulgate these regulations is found in the Disease Prevention Control law of 1955, 35 P. S. § 521.1 et seq. (the Act). Section 16(a) of the (Act 35 P. S. § 521.16 (a)) gives the Board authority to issue rules and regulations on a variety of matters related to communicable and non-communicable diseases. Section 16(b) of the Act (35 P. S. § 521.16 (b)) gives the Secretary of Health the authority to review existing regulations and make recommendations to the Board for changes that the Secretary considers to be desirable. There is also a legislative authority for specific provisions of the regulations. Administrative Code of 1929 (71 P. S. § 51 et seq.) (Code) Section 20102 (g) of the code (71 P. S. § 532 (g)) provides general authority for the Department to promulgate regulations. Administrative Code of 1929 (71 P. S. §§ 51 et seq) (Code) Section 20102 (g) of the code (71 P. S. § 532 (g)) provides general authority for the Department to promulgate regulations.	Jalene Kolb (717) 783-2500 Stephen M. Ostroff, M.D. (717) 787-3350
Photo Identification Tag	September 2012, as proposed	The Health Care Facilities Act (35 P. S. § 448.101 et seq) was amended by the passage of Act 2010-110 on November 23, 2012. This new section of the Act (35 P. S. § 448.809.2) requires health care workers employed in health care facilities and physician practices to wear photo identification tags that also contain other information including name, title and names of the health care facility. The effective date of this amendment is January 22, 2011. The Act requires the Department to adopt interim regulations by April 22, 2011 and final regulations within 18 months of the effective date. Implementation of these provisions are staggered with those working “outside” of a health care facility and in physician offices required to comply immediately and those employed “at” a health care facility required to comply by June 1, 2015. Interim regulations were adopted December 10, 2011. These interim regulations will expire on July 22, 2012. The Department is in the process of drafting proposed regulations.	James T. Steele, Jr. (717) 783-2500 Susan Coble (717) 783-8665

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
School Health 28 Pa. Code Chapter 23	Preparing for promulgation	The School Health regulations were promulgated pursuant to the Department's authority to oversee school health services required by Article XIV of the Public School Code, 24 P. S. §§ 14.1401 et seq. State and Federal laws enacted since 2005 have changed the requirements of school health services. Those legislative changes require changes to the school health regulations. Anticipated changes include new provisions to address: possession and use of asthma inhalers and epinephrine auto-injectors (24 P. S. § 14.1414.1); currently accepted precautions against the spread of tuberculosis (24 P. S. § 14.1416); medical examinations of teachers and other persons including volunteers (24 P. S. § 14.1418(b)); requirements of local wellness policies (24 P. S. § 14-1422.1); requirements for independent dental hygiene practitioners working in the school setting; and revisions to the duties of the Certified School Nurse to track requirements in Federal laws protecting the rights of students with disabilities and to incorporate applicable professional nursing practice standards.	Karin Simpson (717) 783-2500 Beth Bahn (717) 787-2390
Emergency Medical Services System	Proposed regulations were submitted to IRRC on October 2011, and published in the <i>Pennsylvania Bulletin</i> on October 29, 2011. Currently, the Department is in the process of redrafting responses to the comments received and making revisions to the proposed regulations. The Department is also preparing the Preamble to the final-form regulations.	These new regulations will facilitate the Department's administration of the Emergency Medical Services System Act (Act) chapter of Act 37 (2009), 35 Pa.C.S. §§ 8108—8157. The Act repeals and replaces the Emergency Medical Services Act. However, many of the provisions of the Emergency Medical Services Act will remain in effect for 180 days after final regulations are promulgated under the Act. The Act is designed to update the existing emergency medical services system by ensuring high quality and better coordinated emergency medical services are provided in a system that is fully integrated with the overall health care system and, in particular, with the public health system.	Michael D. I. Siget (717) 783-2500
HOUSING FINANCE AGENCY			
No regulations being developed or considered at this date.			

Regulation Being Considered	Proposed Date of Promulgation	Need and Legal Basis for Action	Agency Contact
INFRASTRUCTURE INVESTMENT AUTHORITY			
25 Pa. Code §§ 963.12(a)(7), 963.13(b) 2, 963.13(c), 963.15(a), 963(15)(c), 25 Pa. Code § 965.4(9), and 25 Pa. Code § 965.7.	Summer/Fall 2012, as proposed	<p>PENNVEST recommends the following revisions:</p> <p>(1) Delete 25 Pa. Code § 963.12(a)(7) thereby allowing PENNVEST to provide financial assistance (loan and grant) for costs associated with the extraction for profit of minerals or other resources from wastewater of sludge whether the project is sponsored by a public or private actor.</p> <p>(2) Amend 25 Pa. Code § 963.13(c) by revising the section to provide for a amortization of advance funding loans with a term of 59 months of interest only and repayment on principal and interest on the 60th month.</p> <p>(3) Amend 25 Pa. Code § 963.18 increasing the current threshold for prior written approval of change orders from \$25,000 to \$50,000.</p> <p>(4) Amend 25 Pa. Code § 963.15(a) by revising the first sentence to provide for a change in the normal loan term to allow 3 years of interest only prior to principal amortization.</p> <p>(5) Amend 25 Pa. Code § 963.15(c)(5) to provide that maximum interest rates on loans shall be determined based upon the unemployment rate for the applicable county in the most recent calendar year for which data has been finalized as of the application cutoff date.</p> <p>(6) Amend 25 Pa. Code § 963.4(9) to allow for eligible land costs under the Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970.</p> <p>(7) Delete 25 Pa. Code § 965.7 to eliminate the requirement for a second opinion project</p> <p>(8) Delete 25 Pa. Code § 963.18(c)(2)(iii) to eliminate the requirement for prior written approval of change orders that exceed \$25,000 or 2 percent of the amount of the project's construction cost, or an aggregate of all change orders that exceed 10 percent of the project's construction cost.</p> <p>(9) Delete 25 Pa. Code § 965.9(d) to eliminate the requirement for performance certifications 1 year after initiation of operation.</p> <p>(10) Amend 25 Pa. Code § 963.15(c)(6) by revising the sentence to define "bond interest rate" to mean the rate of interest paid by the Commonwealth in its issuance of general obligation bonds immediately preceding the date of approval of the loan.</p>	Shawn W. Weis (717) 783-6776
INSURANCE			
31 Pa. Code, Chapter 25, §§ 25.1—25.23, Rules and Procedural Requirements for Insurance Holding Company Systems	Fall 2012, as proposed	This chapter will be updates in accordance with NAIC model regulation standards and proposed amendments to the Holding Companies Act expected to be promulgated in June of 2012.	Peter J. Salvatore (717) 787-4429

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
31 Pa. Code, Chapter 161, §§ 161.1—1619, Requirements of Qualified Reinsurers and 163 Requirements for Funds Held as Security for the Payment of Obligations of Unlicensed, Unqualified Reinsurers.	Fall 2012, as proposed	These chapters will be updated to include procedures for certifying insurers as per NAIC model standards and amendments to the Reinsurance Credits Act expected to be promulgated in June of 2012.	Peter J. Salvatore (717) 787-4429
LABOR AND INDUSTRY			
Uniform Construction Code, Title 34, Part XIV, Bureau of Occupational and Industrial Safety	Summer 2012, Submit final rulemaking	Adopt updated accessibility requirements (Chapter 11 and Appendix E of the International Building Code) as required by the Pennsylvania Construction Code Act.	Edward Leister (717) 783-6304
Uniform Construction Code, Title 34, Part XIV, Bureau of Occupational and Industrial Safety	Winter 2012, Submit proposed rulemaking	Update and clarify administrative provisions of the Uniform Construction Code and adopt updated standards for elevator construction.	Edward Leister (717) 783-6304
Flammable and Combustible Liquids, Title 37, Part I, Bureau of Occupational and Industrial Safety	Spring 2012, Submit final-omitted rulemaking	Adopt requirements for storage and dispensing of compressed natural gas as vehicular fuel.	Edward Leister (717) 783-6304
Unemployment Compensation, Title 34, Chapter 65, Office of Unemployment Compensation Benefits	Spring 2012, Submitted Proposal Rulemaking	Implement active search for work and update refusal of work regulation	Sean Creegan (717) 787-4186
Unemployment Compensation, Title 34, Chapter 101, Board of Review	Summer 2012, Submit final-omitted	Delete language re distance requirement in telephone regulation to conform with Act 6 of 2011	Gerard Mackarevich (717) 783-1232
Bureau of Labor Law Compliance, Title 34, Part XII, Chapter 225, Prohibition of Excessive Overtime in Health Care Act	Spring 2012, as proposed	Regulations to establish a complaint and hearing process	Karen Galli (717) 787-4186
Bureau of Labor Law Compliance, Title 34, Chapters 83 and 84, Apprentices	Spring 2012, Submit proposed rulemaking	Amend regulations to reflect Federal requirements.	Rich Lengler (717) 787-4186
Bureau of PENNSAFE Title 34, Chapters 301—323, Worker and Community Right to Know	December 2012, Submit proposed rulemaking	Amend the PA Hazardous Substance List	Barbara Dychala (717) 787-9383

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Office of Deaf and Hard of Hearing, Title 34, Chapter 501 Registration of Sign Language Interpreters and Translitterators	Fall 2012, Submit Proposed rulemaking	Amend regulations to be consistent with amendments to Sign Language Interpreter and Translitterator State Registration Act, 63 P. S. §§ 1725.1—1725.11, that were enacted in November 2010.	Sharon Behun (717) 783-4912
Bureau of Labor Law Compliance, Title 34, Chapter 231, Minimum Wage	Winter of 2012, Submit proposed rulemaking	Update regulations to be consistent with Federal regulations changes.	Richard Lengler (717) 787-4186
Workers' Compensation Appeal Board (Board), Title 34, Chapter 111, Special Rules of Administrative and Procedure Before the Board	December 2012, Submit proposed rulemaking	Revise regulations to reflect evolving procedures and technological changes.	Commissioner Alfonso Frioni, Jr. (412) 531-2680
Office of Adjudication, Title 34, Chapter 131, Special Rules of Administrative Practice and Procedure Before the Workers' Compensation Judges	December 2012, Submit proposed rulemaking	Revise regulations to reflect evolving procedures and technological changes.	Deputy Secretary Elizabeth Crum (717) 787-5082
MILITARY AND VETERANS AFFAIRS			
43 Pa. Code Chapter 11 Fort Indiantown Gap	August 2012, as final-omitted	Section 708 of the Military and Veterans Code (51 Pa.C.S. § 708) authorizes the Adjutant General to promulgate rules, regulations, and polices for the continuing operation of Fort Indiantown Gap and to designate regulations as being for the protection of persons or property at Fort Indiantown Gap. The new 43 Pa. Code Chapter 11 provides comprehensive regulations for the operation, management and control of this military installation. Fort Indiantown Gap is owned by the Commonwealth, but the bulk of it is leased by the U.S. Government. The Fort Indiantown Gap Police Force is a state entity with offices commissioned under state law and powers and duties defined by 51 Pa.C.S. § 711.	Dennis Guise (717) 861-8503
43 Pa. Code Chapter 7 State Veterans Homes	October 2012, as final omitted	The Department wishes to promulgate a comprehensive update to its regulations on State Veterans' Homes. The statutory authority for these regulations is section 902(10) of the Military and Veterans Code (51 Pa.C.S. § 903(10)). These regulations are out-of-date. They were last updates in 1986. The purpose of the changes to these regulations is to bring them in line with best practices in the long-term care arena.	Dennis Guise (717) 861-8503
MUNICIPAL POLICE OFFICERS' EDUCATION AND TRAINING COMMISSION			
Title 37 Pa. Code §§ 221.21, 221.31	June 2014	Title 53 P. S. § 753.7 directs the Municipal Police Officer's Education and Training Commission (MPOETC) to promulgate regulations to implement the Retired Law Enforcement Identification Act. These amendments will make the regulations consistent with a 2011 change to Federal law by reducing the time requirements necessary (from 15 years aggregate employment to 10 years) to be deemed a "retired law enforcement officer."	Major Marshall A. Martin (717) 783-5566

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
PENNSYLVANIA MUNICIPAL RETIREMENT SYSTEM			
No regulations being developed or considered at this time.			
PENNSYLVANIA HIGHER EDUCATION ASSISTANCE AGENCY			
No regulations being developed or considered at this time.			
PROBATION AND PAROLE			
Revision to 37 Pa. Code §§ 63, 65, 67, 69, 71, 73, 75, 77 "Board of Probation and Parole"	December 2015, as proposed.	Updates to incorporate recent changes to Title 61 and emphasis on evidence based practices.	Linda Laub, Acting Chief Counsel (717) 787-8126
Addition of a section to 37 Pa. Code Part II. "Board of Probation and Parole"	December 2015, as proposed.	Addition to address urinalysis collection as mandated by 61 Pa.C.S. § 6137(e).	Colleen Fickel, Director, Central Services, PBPP (717) 787-5699 x 292
37 Pa. Code, Chapter 79 The County Probation and Parole Officers Firearms Education and Training Law 61 P. S. § 332.5(13) requires the Commission to "make rules and regulations and to perform other duties as may be reasonably necessary or appropriate to implement the training program for county probation and parole officers."	December 2015, as proposed.	Add new sections relating to "Accidental Discharge," "Break in Service," and "Weapons Change."	Todd Burns, Executive Director, FETC (717) 787-5699 x 389
PUBLIC SCHOOL EMPLOYEES' RETIREMENT SYSTEM			
No regulations being developed or considered at this time.			
PUBLIC WELFARE			
Program Certification 55 Pa. Code Chapters 101, 105, 107, 108, 109, 145, and 148	September 2012, as proposed	The purpose of this proposed rulemaking is to clarify and update Title 55 of the Pennsylvania Code. This proposed regulation will remove references to agencies and acronyms that no longer exist and ensures that all revisions comply with State and Federal law and policy.	Angie Logan (717) 772-4141
Revisions to Restitution and Disqualification Policy 55 Pa. Code Chapter 255	September 2012, as proposed	The purpose of this proposed rulemaking is to clarify restitution and disqualification policy to comply with State and Federal Law and Policy.	Angie Logan (717) 772-4141

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Simplified Policy and Procedures 55 Pa. Code Chapter 123, 125, 133, 141, 142, 147, 151, 153, 183, 227	September 2012, as proposed	This proposed regulation is needed to improve Department efficiency to issue and maintain cash assistance benefits, reduce paperwork for the Department and Department clients, reduce TANF benefits to clients who refuse to cooperate with the agreement of mutual responsibilities. The work participation rate is used by the Federal government to determine the level of money granted to each state for cash assistance benefits. Improving the work participation rate can increase Federal TANF incentive for funds for Pennsylvania. This proposed regulation will benefit two-parent families who qualify for cash assistance benefits when the family has earned income less than the family size allowance.	Angie Logan (717) 772-4141
Residential Treatment Facilities (RTF) 55 Pa. Code Chapters 31, 1157, 1165	September 2012, as final-form	This regulation codifies coverage for mental health services to children under 21 years of age that are provided in a residential treatment facility.	Angie Logan (717) 772-4141
Psychiatric Rehabilitation Services 55 Pa. Code Chapter 5230	September 2012, as final-form	This regulation promulgates the minimum standards for the delivery of Psychiatric Rehabilitation Services (PRS) for adults. PRS are therapeutic rehabilitation services for individuals with serious mental illness that increase competence in normal life activities and allow individuals to pursue life goals with the greatest possible level of independence.	Angie Logan (717) 772-4141
Pharmacy Benefit Package Change	August 2012, as final-omitted	Act 22 of 2011 requires the Department to establish benefit packages for pharmacy services for medical assistance recipients twenty-one years of age or older, and any exceptions to such benefit packages as the Department determines are appropriate during state fiscal year 2011-2012. This regulation package is codifying the pharmacy benefit package changes which were published in the Pharmacy Benefit Package notice at 41 Pa.B. 6455 (December 31, 2011).	Angie Logan (717) 772-4141
Dental Benefit Package Change	September 2012, as final-omitted	Act 22 of 2011 requires the Department to establish benefit packages for dental services for medical assistance recipients 21 years of age or older, and any exceptions to such benefit packages as the Department determines are appropriate during state fiscal year 2011-2012. This regulation package is codifying the dental package changes which were published in the Dental Benefit Package notice at 41 Pa.B. 5133 (September 24, 2011).	Angie Logan (717) 772-4141
Payment for Nursing Facility Services Provided by Special Rehabilitation Nursing Facilities; Change in Methods and Standards of Setting Payment Rates. 55 Pa. Code Chapter 1187	August 2012, as proposed	This change in rate methodology will allow the Commonwealth to provide payments that reflect the type of services provided by the initial four Special Rehabilitation Nursing Facilities and eliminates existing litigation challenging the adequacy of the case-mix per diem payment rates for facilities in peer group 13.	Angie Logan (717) 772-4141

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Appeal and Fair Hearing and Administrative Disqualification Hearings 55 Pa. Code Chapter 275	February 2013, as proposed	This regulation will update definitions, streamline administrative practices, and incorporate hearing procedures that will support efficiency in the hearing and appeals process.	Angie Logan (717) 772-4141
Medical Assistance Provider Appeal Procedures 55 Pa. Code Chapter 41	February 2013, as proposed	This regulation will clarify procedural and substantive matters related to provider appeals including the filing and post hearing practices for provider appeals.	Angie Logan (717) 772-4141
Administrative of County Children and Youth Programs 55 Pa. Code Chapter 3130	February 2013, as proposed	This regulation incorporates the amendments to the Juvenile Act as a result of Act 126 of 1998 and the Federal regulations for Title IV-B and Title IV-E funding for child welfare services for children in their own homes and for children receiving placement services. Major changes include permanency hearings and the matters to be determined, requirements related to reasonable efforts including aggravated circumstances contrary to the welfare and best interests and redefining permanency goal for children.	Angie Logan (717) 772-4141
Payment for Child Care 55 Pa. Code Chapter 287	February 2013, as proposed	Chapter 287 will be rescinded as it no longer reflects current policy. Chapter 3140 (relating to planning and financial reimbursement requirements for county children and youth social service programs) already addresses the current determination requirements of TANF-relatedness and Medical Assistance eligibility for children placed by children and youth agencies.	Angie Logan (717) 772-4141
Planning and Financial Reimbursement requirements for County Children and Youth Social Services Programs 55 Pa. Code Chapter 3140	February 2013, as proposed	This regulation provides the requirements for reimbursement for services to county children and youth agencies. The regulations are in need of revision to ensure consistency with Federal requirements and policy to ensure the validity of state and Federal claims.	Angie Logan (717) 772-4141
REVENUE			
Amendments to Estates and Trusts - Personal Income Tax Regulations 61 Pa. Code, Chapters 101, 103, 105, and 117	December 2012, as proposed	The Department is promulgating this regulation to codify the Department's policy for the taxation of estates and trusts in the Commonwealth and to provide clear instructions for taxpayers regarding reporting requirements.	Douglas Berguson (717) 346-4633
Amended Returns - Personal Income Tax Regulations 61 Pa. Code Chapters 117, 119, and 121	Proposed regulation published at 42 Pa.B. 2381 (May 5, 2012). March 2013, as final	The Department is promulgating this regulation to clarify the Department's policy on Amended Returns for Pa. PIT and replace outdated language. In addition, the regulation will provide clear instructions for taxpayers regarding petitions for refunds.	Douglas Berguson (717) 346-4633
Consolidation of Administrative Appeals under the Board of Appeals 61 Pa. Code Chapters 7 and 901	Proposed regulation published at 42 Pa.B. 1222 (March 10, 2012) December 2012, as final	The Department is proposing regulations to consolidate the administrative appeals under the Board of Appeals and streamline the administrative appeals process.	Douglas Berguson (717) 346-4633

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Amendments to Realty Transfer Tax Regulations 61 Pa. Code Chapter 91	Proposed Regulation published at 41 Pa. B. 6220 (November 19, 2011) June 2013, as final	Amendments to the Realty Transfer Tax regulations are being proposed to improve the clarity and effectiveness of the regulations.	Douglas Berguson (717) 346-4633
Amendments to Local Option Small Games of Chance 61 Pa. Code Chapter 901	Proposed regulation published at 41 Pa. B. 4638 (August 27, 2011)	In light of Act 2 of 2012, the Department is discontinuing the promulgation of this rulemaking. See new SGOC proposed rulemaking for Chapter 901a.	Douglas Berguson (717) 346-4633
Amendments to Local Option Small Games of Chance 61 Pa. Code Chapter 901a	December 2012, as proposed	The Department is proposing to replace Chapter 901 with a new Chapter 901a as a result of the amendments to the SGOC law enacted under Act 2 of 2012. The proposed rulemaking will reorganize and clarify the SGOC regulations as well as incorporate necessary changes to implement Act 2.	Douglas Berguson (717) 346-4633
General Provisions Application of Payments 61 Pa. Code Chapter 5a	October 2012, as proposed	The Department is promulgating this regulation to clarify the provisions of the Taxpayers' Bill of Rights and provide a procedure for the application of a payment received from a taxpayer to tax liability owned the Department.	Douglas Berguson (717) 346-4633
SECURITIES COMMISSION			
No regulations being developed or considered at this time.			
STATE			
Bureau of Professional and Occupational Affairs -Schedule of Civil Penalties for violations of the Clean Indoor Air Act- 49 Pa. Code, Chapter 43b. (16-46)	Fall 2012, as Final.	This regulation would create a schedule of civil penalties for violations of the Act of June 13, 2008 (P. L. 182, No. 27), known as the Clean Indoor Air Act. Statutory Authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a), authorizes the Commissioner to set forth schedules of civil penalties. Section 5(b)(1)(ii) of the Clean Indoor Air Act, 35 P. S. § 637.5(b)(1)(ii), authorizes the Bureau to enforce the act.	Cynthia K. Montgomery (717) 783-7200
-Telephonic Testimony -49 Pa. Code, Chapter 43b. (number not yet assigned)	Fall 2012, as Proposed.	This proposed rulemaking would provide rules for the admission of testimony received by telephone at hearings conducted by boards/commissioners or hearing examiners. Statutory Authority: Section 3 of the Commissioner of Professional and Occupational to promulgate regulations setting forth the procedural rules to be followed in the conduct of hearings in disciplinary matters before a licensing board or commission, after consultation with the licensing boards and commissions.	
-Recording Devices- 49 Pa. Code, §§ 43b.101 and 43b.102 (16A-45)	Fall 2012, as Proposed.	This proposed rulemaking would provide rules for the use of electronic (audio and visual) recording devices during meetings of the boards and commissions within the Department of State for which the Bureau of Professional and Occupational Affairs provides administrative support. Statutory Authority: Sections 710 and 711 of the Sunshine Act, Act of October 15, 1998 (P. L. 179, No. 93) authorizes the adoption of rules and regulations governing the use of recording devices in public meetings.	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<p>State Board of Accountancy -Continuing Education- 49 Pa. Code §§ 11.61—11.69a (16A-5511)</p> <p>-General Revisions- 49 Pa. Code, Chapter 11 (number not yet assigned)</p> <p>-Civil Penalty Schedule- Accountants - 49 Pa. Code § 43b.10a. (16-48)</p>	<p>Summer 2012, as Final.</p> <p>Fall 2012, as Proposed.</p> <p>Summer 2012, as Final.</p>	<p>The regulation would amend continuing professional education requirements for licensed certified public accountants and public accountants. Statutory Authority: Section 3 of the C.P.A. Law, 63 P. S. § 9.3.</p> <p>This proposed rulemaking would implement the amendments to the CPA Law made by the Act of July 9, 2008 (P. L. 954, No. 73). Statutory Authority: Section 3 of the C.P.A. Law, 63 P. S. § 9.3.</p> <p>This regulation would adopt a schedule of civil penalties for violation of the continuing education regulations of the Board. Statutory Authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a), authorizes the Commissioner of Professional and Occupational Affairs to set forth schedules of civil penalties, with the approval of the Board.</p>	<p>Sara Fox (717) 783-1404</p>
<p>State Architects Licensure Board -Experienced Requirement -49 Pa. Code §§ 9.41 and 9.46 (16A-4120)</p>	<p>Fall 2012, as Proposed.</p>	<p>This proposed rulemaking would clarify that the experience requirement must be completed as a condition of licensure rather than as a condition of admittance to the licensing examination and is sufficient that an examination candidate has begun acquiring qualifying experience. Statutory Authority: Section 6(a) and (d) of the Architects Licensure Law, 63 P. S. § 34.6(a) and (b).</p>	<p>Penny Walker (717) 783-3397</p>
<p>State Athletic Commission -Mixed martial arts update -58 Pa. Code § 28.30 (16-53)</p>	<p>Summer 2012, as proposed</p>	<p>The proposed rulemaking would alter the Commission's current MMA regulations to permit amateur contestants to petition to strike at an opponent's head when on the ground and waive the shin/instep pad requirement after at least three amateur bouts. Statutory Authority: Sections 103(b) and 501 of the State Athletic Code, 5 Pa.C.S. §§ 103(b)(1), authorizes the Commission to promulgate regulations regarding professional and amateur boxing contests and exhibitions.</p>	<p>Martha Brown (717) 783-0736</p>
<p>State Board of Auctioneer Examiners -Schedule of Civil Penalties- 49 Pa. Code § 43b.12a (16A-648)</p> <p>-Biennial Renewal Fees- 49 Pa. Code § 1.41 (16A-649)</p>	<p>Fall 2012, as proposed</p> <p>Fall 2012, as proposed</p>	<p>The proposed rulemaking would make updates to the current schedule of civil penalties, as requested by the Board. Statutory Authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a), authorizes the Commissioner of Professional and Occupational Affairs to set forth schedules of civil penalties.</p> <p>The proposed rulemaking would increase biennial renewal fees to meet projected expenditures as required by law. Statutory Authority: Section 6(a) of the Auctioneer Licensing and Trading Assistant Registration Act, 63 P. S. § 734.6(a).</p>	<p>Terri Kocher (717) 783-3397</p>
<p>State Board of Barber Examiners -Fees- 49 Pa. Code § 3.103 (16A-428)</p> <p>-General Revisions- 49 Pa. Code, Chapter 3 (16A-429)</p>	<p>Summer 2012, as Proposed.</p> <p>Fall 2012, as proposed</p>	<p>The proposed rulemaking would increase biennial renewal fees and fees for other board services. Statutory Authority: Section 14 of the Barbers License Law, 63 P. S. § 564.</p> <p>The proposed rulemaking would update the regulations for barber managers, temporary student licenses, barber shops and schools of barbering. Statutory Authority: Section 10 of the Barbers License Law, 63 P. S. § 560</p>	<p>Kelly Diller (717) 783-3402</p>

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
State Board of Chiropractic -Chiropractic specialties- 49 Pa. Code Ch. 5 (16A-4312)	Fall 2012, as Proposed	The Chiropractic Practice Act prohibits licensees from holding themselves out as specialists unless they possess a post-graduate certification in that specialty. This proposed rulemaking would identify the certifications acceptable to the Board. Statutory Authority: Section 302(3) of the Chiropractic Practice Act, 63 P. S. § 625.302(3).	Mary Sue Ferster (717) 783-7155
-Child Abuse Reporting Requirements- 49 Pa. Code §§ 5.91—5.96 (16A-4322)	Fall 2012, as Final (proposed-omitted)	This regulation would update the Board's existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL, 23 P. S. §§ 6301—6386). Statutory Authority: Section 6383(b)(2) of the CPSL, 23 P. S. § 6383(b)(2); and section 302(3) of the Chiropractic Practice Act, 63 P. S. § 62.302(3).	
-Licensure by Reciprocity- 49 Pa. Code § 5.13 (16A-4320)	Summer 2012, as Final.	This regulation would provide a revised method of licensing out-of-state chiropractors by reciprocity. Statutory Authority: Sections 302(3) and 504 of the Chiropractic Practice Act, 63 P. S. §§ 625.302(3) and 625.504.	Mary Sue Ferster (717) 783-7155
-Volunteer license- 49 Pa. Code § 5.20 (16A-4321)	Fall 2012, as Final (proposed-omitted)	This regulation would amend the volunteer license regulations to the amendments to the Volunteer Health Services Act Statutory Authority: Section 302 of the Chiropractic Practice Act, 63 P. S. § 625.302; and section 5 of the Volunteer Health Services Act, 35 P. S. § 449.45.	
Corporation Bureau -UCC Revised Article 9- (16-35)	Fall 2012, as Proposed.	This proposed rulemaking would adopt (with some revisions) the Model rules promulgated by the International Association of Corporate Administrators, which call for the delivery of filings by electronic means and acceptance of credit card payments. Statutory Authority: Section 9526 of the Uniform Commercial Code Modernization Act of 2001, 13 Pa.C.S. § 9526.	Martha Brown (717) 787-6802
State Board of Cosmetology -Fees- 49 Pa. Code § 7.2 (16A-4515)	Summer 2012, as Proposed.	The proposed regulation would increase biennial renewal fees for all licensee classifications to meet projected expenditures as required by law and would increase certain application fees where the current fees have been determined to be inadequate. Statutory Authority: Section 16(d) of the Beauty Culture Law, 63 P. S. § 522(d), requires the Board to increase fees by regulation to meet or exceed projected expenditures if the revenues raised by fees, fines and civil penalties are not sufficient to match expenditures over a 2-year period.	Kelly Diller (717) 783-7130

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
-Sanitation-49 Pa. Code, Chapter 7 (16A-4516)	Fall 2012, as Proposed.	This proposed rulemaking would update the Board's regulations on sanitation to conform to modern standards within the profession. Statutory Authority: Sections 11 and 14 of the Act of May 3, 1933 (P. L. 242, No. 86), commonly referred to as the Beauty Culture Law, 63 P. S. §§ 517 and 520.	Kelly Diller (717) 783-7130
-Sanitation-49 Pa. Code Chapter 7 (16A-4516)	Fall 2012, as proposed	This proposed rulemaking would update the Board's regulations on sanitation to conform to modern standards within the profession. Statutory Authority: Sections 11 and 14 of the Act of May 3, 1933 (P. L. 242, No. 86), commonly referred to as the Beauty Culture Law, 63 P. S. §§ 517 and 520.	
-Schedule of Civil Penalties - 49 Pa. Code, Chapter 43b, § 43b.5. (number not yet assigned)	Summer 2012, as Proposed.	This proposed rulemaking would amend the schedule of civil penalties for the State Board of Cosmetology to implement Act 48 civil penalties for failure of a school to submit quarterly reports. Statutory authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a).	
State Board of Dentistry -Anesthesia Update-49 Pa. Code, Subchapter E, §§ 33.331—33.342 (16A-4621)	Summer 2012, as Proposed.	This proposed rulemaking would update the standards for the administration of general anesthesia, deep sedation, moderate sedation, minimal sedation and nitrous oxide/oxygen analgesia in dental offices. Statutory Authority: Sections 3(o) and 11.2 of the Dental Law, 63 P. S. §§ 122(o) and 130c.	Lisa Burns (717) 783-7162
-EFDA Scope of Practice-49 Pa. Code § 33.205a. (16A-4624)	Summer 2012, as Final.	This regulation implements the act of April 29, 2010 (P. L. 176, No. 19), which amended the Dental Law to expand the scope of practice for expanded function dental assistants. Statutory Authority: The proposed rulemaking is authorized by section 4 of the act of April 29, 2010 (P. L. 176, No. 19), which requires the Board to promulgate regulations within 18 months of its effective date (June 28, 2010); and by section 3 (d.1) and (o) of the Dental Law (act), 63 P. S. § 122 (d.1) and (o).	
-Volunteer License-49 Pa. Code § 33.110 (16A-4625)	Fall 2012, as Final (proposed-omitted)	This regulation would amend the current volunteer license regulations to conform to amendments to the Volunteer Health Services Act made by Act 58 of 2002. Statutory Authority: Section 3(o) of the Dental Law, 63 P. S. § 122(o).	
-Child Abuse Reporting Requirements-49 Pa. Code § 33.250 (16A-4626)	Fall 2012, as final (proposed-omitted)	This regulation would update the Board's existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL), 23 P. S. §§ 6301—6386. Statutory Authority: section 6383(b)(2) of the CPSL, 23 P. S. § 6383(b)(2); and section 3(o) of the Dental Law, 63 P. S. §§ 122(j) and 123(b).	
-Biennial Renewal Fees-49 Pa. Code § 33.3 (16A-4627)	Fall 2012, as proposed.	This proposed rulemaking would increase biennial renewal fees to meet projected expenditures as required by law. Statutory Authority: Sections 3(j) and 4(b) of the Dental Law, 63 P. S. §§ 122(j) and 123(b).	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
State Registration Board for Professional Engineers, Land Surveyors and Geologists -General Revisions- 49 Pa. Code, Chapter 37 (16A-479)	Fall 2012, as Proposed.	The proposed rulemaking would clarify education and experience requirements for regular and “grandfathered” candidates for examination and licensure; revise categories of acceptable professional references for candidates; update the branches of engineering for which license examinations are offered; prescribe standards relating to the use of an electronic seal and signature; clarify criteria for approval of fictitious and corporate names that use variations of professional titles; eliminate unnecessary administrative requirements; and make editorial changes. Statutory Authority: Section 4 of the Engineer, Land Surveyor and Geologist Registration Law, 63 P. S. § 151.	DeAndra Burger (717) 783-7049
-Qualifications for Licensure- 49 Pa. Code Chapter 37 (16A-4711)	Fall 2012, as Final.	The regulation implements Act 25 of 2010, to provide for the certification of geologists-in-training, and to update the board’s regulations concerning the licensure process for engineers and land surveyors. Statutory Authority: Section 4(l) of the Engineer, Land Surveyor and Geologist Registration Law, 63 P. S. § 151(l).	
-Schedule of Civil Penalties - Engineers, Land Surveyors and Geologists- 49 Pa. Code Chapter 43b. (16A-54)	Summer 2012, as Final.	The regulation would make necessary corrections to schedule of civil penalties relating to unlicensed practice and practice on a lapsed license required by the Commonwealth Court’s decision in <i>Evans v. Land Surveyors and Geologists</i> , 15 A.3d 99 (Pa. Cmwlth. 2011). Statutory Authority: Section 5(a) of the act of July 2, 1993 (P. L. 345, No. 48), 63 P. S. § 2205(a).	
State Board of Funeral Directors General Revisions- 49 Pa. Code, Chapter 13 (Number not yet assigned)	Fall 2012, as Proposed	The proposed rulemaking would update the Board’s regulations related to advertising, application procedures, facility requirements, qualifications, and supervisor responsibilities. Statutory Authority: Section 16 (a) of the Funeral Director Law, 63 P. S. § 479.16(a).	Heidy Weirich (717) 783-3397
Renewal; Continuing Education Enforcement - 49 Pa. Code Chapter 13 (16A-4819)	Fall 2012, as Proposed	This proposed rulemaking would update and clarify the Board’s regulations relating to renewal of licenses and enforcement of continuing education. Statutory Authority: Sections 10(b)(1) and 16(a) of the Funeral Director Law, 63 P. S. §§ 479.10(b)(1) and 479.16(a).	
Schedule of Civil Penalties - Funeral Directors 49 Pa. Code § 43b.6 (16A-4820)	Fall 2012, as Proposed	This proposed regulation would establish a schedule of civil penalties for continuing education enforcement. Statutory Authority: Section 5(a) of the act of July 2, 1993 (P. L. 345, No. 48), 63 P. S. § 2205(a).	
-Advertising 49 Pa. Code Chapter 13 (16A-4821)	Fall 2012, as proposed	This proposed rulemaking would update the Board’s existing regulations relating to advertising. Statutory Authority: Section 16(a) of the Funeral Director Law, 63 P. S. § 479.16(a).	
-Child Abuse Reporting Requirements- 49 Pa. Code § 13.301—13.307 (16A-4822)	Fall 2012, as final (proposed-omitted)	This regulation would update the Board’s existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL), 23 P. S. §§ 6301—6386. Statutory Authority: section 6383(b)(2) of the CPSL, 23 P. S. § 6383(b)(2); and section 16(a) of the Funeral Director Law, 63 P.S § 479.16(a).	
-Fees- 49 Pa. Code § 13.12 (number not yet assigned)	Fall 2012, as proposed	This proposed rulemaking would increase biennial renewal fees to meet projected expenditures as required by law. Statutory Authority: Section 18.1 of the Funeral Director Law, 63 P. S. § 479.18.1.	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
State Board of Landscape Architects -Statutorily Mandated Amendments- 49 Pa. Code Chapter 15 (16A-6110)	Summer 2012, as Final (proposed omitted).	This regulation would implement the act of July 17, 2009 (P. L. 94, No. 24). Statutory Authority: Section 4(9) of the Landscape Architects' Registration Law, 63 P. S. § 904(9).	Terrie Kocher (717) 772-8528
-General Revisions- 49 Pa. Code, Chapter 15 (16A-6111)	Fall 2012, as Proposed	This proposed rulemaking implements updates to current practices of the Board with respect to qualifications and experience, examinations and continuing education. Statutory Authority: Section 4 of the Landscape Architects' Registration Law, 63 P. S. § 904.	
-Schedule of Civil Penalties - Landscape Architects 49 Pa. Code, Chapter 43b. (16A-6120)	Summer 2012, as Proposed.	This proposed rulemaking would adopt a schedule of civil penalties for unlicensed practice and other violations of the Landscape Architects Registration Law. Statutory Authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a), authorizes the Commissioner of Professional and Occupational Affairs to set forth schedules of civil penalties, with the approval of the Board.	
-Electronic Seals and Signing- 49 Pa. Code Chapter 15 (16A-6121)	Fall 2012, as proposed	This proposed rulemaking will implement rules on electronic seals and signing from other design professional boards in Pennsylvania and other states. Statutory Authority: Sections 4 and 9 of the Landscape Architects' Registration Law, 63 P. S. §§ 904 and 909.	
State Board of Massage Therapy -Child Abuse Reporting Requirements- 49 Pa. Code Chapter 20 (16A-722)	Fall 2012, as proposed	This proposed rulemaking established mandatory reporting requirements relating to suspected child abuse under the Child Protective Services Law (CPSL), 23 P. S. 23 P. S. §§ 6301—6386. Statutory Authority: Section 6383(b)(2) of the CPSL, 23 P. S. § 6383(b)(2); and section 4(2) of the Massage Therapy Law, 63 P. S. § 627.4(2).	Judy Harner (717) 783-7155
State Board of Medicine -Mcare Update- 49 Pa. Code Chapters 16 and 17 (16A-4925)	Summer 2012, as Final (proposed-omitted)	The regulation deletes outdated references to the repealed Health Care Services Malpractice Act, 40 P. S. §§ 1301.101—1301.1006, and replaces it with references to the Medical Care Availability and Reduction of Error (Mcare) Act, 40 P. S. §§ 1303.101—1303.910. Statutory Authority: Section 8 of the Medical Practice Act of 1985, 63 P. S. § 422.8, authorizes the Board to promulgate regulations that are reasonably necessary to carry out the purposes of the Act.	Tammy Dougherty (717) 783-1400
-Use of Medical Lasers- 49 Pa. Code Chapter 18 (16A-4939)	Fall 2012, as Proposed.	The proposed rulemaking is intended to clarify the requirements of the use and delegation of the use of medical devices and medical lasers. Statutory Authority: Section 8 of the Medical Practice Act of 1985, 63 P. S. § 422.8	Tammy Dougherty (717) 783-1400
- Licensure of Respiratory Therapists and Physician Assistants - 49 Pa. Code, Chapter 18 (16A-4930)	Fall 2012, as final.	The proposed rulemaking would implement the amendments made to the Medical Practice Act by the Act of July 4, 2008 (P. L. 580, No. 45) relating to licensure of respiratory therapists and physician assistants. Statutory authority: Section 8 of the Act of July 4, 2008 (P. L. 580, No. 45) requires the Board and the State Board of Osteopathic Medicine to jointly promulgate regulations to implement the amendments.	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
-Perfusionists- 49 Pa. Code, Chapter 18, Subchapter J. (16A-4935)	Summer 2012, as Proposed.	The proposed rulemaking sets forth the requirements for licensure of perfusionists. Statutory Authority: Section 4 of the Act of June 11, 2008 (P. L. 154 No. 19) requires the Board to promulgate regulations to implement licensure of perfusionists.	
-Certified Midwives - 49 Pa. Code, Chapter 18 (16A-4932)	Fall 2012, as Proposed.	The proposed rulemaking would provide for the licensure of "certified" midwives as suggested by the Commonwealth Court's decision in <i>Goslin v. State Board of Medicine</i> , 949 A.2d 372. Statutory Authority: Sections 1 and 2 of the Midwife Registration Law of 1929, 63 P. S. §§ 171 and 172, and section 8 of the Medical Practice Act of 1985, 63 P. S. § 422.8, make it unlawful to practice as a midwife without a certificate from the Medical Board and authorize the Board to issue rules and regulations as may be necessary for the examination, licensing, and proper conduct of the practice of midwifery by midwives.	
-Prescribing- 49 Pa. Code § 16.92 (16A-4933)	Fall 2012, as Final	The rulemaking would rewrite, simplify and update the Board's regulations relating to prescribing controlled substances and other drugs of abuse. Statutory Authority: Section 8 of the Medical Practice Act of 1985, 63 P. S. § 422.8.	
-Genetic Counselors- 49 Pa. Code Chapter 18 (16A-4937)	Fall 2012, as Proposed	This proposed rulemaking would implement the act of December 22, 2011 (P. L. 576, No. 125) relating to the licensure of genetic counselors. Statutory Authority: Section 3 of Act 125 of 2011 requires the Board to promulgate regulations within 12 months. Section 8 of the Medical Practice Act of 1985, 63 P. S. § 422.8, provides the general regulatory powers of the Board	
-Licensure of Athletic Trainers- 49 Pa. Code Chapter 18, Subchapter H (16A-4936)	Summer 2012, as Final (proposed-omitted)	This regulation is required to amend the Board's regulations regarding athletic trainers to refer to "licensure" rather than "certification" as amended by the act of December 22, 2011 (P. L. ___ No. 124). Statutory Authority: Section 8 of the Medical Practice Act of 1985. 63 P. S. § 422.8.	
-Schedule of Civil Penalties- 49 Pa. Code, Chapter 43b, § 43b.20. (16A-4942)	Fall 2012, as Proposed.	This proposed rulemaking would amend the schedule of civil penalties for the State Board of Medicine to implement Act 48 civil penalties for practicing on a lapsed license and for continuing education violations. Statutory authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a).	
-Volunteer Licenses- 49 Pa. Code Chapter 16 (16A-4934)	Fall 2012, as Final (proposed-omitted)	This regulation will amend the volunteer license regulations to conform to amendments to the Volunteer Health Services Act (Acts 29 of 2007 and 58 of 2002). Statutory Authority: Section 8 of the Medical Practice Act of 1985, 63 P. S. § 422.8.	
-CRNP Revisions- 49 Pa. Code Chapter 18, Subchapter C (16A-4938)	Summer 2012, as Final (proposed omitted)	This regulation is needed to delete outdated regulations relating to CRNP practice because the Board no longer jointly regulates CRNPs, which are now under the sole authority of the State Board of Nursing. Statutory Authority: Section 8 of the Medical Practice Act of 1985, 63 P. S. § 422.8	
-Child Abuse Reporting Requirements- 49 Pa. Code §§ 16.101—16.107 (16A-4941)	Fall 2012, as Final (proposed-omitted)	This regulations updates the Board's existing regulation on mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL), 23 P. S. 23 P. S. §§ 6301—6386. Statutory Authority: Section 6383(b)(2) of the CPSL, 23 P. S. § 6383(b)(2); and section 8 of the Medical Practice Act of 1985, 63 P. S. § 422.8	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Navigation Commission of the Delaware River and its Navigable Tributaries -General Revisions- 4 Pa. Code §§ 405.7, 405.8, and 405.12 (16A-663)	Summer 2012, as Proposed	The proposed rulemaking would require all currently licensed pilots to hold and maintain an active Federal first class pilot's license and endorsement of the routes to be traversed. Statutory Authority: Section 4 of the Act of March 29, 1803 (P. L. 542), 55 P. S. § 31, and section 2504-B(4) of the Administrative Code of 1929, 71 P. S. § 670.2(4)	Barbara Dupler (717) 783-1618
State Board of Nursing -LPN/IV Therapy- 49 Pa. Code § 21.145 (16A-5122)	Summer 2012, as Final.	This regulation addresses the LPN's role in working with peripherally inserted central catheters (PICC lines). Statutory Authority: Section 17.6 of the Practical Nurse Law, 63 P. S. § 667.6.	Cindy Miller (717) 783-7142
-Application Procedures- 49 Pa. Code § 21.151 (16A-5134)	Fall 2012, as Proposed	The proposed rulemaking would provide for admission to the practical nurse exam for applicants who have graduated from a foreign practical nursing program that is equivalent to an LPN education program of study required in this Commonwealth at the time the program was completed as determined by the Commission on Graduate of Foreign Nursing Schools (CGFNS). Statutory Authority: Sections 5 and 17.6 of the Practical Nurse Law, 63 P. S. §§ 655 and 667.6.	
-Reactivation/ Re-licensure after Lapse- 49 Pa. Code Chapter 21 (16A-5135)	Fall 2012, as Proposed	This proposed rulemaking would set standards for the reactivation/re-licensure of nurses whose licenses have lapsed for a significant period of time. Statutory Authority: Sections 2.1 and 11 of the Professional Nursing Law, 63 P. S. §§ 212.1 and 221; and sections 13.1 and 17.6 of the Practical Nurse Law, 63 P. S. §§ 663.1 and 667.6, authorize the Board to regulate the renewal of expired or inactive licenses and to promulgate regulations generally.	
-Out of State Nursing Education Programs using Pennsylvania Clinical Sites- 49 Pa. Code, Chapter 21 (16A-5137)	Fall 2012, as Proposed	This proposed rulemaking would require out of state educational programs that intend to place nursing students in Pennsylvania facilities for clinical education with a Pennsylvania licensed nurse preceptor to apply to the Board for permission to utilize the clinical site. This same requirement is placed on Pennsylvania nursing education programs. Statutory Authority: Section 6.1 of the Professional Nursing Law, 63 P. S. § 216.1 and Section 9 of the Practical Nurse Law, 63 P. S. § 659.	
-Fees for Nursing Education Programs- 49 Pa. Code, Chapter 21 (number not yet assigned)	Fall 2012, as Proposed.	This proposed rulemaking is necessary to set fees for the approval of nursing education programs. Statutory Authority: Section 11.2 of the Professional Nursing Law, 63 P. S. § 221.2, and Section 17.5 of the Practical Nursing Law, 63 P. S. § 667.5, set forth the authority to the setting of fees by regulation. Section 6.2 of the Professional Nursing Law, 63 P. S. § 216.2, provides the Board's authority to approve nursing education programs. Sections 2.1(k) of the Professional Nursing Law, 63 P. S. § 212.1(k) and 17.6 of the Practical Nursing Law, 63 P. S. § 667.6, provide the general rulemaking authority of the Board.	
-Volunteer License- 49 Pa. Code, Chapter 21, Subchapter F, §§ 21.601—21.607. (16A-5139)	Fall 2012, as Final (proposed-omitted).	This regulation would amend the volunteer license regulations to conform to amendments to the Volunteer Health Services Act. Statutory Authority: Section 2.1(k) of the Professional Nursing Law, 63 P. S. § 212.1(k).	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
-Child Abuse Reporting Requirements- 49 Pa. Code §§ 21.501—21.507 (16A-5140)	Fall 2012, as Proposed	This regulation updates the Board's existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL), 23 P. S. 23 P. S. §§ 6301—6386. Statutory Authority: Section 6383(b)(2) of the CPSL, 23 P. S. § 6383 (b)(2); section 2.1(k) of the Professional Nursing Law, 63 P. S. § 212.1(k); and Section 17.6 of the Practical Nurse Law, 63 P. S. § 667.6	
State Board of Examiners of Nursing Home Administrators -Sexual Misconduct - 49 Pa. Code §§ 39.1 and 39.9 (16A-6211)	Fall 2012, as Proposed.	This proposed rulemaking would add sexual abuse and sexual misconduct as offenses for which a nursing home administrator's license may be disciplined. Statutory Authority: Sections 4(c) and 6(g) of the Nursing Home Administrators Licensure Act, 63 P. S. §§ 1104(c) and 1106(g).	Chris Stuckey (717) 783-7155
-Continued Competence- 49 Pa. Code, Chapter 39 (16A-6213)	Fall 2012, as Proposed	This proposed rulemaking would provide the requirements for demonstrating continued competence when reactivating a license that has been inactive for more than 5 years. Statutory Authority: Section 4(a)(4), (9) and (c) of the Nursing Home Administrators Licensure Act, 63 P. S. § 1104(a)(4),(9) and (c).	
Schedule of Civil Penalties- 49 Pa. Code, Chapter 43b, § 43b.17 (16A-6215)	Summer 2012, as Proposed.	This proposed rulemaking would amend the schedule of civil penalties for the State Board of Examiners of Nursing Home Administrators to implement Act 48 civil penalties for continuing education violations. Statutory authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a).	
-Continuing Education- 49 Pa. Code, Chapter 39 (16A-6216)	Fall 2012, as Proposed	This proposed regulation updates the Board's existing regulations relating to continuing education requirements and reporting. Statutory Authority: Sections 4(c) and 9(b) of the Nursing Home Administrators Act, 63 P. S. §§ 1104(c) and 1109 (b).	
State Board of Occupational Therapy Education and Licensure - Continued Competency - 49 Pa. Code §§ 42.50—42.58 (16A-677)	Summer 2012, as Final.	The proposed rulemaking would implement section 15(a) of the Occupational Therapy Practice Act, 63 P. S. § 1515(a), which authorizes the board to establish additional requirements for the license renewal designed to assure continued competency. Statutory Authority: Section 5(b) of the Occupational Therapy Practice Act, 63 P. S. § 1505(b).	Judy Harner (717) 783-1389
-Referrals by Certified Registered Nurses Practitioners and Physician Assistants - 49 Pa. Code Chapter 42 (16A-678)	Summer 2012, as Final (Proposed omitted)	The regulation would conform the board's regulations with changes made by Act 48 of 2007 and Act 45 of 2008, which permit CRNPs and Physician Assistants to make referrals to Occupational Therapists. Statutory Authority: Section 5(b) of the Occupational Therapy Practice Act, 63 P. S. § 1505(b).	
-Child Abuse Reporting Requirements- 49 Pa. Code Chapter 42 (16A-679)	Fall 2012, as Final (proposed omitted)	This regulation updates the Board's regulations on mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL). 23 P. S. 6301—6386. Statutory Authority: Section 6383(b)(2) of the CPSL requires the Board to promulgate regulations consistent with the CPSL; Section (5)(b) of the Occupational Therapy Practice Act, 63 P. S. § 1505(b) directs the Board to adopt regulations consistent with law.	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
-Code of Ethics- 49 Pa. Code § 42.24 (16A-6710)	Spring 2012, as Proposed	This proposed rulemaking would update and amend the Board's existing code of ethics to adopt the AOTA ethics standards. Statutory Authority: Section (5)(b) of the Occupational Therapy Practice Act, 63 P. S. § 1505 (b).	
State Board of Optometry Schedule of Civil Penalties - Optometrists 49 Pa. Code, Chapter 43b (16A-5212)	Summer 2012, as Proposed.	This proposed rulemaking would adopt a schedule of civil penalties for continuing education violations. Statutory Authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a), authorizes the Commissioner to set forth schedules of civil penalties.	Mary Sue Ferster (717) 783-7155
-Volunteer License- 49 Pa. Code § 23.26 (16A-5214)	Fall 2012, as Final (Proposed- omitted).	This regulation would amend the Board's volunteer license regulations to conform to amendments to the Volunteer Health Services Statutory Authority: Section 3(b)(14) of the Optometric Practice and Licensure Act, 63 P. S. § 244.3(b)(14).	
-Child Abuse Reporting Requirements- 49 Pa. Code §§ 23.111—23.116 (16A-5215)	Fall 2012, as Final (proposed- omitted)	This regulations updates the Board's existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL), 23 P. S. 23 P. S. §§ 6301—6386. Statutory Authority: Section 6383(b)(2); and section 3(b)(14) of the Optometric Practice and Licensure Act, 63 P. S. § 244.3(b)(14).	
State Board of Osteopathic Medicine -Perfusionists - 49 Pa. Code, Chapter 25 (16A-5324)	Summer 2012, as Proposed	This regulation would set forth the requirements for licensure of perfusionists. Statutory Authority: Section 4 of the Act of June 11, 2008 (P.L. 161, No. 20) requires the Board to promulgate regulations to implement licensure of perfusionists.	Tammy Dougherty (717) 783-4858
- Licensure of Respiratory Therapists and Physician Assistants - 49 Pa. Code, Chapter 25 (16A-5321)	Fall 2012, as Final	The rulemaking implements the amendments made to the Osteopathic Medical Practice Act by the Act of July 4, 2008 (P. L. 589, No. 46) relating to licensure of respiratory therapists and physician assistants. Statutory Authority: Section 8 of the Act of July 4, 2008 (P. L. 589, No. 46) requires the Board and the State Board of Medicine to jointly promulgate regulations to implement the amendments.	
-Volunteer License- 49 Pa. Code, Chapter 25, Subchapter L, §§ 25.601—25.607. (16A-5323)	Fall 2012, as Final (proposed omitted)	This regulation would amend the Board's volunteer license regulations to conform to amendments to the Volunteer Health Services Act made by Act 58 of 2002 and Act 29 of 2007. Statutory Authority: Section 16 of the Osteopathic Medicine Act, 63 P. S. § 271.16.	
-Genetic Counselors - 49 Pa. Code Chapter 25 (16A-5328)	Fall 2012, as Proposed	This proposed rulemaking would implement the act of December 22, 2011 (P. L. ____ , No. 126) relating to the licensure of genetic counselors. Statutory Authority: Section 3 of Act 126 of 2011 requires the Board to promulgate regulations within 12 months. Section 16 of the Osteopathic Medicine Practice Act, 63 P. S. § 271.16, provides the general regulatory authority of the Board.	
-Licensure of Athletic Trainers- 49 Pa. Code Chapter 25, Subchapter M (16A-5325)	Summer 2012, as Final (proposed omitted)	This regulation is required to amend the Board's regulations regarding athletic trainers to refer to "licensure" rather than "certification" as amended by the act of December 22, 2011 (P.L. 1109, No. 123). Statutory Authority: Section 16 of the Osteopathic Medicine Practice Act, 63 P. S. § 271.16.	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
-Schedule of Civil Penalties- 49 Pa Code Chapter 43b. (16A-5327)	Summer 2012, as Proposed	This proposed rulemaking would establish a schedule of civil penalties for the State Board of Osteopathic Medicine to implement Act 48 civil penalties for failure to report complaints filed against an osteopathic physician in the medical professional liability action. Statutory Authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a).	
-Child Abuse Reporting Requirements- 49 Pa. Code §§ 25.401—25.416 (16A-5326)	Fall 2012, as final (proposed-omitted)	This regulation updates the Board's existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL), 23 P. S. §§ 6301—6386. Statutory Authority: Section 6383 (b)(2) of the CPSL, 23 P. S. § 6383(b)(2); and section 16 of the Osteopathic Medicine Practice Act, 63 P. S. § 271.16.	
State Board of Pharmacy -Compounding Practices- 49 Pa. Code Chapter 27 (16A-5419)	Fall 2012, as Proposed	This proposed rulemaking would establish standards for the compounding of drugs by pharmacists. Statutory Authority: Section 6(k)(9) of the Pharmacy Act, 63 P. S. § 390-6(k)(9) grants the authority to promulgate rules and regulations to effectuate the purposes of the act. Section 2 of the Pharmacy Act, 63 P. S. § 390-2(11) defines the practice of pharmacy to include the compounding of drugs.	Melanie Zimmerman (717) 783-7156
-Cancer Drug Repository Program - 49 Pa. Code, Chapter 27 (16A-5423)	Fall 2012, as Final	The regulation would establish the eligibility criteria, standards and procedures for the administration of a cancer drug repository program. Statutory authority: Section 7 of the Act of May 13, 2008 (P. L. 139, No. 14), known as the Cancer Drug Repository Program Act, requires the Board to promulgate regulations to carry out the purposes of the act.	
- Pharmacy Internship- 49 Pa. Code, Chapter 27 (16A-5424)	Summer 2012, as Proposed.	This proposed rulemaking would update the Board's regulations relating to the pharmacy internship required under section 3 of the Pharmacy Act. Statutory Authority: Section 3 of the Pharmacy Act, 63 P. S. § 390-3(c) requires the Board to establish by regulation the internship requirements which must be satisfactorily completed prior to issuance of a pharmacist license.	
-Collaborative Management of Drug Therapy- 49 Pa. Code Chapter 27 (16A-5425)	Summer 2012, as Proposed	This proposed rulemaking would implement Act 29 of 2010, which provides for collaborative drug therapy management between a pharmacist and a licensed physician. Statutory Authority: Section 5 of the act of June 1, 2010 (P. L. 201, No. 29) requires the Board to promulgate regulations to implement Act 29 within 18 months of its effective date.	
-Emergency Preparedness- 49 Pa. Code, Chapter 27 (16A-5426)	Fall 2012, as Proposed	The proposed rulemaking would establish procedures and standards for the operation of remote emergency pharmacies in the event of an emergency caused by a natural or manmade disaster or any other exceptional situation that causes an extraordinary demand for pharmacy services. Statutory Authority: Section 6(k)(9) of the Pharmacy Act, 63 P. S. § 390-6(k)(9).	
-General Revisions to Standards of Practice- 49 Pa. Code, Chapter 27, § 27.18 (16A-5427)	Fall 2012, as Proposed	This proposed rulemaking would update the Board's regulations relating to standards of practice for pharmacists. Statutory Authority: Section 6(k)(9) of the Pharmacy Act, 63 P. S. § 390-6(k)(9).	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
-Correctional Facility Drug Redistribution - 49 Pa. Code, Chapter 27 (number not yet assigned)	Fall 2012, as Proposed.	This proposed rulemaking is required to conform the Board's regulations to the act of July 9, 2010 (P. L. 457, No. 59), which permits a vendor pharmacy to redistribute drugs returned by a correctional facility to other correctional facilities. Statutory Authority: Section 6(k)(9) of the Pharmacy Act, 63 P. S. § 390-6(k)(9).	
-Electronic Prescribing of Controlled Substances- 49 Pa. Code, Chapter 27, (16A-5428)	Summer 2012, as Final (proposed omitted)	This regulation is intended to establish standards for pharmacies and pharmacists to receive dispense and archive electronic prescriptions for controlled substances to comport with recent regulations promulgated by the Federal Drug Enforcement Agency. Statutory Authority: Section 6(k)(9) of the Pharmacy Act, 63 P. S. § 390-6(k)(9).	
-Schedule of Civil Penalties - 49 Pa. Code, Chapter 43b, § 43b.7 (number not yet assigned)	Fall 2012, as Proposed.	This proposed rulemaking would amend the schedule of civil penalties for the State Board of Pharmacy to implement Act 48 civil penalties for continuing education violations. Statutory authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a).	
State Board of Physical Therapy -Act 38 Revisions - 49 Pa. Code, Chapter 40 (16A-6514)	Summer 2012, as Final.	The regulation implements the amendments to the Physical Therapy Practice Act made by the Act of July 4, 2008 (P. L. 293, No. 38). Statutory authority: Section 16 of the Act of July 4, 2008 (P. L. 293, No. 38) requires the Board to promulgate regulations to implement the amendments and additions of that act.	Michelle Roberts (717) 783-7134
-Schedule of Civil Penalties - 49 Pa. Code, Chapter 43b. (number not yet assigned)	Fall 2012, as Proposed.	This proposed rulemaking would establish a schedule of civil penalties for the State Board of Physical Therapy to implement Act 48 civil penalties for practicing on a lapsed license. Statutory authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a).	
-Child Abuse Reporting Requirements- 49 Pa. Code §§ 40.201—40.207 (16A-6515)	Fall 2012, as final (proposed-omitted)	This regulation updates the Board's existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL), 23 P. S. §§ 6301—6386. Statutory Authority: Section 6383(b)(2) of the CPSL, 23 P. S. § 6383(b)(2); and section 3(a) of the Physical Therapy Practice Act, 63 P. S. § 1303(a).	
State Board of Podiatry - Certificate of Authority to Perform Acupuncture- 49 Pa. Code, Chapter 29 (16A-449)	Fall 2012, as Proposed.	This proposed rulemaking would establish the fees and regulate the practice of acupuncture by podiatrists under the Acupuncture Registration Act. Statutory Authority: Section 3 of the Acupuncture Registration Act, 63 P. S. § 1803.	Tammy Dougherty (717) 783-4858
-Schedule of Civil Penalties - Podiatrists 49 Pa. Code, Chapter 43b (16A-4413)	Fall 2012, as Proposed.	This proposed regulation would adopt a schedule of civil penalties for continuing education violations. Statutory Authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a), authorizes the Commissioner to set forth schedules of civil penalties.	
-Volunteer License- 49 Pa. Code § 29.55 (16A-4411)	Fall 2012, as Final (proposed-omitted).	This regulation would amend the Board's volunteer license regulations to conform to amendments to the Volunteer Health Services Act made by Act 58 of 2002. Statutory Authority: Section 15 of the Podiatry Practice Act, 63 P. S. § 42.15.	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
-Child Abuse Reporting Requirements- 49 Pa. Code §§ 29.91—29.97 (16A-4412)	Fall 2012, as Final (proposed-omitted)	This regulation updates the Board's existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL) 23 P. S. §§ 6301—6386. Statutory Authority: Section 6383(b)(2) of the CPSL, 23 P. S. § 6383 (b)(2); and section 15 of the Podiatry Practice Act, 63 P. S. § 42.15	
-Therapeutic Drugs- 49 Pa. Code § 29.41 (16A-4414)	Fall 2012, as Proposed	This proposed rulemaking would amend the list of therapeutic drugs that podiatrists may prescribe. Statutory Authority: Section 15 of the Podiatry Practice Act, 63 P. S. § 42.15	
State Board of Psychology -Continuing Education- 49 Pa. Code § 41.59 (16A-6317)	Fall 2012, as Proposed.	This proposed rulemaking would amend the Board's continuing education requirements regarding home study, instruction and carry over. Statutory Authority: Section 15 of the Professional Psychologists Practice Act, 63 P. S. § 1215.	Chris Stuckey (717) 783-7155
-Code of Ethics - 49 Pa. Code § 41.61 (16A-6318)	Summer 2012, as Proposed.	This proposed rulemaking would update the Board's Code of Conduct so that it would be in line with changes to the American Psychological Association and the Association of State and Provincial Psychology Boards. Statutory Authority: Section 3.2(2) of the Professional Psychologists Practice Act, 63 P. S. § 1203.2(2).	
-Education - 49 Pa. Code § 41.31 (16A-6320)	Spring 2012, as Proposed.	This proposed rulemaking would clarify the education and examination requirements. Statutory Authority: Section 3.2(2) of the Professional Psychologists Practice Act, 63 P. S. § 1203.2(2).	
-Part-time Experience- 49 Pa. Code § 41.31 (16A-6321)	Spring 2012, as Proposed	The proposed rulemaking would clarify the requirements for part-time experience. Statutory Authority: Section 3.2(2) of the Professional Psychologists Practice Act, 63 P. S. § 1203.2(2).	
-Child Abuse Reporting Requirements- 49 Pa. Code Chapter 41 (16A-6322)	Fall 2012, as Final (proposed omitted)	This regulation would amend the Board's regulations to conform to changes made to the Child Protective Services Act. Statutory Authority: Section 6383 (b)(2) of the Child Protective Services Law, 23 Pa.C.S. § 6383 (b)(2) and section 3.2(2) of the Professional Psychologists Practice Act, 63 P. S. § 1203.2(2).	
State Board of Certified Real Estate Appraisers Continuing Education Enforcement - 49 Pa. Code §§ 36.41 and 36.241. (16A-7016)	Fall 2012, as Proposed.	The proposed rulemaking establishes procedures for the enforcement of noncompliance with continuing education requirements. Statutory Authority: Section 5(2) of the Real Estate Appraisers Certification Act, 63 P. S. § 457.5(2).	Heidy Weirich (717) 783-4866
Schedule of Civil Penalties - Real Estate Appraisers - 49 Pa. Code § 43b.15a (16A-49)	Fall 2012, as Proposed.	The proposed rulemaking will codify and amend the Board's current schedule of civil penalties statement of policy. Statutory Authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a), authorizes the Commissioner to set forth schedules of civil penalties, with the approval of the Board.	
Certified Pennsylvania Evaluators- 49 Pa. Code § 36.265 (16A-7018)	Fall 2012, as Proposed	This proposed rulemaking would revise requirements for the use of certificate number and title for Certified Pennsylvania Evaluators to make the regulation consistent with standards of USPAP, the International Association of Assessment Officers and existing practice in county assessment offices. Statutory Authority: Section 3 of the Assessors Certification Act, 63 P.S § 458.3.	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
-Appraisal Management Companies - General Temporary Regulations - 49 Pa. Code, Chapter 36, Subchapter D (16A-7017)	Fall 2012, as temporary regulations	These temporary regulations will provide for the registration of appraisal management companies under the act of February 2, 2012 (P. L. 30, No. 4), known as the Appraisal Management Company Registration Act. Section 4(b) of the Appraisal Management Company Act, 63 P. S. § 457.24(b), authorizes the Board to promulgate temporary regulations.	
-Implementation of Application Deadline Extension- 49 Pa. Code §§ 36.11 and 36.12 (16A-7019)	Summer 2012, as final (proposal-omitted)	This regulation would extend the deadline to apply for certification as a general or residential real estate appraiser, having met the less stringent educational requirements by July 1, 2008, for an additional year until January 1, 2013. Statutory Authority: Section 5(2) of the Real Estate Appraisers Certification Act, 63 P. S. § 457.9.	
-Biennial Renewal Fees- 49 Pa. Code § 36.6 (number not yet assigned)	Fall 2012, as Proposed.	The proposed rulemaking would increase biennial renewal fees to meet projected expenditures as required by law. Statutory Authority: Section 9 of the Real Estate Appraiser Certification Act, 63 P. S. § 457.9.	
State Real Estate Commission -Education - 49 Pa. Code §§ 35.384 and 35.385. (16A-5613)	Fall 2012, as Final.	This regulation would require new licensees to complete a mandatory 14-hour post-licensure course in lieu of their continuing education. Statutory Authority: Sections 404 and 404.1 of the Real Estate Licensing and Registration Act, 63 P. S. §§ 455.404 and 455.404a.	Patricia Ridley (717) 783-3658
-Advertising and Solicitation - 49 Pa. Code § 35.305 (16A-5620)	Fall 2012, as Proposed.	The proposed rulemaking would require licensees to advertise or otherwise hold themselves out to the public only under the name listed on their licenses. Statutory Authority: Section 404 of the Real Estate Licensing and Registration Act, 63 P. S. § 455.404.	
-Escrow Requirements- 49 Pa. Code Chapter 35 (16A-5622)	Fall 2012, as Proposed	This proposed rulemaking would establish additional escrow requirements consistent with the changes made by Act 14 of 2009. Statutory Authority: Section 404 of the Real Estate Licensing and Registration Act, 63 P. S. § 455.404	
- Schedule of Civil Penalties - 49 Pa. Code, Chapter 43b, § 43b.8 (16A-5623)	Fall 2012, as Proposed.	This proposed rulemaking would amend the schedule of civil penalties for the State Real Estate Commission to implement Act 48 civil penalties for continuing education violations. Statutory authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a).	
State Board of Social Workers, Marriage and Family Therapists and Professional Counselors -Schedule of Civil Penalties - 49 Pa. Code Chapter 43b. (16A-6917)	Fall 2012, as Proposed	This proposed rulemaking would establish a schedule of civil penalties for the State Board of Social Workers, Marriage and Family Therapists and Professional Counselors to implement Act 48 civil penalties for practicing without a licenses or practicing on a lapsed license. Statutory Authority: Section 5(a) of Act 48 of 1993, 63 P. S. § 2205(a).	Sandra Matter (717) 783-1389
-Continuing Education Audit and Enforcement- 49 Pa. Code Chapters 47—49 (16A-6918)	Fall 2012, as Proposed	This proposed rulemaking would establish provisions for the enforcement of the continuing education requirements for licenses social workers, licenses clinical social workers, licenses marriage and family therapists and licenses professional counselors. Statutory Authority: Section 6(2) of the Social Workers, Marriage and Family Therapists and Professional Counselors Act, 63 P. S. § 1906(2).	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
-General Revisions- 49 Pa. Code, Chapters 47—49 (number not yet assigned)	Fall 2012, as Proposed.	This proposed rulemaking will eliminate outdated regulations, and update existing regulations to comport with current standards of the profession and current practices of the Board. Statutory Authority: Section 6(2) of the Social Workers, Marriage and Family Therapists and Professional Counselors Act, 63 P. S. § 1906(2).	
-Child Abuse Report Requirements- 49 Pa. Code §§ 47.51—47.57 (16A-6919)	Fall 2012, as final (proposed-omitted)	This regulation would amend the board's regulations to conform to changes made to the Child Protective Services Act. Statutory Authority: Section 6383(b)(2) of the Child Protective Services Law, 23 Pa. C.S. § 6383(b)(2) and section 6(2) of the Social Workers, Marriage and Family Therapists and Professional Counselors Act, 63 P. S. § 1906(2),	
-Biennial Renewal Fees- 49 Pa. Code § 47.4 (16A-6920)	Fall 2012, as Proposed	The proposed rulemaking would increase biennial renewal fees to meet projected expenditures as required by law. Statutory Authority: Section 18(c) of the Social Workers, Marriage and Family Therapists and Professional Counselors Act, 63 P. S. § 1918(c).	
-Qualifications for License- 49 Pa. Code §§ 47.12c, 48.13 and 49.13 (number not yet assigned)	Fall 2012, as final (proposed-omitted)	This regulation would amend the Board's existing regulations to incorporate changes made by the act of March 14, 2012 (P. L. 191, No. 17) relating to the qualification for licensure of license clinical social workers, marriage and family therapists and professional counselors. Statutory Authority: Section 6(2) of the Social Workers, Marriage, and Family Therapists and Professional Counselors Act 63 P. S. § 1906(2).	
State Board of Examiners in Speech-Language and Hearing -General Revisions- 49 Pa. Code, Chapter 45. (16A-6803)	Fall 2012, as Proposed.	This proposed rulemaking would update of the regulations of the Board to delete or amend outdated regulations. Statutory Authority: Section 5(2) of the Speech-Language and Hearing Licensure Act, 63 P. S. § 1705(2).	Sandra Matter (717) 783-1389
-Continuing Education and Waivers- 49 Pa. Code Chapter 45 (Number not yet assigned)	Fall 2012, as Proposed	This proposed rulemaking is intended to clarify the continuing education regulations for licensees who hold more than one license issues by the Board. Statutory Authority: Section 5(2) of the Speech-Language and Hearing Licensure Act, 63 P. S. § 1705(2).	
-Child Abuse Reporting Requirements- 49 Pa. Code §§ 45.501—45.407 (16A-6806)	Fall 2012, as final (proposed-omitted)	This regulation would amend the board's regulations to confirm to changes made to the Child Protective Services Act. Statutory Authority: Section 6383(b)(2) of the Child Protective Services Law, 23 Pa.C.S. § 6383 (b)(2) and section 5(2) of the Speech-Language and Hearing Licensure Act, 63 P. S. § 1705(2).	
-Termination of Grandfather Provisions- 49 Pa. Code § 45.21 (16A-6806)	Summer 2012, as Proposed	This proposed rulemaking is intended to terminate an outdated grandfathering provision. Statutory Authority: Section 5(2) of the Speech-Language and Hearing Licensure Act, 63 P. S. § 1705(2).	

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
State Board of Vehicle Manufacturers, Dealers and Salespersons -Salesperson License- 49 Pa. Code, Chapter 19 (16A-609)	Fall 2012, as proposed.	This proposed rulemaking would clarify and update the requirements for salespersons in order to permit salespersons to sell at other locations of the same dealer. Statutory Authority: Section 4(9) of the Board of Vehicles Act, 63 P. S. § 818.4(9).	Janice Cline (717) 783-1697
-Fee for Out-of-state RV Dealer Participating in a Show- 49 Pa. Code § 19.4 (16A-6011)	Fall 2012, as proposed.	This proposed rulemaking would establish a fee for processing applications under section 32.1(c) for the act, 63 P. S. § 818.32a(c), for out-of-state RV dealers to register with the Board in order to participate in an RV show in this Commonwealth. Statutory Authority: Sections 4(9) and 32.1(c) of the Board of Vehicles Act, 63 P. S. §§ 818.4(9) and 818.32.1(c).	
State Board of Veterinary Medicine -Dental Procedures- 49 Pa. Code, Chapter 31 (16A-5718)	Summer 2012, as Final.	This regulation would address issues relating to veterinary dentistry. Statutory Authority: Section 5 of the Veterinary Medicine Practice Act, 63 P. S. § 485.5.	Michelle Roberts (717) 783-7134
-Facilities - 49 Pa. Code, Chapter 31 (16A-5720)	Fall 2012, as Proposed.	This proposed rulemaking would establish standards for and require registration of veterinary facilities. Statutory Authority: Sections 5 and 27 of the Veterinary Medicine Practice Act, 63 P. S. §§ 485.5 and 485.27.	
-Professional Conduct; Notice of Animal Supervision - 49 Pa. Code § 31.21 (16A-5725)	Fall 2012, as Final.	The regulation would amend the Rules of Professional Conduct for veterinarians to require notice regarding the hours and level of supervision whenever an animal is under the care and custody of the veterinarian's facility. Statutory Authority: Section 5(1) and (2) of the Veterinary Medicine Practice Act (Act) (63 P. S. § 485.5(1) and (2))	
STATE EMPLOYEES' RETIREMENT SYSTEM			
4 Pa. Code § 249.53. Exemption from execution; assignment of rights. (This would delete State Employees' Credit Union payment language.)	While this has been proceeding consistent with the CDL and requirements of 4 Pa. Code § 247.11, further action is deferred pending deletion of the corresponding statutory section.	This is obsolete. No credit union currently meets the statutory requirements and it is unlikely that any new ones will. A corresponding statutory amendment is also being considered.	Brian McDonough, Esq. (717) 787-7317 Robert Gentzel (717) 787-9657 David Durbin (717) 783-7210
STATE POLICE			
Title 37 Pa. Code § 41.5 Designation of Emergency Vehicles	June 2014	Title 75 Pa.C.S. § 6106 allows PSP to designate emergency vehicles upon certain findings. This regulation would add Philadelphia Prison System vehicles used to escort ambulances transporting sick or injured inmates to the class of vehicles eligible for designation.	Major Marshall A. Martin (717) 783-5566
STATE SYSTEM OF HIGHER EDUCATION			
No regulations being developed or considered at this date.			

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
TRANSPORTATION			
43 - Temporary Registration Cards and Plates 67 Pa. Code, Chapter 43	Estimated promulgation, January 2013	Act 152 of 2002 enacted legislation (requiring contracts for all messenger and agent services) that supersedes several facets of this regulation. Based on the legislation, any reference to bond, hearings, written warnings, suspensions, revocations or fines will be removed from the regulation, as these items are now addressed in the required contracts.	Andy Cleaver (717) 787-2171
175 - Vehicle Equipment and Inspection 67 PA Code, Chapter 175	Estimated promulgation, May 2013	Many changes are needed to bring the regulations in line with changes in the Vehicle Code. Other changes include an initiative to update recertification requirements for safety inspectors and accommodate electronic recordkeeping of vehicle safety inspection findings. The changes will also allow for the utilization of laser guided system to improve quality, efficiency and safety associated with snow plow and line painting operations.	Kristen Singer (717) 787-2171 James Smith (717) 787-4299
23 - Delivery of Certificates of Title 67 Pa. Code, Chapter 23	Estimated promulgation, November 2012	The method of title delivery has changed due to the electronic lien and title program (75 Pa.C.S. Section 1151). This Chapter needs to be updated to reflect the ability to transmit titles with liens electronically, rather than by mail.	Andy Cleaver (717) 787-2171
17 - Authorization to Verify ID Numbers 67 Pa. Code, Chapter 17	Estimated promulgation, January 2013	Changes are needed to document the Vehicle Identification Number (VIN) verification process. The VIN verification process is not currently documented in either the Vehicle Code or in regulations.	Andy Cleaver (717) 787-2171
71 - School Bus Drivers 67 Pa. Code, Chapter 71	Estimated promulgation, January 2013	The regulations will be updated to help ensure that school bus drivers diagnosed with various cardiovascular diseases are in stable condition. The regulation will also update the medical standards for school bus drivers that have brain disease, cognitive impairment or a mental/emotional disorder.	Rich Kirkpatrick (717) 783-5958
83 - Physical and Mental Criteria - Including Vision Standards Relating to the Licensing of Drivers 67 Pa. Code, Chapter 83	Estimated promulgation, September 2013	The regulations will be undated to help ensure that license holders diagnosed with various cardiovascular diseases are in stable condition. The regulations will also update the medical standards for license holders that have brain disease, cognitive impairment or a mental/emotional disorder.	Rich Kirkpatrick (717) 783-5983
84 - Dual Control Learner's Permit 67 Pa. Code, Chapter 84	Estimated promulgation, December 2012	The regulation is being updated to clarify the requirements for issuing a dual control learner's permit.	Rich Kirkpatrick (717) 783-5958
105 - Mechanical Electrical and Electronic Speed Timing Devices 67 Pa. Code, Chapter 105	On hold, pending analysis	The regulations are being updated to reflect changes in equipment technology relating to calibration and maintenance of speed timing devices used for enforcement purposes and to delete references to obsolete equipment and calibration procedures.	Kristen Singer (717) 787-2171
255 - Messenger Services 67 Pa. Code, Chapter 255	Estimated promulgation, January 2013	Act 152 of 2002 enacted legislation (requiring contracts for all messenger and agent services) that supersedes several facets of this regulation. Based on the legislation, any reference to bond, hearings, written warnings, suspensions, revocations, or fines will be removed from the regulation as these items are now addressed in the required contracts.	Andy Cleaver (717) 787-2171

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Chapter 427 - Public Transportation (Act 44 of 2008)	Published for public comment March 2012, estimated final promulgation November 2012.	Act 44 of 2008, Chapter 15, Sustainable Mobility Options, authorizes almost all public transportation funding programs for the Commonwealth. The legislation required the Department to develop regulations for several sections of the legislation. The temporary regulations were published in the <i>Pennsylvania Bulletin</i> on July 18, 2011. Permanent regulations were published on November 12, 2011. IRRC provided comments to Office of Chief Counsel. As of May 15, 2012, Offices of Chief Counsel is in the process of addressing the IRRC comments.	LaVerne Collins (717) 787-1214
Chapter 101, Authorizing Appropriately Attired Persons to Direct, Control, or Regulate Traffic	Estimated publication September 2012, as proposed	The proposed regulation change is needed to be consistent with a Federal Highway Administration rule making (23 CFR Par 634: "Worker Visibility Rule"—issued November 24, 2008).	Matt Briggs (717) 783-6268
Chapter 441 - Driveway/Local Road Regulations Fees	Estimated publication July 2012, as proposed	Allows sales agreement or mineral right owners to apply for permits, update sight distance requirements to AASHTO standards, relocate driveway designs to Publication 282 to allow immediate updates, allow driveway applications to be submitted by electronic submission, remove fees and fee structure from regulation and publish in <i>Pennsylvania Bulletin</i> , and update outdated references.	Mike Dzurko (717) 787-7350
Chapter 459, Utility Regulation fees	Estimated publication as proposed rulemaking, July 2012	Allow utility applications to be submitted by electronic submission, allows newest techniques in utility work to be used, remove fees and fee structure from regulation and publish in <i>Pennsylvania Bulletin</i> , and updating outdated references.	Glenn Rowe (717) 787-3620
Chapter 443, Roadside rest areas	Estimated publication as proposed rulemaking, July 2012.	These amendments more clearly delineate what activities are prohibited and permitted at roadside rest areas.	Terry Pearsal (717) 787-0466

[Pa.B. Doc. No. 12-1280. Filed for public inspection July 6, 2012, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Scheduled

The Health Care Cost Containment Council (Council) has scheduled the annual meeting on Thursday, July 12, 2012, at 10 a.m.

The meeting will be held at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons in need of accommodation due to a disability who wish to attend the meeting, should contact Reneé Greenawalt, (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 12-1281. Filed for public inspection July 6, 2012, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, June 21, 2012, and announced the following:

Action Taken—Regulations Approved:

State Board of Education #6-325: Safe Schools (amends 22 Pa. Code Chapter 10)

Pennsylvania Liquor Control Board #54-71: Limited Winery Container Size Restrictions (amends 40 Pa. Code Chapter 11)

Environmental Quality Board #7-471: Employer Trip Reduction; Repeal (amends 25 Pa. Code Chapters 121 and 126)

Environmental Quality Board #7-472: Portable Fuel Containers; Repeal (repeals 25 Pa. Code §§ 130.101—130.108)

Environmental Quality Board #7-473: St. Joe Resources Company; Repeal (repeals 25 Pa. Code § 128.21)

Action Taken—Regulation Disapproved: Order Not Yet Issued

*Environmental Quality Board #7-460: Noncoal Mining Fees

*Will advise when order is issued.

Approval Order

Public Meeting Held
June 21, 2012

Commissioners Voting: Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; John F. Mizner, Esq.; Lawrence J. Tabas, Esq.

*State Board of Education—
Safe Schools;
Regulation No. 6-325 (#2928)*

On May 21, 2012, the Independent Regulatory Review Commission (Commission) received this regulation from the State Board of Education (Board). This rulemaking amends 22 Pa. Code Chapter 10. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This rulemaking establishes protocol and procedures regarding notification of and response to incidents on school property, as well as a model memorandum of understanding between school entities and local police departments.

We have determined this regulation is consistent with the statutory authority of the Board (24 P. S. § 13-1302.1-A) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 21, 2012

Commissioners Voting: Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; John F. Mizner, Esq.; Lawrence J. Tabas, Esq.

*Pennsylvania Liquor Control Board—
Limited Winery Container Size Restrictions;
Regulation No. 54-71 (#2945)*

On May 16, 2012, the Independent Regulatory Review Commission (Commission) received this regulation from the Pennsylvania Liquor Control Board (Board). This rulemaking amends 40 Pa. Code Chapter 11. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted rulemaking deletes the container size restrictions imposed upon limited license wineries.

We have determined this regulation is consistent with the statutory authority of the Board (47 P. S. § 2-207(g) and (i)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 21, 2012

Commissioners Voting: Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; John F. Mizner, Esq.; Lawrence J. Tabas, Esq.

*Environmental Quality Board—
Employer Trip Reduction; Repeal;
Regulation No. 7-471 (#2946)*

On May 21, 2012, the Independent Regulatory Review Commission (Commission) received this regulation from the Environmental Quality Board (EQB). This rulemaking amends 25 Pa. Code Chapters 121 and 126. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted regulation repeals requirements for employer trip reduction plans that address air quality problems in severe ozone nonattainment areas.

We have determined this regulation is consistent with the statutory authority of the EQB (35 P. S. § 4005(a)(1)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 21, 2012

Commissioners Voting: Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; John F. Mizner, Esq.; Lawrence J. Tabas, Esq.

*Environmental Quality Board—
Portable Fuel Containers; Repeal;
Regulation No. 7-472 (#2947)*

On May 21, 2012, the Independent Regulatory Review Commission received this regulation from the Environmental Quality Board (EQB). This rulemaking repeals 25 Pa. Code §§ 130.101—130.108. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted regulation deletes a subchapter relating to the emissions of volatile organic compounds from portable fuel containers that has been superseded by a more stringent federal requirement.

We have determined this regulation is consistent with the statutory authority of the EQB (35 P. S. § 4005) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 21, 2012

Commissioners Voting: Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; John F. Mizner, Esq.; Lawrence J. Tabas, Esq.

*Environmental Quality Board—
St. Joe Resources Company; Repeal;
Regulation No. 7-473 (#2948)*

On May 21, 2012, the Independent Regulatory Review Commission (Commission) received this regulation from the Environmental Quality Board (EQB). This rule-making repeals 25 Pa. Code § 128.21. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

The alternative emission reduction limitations specified in this provision are no longer necessary due to changes in operations and the operating permit since the regulation originally took effect in 1986.

We have determined this regulation is consistent with the statutory authority of the EQB (35 P. S. § 4005(a)(1)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 12-1282. Filed for public inspection July 6, 2012, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Spring Grove Exxon 32 under the Storage Tank and spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File No. 2011-0126(M); Doc. No. UT12-06-18

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) and 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and any other relevant provisions of law.

A prehearing telephone conference will be held on August 16, 2012, at 9:30 a.m. A hearing will occur on August 30, 2012, at 9:30 a.m. in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Hearings Administra-

tor at the previously listed address on or before August 1, 2012. Answers to petitions to intervene, if any, shall be filed on or before August 15, 2012.

On or before August 1, 2012, each party shall file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Contemporaneously with service of the prehearing statement on the opposing party, each party shall supply the other with a copy of any report generated by an expert witness designated on the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office. Experts will be permitted to testify only on matters substantially contemplated by reports supplied to the other party in accordance with this paragraph.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director, (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 12-1283. Filed for public inspection July 6, 2012, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Extension of the Fuel Cost Recovery Surcharge

Public Meeting held
June 21, 2012

Commissioners Present: Robert F. Powelson, Chairperson; John F. Coleman, Jr., Vice Chairperson; Wayne E. Gardner; James H. Cawley; Pamela A. Witmer

*Extension of the Fuel Cost Recovery Surcharge;
R-2009-2108518; S.P. 28209*

Order

By the Commission:

The Pennsylvania Public Utility Commission (Commission) by its Fuel Cost Recovery Surcharge Order at Special Permission Number 28209, ratified June 1, 2006, authorized call or demand, paratransit, and airport transfer carriers under the jurisdiction of this Commission to adjust rates and fares to offset significant increases in the cost of fuel. The fuel surcharge became effective on July 1, 2006, and has been extended in the five years following. It is currently scheduled to terminate on June 30, 2012.

In letters submitted by the Pennsylvania Taxicab and Paratransit Association, as well as other carriers, the Commission has been asked to extend the fuel cost recovery surcharge. The letters cite the concern of additional expenses to the industry as the reason for this request.

Initially, all call or demand, paratransit, and airport transfer carriers were authorized to collect the surcharge found on the Fuel Surcharge page of the Commission's website. The average price of fuel was posted on the third Friday of each month, with the effective date of the surcharge being the first day of the subsequent month. The Commission determined the average cost of unleaded regular gasoline based upon gasoline prices in the index of the Energy Information Administration of the U.S. Department of Energy. The amount of the fuel surcharge was determined by locating the average price of gasoline on a chart, also displayed on that page, and selecting the corresponding fuel surcharge in the column for the respective type of transportation.

Determination of the amounts to be charged was based

on the cost of gasoline per trip. The constants used for calculations were those based upon statistics from the Taxicab, Limousine and Paratransit Association: The average trip length of 6.8 miles for call or demand carriers and 13.61 miles for paratransit and airport transfer carriers; the average miles per gallon per vehicle of 15.04 for call or demand carriers and 13.01 for paratransit and airport transfer carriers; and \$1.35 per gallon of unleaded regular gasoline (the average cost in 2002 according to Energy Information Administration of the Department of Energy). The cost per trip was calculated by multiplying the price of gasoline by the ratio of miles per trip to miles per gallon. The cost per trip at \$1.35 per gallon would serve as the base line. The results are tabulated in the chart below.

PASSENGER CARRIER FUEL SURCHARGE CHART

FUEL (\$/Gal)	TAXICABS*	PARATRANSIT/ AIRPORT TRANSFER**
\$2.00 - \$2.09	\$.75	\$.70
\$2.10 - \$2.19	\$.30	\$.80
\$2.20 - \$2.29	\$.35	\$.90
\$2.30 - \$2.39	\$.40	\$1.00
\$2.40 - \$2.49	\$.45	\$1.10
\$2.50 - \$2.59	\$.50	\$1.20
\$2.60 - \$2.69	\$.55	\$1.30
\$2.70 - \$2.79	\$.60	\$1.40
\$2.80 - \$2.89	\$.65	\$1.50
\$2.90 - \$2.99	\$.70	\$1.60
\$3.00 - \$3.09	\$.75	\$1.70
\$3.10 - \$3.19	\$.80	\$1.80
\$3.20 - \$3.29	\$.85	\$1.95
\$3.30 - \$3.39	\$.90	\$2.05
\$3.40 - \$3.49	\$.95	\$2.15
\$3.50 - \$3.59	\$1.00	\$2.25
\$3.60 - \$3.69	\$1.05	\$2.35
\$3.70 - \$3.79	\$1.10	\$2.45
\$3.80 - \$3.89	\$1.15	\$2.55
\$3.90 - \$3.99	\$1.20	\$2.65
\$4.00 - \$4.09	\$1.25	\$2.75
\$4.10 - \$4.19	\$1.30	\$2.85
\$4.20 - \$4.29	\$1.35	\$2.95
\$4.30 - \$4.39	\$1.40	\$3.05
\$4.40 - \$4.49	\$1.45	\$3.15
\$4.50 - \$4.59	\$1.50	\$3.25
\$4.60 - \$4.69	\$1.55	\$3.35
\$4.70 - \$4.79	\$1.60	\$3.45
\$4.80 - \$4.89	\$1.65	\$3.55
\$4.90 - \$4.99	\$1.70	\$3.65
\$5.00 - \$5.09	\$1.75	\$3.75
\$5.10 - \$5.19	\$1.80	\$3.85
\$5.20 - \$5.29	\$1.85	\$3.95
\$5.30 - \$5.39	\$1.90	\$4.05

FUEL (\$/Gal)	TAXICABS*	PARATRANSIT/ AIRPORT TRANSFER**
\$5.40 - \$5.49	\$1.95	\$4.15
\$5.50 - \$5.59	\$2.00	\$4.25
\$5.60 - \$5.69	\$2.05	\$4.35
\$5.70 - \$5.79	\$2.10	\$4.45
\$5.80 - \$5.89	\$2.15	\$4.55
\$5.90 - \$5.99	\$2.20	\$4.65
\$6.00 - \$6.09	\$2.25	\$4.75

* The amount is per trip.

** The amount is per paying passenger per trip.

The Commission's intention was to create flexibility for both the carriers and the Commission. By establishing gasoline prices which would "trigger" a change in the surcharge, it would no longer be necessary to monitor the surcharge at different intervals. This flexibility would also aid in eliminating the need for emergency petitions, as was the case following Hurricane Katrina in 2005.

In the process of considering this request, the Commission has analyzed current information available from the Energy Information Administration of the U.S. Department of Energy, the American Automobile Association, and OPIS Energy Group. Data from these groups indicate that the retail price of gasoline will continue to increase throughout the summer months and even beyond, due to increased demand and the uncertainty of supply.

Many refineries have failed to return from unplanned outages and maintenance. Should more unplanned outages occur, there will be a significant impact on the future path of prices. Several analysts expect to see refinery maintenance remain relatively high even into June. High import volumes also play a part in keeping supplies adequate. Additionally, there remain many trouble spots across the globe that could affect the crude oil supply, prices, and gasoline prices (e.g., Venezuela, Nigeria, Iran, etc.). Projections such as this indicate that the cost of gasoline will remain a problem for the transportation industry.

Based on our review, it appears that an extension of the Fuel Cost Recovery is an appropriate way to address the high costs and instability of gasoline prices at the present time. As in previous orders the industry is reminded it should not continue to rely on this measure as a means of relief and members of the industry will have the responsibility of taking appropriate measures.

The Commission has received several comments regarding the advantages and disadvantages of the structure of the Fuel Cost Recovery Surcharge as it currently exists. In the subsequent period of the extension, the Bureau of Technical Utility Support will be analyzing and evaluating the Fuel Cost Recovery Surcharge for possible improvements.

After due consideration, we have determined that fuel costs are not likely to decrease significantly. Based upon the evidence available, we are of the opinion that the passenger motor carrier industry continues to have a need for the Fuel Cost Recovery Surcharge to permit the recovery of fuel expenditures; *Therefore,*

It Is Ordered That:

1. The Fuel Cost Recovery Surcharge established at Special Permission No. 28209 be and is hereby extended until June 30, 2013, unless changed, cancelled, or extended by the Commission.

2. On the third Friday of every month, the Commission shall post on its website at www.puc.state.pa.us/transport/motor/fuel_surcharge.aspx the average cost of unleaded regular gasoline upon which the surcharge will be determined.

3. Call or demand, paratransit, and airport transfer carriers rendering transportation service under the jurisdiction of the PA Public Utility Commission shall notify the public by placing a notice in all vehicles, which shall read: "The PA Public Utility Commission has authorized a fuel surcharge under Special Permission No. 28209. The surcharge has been extended and shall terminate on June 30, 2013. The current surcharge is (insert current charge here) per trip for each paying passenger."

4. The Fuel Cost Recovery Surcharge established at Special Permission No. 28209 be continued until midnight, June 30, 2013, at which time it will expire.

5. The Secretary of this Commission shall duly certify this order and deposit same with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 12-1284. Filed for public inspection July 6, 2012, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by July 23, 2012. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2012-2295523. Gerald E. Kelly, t/a Kelly Transport (361 Oman Road, Bloomsburg, Columbia County, PA 17815)—in Group and Party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Columbia County, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2012-2295701. Larry R. Shade (P. O. Box 398, Gratz, Dauphin County, PA 17030)—in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Dauphin, Northumberland and Schuylkill, to points in Pennsylvania, and return.

A-2012-2296719. Davon Christian, t/a Christian's Transportation Services (155 Greenland Drive, Lancaster, Lancaster County, PA 17602)—persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania; and return.

A-2012-2300663. Siegfried Chauffeur Services, Inc. (P. O. Box 8874, Allentown, Lehigh County, PA 18105)—persons, in limousine service, from points in the Counties of Lehigh, Northampton and Berks, to points in Pennsylvania and return, excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under the application.

A-2012-2300639. Paul's Cab Service, Inc. (735 Market Street, Sunbury, Northumberland, PA 17801)—upon call or demand service, in the Borough of Lewisburg, Union County and within an airline distance of 5 miles; and in the Borough of Milton, Northumberland County, and within an airline distance of 5 miles.

Application of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under the application.

A-2012-2296330. Tropical Tanning and Beauty Salon, Inc., t/a Arrive N Style Limousine Service (14 Bellefonte Avenue, Suite 1, Lock Haven, PA 17745)—a

corporation of the Commonwealth of Pennsylvania—in Group and Party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Cameron, Centre, Clearfield, Clinton, Dauphin, Lycoming, Mifflin, Northumberland, Potter, Snyder and Tioga Counties, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 12-1285. Filed for public inspection July 6, 2012, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 12-045.1, Request for Proposal—Design of Finger Pier Architectural, Structural & MEP Repairs, until 2 p.m. on Thursday, August 2, 2012. Information (including mandatory prebid information) can be obtained from the PRPA web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 12-1286. Filed for public inspection July 6, 2012, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 12-0416.1, Pier 82 Installation of New Inlet, Submersible Pumps and Piping, until 2:30 p.m. on Thursday, August 2, 2012. Information (including mandatory prebid information) can be obtained from the PRPA web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 12-1287. Filed for public inspection July 6, 2012, 9:00 a.m.]