

# NOTICES

## DEPARTMENT OF AGING

### Pennsylvania Long-Term Care Council Meeting

The Pennsylvania Long-Term Care Council will hold a meeting on Thursday, February 9, 2017, at 10 a.m. in Conference Rooms A, B and C, Department of Aging, 555 Walnut Street, 5th Floor, Harrisburg, PA 17101.

Questions concerning this meeting may be directed to Charles Quinnan, (717) 705-7296, [cquinnan@pa.gov](mailto:cquinnan@pa.gov).

TERESA OSBORNE,  
*Secretary*

[Pa.B. Doc. No. 17-150. Filed for public inspection January 27, 2017, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Addendum to the Order of Quarantine; Spotted Lanternfly

#### Recitals

A. Spotted lanternfly, *Lycorma delicatula*, is a new pest to the United States and has been detected in the Commonwealth. This is a dangerous insect to forests, ornamental trees, orchards and grapes and not widely prevalent or distributed within or throughout the Commonwealth or the United States. Spotted lanternfly has been detected in the Commonwealth and has the potential to spread to uninfested areas by natural means or through the movement of infested articles.

B. The Plant Pest Act (Act) (3 P.S. §§ 258.1—258.27) empowers The Department of Agriculture (Department) to take various measures to detect, contain and eradicate plant pests. A plant pest is defined as an organism, including other plants, causing or capable of causing injury or damage to plants or plant products (3 P.S. § 258.2). These powers include the authority, set forth at section 258.21 of the Act (3 P.S. § 258.21), to establish quarantines to prevent the spread of plant pests within this Commonwealth.

C. Under the authority of section 258.20 of the Act (3 P.S. § 258.20) the Department may declare a pest to be a public nuisance when the Department determines a plant pest to be dangerous or destructive to the agriculture, horticulture or forests of this Commonwealth. For the

reasons set forth in Paragraph A above, the Department declares Spotted lanternfly, *Lycorma delicatula*, to be a public nuisance.

D. Consistent with the Order of Quarantine published at 44 Pa.B. 6947 issued Saturday, November 1, 2014, where the Department detects or confirms any of the plant pests established in this Order of Quarantine—Spotted lanternfly, *Lycorma delicatula*—the place or area in which any of these plant pests are detected or confirmed shall be subject to the provisions of that Order of Quarantine published at 44 Pa.B. 6947 issued Saturday, November 1, 2014.

E. The place or area in which the plant pest is detected or confirmed shall be added to the Order of Quarantine, published at 44 Pa.B. 6947 issued Saturday, November 1, 2014, through an addendum delineating the specific location and geographic parameters of the area or place. Such Addendum shall be published in the *Pennsylvania Bulletin* and enforcement of the Addendum to the Order of Quarantine, published at 44 Pa.B. 6947 issued Saturday, November 1, 2014, with regard to that place or area shall become effective immediately.

#### Order

Under authority of section 21 of the act (3 P.S. § 258.21), and with the Recitals previously listed incorporated into and made a part hereof this Addendum to the Order of Quarantine published at 44 Pa.B. 6947 issued Saturday, November 1, 2014 by reference, the Department orders the following:

#### 1. *Establishment of Quarantine.*

A quarantine is hereby established with respect to Haycock Township, Bucks County and East Pikeland Township and Warwick Township, Chester County. This is in addition to, and does not replace, any townships and areas already subject to the Spotted Lanternfly Quarantine Order published at 44 Pa.B. 6947 issued Saturday, November 1, 2014, and any previous Addendums to that Quarantine Order.

#### 2. *All Provisions Apply.*

All of the provisions established in the Spotted Lanternfly Quarantine Order published at 44 Pa.B. 6947 issued Saturday, November 1, 2014, are hereby incorporated herein and made a part hereof this Addendum as if fully set forth herein and shall hereby be made applicable to Haycock Township, Bucks County and East Pikeland Township and Warwick Township, Chester County.

RUSSELL C. REDDING,  
*Secretary*

[Pa.B. Doc. No. 17-151. Filed for public inspection January 27, 2017, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending January 17, 2017.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg,

PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
1-11-2017	Huntingdon Valley Bank Huntingdon Montgomery County Application for approval to convert from a mutual savings bank to a stock savings bank.	Effective

#### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
1-11-2017	HV Bancorp, Inc. Huntingdon Montgomery County Application for approval to acquire 100% of Huntingdon Valley Bank, Huntingdon.	Effective
1-17-2017	First Commonwealth Financial Corporation Indiana Indiana County Application for approval to acquire 100% of DCB Financial Corp, Lewis Center, OH, and thereby indirectly acquire 100% of The Delaware County Bank and Trust Company, Lewis Center, OH.	Approved

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
1-17-2017	First Commonwealth Bank Indiana Indiana County Application for approval to merge The Delaware County Bank and Trust Company, Lewis Center, OH, with and into First Commonwealth Bank, IN.	Approved

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
1-10-2017	Luzerne Bank Luzerne Luzerne County	669 State Route 93 Highway Sugarloaf Luzerne County	Approved
1-10-2017	Penn Community Bank Doylestown Bucks County	601 Louis Drive Warminster Bucks County	Approved
1-12-2017	Republic First Bank Philadelphia Philadelphia County	Central Avenue and East Street Road Feasterville-Treose Bucks County	Withdrawn
1-13-2017	Riverview Bank Marysville Perry County	509 North Center Avenue Somerset Somerset County (Limited Service Facility)	Approved
1-13-2017	PeoplesBank, A Codorus Valley Company York York County	1800 Village Circle Lancaster Lancaster County (Limited Service Facility)	Filed

**Articles of Amendment**

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
1-17-2017	Covenant Bank Doylestown Bucks County	Effective
	Amendment to Article II of the institution's Articles of Incorporation provides for a change in principal place of business to 182 North Main Street, Doylestown, Bucks County, PA 18901.	

**CREDIT UNIONS**

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 17-152. Filed for public inspection January 27, 2017, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final

determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### I. NPDES Renewal Applications

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0218448 (Sewage)	Whitethorn Subdivision Phase II 230 Shaw Court New Alexandria, PA 15670-2614	Westmoreland County Salem Township	Unnamed Tributary of Whitethorn Creek (18-C)	Yes

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0051454 (Sewage)	Alfonse Property 1055 W. Germantown Pike East Norriton, PA 19401	Montgomery County East Norriton Township	Unnamed Tributary of Stony Creek (3-F)	Yes

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0034517 (Industrial)	East Stroudsburg Borough Water Filtration Plant PO Box 303 24 Analomink Street East Stroudsburg, PA 18301	Monroe County Smithfield Township	Sambo Creek (1-E)	Yes

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0110744	Evitts Creek Water Co. 1032 Lake Gordon Rd Bedford, PA 15522-5243	Bedford County Cumberland Valley	Lake Gordon Evitts Creek	Y
PA0087149 (IW)	Pennsylvania Emergency Management Agency Pennsylvania State Fire Academy 1150 Riverside Drive Lewistown, PA 17044-1971	Mifflin County Lewistown Borough	Juniata River/12-A	Y
PA0085103 (IW)	DORMA Door Controls Inc. 1 Dorma Drive Reamstown, PA 17567	Lancaster County East Cocalico Township	UNT to Stony Run/7-J	Y
PA0088684 (SEW)	Alan & Lisa Treffinger Pleasant Hills Campground LLC 12733 Pleasant Hills Drive PO Box 86 Hesston, PA 16647-0086	Huntingdon County Penn Township	Raystown Branch Juniata River/11-D	Y
PA0088668 (SEW)	Metal Township Municipal Authority 17001 Fannettsburg Road East PO Box 232 Fannettsburg, PA 17221	Franklin County Metal Township	West Branch Conococheague Creek/13-C	Y
PA0111601 (SEW)	Christian Retreat Center 369 CRC Drive East Waterford, PA 17021	Juniata County Lack Township	Tuscarora Creek/12-B	Y

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0022179 (SEW)	Mercersburg Sewer Authority 113 South Main Street Mercersburg, PA 17237	Franklin County Mercersburg Borough	Johnston Run/13-C	Y
PA0259951 (SRSTP)	Jody and Cheryl Bradley 3143 Schellsburg Road Claysburg, PA 16625	Blair County Greenfield Township	UNT of Smoky Run/11-A	Y
PA0080284 (SEW)	Matthew E. Raynor New Oxford MHC, LLC 524 Meadow Avenue Loop Banner Elk, NC 28604	Adams County Mt. Pleasant Township	UNT to South Branch Conewago Creek/7-F	Y
PA0261777 (SRSTP)	Alvin Fisher 6756 McClays Mill Road Newburg, PA 17240	Franklin County Lurgan Township	UNT to Conodoguinet Creek/7-B	Y
PA0247405 (SRSTP)	David and Penny Stup 5394 Big Creek Road Clearville, PA 15535	Bedford County Monroe Township	UNT of West Branch Sideling Hill Creek/13-B	Y
PA0084034 (SEW)	West Perry School District Carroll Elementary School 2606 Sherman Valley Road Ellitsburg, PA 17024	Perry County Carroll Township	UNT to Sherman Creek/7-A	Y
PA0087696 (SEW)	James Perano GSP Management Company PO Box 667 Morgantown, PA 19543	Dauphin County East Hanover Township	UNT to Manada Creek/7-D	Y
PA0081752 (SEW)	Wellspan/Philhaven 283 Butler Road PO Box 550 Mt. Gretna, PA 17064	Lebanon County West Cornwall Township	Bachman Run/7-D	Y
PA0080730 (SEW)	West Perry School District Blain Elementary School 2606 Sherman Valley Road Ellitsburg, PA 17024	Perry County Blain Borough	UNT to Sherman Creek/7-A	Y
PA0081221 (SEW)	Brad Shover Shover Investment Group LLC Deer Chase Mobile Home Park 225 Pine Hill Road Landisburg, PA 17040	Perry County Miller Township	Bailey Run/12-B	Y
PA0081795 (SEW)	Tom Rodas TKSM LLC 1190 Wyndsong Drive York, PA 17403	Cumberland County Monroe Township	Yellow Breeches Creek/7-E	Y
PA0087564 (SEW)	Donald and Linda Yingling 3574 Taneytown Road Gettysburg, PA 17325-8635	Adams County Cumberland Township	UNT to Plum Run/13-D	Y
PA0087050 (SEW)	Valley Creek Estates Homeowners Assoc. Inc. PO Box 2014 Cranberry Township, PA 16066	Franklin County Montgomery Township	Licking Creek/13-C	Y
PA0032034 (SEW)	Frank Perano GSP Management Co. PO Box 677 Morgantown, PA 19543	Blair County Juniata Township	Blair Gap Run/11-A	Y
PA0247677 (SEW)	East Waterford Sewer Authority 12988 RT 75 S, Suite 1 Honey Grove, PA 17035-7305	Juniata County Tuscarora Township	Tuscarora Creek/12-B	Y
PA0038733 (SEW)	East Providence Township Municipal Authority 244 Municipal Road PO Box 83 Breezewood, PA 15533-0083	Bedford County East Providence Township	UNT to Tub Mill Run/11-D	Y

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0082759 (SEW)	Shy Beaver Lakeview Estates Hopewell Township 1115 Dorman Road James Creek, PA 16657-9512	Huntingdon County Hopewell Township	UNT to Shy Beaver Creek/11-D	Y
PA0081353 (SEW)	Crowe Transportation 2388 North Market Street Elizabethtown, PA 17022	Lancaster County West Donegal Township	UNT to Conewago Creek/7-G	Y
PA0088650 (SEW)	Capital Area Christian Church 1775 Lambs Gap Road Mechanicsburg, PA 17055	Cumberland County Silver Spring Township Hampden Township	UNT of Conodoguinet Creek/7-B	Y
PA0248321 (SEW)	Steve Hurley and Michael Morrison 50 Frytown Road Newville, PA 17241	Cumberland County Upper Frankford Township	UNT to Conodoguinet Creek/7-B	Y
PA0259942 (SEW)	Steven Nye 38 Harmon Road Newburg, PA 17240	Cumberland County Upper Mifflin Township	Three Square Hollow Run/7-B	Y
PA0261793 (SEW)	William and Laura Lee Kauffman 110 Union Hall Road Carlisle, PA 17013	Cumberland County North Middleton Township	UNT to Conodoguinet Creek/7-B	Y

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0043893 (Sewage)	Western Clinton County Municipal Authority Sewer System STP PO Box 363 Renovo, PA 17764-0363	Clinton County Renovo Borough	West Branch Susquehanna River (9-B)	No
PA0043583 (Sewage)	Hartley Township Municipal Authority Wastewater Treatment Plant PO Box 175 Laurelton, PA 17835-0175	Union County Hartley Township	Laurel Run (6-A)	Yes
PA0114936 (Sewage)	Bci Municipal Authority Sewer System STP PO Box 388 625 Cressview Street Ext Irvona, PA 16656-0388	Clearfield County Irvona Borough	Clearfield Creek (8-C)	Yes
PA0032409 (Industrial)	Hyner Run State Park 4205 Little Pine Creek Road Waterville, PA 17776-9608	Clinton County Chapman Township	Hyner Run (9-B)	Yes

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0263842 (Sewage)	Keating Township Farmers Valley STP PO Box 103 East Smethport, PA 16730	McKean County Keating Township	Potato Creek (16-C)	Yes
PA0036994 (Sewage)	Pleasantville Borough STP South Main Street Pleasantville, PA 16341	Venango County Pleasantville Borough	Unnamed Tributary to West Pithole Creek (16-E)	Yes
PA0035581 (Sewage)	PA DOT McKean County Maintenance Building P.O. Box 3060 Harrisburg, PA 17105-3060	McKean County Lafayette Township	Unnamed Tributary of Threemile Run (16-B)	Yes
PA0031305 (Sewage)	Summit Academy PO Box 13 839 Herman Road Herman, PA 16039-0013	Butler County Summit Township	Unnamed Tributary to Bonnie Brook (20-C)	Yes

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.*

**PA0244899**, Sewage, SIC Code 8811, **Steven R. Solometo**, 108 Woodlea Terrace, Lansdale, PA 19446-6452. Facility Name: Solometo SRSTP. This proposed facility is located 101 Shady Lane, Sellersville, PA 18960 in West Rockhill Township, **Bucks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Ridge Valley Creek, is located in State Water Plan watershed 3-E and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	Report	XXX	Report
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean 3.0	XXX	6

In addition, the permit contains the following major special conditions:

Proposed Part C Conditions:

I. Other Requirements

A. AMR to DEP

B. DMR to DEP if Attached

C. 1/year Measure Depth of Septage and Scum

D. Septic Tanks Pumped Out Every Three Years

E. Total Residual Chlorine Requirement

F. No Stormwater

G. Necessary Property Rights

H. Proper Sludge Disposal

I. Abandon STP when Municipal Sewers Available

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0054810**, Sewage, SIC Code 4952, **Upper Frederick Township**, 3205 Big Road, P.O. Box 597, Frederick, PA 19435-0597. Facility Name: Perkiomen Crossing STP. This existing facility is located in Upper Frederick Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Goshenhoppen Creek, is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04785 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.10	XXX	0.20
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	4.0	6.0	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	4.0	6.0	XXX	10.0	15.0	20
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000*
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	4.0	XXX	XXX	10.0	XXX	20
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	1.8	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	0.6	XXX	XXX	1.5	XXX	3
Total Phosphorus	0.2	XXX	XXX	0.5	XXX	1

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Fecal Coliform	XXX	XXX	XXX	Report Geo Mean	XXX	Report
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Chlorine Optimization
- E. Operator Notification
- F. TMDL/WLA Analysis
- G. Fecal Coliform Reporting Operations and Maintenance Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0261653**, Sewage, SIC Code 6514, **James & Carolyn Jackson**, 151 Shatto Drive, Carlisle, PA 17013. Facility Name: Jackson SRSTP. This existing facility is located in North Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.



Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0026654**, Sewage, SIC Code 4952, **PA American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055. Facility Name: New Cumberland Borough STP. This existing facility is located in New Cumberland Borough, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Paxton Creek and Susquehanna River, is located in State Water Plan watershed 7-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV dosage (mjoules/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	260	417 Wkly Avg	XXX	25.0	40.0	50
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	313	469 Wkly Avg	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	21	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	22,831	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	3,044	XXX	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Monitoring Requirements
- Whole Effluent Toxicity (WET) Testing Requirements
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0010677**, Industrial, SIC Code 3823, **Veeder Root Co.**, 2709 Route 764, Duncansville, PA 16635-8047. Facility Name: Veeder Root Meter Manufacturing. This existing facility is located in Allegheny Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Unnamed Tributary to Spencer Run, is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0098 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0085529**, Industrial, SIC Code 4941, **Altoona Water Authority**, 900 Chestnut Avenue, Altoona, PA 16601. Facility Name: Altoona City Mill Run Water System. This existing facility is located in Logan Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Mill Run, is located in State Water Plan watershed 11-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Daily Max	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Aluminum, Total	2.1	4.2	XXX	2.1	4.2	5.2
Iron, Total	Report	Daily Max Report	XXX	2.0	4.0	5
Manganese, Total	Report	Daily Max Report	XXX	1.0	2.0	2.5
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0085812**, Industrial, SIC Code 4941, **Altoona Water Authority**, 900 Chestnut Avenue, Altoona, PA 16601. Facility Name: Altoona City Kettle Creek Water System. This existing facility is located in Tyrone Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Kettle Creek, is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.12 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0 Daily Max	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.12 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0 Max	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Aluminum, Total	1.0	2.0	XXX	1.0	2.0	2.5
Iron, Total	Report	Daily Max Report	XXX	2.0	4.0	5.0
Manganese, Total	Report	Daily Max Report	XXX	1.0	2.0	2.5
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3636.*

**Application No. PA0232858**, Concentrated Animal Feeding Operation (CAFO), **Boop's Family Hog Farm LLC (Boop's Family Hog Farm)**, 1555 Swengle Road, Mifflinburg, PA 17844-8149.

Boop's Family Hog Farm LLC has submitted an application for an Individual NPDES permit for a new CAFO known as Boop's Family Hog Farm, located in Lewis Township, **Union County**.

The CAFO is situated near Unnamed Tributary of Buffalo Creek in Watershed 6-A, which is classified for Migratory Fishes and Trout Stocking. The CAFO will be designed to maintain an animal population of approximately 1,365.7 animal equivalent units (AEUs) consisting of 9,600 swine. Manure will be collected through slotted floors and stored in underbarn manure storages. Prior to operation of the manure storage facilities, the design engineer will be required to submit certification that the facilities were constructed in accordance with appropriate PA Technical Guide Standards. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

**Application No. PA0234087**, Concentrated Animal Feeding Operation (CAFO), **Courter Philip (Courters Finisher Farm)**, 6527 Jacksonville Road, Mill Hall, PA 17751.

Courter Philip has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Courters Finisher Farm, located in Porter Township, **Clinton County**.

The CAFO is situated near Cedar Run in Watershed 9-C, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 697.91 animal equivalent units (AEUs) consisting of 4,600 swine, 15 heifers, 3 doe goats, and 6 kid goats. Manure is collected through slotted floors and stored in the underbarn manure storages. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0024899**, Sewage, SIC Code 4952, **Lake City Borough**, 2350 Main Street, Lake City, PA 16423-1509. Facility Name: Lake City Municipal STP. This existing facility is located in Lake City Borough, **Erie County**.

Description of Existing Activity: The application is for an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Elk Creek, is located in State Water Plan watershed 15 and is classified for migratory fishes and warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.99 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	206	330	XXX	25.0	40.0	50
Total Suspended Solids	248	371	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	149	XXX	XXX	18.0	XXX	36
May 1 - Oct 31	49.5	XXX	XXX	6.0	XXX	12
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.061 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.3	XXX	1.2
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	221	354	XXX	25.0	40.0	50

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids	265	398	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	159	XXX	XXX	18.0	XXX	36
May 1 - Oct 31	53	XXX	XXX	6.0	XXX	12
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chlorine Minimization
- Annual Whole Effluent Toxicity testing

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

**PA0104426**, Industrial, SIC Code 4941, **Corner Water Supply & Service Corp.**, 113 Oakwood Lane, Shippenville, PA 16254-0040. Facility Name: Corner Water WTP. This existing facility is located in Elk Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream is Paint Creek, located in State Water Plan watershed 17-B and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0014 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	14.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.2
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Aluminum, Total	0.03	0.06	XXX	4.0	8.0	10.0
Iron, Total	0.02	0.04	XXX	2.0	4.0	5.0
Manganese, Total	0.01	0.02	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

*PA DEP Central Office: Bureau of Clean Water, Rachael Carson State Office Building, 400 Market Street, Harrisburg, PA 17105-8184, Telephone: 717.787.8184.*

**PA0270822**, Pesticides, SIC Code 4911, **PPL Electric Utilities Corp.**, 1639 Church Road, Allentown, PA 18104-9342.

Description of Proposed Activity: The application is for a new NPDES permit coverage for discharges associated with the use of pesticides to control vegetation (weeds) in its Statewide treatment area that would interfere with the transmission and distribution corridors; and to control vegetation especially at substations, that could create a safety and security risk or has the potential to limit access by its personnel to facilities.

Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. Applicators are required to coordinate with the operators of such drinking water treatment plants prior to treatment to avoid any shortages. The discharges associated with the pesticide applications by PPL are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling Bureau of Clean Water at 717-787-5017. You may submit written comments on the application and draft permit within 30 days to the address above. After the 30-day comment period, PA DEP will make a final determination on the issuance of the permit.

Correction: The notice in the PA Bulletin published earlier on January 14, 2017 contained wrong permit number (PA0270814) for the facility (PPL Electric Utilities Corp).

The EPA waiver is not in effect.

---

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

---

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. WQG02131601**, Sewerage, **Summit Hill Borough**, 40 West Amidon Street, Summit Hill, PA 18250.

This proposed facility is located in Summit Hill Borough, **Carbon County**.

Description of Proposed Action/Activity: For the relocation of the Carbon Alley Sanitary Sewer Line.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 6792402 A-2**, Sewerage, **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055.

This proposed facility is located in Fairview Township, **York County**.

Description of Proposed Action/Activity: Upgrade to increase the existing design organic load treating capacity of the SBR and to meet projected future demand.

**WQM Permit No. 2216405**, Sewerage, **Lower Paxton Township Authority**, 425 Prince Street, Harrisburg, PA 17109.

This proposed facility is located in Lower Paxton Township, **Dauphin County**.

Description of Proposed Action/Activity: Relocation/replacement of sanitary sewer trunk sewers including the enlargement of approximately 1,200 feet of existing 12-inch cast iron pipe to 16 and 18-inch DIP and PVC pipe.

**WQM Permit No. 0516404**, Sewerage, **Bedford Township Municipal Authority**, 1007 Shed Road, PO Box 371, Bedford, PA 15522.

This proposed facility is located in Bedford Township, **Bedford County**.

Description of Proposed Action/Activity: Upgrade to existing pump station.

**WQM Permit No. 0188402 A-3**, Sewerage, **Tyrone Township**, 5280 Old Harrisburg Road, York Springs, PA 17372.

This proposed facility is located in Tyrone Township, **Adams County**.

Description of Proposed Action/Activity: Modification for the installation of a mechanical screening unit to the WWTF.

**WQM Permit No. 2116409**, Sewerage, **Hampden Township Sewer Authority**, 230 South Sporting Hill Road, Mechanicsburg, PA 17050.

This proposed facility is located in Hampden Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction of a new sanitary sewer interceptor main.

**WQM Permit No. 3804404 A-1**, Sewerage, **Fredericksburg Sewer & Water Authority**, PO Box 161, Fredericksburg, PA 17026-0161.

This proposed facility is located in Swatara Township, **Lebanon County**.

Description of Proposed Action/Activity: Implementation of a trailer mounted volute press for the dewatering of sludge at the WWTP.

**WQM Permit No. 3811404 A-1**, Sewerage, **Fredericksburg Sewer & Water Authority**, PO Box 161, Fredericksburg, PA 17026-0161.

This proposed facility is located in Bethel Township, **Lebanon County**.

Description of Proposed Action/Activity: Implementation of a trailer mounted volute press for the dewatering of sludge at the WWTP.

**WQM Permit No. 3614404 A-1**, Sewerage, **Conestoga Hills Community, LLC**, PO Box 375, Gap, PA 17527.

This proposed facility is located in Conestoga Township, **Lancaster County**.

Description of Proposed Action/Activity: Conversion of a ISF treatment to a RSF treatment system and other upgrades.

**WQM Permit No. 0616408**, Sewerage, **Amity Township**, 2004 Weavertown Road, PO Box 215, Douglassville, PA 19548-8971.

This proposed facility is located in Amity Township, **Berks County**.

Description of Proposed Action/Activity: Upgrade to existing Pump Station.

**WQM Permit No. 0603412 A-1**, Sewerage, **Caernarvon Township Municipal Sewer Authority**, PO Box 291, Morgantown, PA 19543.

This proposed facility is located in Caernarvon Township, **Berks County**.

Description of Proposed Action/Activity: Upgrades to the wastewater treatment plant.

**WQM Permit No. 2816403**, Sewerage, **Robert Stewart**, PO Box 39, Amberson, PA 17210.

This proposed facility is located in Fannett Township, **Franklin County**.

Description of Proposed Action/Activity: Construction/Operation of a small flow treatment facility to serve the single family residence at Lot 15 Panoramic Homesteads, Spring Run, PA 17262.

**WQM Permit No. 1516202**, CAFO, **Ar-Joy Farms, LLC**, 1600 Althouse Road, Cochranville, PA 19330. This proposed facility is located in West Fallowfield Township, **Chester County**.

Description of Proposed Action/Activity: Construction of a manure digester, separator, generator building, HDPE-lined storage, and transfer and mixing tanks on the existing dairy operation.

**WQM Permit No. 3616206**, CAFO, **Meadow Springs Farm, LLC**, 340 West Meadow Valley Road, Lititz, PA 17543.

This proposed facility is located in Ephrata Township, **Lancaster County**.

Description of Proposed Action/Activity: Construction of a concrete manure storage tank on an existing dairy operation.

**WQM Permit No. 0516201**, CAFO, **Warrior Ridge Farm**, 242 Carribean Road, Everett, PA 15537.

This proposed facility is located in Monroe Township, **Bedford County**.

Description of Proposed Action/Activity: The construction of a sow unit swine facility which will consist of three new swine barns with manure storage underneath.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 3717201**, **Grassycrest Farms Inc.**, 638 Miller Road, Slippery Rock, PA 16057-9502.

This proposed facility is located in Plain Grove Township, **Lawrence County**.

Description of Proposed Action/Activity: Permit to construct 1.3-million-gallon manure storage facility.

---

## VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150007	Tel Hai Retirement Community 1200 Tel Hai Circle Honey Brook, PA 19344	Chester	Honey Brook Township	Two Log Run HQ-TSF
PAD090001	KTMT LIG I, LP 1030 Reed Avenue, Suite 100 Wyomissing, PA 19610	Bucks	Chalfont Borough	Unnamed Tributary West Branch Neshaminy Creek WWF-MF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Northampton County Conservation District, 14 Gracedale Avenue Greystone Bldg., Nazareth, PA 18064-9211.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480009	Mr. Richard Brooks Kay Trio, LLC 5930 Hamilton Blvd. Allentown, PA 18108	Northampton	Lower Nazareth Township	Monocacy Creek (HQ-CWF, MF)
PAD480010	3355 High Point, LLC c/o Mr. Lou Pektor 3355 High Point Blvd. Bethlehem, PA 18018	Northampton	Hanover Township	Monocacy Creek (HQ-CWF, MF)

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.*

Permit #	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD210004	PPL Electric Utilities Corporation Two North Ninth Street Allentown, PA 18101	Cumberland	Middlesex Township	Letort Spring Run (CWF, HQ-CWF, MF) Conodoguinet Creek (WWF, MF) Wetland (EV)
PAI032116009	WRD Mechanicsburg, LP 351 Loucks Road York, PA 17404	Cumberland	Hampden Township	UNT Trindle Spring Run (HQ-CWF) Trindle Spring Run (HQ-CWF)
PAI034416001	Happy Holiday, LLC 5114 Maple Leaf Court Mechanicsburg, PA 17055	Mifflin	Brown Township	UNT Tea Creek (HQ-CWF)

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.*

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD140010	Duke Gastiger 600 W. Foster Avenue State College, PA 16801	Centre	Patton Twp	Buffalo Run HQ-CWF
PAD140011 Previously PAS10F089R	Daniel R. Hawbaker 1952 Waddle Road Suite 203 State College, PA 16803	Centre	Patton Twp & Halfmoon Twp	UNT—Buffalo Run & Spruce Creek HQ-CWF

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD61001	Franklin DPP, LLC 9010 Overlook Blvd Brentwood, TN 37027	Venango	Sandy Creek Township	Morrison Run/EV

## VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 CAFOs

### CAFO Notices of Intent Received

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**PAG123723**, CAFO, **Paul Ebersol**, 4970 Sunset Pike, Chambersburg, PA 17201.

This existing facility is located in Greene Township, **Franklin County**.

Description of Size and Scope of Existing Operation/Activity: 93.49 AEU/Poultry (Duck).

The receiving stream, UNT 70752 to Conococheague Creek, classified for: CFW; all in watershed 13-C.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123507**, CAFO, **Kenneth Loht**, 250 Road Apple Drive, McClure, PA 17841.

This existing facility is located in Decatur Township, **Mifflin County**.

Description of Size and Scope of Existing Operation/Activity: 445.27 AEU/Swine (Grow-Finish).

The receiving streams: UNT 12421 to Jacks Creek, classified for: CWF; UNT 12425 to Jacks Creek, classified for: CWF; all in watershed 12-A.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.



**PAG123712**, CAFO, **Roy Shank**, 4640 Lighthouse Road, Chambersburg, PA 17201.

This existing facility is located in Guilford Township, **Franklin County**.

Description of Size and Scope of Existing Operation/Activity: 851.40 AEU/Poultry (Layer).

The receiving stream: UNT Conococheague Creek, classified for: WWF; in watershed 11-D.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123713**, CAFO, **Malcolm R. Rudolph**, 200 Ginzel Road, New Oxford, PA 17350.

This existing facility is located in Tyrone Township, **Adams County**.

Description of Size and Scope of Existing Operation/Activity: 670.26 AEU/Swine (Finishing)/Beef.

The receiving streams: UNT 08982 of Plum Run, classified for: WWF; UNT 08981 to Plum Run, classified for: WWF; all in watershed 7-F.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123717**, CAFO, **Flintrock Corporation**, 16 East Brubaker Valley Road, Lititz, PA 17543.

This existing facility is located in Elizabeth Township, **Lancaster County**.

Description of Size and Scope of Existing Operation/Activity: 758.50 AEU/Poultry (Broilers)/Horses.

The receiving streams: UNT 07669 of Hammer Creek, classified for: TSF; UNT 07668 to Hammer Creek, classified for: TSF; all in watershed 7-J.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123640**, CAFO, **Melvin J. Nissley**, 1612 Pecks Road, Middletown, PA 17057.

This existing facility is located in Londonderry Township, **Dauphin County**.

Description of Size and Scope of Existing Operation/Activity: 601.9 AEU/Poultry (Layer).

The receiving stream: Conowago Creek, classified for: TSF; in watershed 7-G.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123709**, CAFO, **Philip Hoover**, 2862 Harvest Road, Elizabethtown, PA 17022.

This existing facility is located in Mount Joy Township, **Lancaster County**.

Description of Size and Scope of Existing Operation/Activity: 310.7 AEU/Poultry (Broilers).

The receiving streams: UNT 07972 of Little Chickies Creek, classified for: TSF; UNT 07965 to Little Chickies Creek, classified for: TSF; all in watershed 7-G.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123676**, CAFO, **Calvin Zerbe**, 296 Manbeck Rd, Bernville, PA 19506.

This existing facility is located in Upper Tulpehocken and Jefferson Township, **Berks County**.

Description of Size and Scope of Existing Operation/Activity: 150.71 AEU/Poultry (Pullet).

The receiving streams, Little Northkill Creek, classified for: CFW, Tributary of Northkill Creek, classified for: CFW, and Tributary of Tulpehocken Creek, classified for: CFW; all in watershed 03-C.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123539**, CAFO, **Greystone Pork Farm**, 12950 Forge Rd, Mercersburg, PA 17236.

This existing facility is located in Warren Township, **Franklin County**.

Description of Size and Scope of Existing Operation/Activity: 742.9 AEU/Swine (Gestating sows, sows with litter, glits, boars, and nursery pigs).

The receiving stream, UNT 60384 to Little Cove Creek, classified for: CFW; all in watershed 13-B.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms,

the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123628, CAFO, Benner Swine Farm, LLC, 56 Platt Hollow Rd, Thompsettown, PA 17094.**

This existing facility is located in Delaware Township, **Juniata County**.

Description of Size and Scope of Existing Operation/Activity: 573.84 AEU/Swine (Grow-finish).

The receiving streams, UNT 11773 to Locust Run Creek classified for: CWF, Delaware Creek classified for: TSF, and Juniata River classified for: WWF; all in watershed 12-B.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123556, CAFO, Heidelberg Pig Family Farm, 425 North Market St, Myerstown, PA 17067.**

This existing facility is located in Heidelberg Township, **Lebanon County**.

Description of Size and Scope of Existing Operation/Activity: 525.58 AEU/Swine (Sows, sows and litters, and glits), Cattle (Steer), and Poultry (Pullets).

The receiving stream, Tulpehocken Creek classified for: CWF; all in watershed 3-C.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123641, CAFO, Spring Maple Farm, 421 Penn Grant Rd, Lancaster, PA, 17602.**

This existing facility is located in West Lampeter Township, **Lancaster County**.

Description of Size and Scope of Existing Operation/Activity: 1,111.60 AEU/Poultry (Pullets, broilers).

The receiving streams, UNT 07500 to Pequea Creek classified for: WWF; all in watershed 07-K.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123706, CAFO, Gerald and Michael Long Farm, 39 Reeds Creek Rd, Annville, PA 17003.**

This existing facility is located in East Hanover Township, **Lebanon County**.

Description of Size and Scope of Existing Operation/Activity: 490.52 AEU/Swine (Finishing).

The receiving streams, Aires Run classified for: WWF; all in watershed 07-D.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123841, CAFO, Warrior Ridge Farm, 242 Caribbean Rd, Everett, PA 15537.**

This existing facility is located in Monroe Township, **Bedford County**.

Description of Size and Scope of Existing Operation/Activity: 2,970.15 AEU/Swine (Sow, boar, sows with litter, glits).

The receiving streams, Clear Creek classified for: TSF, MF; all in watershed 11-C.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123843, CAFO, Dwayne Nolt Farm, 58 East Stack Dr., Myerstown, PA 17067.**

This proposed facility will be located in Jackson Township, **Lebanon County**.

Description of Size and Scope of Proposed Operation/Activity: 554.34 AEU/Swine (Nursery), Cattle (Steer).

The receiving stream, UNT to Deep Run, classified for: WWF; all in watershed 7-D.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123588, CAFO, Mt Pleasant Farms, 2071 Mt. Pleasant Rd, Fayetteville, PA 17222.**

This existing facility is located in Greene Township, **Franklin County**.

Description of Size and Scope of Existing Operation/Activity: 512.68 AEU/Poultry (Duck), Dairy (Heifer).

The receiving stream, Cold Spring Run, classified for: CFW, Conococheague Creek, classified for: CFW; all in watershed 13-C.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123842**, CAFO, **Lauden Farms**, 2368 Back Rd, Halifax, PA 17032.

This existing facility is located in Wayne Township, **Dauphin County**.

Description of Size and Scope of Existing Operation/Activity: 1,308.97 AEU/Dairy (Heifer, cows, calves).

The receiving stream, Powell Creek—North Fork, classified for: TSF; all in watershed 6-C.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123732**, CAFO, **Chickies Creek Farm LLC**, 2537 Risser Mill Road, Mount Joy, PA 17552.

This existing facility is located in Mount Joy Township, **Lancaster County**.

Description of Size and Scope of Existing Operation/Activity: 1,190.16 AEU/Poultry (Layer).

The receiving stream, Little Chickies Creek, classified for: TSF; all in watershed 7-G.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PAG123733**, CAFO, **Leshers Poultry Farm Inc.**, 1153 Swamp Fox Rd, PA 17202.

This existing facility is located in Guilford Township, **Franklin County**.

Description of Size and Scope of Existing Operation/Activity: 1,110.75 AEU/Poultry (Layer, pullet).

The receiving streams, Conococheague Creek, classified for: TSF, Falling Spring, a high quality stream, classified for: HQ-CWF, Muddy Run, a high quality stream, classified for: HQ-CWF; all in watershed 13-C.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

## **STATE CONSERVATION COMMISSION PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**CAFO NMP  
PUBLIC NOTICE SPREADSHEET—APPLICATIONS (Submission)**

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Downs Racing L.P. DBA Mohegan Sun at Pocono Downs	Luzerne	216	346.05	Horse	NA	Renewal
Ideal Family Farms, LLC Gerald Stauffer 89 BP Finishing Lane Beavertown, PA 17813	Snyder	46	1,569.76	Swine	NA	Renewal

**PUBLIC WATER SUPPLY (PWS)  
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act**

*Southeast Region: Safe Drinking Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. 0916524**, Public Water Supply.  
 Applicant **Doylestown Township  
Municipal Authority**  
 Township Doylestown  
 County **Bucks**

Responsible Official Richland E. John  
425 Wells Road  
Doylestown, PA 18901  
 Type of Facility PWS  
 Consulting Engineer S.C. Engineers, Inc.  
P.O. Box 407  
Fort Washington, PA 19034  
 Application Received Date December 2, 2016  
 Description of Action Construction Permit application for upgrading existing Ridings Wells having increase capacity of Well NW-5 and improve disinfection facility.

**Permit No. 4616526**, Public Water Supply.  
 Applicant **Aqua Pennsylvania, Inc.**  
 Borough Hatboro  
 County **Bucks**  
 Responsible Official Curt Steffy  
Aqua Pennsylvania, Inc.  
762 W. Lancaster Avenue  
Bryn Mawr, PA 19010

Type of Facility PWS  
 Consulting Engineer GHD  
1240 North Mountain Road  
Harrisburg, PA 1712  
 Application Received Date September 27, 2016  
 Description of Action Permit application for the addition of an ammonia feed system at Hatboro Well # 17 station.

**Permit No. 4616533**, Public Water Supply.  
 Applicant **Aqua Pennsylvania, Inc.**  
 Township Upper Moreland  
 County **Montgomery**  
 Responsible Official Fred Gerloff  
Aqua Pennsylvania, Inc.  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010  
 Type of Facility PWS  
 Consulting Engineer Aqua Pennsylvania, Inc.  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

Application Received Date November 9, 2016

Description of Action Permit application for the replacement of existing booster pumps at the Upper Moreland Booster Station.

**Permit No. 0916521**, Public Water Supply.

Applicant **Warminster Municipal Authority**

Township Warrington

County **Bucks**

Responsible Official Timothy Hagey  
Warminster Municipal Authority  
415 Gibson Avenue  
Warminster, PA 18974

Type of Facility PWS

Consulting Engineer CKS Engineers  
88 South Main Street  
Doylestown, PA 18901

Application Received Date October 27, 2016

Description of Action Permit application for installation of activated carbon filtration to treat PFOS/PFOA contamination at Well # 3.

**Permit No. 4616535**, Public Water Supply.

Applicant **North Penn Water Authority**

Township Norristown

County **Montgomery**

Responsible Official Mr. Daniel Preston  
300 Forty Foot Road  
Landsdale, PA 19446

Type of Facility PWS

Consulting Engineer RK & K, LLP  
3501 Concord Road  
Suite 100  
York, PA 17402

Application Received Date December 27, 2016

Description of Action Requesting construction permit approval to upgrade the Lawn Avenue Booster Pump Station and tank.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 0616516 MA, Minor Amendment**, Public Water Supply.

Applicant **Irish Creek Village MHP**

Municipality Centre Township

County **Berks**

Responsible Official Harold A. Spatz, Owner and Operator  
552 Irish Creek Road  
Mohrsville, PA 19541

Type of Facility Public Water Supply

Consulting Engineer Joseph H. Body, P.E.  
Box 188  
Virginville, PA 19564

Application Received: 12/22/2016

Description of Action Addition of manganese removal filters to existing Wells No. 1 No. 2.

**Permit No. 3617501**, Public Water Supply.

Applicant **New Haven Mennonite School**

Municipality Elizabeth Township

County **Lancaster**

Responsible Official Linford Weaver, Principal  
225 Crest Road  
Lititz, PA 17543

Type of Facility Public Water Supply

Consulting Engineer Charles A. Kehew II, P.E.  
James R. Holley & Associates, Inc.  
18 South George Street  
York, PA 17401

Application Received: 1/5/2017

Description of Action Installation of Sodium Hypochlorite disinfection facilities for 4-log inactivation of viruses.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 3217501**, Public Water Supply.

Applicant **Indiana County Municipal Services Authority**  
602 Kolter Drive  
Indiana, PA 15701

[Township or Borough] Center Township

Responsible Official Michael Duffalo, Executive Director  
Indiana County Municipal Services Authority  
602 Kolter Drive  
Indiana, PA 15701

Type of Facility Lucerne water system

Consulting Engineer Gibson-Thomas Engineering Co., Inc.  
1004 Ligonier Street  
PO Box 853  
Latrobe, PA 15650

Application Received Date January 5, 2017

Description of Action Installation of a new pump station; and painting and installation of a mixer at the water storage tank.

**Permit No. 6517501**, Public Water Supply.

Applicant **Highridge Water Authority**  
17 Maple Avenue  
Blairsville, PA 15717

[Township or Borough] St. Clair Township

Responsible Official George Sulkosky, Executive Director  
Highridge Water Authority  
17 Maple Avenue  
Blairsville, PA 15717

Type of Facility Water system  
 Consulting Engineer Gibson-Thomas Engineering Co., Inc.  
 1004 Ligonier Street  
 PO Box 853  
 Latrobe, PA 15650  
 Application Received Date January 18, 2017  
 Description of Action Painting of the Sugar Run water storage tank and installation of a temporary tank.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 1017501, Public Water Supply.**

Applicant **Stoneworth Apartments LLC**  
 Township or Borough Worth Township  
 County **Butler**  
 Responsible Official Marc Fort  
 Type of Facility Apartments  
 Consulting Engineer Carl Petrus, P.E.  
 Application Received Date January 3, 2017  
 Description of Action Replacement of Greensand filters

#### MINOR AMENDMENT

#### Applications Received Under the Pennsylvania Safe Drinking Water Act

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Application No. 0416507MA, Minor Amendment.**

Applicant **Creswell Heights Joint Water Authority**  
 3961 Jordan Street  
 South Heights, PA 15081  
 [Township or Borough] South Heights Township  
 Responsible Official Daniel J. Losco, General Manager  
 Creswell Heights Joint Water Authority  
 3961 Jordan Street  
 South Heights, PA 15081  
 Type of Facility Water system  
 Consulting Engineer KLH Engineers, Inc.  
 5173 Campbells Run Road  
 Pittsburgh, PA 15205  
 Application Received Date December 14, 2016  
 Description of Action Installation of back pressure sustaining altitude valves at the Harper and Longview booster stations.

**Application No. 3216504GWR, Minor Amendment.**

Applicant **Green Township Municipal Authority**  
 PO Box 129  
 Commodore, PA 15729  
 [Township or Borough] Green Township

Responsible Official Adam Fetterman, Water Plant Operator  
 Green Township Municipal Authority  
 PO Box 129  
 Commodore, PA 15729

Type of Facility Barr Slope Water system  
 Consulting Engineer Keller Engineers, Inc.  
 420 Allegheny Street  
 Hollidaysburg, PA 16648

Application Received Date November 18, 2016

Description of Action Demonstration of 4-log treatment for groundwater sources.

#### WATER ALLOCATIONS

#### Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**WA3-903A, Water Allocations. Rural Valley Water Works, PO Box 345, Rural Valley, PA 16249, Armstrong County.** The applicant is requesting the right to withdraw 72,000 gallons of water per day (peak day) from Springs # 1 & # 2.

#### LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

##### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Hibbard 1H/3H Well Site**, 7115 State Route 29, Dimock Township, **Susquehanna County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275 and GasSearch Drilling Services Corporation, 15675 State Route 29, Montrose, PA 18801, submitted a Notice of Intent to Remediate. A release of drilling mud occurred at this site impacting soils and groundwater. The proposed future use of the property will be for natural gas production operations. The Notice of Intent to Remediate was published in *The Susquehanna County Transcript, Inc.* on December 28, 2016.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Prosperity Cleaners (aka Prosperity Cleaners since 1935)**, 4145 Brownsville Road, Brentwood Borough, **Allegheny County**. Independence Environmental Consulting, LLC on behalf of Prosperity Cleaners, 4145 Brownsville Rd., Pittsburgh, PA 15227 has submitted a Notice of Intent to Remediate (NIR) to meet the Site-Specific standard concerning site soils and groundwater contaminated with perchloroethene (PCE). The intended future use of the property is non-residential. Notice of the NIR was published in the *Pittsburgh Post-Gazette* on November 18, 2016.

**201 North Street Site (aka North Street Petroleum Site)**, City of Duquesne, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of the Redevelopment Authority of the City of Duquesne (RACD) has submitted a Notice of Intent to Remediate to meet the Site-Specific standard

concerning site soil and groundwater contaminated with volatile and semi-volatile organic compounds. Notice of the NIR was published in the *Tribune-Review* on November 17, 2016.

**Former Campbell Place Shopping Plaza (aka former Crossgate Plaza)**, 1740 Washington Road, Upper St. Clair Township, **Allegheny County**. ECS Mid-Atlantic, LLC, 500 Bursca Drive, Suite 506, Bridgeville, PA 15017 on behalf of Peck Family Holdings, LLC, 198 Canterbury Road, McMurray, PA 15317 has submitted a Notice of Intent to Remediate (NIR) to meet the Site-Specific standard concerning site groundwater contaminated with semi-volatile organic compounds associated with historic fill material. Notice of the NIR was published in the *Pittsburgh Post-Gazette* on November 3, 2016.

#### HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

##### Applications received, under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.*

**PAD096844311. Action Manufacturing Company**, 500 Bailey Crossroads Road, Atglen, PA 19310. This application is for a Class 3 permit modification to the Solid Waste Permit No. (PAD09684311) to allow for the transport, storage, processing and treatment of explosive and pyrotechnic waste materials received from Action's Bristol Facility at the Atglen Plant. Atglen facility, owned and operated by Action Manufacturing Company, is an existing hazardous waste facility permitted to operate an on-site Thermal Treatment Unit (TTU) to safely destroy explosive and pyrotechnic waste generated by manufacturing processes at the Atglen Plant located at 500 Bailey Crossroads Road, Atglen, in West Fallowfield Township, **Chester County**. The application was received by the Southeast Regional Office on December 20, 2017.

Comments concerning the application should be directed to the Waste Management Program Manager, Department of Environmental Protection (DEP) Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the (DEP) through the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### RESIDUAL WASTE GENERAL PERMITS

##### Application(s) Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

*Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**General Permit Application No. WMGR028-NE002. Leeward Asphalt, LLC**, 9 Collan Park, Honesdale, PA

18431. A permit renewal application for continued coverage under General Permit WMGR028 for the beneficial use of baghouse fines from the Leeward Asphalt Plant located in Palmyra Township, **Wayne County**. The application was received by the Department on December 27, 2016 and deemed administratively complete by the Regional Office on January 13, 2017.

Comments concerning the application should be directed to Roger Bellas, Environmental Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### REGULATED MEDICAL WASTE GENERAL PERMITS

**Proposed Renewal Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit No. WMGI005.** The general permit is for using chemical and/or thermal inactivation to disinfect regulated medical waste generated in the production and research and development of pharmaceuticals. Additional methods of inactivation verification have been added to the general permit.

**WMGI005A: Merck Sharp and Dohme Corp., Westpoint Facility,** 770 Summeytown Pike, West Point, PA 19486.

**WMGI005D: Merck Sharp and Dohme Corp.,** North Wales Facility, 502 and 503 Louise Lane, 140 and 150 Wissahickon Avenue, North Wales, PA 19454.

**WMGI005D003: Sanofi Pasteur, Inc., Swiftwater Facility,** Discovery Drive, Swiftwater, PA 18370.

**WMGI005SC01: Corixa Corporation d/b/a Glaxo-SmithKline Vaccines,** 325 N. Bridge Street, Marietta, PA 17547.

Persons interested in reviewing the draft general permit may contact Jason M. Dunham, EIT, Compliance and Technical Support Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. Comments concerning the applications and draft general permit should also be directed to Jason M. Dunham, EIT at the above address. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on General Permit Number WMGI005" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Applications received under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and regulations to operate a Solid Waste Processing or Disposal Area or Site.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.*

**Permit ID No. 101700: Penn Waste Systems, Stowe Township, Allegheny County.** Application for reissuance of the permit for change of ownership of the Penn Waste Systems—Construction and Demolition Waste Transfer and Processing Facility located at 149 Nichol Road, McKees Rocks, PA 15136, was received in the DEP Pittsburgh Regional Office on December 27, 2016.

**Applications deemed administratively complete under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal area or Site.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

**Permit No. 100739 WBLF Acquisition Company, LLC,** 455 Poplar Church Road, Birdsboro, PA 19508. WBLF Acquisition Company, LLC has submitted a major permit modification application to utilize leachate tucking to a publically owned treatment works (POTW) as the basic treatment method for the leachate generated by the Western Berks Community Landfill and Recycling Center, LLC. This application was deemed administratively complete by the Southcentral Regional Office on January 12, 2017. The Department will accept comments from the general public recommending revisions to, and approval or denial of the application during the entire time the Department is reviewing the permit application.

Comments concerning the application should be directed to Mr. John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more information about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

#### AIR QUALITY

#### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.



Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**66-0001K: Proctor and Gamble Paper Products Co.** (P.O. Box 32, State Route 87 South, Mehoopany, PA 18629) for the modification of one converting line at their facility in Washington Township, **Wyoming County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**10-388B: Thousand Hills, LLC.** (2 Spring Dr., Cranberry, PA 16066), for the relocation of their existing one (1) natural gas fired large animal crematory rated 400 lbs/hr to a new facility in Connoquenessing Township, **Butler County**.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.*

**15-0054C: Highway Materials** (608 Morehall Road, Frazer, PA 19355), for the installation of a threefoot collar, or extension, to be added to the baghouse at their existing facility in East Whiteland Township, **Chester County**. The purpose of the collar is to reduce the amount of particulates that are less than 75 microns from being returned to the asphalt mix. PENNDOT's asphalt mix specification allows only particulate matter greater than 75 microns to be returned to the mix during production. This specification requirement is to prevent the final mix from being susceptible to frost, and to allow a certain permeability of water flow through the aggregate. The facility will still remain a minor facility. The Plan Approval will contain testing, monitoring, recordkeeping requirements, and work practice standards designed to keep the sources and facility operating within all applicable air quality requirements.

**46-0035I: GlaxoSmithKline, LLC. (GSK)** (709 Swedeland Road, King of Prussia, PA 19406), for the installation of; four boilers, two emergency generator engines, one combined heat and power unit and one above ground storage tank for No. 2 oil at their existing facility in Upper Merion Township, **Montgomery County**. GSK's facility is classified as major for NO<sub>x</sub> and VOC emissions. However, for this Plan Approval authorization the increase in NO<sub>x</sub> and VOC emissions are below the NNSR thresholds of 25.0 tons per year so NNSR will not apply. The facility will still remain a major facility. The Plan Approval will contain testing, monitoring, recordkeeping requirements, and work practice standards designed to keep the sources and facility operating within all applicable air quality requirements.

**46-0293: TierPoint, LLC** (1100 East Hector Street, Conshohocken, PA 19428) for the installation of a 2,250-kW diesel emergency generator at a new facility located in Conshohocken Borough, **Montgomery County**. The facility-wide potential to emit Nitrogen Oxide emissions (NO<sub>x</sub>) is less than 25 tons per year; the facility will be classified as a Natural Minor Facility and an area source for Hazardous Air Pollutants (HAP). There are no other plan approvals or operating permits issued to this facility. The installation will not trigger New

Source Review or Prevention of Severe Deterioration for any criteria pollutant, including Greenhouse Gases. The requirements of 40 CFR Part 60 Subpart IIII—New Source Performance Standards for Compression Ignition Internal Combustion Engines apply to the engine onsite. The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**39-00004B: Mack Trucks, Inc.** (700 Alburdis Road, Macungie, PA 18062) for their facility in Lower Macungie Township, **Lehigh County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) intends to issue a Plan Approval for Mack Trucks, Inc. (700 Alburdis Road, Macungie, PA 18062) for their facility in Lower Macungie Township, Lehigh County. This Plan Approval No. 39-00004B will be incorporated into a Title V Permit through an administrative amendment at a later date.

Plan Approval No. 39-00004B is for the revision of the permit limit for Volatile Organic Compounds (VOCs) emissions. The company has requested to add a VOC emission limits of 2.7 tons/year each to the following sources at the facility (ID 003, 017, 018, 201, 202) and also to add a VOC emission limits of 7.5 tons/year each to the following sources at the facility (ID 120, 121). No other operational changes, modification or new equipment installation is proposed by the company. The company has requested these voluntary VOC emission limits in order for the facility to meet RACT 2 applicability. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 39-00004B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05152E: Kellogg USA, Inc.** (2050 State Road, Lancaster, PA 17604) for the installation of a syrup concentrator, drying oven, drying oven cooler, two (2) coating reels, four (4) vibratory scalpers and conveyors and two (2) rotoclones and baghouse to control the emissions from the new equipment at the East Hempfield Facility located in East Hempfield Township, **Lancaster County**. The expected potential increases in facility emissions as a result of the changes proposed are: 3.31 tpy of CO, 3.94 tpy of NO<sub>x</sub>, 0.12 tpy of PM<sub>10</sub>, 0.02 tpy of SO<sub>x</sub> and 0.22 tpy of VOC. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1, 127.12 and 123.13 for particulate matter. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**10-284G: Seneca Landfill Inc.** (PO Box 1080, Mars, PA 16046), The Department intends to issue a plan approval to Seneca Landfill, Inc. for their continued operation of five existing diesel fuel fired non-road engines. This is an existing Title V facility located in Jackson and Lancaster Townships, **Butler County**.

This application was reviewed to evaluate the project's incorporation of Best Available Technology. Emissions from the sources will be controlled through combustion technology and one engine will have a post combustion NO<sub>x</sub> reducing control device. The other engines' limited hours of operation and sizes make post combustion controls economically infeasible.

Proposed diesel engines: (1) Caterpillar model C13, rated 440 bhp; (1) Caterpillar model C16, rated 630 bhp; (1) Caterpillar model C9, rated 350 bhp; and (2) John Deere model JD6068HF, rated 180 bhp. Compliance will be demonstrated through stack testing of the largest engine and record keeping. The engines' hours of operation will be limited. A NO<sub>x</sub> reducing control device will be installed on the largest of the five engines.

It is estimated that the potential to emit emission rates from the facility will total: 0.4 tpy of HC, 4.60 tpy of CO, and 10.31 tpy of NO<sub>x</sub>.

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Hour meters will be

installed on the engines and operating hours will be recorded in a log. The engines will be operated and maintained as prescribed by the manufacturer. The manufacturer's maintenance and operation literature will be kept onsite. All maintenance will be recorded in a log. The 2 John Deere model JD6068HF engines will be restricted to 4,380 hours of operation per year. The other 3 engines will be restricted to 2,000 hours.

Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. In accordance with 25 Pa. Code § 127.44(e)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [10-284GA: Seneca Landfill, Inc.] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Christina Nagy, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6411.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

**10-388B: Thousand Hills, LLC** (2 Spring Drive, Cranberry Township, PA 16066), for the relocation and operation of one (1) natural gas fired large animal crematory rated 400 lbs/hr in Connoquenessing Township, **Butler County**. This Plan Approval will allow Thousand Hills, LLC to relocate from their current location in Muddy Creek Township (Portersville), Butler County. No other changes are proposed. They currently operate under State only operating permit 10-00388. This will be a new facility that previously had not air emission sources.

This unit is designed to cremate large animals such as horses or large quantities of animals such as communal cremations. The unit is designed to cremate as much as 1,600 pounds of remains per cycle. The crematory is equipped with operational technology which is consistent with current best available technology (BAT). The unit was stack tested to ensure that its' emissions are below 0.08 grain/dscf.

The operator may cremate up to 110% of the weight of the remains used during the cycle they were stack tested at. The owner/operator may not exceed the 1,600 pound design limit.

The Plan Approval will contain emission and fuel restrictions, along with, testing, monitoring, recordkeeping, reporting, work practice and additional requirements designed to keep the facility operating within all applicable air quality requirements.

Total estimated emissions from the facility as quantified in tons per year: 2.08 of NO<sub>x</sub>, 0.17 of VOC, 1.72 of CO, and 2.73 of PM<sub>10</sub>.

Pending the Department's review of the owner/operators application and compliance history, the conditions of this Plan Approval will subsequently be incorporated into a facility Operating Permit in accordance with 25 Pa. Code Chapter 127, Subchapter F.

Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. In accordance with 25 Pa. Code § 127.44(e)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [10-388B: Thousand Hills, LLC] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Christina Nagy, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6411. In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

---

#### **Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**35-00023: United Gilsonite Laboratories** (P.O. Box 70, Scranton, PA 18501-0070) The Department intends to issue a State-Only Operating Permit renewal for operation of a paint/coating manufacturing facility in Dunmore Borough, **Lackawanna County**. The source includes two (2) boilers, eight (8) space heaters, and various mixers, dispersers, and agitators. Emissions are controlled by dust collectors and baghouses. The proposed operating permit includes emission limitations, work practice stan-

dards, testing, monitoring, recordkeeping and reporting requirements used to verify facility compliance with applicable Federal and State air pollution regulations.

**39-00052: Eastern Industries, Inc./Ormrod Plant** (3724 Crescent Court West, Whitehall, PA 18052) The Department intends to issue a State-Only (Synthetic Minor) Operating Permit renewal for operation of an asphalt paving mixture and block manufacturing facility in North Whitehall Township, **Lehigh County**. The asphalt plant is controlled by a baghouse. The proposed operating permit includes emission limitations, work practice standards, testing, monitoring, recordkeeping and reporting requirements used to verify facility compliance with applicable Federal and State air pollution regulations.

**40-00130: EBC Holdings, LLC.** (159 George Ave, Wilkes-Barre, PA 18705) The Department intends to issue a State-Only Operating Permit for operation of a crematory in Dupont Borough, **Luzerne County**. The source includes one (1) cremator. The proposed operating permit includes emission limitations, work practice standards, testing, monitoring, recordkeeping and reporting requirements used to verify facility compliance with applicable Federal and State air pollution regulations.

**48-00051: Eastern Industries, Inc./Bath Plant** (3724 Crescent Court West, Whitehall, PA 18052) The Department intends to issue a State-Only (Synthetic Minor) Operating Permit renewal for operation of an asphalt paving mixture and block manufacturing facility in North Whitehall Township, **Lehigh County**. The asphalt plant is controlled by a baghouse. The proposed operating permit includes emission limitations, work practice standards, testing, monitoring, recordkeeping and reporting requirements used to verify facility compliance with applicable Federal and State air pollution regulations.

**39-00032: Precision Roll Grinders, Inc., Allentown Plant** (6356 Chapmans Road, Allentown, PA 18106). The Department intends to issue a renewal State-Only Natural Minor Permit for this facility located in Upper Macungie Township, **Lehigh County**. The main sources at this facility consist of coating operations, solvent cleaning, and nickel spray preparation. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**67-03070: Lower Allen Township Authority** (120 Limekiln Road, New Cumberland, PA 17070) to issue a State Only Operating Permit for the Lower Allen Township Wastewater Treatment Plant located in Fairview Township, **York County**. The potential emissions from the facility are estimated at 17.77 tons per year NO<sub>x</sub>; 3.97 tons per year CO; 2.19 tons per year SO<sub>x</sub> and less than one ton per year each of VOC, PM<sub>10</sub> and HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies

with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 40 CFR Part 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**49-00041: New Enterprise Stone and Lime Co., Inc.** (4401 Camp Meeting Road, Center Valley, PA 18034) for issuance of a State-Only (Synthetic Minor) Operating Permit renewal for operation of its Shamokin Plant facility located in Coal Township, **Northumberland County**. New Enterprise Stone and Lime Co., through its division-Eastern Industries, Inc., operates a 1.3 MMBtu/hr # 2 fuel-oil fired hot oil heater (Source ID 031), a 150 tph batch mix asphalt plant (Source ID P101), a stone crushing plant (Source ID P102), a 25,000-gallon asphalt cement storage tank (Source ID P103), and a remote-reservoir immersion parts washer (Source P109). This facility has the potential to emit 90.78 tons of carbon monoxide, 27.83 tons of nitrogen oxides, 76.05 tons of particulate matter (including particulate matter less than 10 microns and particulate matter less than 2.5 microns), 74.55 tons of sulfur oxides, 11.82 tons of volatile organic compounds, 1.73 ton of hazardous air pollutants, and 21,320.68 tons of CO<sub>2</sub>e. The sandstone processing equipment is subject to Subpart OOO of the Federal Standards of Performance for New Stationary Sources (Nonmetallic Mineral Processing Plants), 40 CFR 60.670—60.676. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Part 60. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**32-00429: Reparex Fabricated Systems, Inc./RPX Composites** (895 Acorn Road, Commodore, PA 15729) for the operation of a reinforced composite manufacturing plant located in Green Township, **Indiana County**. The facility has the potential to emit: 10 tpy VOC and 9.5 tpy HAPs. The proposed authorization is subject to State and Federal. The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**25-00006: Russell Standard Corporation Waterford Plant** (PO Box 86, Union City, PA 16438-0086) for

re-issuance of a Synthetic Minor Permit to operate an asphalt paving mixtures manufacturing facility in Le Boeuf Township, **Erie County**. The facility uses a drum hot mix asphalt plant with a baghouse. The dryer is fueled with natural gas. The facility also has potential fugitives from storage piles and cold aggregate handling. The facility has a restriction of production rate not more than 434,000 TPY to be considered a Synthetic Minor facility. The actual production in 2015 was 151,021 tons which resulted in estimated actual CO emissions of 30.4 TPY, NO<sub>x</sub> emissions of 1.9 TY, PM<sub>10</sub> emissions of 11.1 TPY, SO<sub>x</sub> emissions of 0.3 TPY, and VOC emissions of 1.9 TPY.

**37-00011: Dairy Farmers of America, Inc.**, (925 State Route 18, New Wilmington, PA 16142-5023), to issue a renewal State Only Operating Permit for the facility located in Wilmington Township, **Lawrence County**. The facility is a Natural Minor. Potential emissions for all pollutants are less than the Title V thresholds. The primary sources at the facility include natural gas fueled boilers with heat input ratings of 48.8, 34.5, 11.8, and 2.0 million Btu/hr; a 16.5 million Btu/hr natural gas fueled dryer; 2 waste water treatment reactors; 2 natural gas fuel emergency generator; 1 diesel fueled emergency generator; and a parts washer. Two of the emergency generators are subject to 40 CFR Part 63 Subpart ZZZZ, the NESHAP for Stationary RICE. The third emergency generator is subject to 40 CFR Part 60 Subpart JJJJ, the NSPS for Stationary SI ICE. Three of the boilers are subject to 40 CFR Part 60 Subpart Dc, the NSPS for Small ICI Steam Generating Units. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Received*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**17031301 and NPDES No. PA0235571. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To revise the permit for the Cherry Tree Mine in Burnside Township, **Clearfield County** and related NPDES Permit for post-mining land use change. Surface Acres Proposed -1.9. No additional discharges. The application was considered administratively complete on January 6, 2017. Application received November 15, 2016.

**56841608 and NPDES No. PA0213721 and GP12-56841608. PBS Coals, Inc.**, (P.O. Box 260, Friedens, PA 15541). To renew the permit for the Cambria Fuel Prep Plant in Stonycreek Township, **Somerset County** and related NPDES permit. Includes renewal of air quality GPA/GP12 Authorization. No additional discharges. The application was considered administratively complete on January 5, 2017. Application received May 16, 2016.

**30010701 and NPDES No. PA0235440. Cumberland Contura, LLC**, (158 Portal Road, P.O. Box 1020, Waynesburg, PA 15370). To transfer the permit for the Cumberland Mine No. 2 Coal Refuse Disposal Facility in Whiteley, Greene and Monongahela Townships, **Greene County** and related NPDES permit from Cumberland Coal Resources, LP. No additional discharges. The application was considered administratively complete on January 9, 2017. Application received September 9, 2016.

**56841310 and NPDES No. PA0110914. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Solar No. 7 Mine in Quemahoning Township, **Somerset County** and related NPDES permit post mining treatment only. No additional discharges. The application was considered administratively complete on January 10, 2017. Application received August 9, 2016.

**32713707 and NPDES No. PA0213551. Robindale Energy Services, Inc.**, (P.O. Box 228, Armagh, PA 15920). To renew the permit for the No. 24 Refuse Site in Pine Township, **Indiana County** and related NPDES permit. No additional discharges. The application was considered administratively complete on January 11, 2017. Application received August 8, 2016.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 56663069, NPDES No. PA0120944 and General Permit GP-12—56663069. Heritage Coal & Natural Resources, LLC**, 550 Beagle Road, Rockwood, PA 15557, revision of an existing bituminous surface mine and auger mine to obtain coverage for coal processing under air quality general permit GP-12 in Elk Lick & Summit Townships, **Somerset County**, affecting 3,040.0 acres. Receiving streams: unnamed tributaries to Casselman River, Casselman River, unnamed tributary to Elk Lick Creek and Elk Lick Creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: December 15, 2017.

**Permit No. 32060103 and NPDES No. PA0262234. TLH Coal Company**, 4401 Pollock Road, Marion Center, PA 15759, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in East Mahoning Township, **Indiana County**, affecting 101 acres. Receiving streams: unnamed tributaries to/and Pine Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: January 6, 2017.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**33060104. MSM Coal Company, Inc.** (P.O. Box 243, DuBois, PA 15801). Renewal of an existing bituminous surface mine in Knox Township, **Jefferson County** affecting 38.9 acres. This renewal is issued for reclamation only. Receiving streams: Unnamed tributaries to Fivemile Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: January 12, 2017.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 13060101R2. Lehigh Anthracite, LP**, (1233 East Broad Street, Tamaqua, PA 18252), renewal of an existing anthracite surface mine operation in Nesquehoning Borough, **Carbon County** affecting 189.1 acres, receiving stream: Nesquehoning Creek, classified for the following uses: cold water fishes. Application received: December 7, 2016.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 7775SM3C5 and NPDES Permit No. PA0594679. Lehigh Cement Co., LLC**, (7660 Imperial Way, Allentown, PA 18195), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Richmond and Maxatawny Townships, **Berks County** affecting 647.0 acres, receiving stream: unnamed tributary to Moselem Creek, classified for the following use: HQ—cold water fishes. Application received: December 15, 2016.

**Permit No. 58080301T and NPDES Permit No. PA0224685. WM Quarries, Inc.**, (885 Third Avenue, Suite 2403, New York, NY 10022), transfer of an existing quarry and NPDES Permit for discharge of treated mine drainage in Lanesboro Borough and Harmony Township, **Susquehanna County** affecting 465.6 acres, receiving stream: Starrucca Creek, classified for the following uses: cold water and migratory fishes. Application received: December 16, 2016.

**Permit No. 4873SM6C. Kinsley Construction, Inc.**, (2700 Water Street, York, PA 17405), correction to an existing quarry operation to update the post-mining land use for a combination of water impoundment, agricultural and/or industrial and import reclamation fill in West Manchester Township, **York County** affecting 70.2 acres, receiving stream: Codorus Creek, classified for the following uses: warm water and migratory fishes. Application received: December 19, 2016.

**Permit No. 58060869. Jason W. Rozell**, (P.O. Box 78, South Montrose, PA 18843), Stage I & II bond release of a quarry operation in Franklin Township, **Susquehanna County** affecting 1.0 acre on property owned by Larry Coy. Application received: December 19, 2016.

**Permit No. 58970818. William Albert**, (8650 Kingsley Road, Kingsley, PA 18826), Stage I & II bond release of a quarry operation in Brooklyn Township, **Susquehanna County** affecting 1.0 acre on property owned by William Albert. Application received: January 5, 2017.

**Permit No. 58970837. John D. Lepre**, (1475 Orphan School Road, Kingsley, PA 18826), Stage I & II bond release of a quarry operation in Harford Township, **Susquehanna County** affecting 3.0 acres on property owned by John D. Lepre. Application received: January 11, 2017.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity\*

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

*Coal NPDES Draft Permits*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**NPDES No. PA0214540 (Mining Permit No. 03851601), Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). A revision to the NPDES and mining activity permit for the Dutch Run Prep Plant in Plumcreek Township, **Armstrong County** to relocate an existing sedimentation pond and Outfall 005—limits also recalculated for Outfall 004 because they were incorrect. Surface Acres Affected 72.6. Receiving stream: Dutch Run, classified for the following use: CWF. Crooked Creek TMDL. The application was considered administratively complete on September 28, 2015. Application received July 16, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The permittee is authorized to discharge during the period from Permit Amendment Effective Date through Permit Expiration.

*Outfall 004 discharges to: Dutch Run*

The proposed effluent limits for Outfall 004 (Lat: 40° 41' 31" Long: -79° 18' 27") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	Report	Report	-
pH	(S.U.)	6.0	-	9.0 Max	-
Iron	(mg/l)	-	1.5	3.0	3.75
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	Report	Report	-
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	Report	Report	-
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO <sub>3</sub> )	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO <sub>3</sub> )	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO <sub>3</sub> )	(mg/l)	0.0	-	-	-

*005 discharges to: Dutch Run*

The proposed effluent limits for Outfall 005 (Lat: 40° 41' 42" Long: -79° 18' 04") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	Report	Report	-
pH	(S.U.)	6.0	-	9.0 Max	-
Iron	(mg/l)	-	1.5	3.0	3.75
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Copper	(mg/l)	-	Report	Report	-
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	50	100	-
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO <sub>3</sub> )	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO <sub>3</sub> )	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO <sub>3</sub> )	(mg/l)	0.0	-	-	-

This permit is not subject to the EPA waiver.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**NPDES No. PA0597601 (Mining Permit No. 56860104), Rosebud Mining Company**, 301 Market Street Kittanning, PA 16201, renewal of an NPDES permit for continued treatment of water from a post-mining discharge in Brothersvalley & Summit Townships, **Somerset County**, affecting 507.0 acres. Receiving stream: Bear Run, classified for the following use: cold water fishes. This receiving stream is included in the Casselman River TMDL. Application received: November 4, 2016.

The outfall listed below discharges to Bear Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
005	N



The proposed effluent limits for the above listed outfall are as follows:

<i>Outfall: 005 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	1.6	3.2	4.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**NPDES No. PA0259209 (Permit No. 61110103). K & A Mining** (P.O. Box 288, Grove City, PA 16127) Renewal of the existing NPDES permit for a bituminous surface mine in Irwin Township, **Venango County**, affecting 73.9 acres. Receiving streams: Unnamed tributaries to Scrubgrass Creek, classified for the following uses: CWF. TMDL: Scrubgrass Creek. Application received: November 29, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributary to Scrubgrass Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TP2	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity <sup>1</sup>				
1The parameter is applicable at all times.				

The outfall(s) listed below discharge to unnamed tributaries to Scrubgrass Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
SP1	N
SP2	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity <sup>1</sup>				
Total Settleable Solids (ml/l)				0.5

*Noncoal NPDES Draft Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**NPDES Permit No. PA0123242 on Surface Mining Permit No. 7475SM10. Essroc Cement Corp.** (3251 Bath Pike, Nazareth, PA 18064), renewal of an NPDES Permit for a limestone quarry operation in Lower Nazareth Township, **Northampton County**, affecting 139.3 acres. Receiving stream: unnamed tributary to East Branch Monacacy Creek, classified for the following use: HQ-cold water fishes. Application received: August 25, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to unnamed tributary to East Branch Monacacy Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Pit Sump/Sedimentation Pond

The proposed effluent limits for the above listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0
Turbidity NTU		40.0		

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
TDS (mg/l)		Monitor and Report		
Sulfates (mg/l)		Monitor and Report		
Discharge (MGD)		0.50	2.016	

<sup>1</sup> The parameter is applicable at all times.

**NPDES Permit No. PA0118389 on Surface Mining Permit No. 7976SM1. Eureka Stone Quarry, Inc.,** (PO Box 249, Chalfont, PA 18914), renewal of an NPDES Permit for an argillite quarry operation in Warrington Township, **Bucks County**, affecting 403.0 acres. Receiving stream: unnamed tributary to Mill Creek to Neshaminy Creek, classified for the following uses: trout stock fishes and migratory fishes. Application received: September 9, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to unnamed tributary to Mill Creek to Neshaminy Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Quarry Pump/Sedimentation Pond

The proposed effluent limits for the above listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
TDS (mg/l)		Monitor and Report		
Oil and Grease (mg/l)		Monitor and Report		
Sulfates (mg/l)		Monitor and Report		

Total Suspended Solids Limits Dependent on Gal/Day Discharge Rate From Outfall 001:

<i>Outfall 001 Discharge Rate</i>	<i>Total Suspended (TSS) Solids Limit (mg/L)</i>		
	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
< 1,005,600 GPD	30.0	70.0	90.0
1,005,601—1,600,000 GPD	22.0	44.0	55.0
1,600,001—2,500,000 GPD	14.1	28.2	35.3
2,500,001—3,500,000 GPD	10.1	20.2	25.3

<sup>1</sup> The parameter is applicable at all times.

**NPDES Permit No. PA001904 on Surface Mining Permit No. 8274SM2. Highway Materials, Inc.,** (409 Stenton Avenue, Flourtown, PA 19031), renewal of an NPDES Permit for a dolomite and overburden quarry operation in Whitemarsh Township, **Montgomery County**, affecting 272.49 acres. Receiving streams: Lorraine Run (001) and Plymouth Creek (002), classified for the following uses: trout stock fishes and warm water fishes. Application received: November 11, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfalls listed below discharge to Lorraine Run and Plymouth Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Sedimentation Pond
002	No	Inactive

The proposed effluent limits for the above listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0
TDS (mg/l)		Monitor and Report		
Oil and Grease (mg/l)		Monitor and Report		
Discharge (MGD)		10.08 MGD Total Outfalls 001 & 002		

<sup>1</sup> The parameter is applicable at all times.

**NPDES Permit No. PA0224499 on Surface Mining Permit No. 7774SM3 New Enterprise Stone & Lime Co., Inc. d/b/a Eastern Industries, Inc.,** (3724 Crescent Court West, Whitehall, PA 18052), renewal of an NPDES Permit for a limestone quarry operation in Maxatawny Township and Kutztown Borough, **Berks County**, affecting 267.39 acres. Receiving stream: Sacony Creek, classified for the following use: trout stock fishes. Application received: May 3, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfall listed below discharge to Sacony Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Surface & Groundwater

The proposed effluent limits for the above listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0
Iron (mg/l)		3.5	7.0	
Manganese (mg/l)		2.0	4.0	
Tetrachlorethene		0.0005	0.0005	0.0005

<sup>1</sup> The parameter is applicable at all times.

### FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E26-375, Fairchance-Georges Joint Municipal Sewage Authority, 141 Big Six Road, Smithfield, PA 15478, Georges Township, Fayette County, Pittsburgh ACOE District.**

The applicant is proposing to:

1.) Install and maintain twenty-eight (28) watercourse crossings along a 17 mile long sanitary sewer line extension consisting of an 8" PVC and a 10" PVC sewer line and a 6" service line underneath York Run (aka WC-1), Unnamed tributaries (UNT) to York Run (aka WC-2, WC-2A, WC-4, WC-4A, WC-5 and WC-6), Muddy Run (aka WC-8), a UNT to Muddy Run (aka WC-7), and an Unnamed tributary to Georges Creek (aka trib to Georges Creek) resulting in 470 linear feet of impact to the aforementioned watercourses;

2.) Install and maintain twelve wetland crossings, along the aforementioned 17 miles of an 8" PVC and a 10" PVC sewer, underneath 1.23 acre of Palustrine Emergent (PEM) wetlands (aka WL 1, WL 2, WL 3, WL 4, WL 5, WL 6, WL 7, WL 9 and WL 10),

3.) Place and maintain fill within 0.40 acre of Palustrine Emergent (PEM) wetland (aka Wetland ID 1) and 0.06 acre of Palustrine Scrub-Shrub (PSS) wetland (aka Wetland ID 5), and

4.) Temporarily install, maintain and then remove, a temporary bridge crossing, over a UNT to Georges Creek,

For the purpose of creating an extension to the existing sanitary sewer system, including a new pump station (aka York Run Pump Station), into the York Run and Collier areas of Georges Township, and constructing improvements to the Authority's existing Wastewater Treatment Plant (WTP), which is located near the intersection of Big 6 Road and Industrial Park Road (Quadrangle: Smithfield Latitude: 39° 48' 46.6"; Longitude: -79° 46' 27.5"), in Georges Township, Fayette County. The improvements will involve the construction of a headworks building—with wastewater screening and raw sewage pumps, two (2) additional sequencing batch reactor tanks, effluent pump stations, additional aeration blowers, and additional emergency power generation. The project cumulatively results in 470 linear feet of stream impact and 1.23 acre of wetland impact, in association with the utility line crossings, which will be restored to original grade. The applicant will construct 0.4 acre of PEM wetland and 0.1 acre of PSS wetland, to mitigate for the wetlands to be permanently impacted by the improvements to the WTP.

**E30-254, PennDOT District 12-0, 825 North Gallatin Avenue Uniontown, PA 15401, Franklin Township, Greene County, Pittsburgh ACOE District.**

The applicant is proposing to:

- 1.) Maintain fill within 0.451 acre of PEM wetland;
- 2.) Operate and maintain a 30" HDPE plastic culvert enclosure within 222' of an unnamed tributary to Coal Lick Run (WWF) with a drainage area less than 100 acres;
- 3.) Maintain fill in 162' of the aforementioned UNT and maintain a 162' long replacement channel;

The culvert, stream relocation and permanent wetland fill were constructed under an emergency permit (DEP File No. EP3014203) to repair a slide and prevent loss of the SR 0079 Section N10 road surface. 0.14 acre of PEM wetland was temporarily impacted for the purpose of constructing these encroachments. The project is located in Franklin Township, Greene County (PA Quadrangle: Waynesburg; Latitude: 39° 53' 2"; Longitude: -80° 8' 5.34"). Wetland mitigation will occur offsite at the State Game Lands 297 Bank in North Bethlehem Township, Washington County.

**E32-516, Pennsylvania American Water—Indiana District**, 800 Hershey Drive, P.O. Box 888, Hershey, PA 17033, White Township, **Indiana County**, Pittsburgh ACOE District.

The applicant proposes to:

- 1.) Remove an existing 16-inch diameter supply line in and along Two Lick Creek (TSF),
- 2.) Construct and maintain a replacement raw water intake structure consisting of two (2) 12-inch diameter river intake lines, two (2) 8-inch diameter flushing lines, two (2) 3-inch diameter air lines, one (1) 2-inch diameter PVC sump pump discharge line, raw water intake screens, and R-6 rip rap in Two Lick Creek (TSF).

For the purpose of replacing the existing water intake structure at the Two Lick Creek Water Treatment Plant, and improving the safety and reliability of the chemical handling process at the facility. The project is located at the Two Lick Creek Water Treatment Plant along Waterworks Road (Brush Valley, PA USGS Topographic Quadrangle; Latitude: 40° 35' 47"; Longitude: -79° 07' 07"; Pittsburgh ACOE District; Sub-basin 18D), in White Township, Indiana County. The project proposes to directly affect 60 linear feet of perennial stream channel and 0.1 acre of floodway.

*District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**E4129-110: NFG Midstream Trout Run, LLC**, 6363 Main Street, Williamsville, NY, 14221, Gamble Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

- 1) an 8-inch gas pipeline and a timber mat bridge impacting 104 linear feet of an unnamed tributary to Mill Creek (EV) (Trout Run, PA Quadrangle 41°22'30"N 77°01'47"W);
- 2) an 8-inch gas pipeline and a timber mat bridge impacting 1,766 square feet of palustrine emergent (PEM) wetland (Trout Run, PA Quadrangle 41°22'30"N 77°01'47"W);
- 3) an 8-inch gas pipeline and a timber mat bridge impacting 619 square feet of palustrine emergent (PEM) wetland (Trout Run, PA Quadrangle 41°22'31"N 77°01'46"W);

4) an 8-inch gas pipeline and a timber mat bridge impacting 56 linear feet of an unnamed tributary to Mill Creek (EV) (Trout Run, PA Quadrangle 41°22'32"N 77°01'43"W);

5) an 8-inch gas pipeline and a timber mat bridge impacting 47 linear feet of an unnamed tributary to Mill Creek (EV) (Trout Run, PA Quadrangle 41°22'35"N 77°01'34"W);

6) an 8-inch gas pipeline and a timber mat bridge impacting 61 linear feet of an unnamed tributary to Mill Creek (EV) (Trout Run, PA Quadrangle 41°22'42"N 77°01'34"W).

The project will result in a total of 268 linear feet of stream impacts and 0.05 acre of wetland impacts all for the purpose of installing a natural gas gathering line and temporary access roadway for Marcellus well development.

**E5829-119: Brooklyn, Harford, and Lenox Townships**, Williams Field Services Company, LLC; Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275; Brooklyn, Harford, and Lenox Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing permanently impacting 1,573 square feet (0.04 acre) of a palustrine forested wetlands (PFO) (Montrose East, PA Quadrangle; Latitude: 41° 45' 36", Longitude: -75° 46' 32"),

2) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 479 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 45' 29", Longitude: -75° 46' 09"),

3) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 128 linear feet of a tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 45' 28", Longitude: -75° 45' 59"),

4) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 86 linear feet of a tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 45' 28" Longitude: -75° 45' 59"),

5) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 4,705 square feet (0.11 acre) of a palustrine emergent wetlands (PEM) and permanently impacting 15,142 square feet (0.35 acre) of palustrine forested wetlands(PFO) (Montrose East, PA Quadrangle; Latitude: 41° 45' 28", Longitude: -75° 46' 00"),

6) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing permanently impacting 4,118 square feet (0.10 acre) of a palustrine forested wetlands (PFO) (Montrose East, PA Quadrangle; Latitude: 41° 45' 21", Longitude: -75° 45' 38"),

7) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 117 linear feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 45' 18", Longitude: -75° 45' 25"),

8) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing

impacting 104 lineal feet of Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 45' 18", Longitude: -75° 45' 07"),

9) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 101 lineal feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 45' 17", Longitude: -75° 45' 04"),

10) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 23,800 square feet (0.54 acre) of a palustrine scrub shrub wetlands (PSS) and permanently impacting 7,623 square feet (0.18 acre) of palustrine scrub shrub wetlands (PSS) (Montrose East, PA Quadrangle; Latitude: 41° 45' 17", Longitude: -75° 45' 06"),

11) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 167 lineal feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 45' 17", Longitude: -75° 44' 55"),

12) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 114 lineal feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 45' 17", Longitude: -75° 44' 53"),

13) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 103 lineal feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 45' 16", Longitude: -75° 44' 53"),

14) Temporary timber mat crossing temporarily impacting 320 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 45' 18", Longitude: -75° 44' 45"),

15) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 124 lineal feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 44' 55", Longitude: -75° 44' 31"),

16) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 16,609 square feet (0.38 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 44' 55", Longitude: -75° 44' 31"),

17) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 103 lineal feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 44' 42", Longitude: -75° 44' 25"),

18) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 118 lineal feet of an unnamed tributary to Millard Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 44' 03", Longitude: -75° 44' 07"),

19) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 418 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) and permanently impacting 521 square feet (0.01 acre) of palustrine scrub shrub wetlands (PSS) (Montrose East, PA Quadrangle; Latitude: 41° 43' 56", Longitude: -75° 43' 55"),

20) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 107 lineal feet of an unnamed tributary to

Millard Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 43' 56", Longitude: -75° 43' 55"),

21) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 109 lineal feet of an unnamed tributary to Millard Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 43' 52", Longitude: -75° 43' 45"),

22) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 101 lineal feet of an unnamed tributary to Millard Creek (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 43' 50", Longitude: -75° 43' 40"),

23) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 1,466 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 43' 50", Longitude: -75° 43' 40"),

24) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 10,095 square feet (0.23 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 43' 48", Longitude: -75° 43' 37"),

25) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 13,929 square feet (0.32 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 43' 27", Longitude: -75° 35' 25"),

26) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 3,387 square feet (0.08 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 43' 36", Longitude: -75° 43' 13"),

27) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 6,729 square feet (0.15 acre) of a palustrine scrub shrub wetlands (PSS) (Montrose East, PA Quadrangle; Latitude: 41° 43' 36", Longitude: -75° 43' 13"),

28) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat bridge crossing impacting 90 lineal feet of Tower Branch (CWF-MF) (Montrose East, PA Quadrangle; Latitude: 41° 43' 24", Longitude: -75° 42' 52"),

29) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 14,713 square feet (0.34 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 43' 24", Longitude: -75° 42' 53"),

30) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 21,191 square feet (0.49 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 43' 12", Longitude: -75° 42' 34"),

31) two 24-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 2,929 square feet (0.07 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 43' 06", Longitude: -75° 42' 29"),

32) one 24-inch diameter and one 20-inch diameter steel natural gas gathering pipelines and temporary timber mat crossing temporarily impacting 11,044 square feet (0.25 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 43' 02", Longitude: -75° 42' 29").

The project consists of constructing approximately 5.4 miles of dual 24" steel natural gas gathering line located

in Brooklyn, Harford, and Lenox Townships, Susquehanna County. The project will result in 1,672 lineal feet of temporary stream impacts, 125,637 square feet (2.88 acres) of temporary wetland impacts, and 59,506 square feet (1.37 acre) of permanent wetland impacts all for the purpose of providing safe reliable conveyance of Marcellus Shale natural gas to market.

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut Street, Meadville, PA 16335; 814-332-6860.*

**E10-08-012 XTO Energy Inc.**, 190 Thorn Run, Warrendale, PA 15086. Stein Temporary Water Pipeline in

Franklin Townships, **Butler County**, Army Corps of Engineers Pittsburgh District (Butler, PA Quadrangle 40.917456N; 80.002158W).

The applicant proposes to construct and maintain approximately 9,018 feet of one 12" overland temporary water pipeline located in Franklin Township, Butler County. The pipeline would convey water from PAWC vault on Old Route 422 to the Stein Well Pad.

The water obstructions and encroachments are described below:

To construct and maintain:

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
1	One (1) 12" temporary above ground waterline with associated right-of-way and a temporary road crossing through PEM Wetland (Wetland 1B) having 0.001 acre of temporary wetland impacts.	40.9054300 N 80.0116280 W
2	One (1) 12" temporary above ground waterline with associated right-of-way and temporary road crossing to cross floodway of UNT to Mulligan Run (CWF) (Stream 5) and PEM Wetland (Wetland 11A) having 14,286 square feet of temporary floodway impact and 0.1 acre of temporary wetland impacts.	40.9061810 N 80.0096440 W
3	One (1) 12" temporary above ground waterline with associated right-of-way and a temporary road crossing through PEM Wetland (Wetland 10A) having 0.08 acre of temporary wetland impacts.	40.9062530 N 80.0081640 W
4	One (1) 12" temporary above ground waterline with associated right-of-way and temporary road crossing to cross UNT to Mulligan Run (CWF) (Stream 7) and PEM Wetland (Wetland 10B) having 32 linear feet of temporary stream impact, 4,176 square feet of temporary floodway impact and 0.05 acre of temporary wetland impacts.	40.9064030 N 80.0078330 W
5	One (1) 12" temporary above ground waterline with associated right-of-way and a temporary road crossing through PEM Wetland (Wetland 11B) having 0.1 acre of temporary wetland impacts.	40.9069940 N 80.0078830 W
6	One (1) 12" temporary above ground waterline with associated right-of-way and a temporary road crossing through PEM/PSS Wetland (Wetland 12A) having a total of 0.1 acre of temporary wetland impacts.	40.9118140 N 80.0102720 W
7	One (1) 12" temporary above ground waterline with associated right-of-way and a temporary road crossing through PEM/PSS/PFO Wetland (Wetland 13A/13/13B) having a total of 0.2 acre of temporary and 0.04 acre of permanent wetland impacts.	40.9154500 N 80.0097140 W
8	One (1) 12" temporary above ground waterline with associated right-of-way and temporary road crossing to cross UNT to Mulligan Run (CWF) (Stream 2) and PEM Wetland (Wetland 12) having 53 linear feet of temporary stream impact, 4,208 square feet of temporary floodway impact and 0.002 acre of temporary wetland impacts.	40.9159560 N 80.0091530 W
9	One (1) 12" temporary above ground waterline with associated right-of-way and temporary road crossing to cross UNT to Mulligan Run (CWF) (Stream 1) having 41 linear feet of temporary stream impact and 4,950 square feet of temporary floodway impact.	40.9162310 N 80.0043560 W
10	One (1) 12" temporary above ground waterline with associated right-of-way and a temporary road crossing through PEM Wetland (Wetland 2) having 0.02 acre of temporary wetland.	40.9173690 N 80.0033810 W

The project will result in 126 linear feet of temporary stream impacts. Total floodway impacts are 27,620 square feet. Wetland impacts include 0.65 acre of temporary and 0.04 acre of permanent, for a total of 0.7 acre of wetland impacts.

## ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

**D51-008EA. Rick Howley, Ecological Manager**, Philadelphia Water Department, 1101 Market Street, Aramark Tower, 2nd Floor, Philadelphia, PA 19107-2934, City of Philadelphia, **Philadelphia County**, USACOE Philadelphia District.

Project proposes to remove the Debris Dam for the purpose of eliminating a threat to public safety and restoring approximately 1,600 feet of stream channel to a free-flowing condition. The project is located across Frankford Creek (WWF, MF) (Frankford, PA Quadrangle, Latitude: 40.0162; Longitude: -75.0994).

**D52-061EA. Anthony Paone, Girl Scouts of Eastern Pennsylvania**, 100 Juliette Low Way, Valley Forge, PA 19482, Lehman Township, **Pike County**, USACOE Philadelphia District.

Project proposes to remove the Gorson Dam for the purpose of eliminating a threat to public safety and restoring approximately 1,620 feet of stream channel to a free-flowing condition. The project is located across a tributary to the Delaware River (HQ-CWF, MF) (Lake Maskenozha, PA Quadrangle, Latitude: 41.1808; Longitude: -74.9346).

**EA30-001CO. Zachary Liotus**, 320 Maxwell Drive, Pittsburgh, PA 15236, Richhill Township, **Greene County**, USACOE Pittsburgh District.

Project proposes to construct two non-jurisdictional dams across a tributary to Dunkard Fork (WWF) impacting approximately 212 linear feet of stream channel (Majorsville, PA Quadrangle; Latitude: 39.9520, Longitude: -80.51352).

## ACTIONS

## THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

## FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. NPDES Renewal Permit Actions**

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0254223 (Sewage)	Southside STP PO Box 162 Sipesville, PA 15561-0162	Somerset County Lincoln Township	Unnamed Tributary to Quemahoning Creek (18-E)	Yes
PA0252638 (Sewage)	Perry Township Municipal Authority STP PO Box 306 Star Junction, PA 15482-0183	Fayette County Perry Township	Unnamed Tributary to Youghiogeny River (19-D)	Yes

*Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063975 (Sewage)	Thompson Borough Susquehanna County Water Street PO Box 89 Thompson, PA 18465	Susquehanna County Thompson Borough	Starrucca Creek (04E)	Yes
PA0063533 (Sewage)	Tobyhanna Township WWTP 105 Government Center Way Pocono Pines, PA 18350-7741	Monroe County Tobyhanna Township	Tobyhanna Creek (2-A)	Yes

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0020036 (Sewage)	Blossburg Municipal Authority Wastewater Treatment Plant 245 Main Street Blossburg, PA 16912-1125	Tioga County Blossburg Borough	Tioga River (4-A)	No
PA0229130 (Sewage)	Snyder (Apt) SFTF 185 Stauffer Road Bellefonte, PA 16823-4261	Centre County Liberty Township	Hunters Run (9-C)	Yes

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0238651 (Industrial)	Sms Millcraft Unimold Division 100 Sandusky Street Pittsburgh, PA 15212	Venango County Oil City City	Allegheny River (16-E)	Yes

**II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions**

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**NPDES Permit No. PA0232831**, Sewage, SIC Code 4952, **South Creek Township**, PO Box 60, Gillett, PA 16925-0060.

This proposed facility is located in South Creek Township, **Bradford County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**NPDES Permit No. PA0264733**, Sewage, SIC Code 8800, **Shirley Foster**, 2558 W Washington Street, Bradford, PA 16701.

This proposed facility is located in Corydon Township, **McKean County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**NPDES Permit No. PA0264628**, Sewage, SIC Code 8800, **Stephen Manning**, PO Box 85, East Smethport, PA 16730.

This proposed facility is located in Keating Township, **McKean County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.



---

**III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law**

---

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. WQG01631601**, Sewerage, SIC Code 8811, **Art McDermitt**, 285 McCready Road, Burgettstown, PA 15021.

This proposed facility is located in Jefferson Township, **Washington County**.

Description of Proposed Action/Activity: The Applicant proposes to construct a SRSTP to serve the McDermitt Property.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 0516403**, Sewerage, **Bedford Township Municipal Authority**, 1007 Shed Road, PO Box 371, Bedford, PA 15522.

This proposed facility is located in Bedford Township, **Bedford County**.

Description of Proposed Action/Activity:

Construction of a new sewage collection system in the Camp Sunshine area of the Bedford Township.

The project will include: construction of approximately 9,800 feet of 8" gravity sewer; 49 gravity manholes; 1,500 feet of 6" service lateral; 1,100 of 2" HDPE Low Pressure Sewer; 740 feet of 1 1/2" HDPE Low Pressure Sewer; 480 feet of 1 1/2" service lateral; 80 Wye connections; 15 Low Pressure Sewer Service connection; 15 Grinder pumps; 2 stream crossings to Dunning Creek or tributaries to Dunning Creek; 8,125 feet of 4" Force main; and 1 pump station.

**WQM Permit No. 6716405**, Sewerage, **Springettsbury Township**, 1501 Mt Zion Road, York, PA 17402.

This proposed facility is located in Springettsbury Township, **York County**.

Description of Proposed Action/Activity:

This permit approves the construction of sewage facilities consisting of:

1) Abandonment of the Beaverson pump station in Windsor Township and Penn Oaks pump station in the Springettsbury Township.

2) Construction of new 12", 18" and 24" gravity interceptors.

**WQM Permit No. 3192403**, Sewerage, **Broad Top City Borough**, 20432 Hazel Street, PO Box 220, Broad Top, PA 16621-0220.

This proposed facility is located in Broad Top City Borough, **Huntingdon County**.

Description of Proposed Action/Activity:

1) Replace in kind the existing raw sewage pumps and pump control panel with new pumps and control panel.

2) Replace in kind the existing Flow Equalization sewage pumps and pump control panel with new pumps and control panel.

3) Install a new vertical screen in a manhole upstream of the raw sewage pump station.

4) Replace the existing three blowers, associated check valves, three enclosures and blower control panel with new variable frequency drive blowers, check valves and new control panel. Also, install D.O. probe in the aeration tank.

5) Install new auto chemical feed system including pH probe to feed sodium bicarbonates into Equalization tank.

6) Aerobic Digester improvement will include installation of a new floating mixer and replacement of the existing diffusers with new fine bubble diffusers.

7) Several minor improvements described in the application.

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**WQM Permit No. 0816401**, Sewerage, SIC Code 4952, **South Creek Township**, PO Box 60, Gillett, PA 16925-0060.

This proposed facility is located in South Creek Township, **Bradford County**.

Description of Proposed Action/Activity: The constructions of a single residence sewage treatment plant.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 4216406**, Sewerage, **Shirley Foster**, 2558 W Washington Street, Bradford, PA 16701.

This proposed facility is located in Corydon Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 4216405**, Sewerage, **Stephen Manning**, PO Box 85, East Smethport, PA 16730.

This proposed facility is located in Keating Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 6106403 A-1**, Sewage, **City of Oil City**, 21 Seneca Street, Oil City, PA 16301-1379.

This existing facility is located in City of Oil City, **Venango County**.

Description of Proposed Action/Activity: Installation of new equipment at North Side pump station and installation of screening and grit removal equipment at headworks.

---

#### **VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD230005	White Horse Development 950 West Valley Forge Road King of Prussia, PA 19406-4534	Delaware	Newtown Township	Unnamed Tributary to Crum Creek HQ-CWF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD640001	Lake Ariel DG, LLC c/o Steve Camp, Manager 361 Summit Boulevard Suite 110 Birmingham, AL 35243	Wayne County	Salem Township	Tributary to Ariel Creek (HQ-CWF, MF)
PAD540002	Susan Matuk 14 Ridge Road Ringtown, PA 17967	Schuylkill	Union Township	UNT to Dark Run (HQ-CWF, MF)

*Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI055608002R	Maronda Homes, Inc. 1383 State Route 30 Clinton, PA 15026	Westmoreland County	North Huntingdon Township	UNT to Long Run (HQ-TSF); Crawford Run (WWF)

---

#### **VII. Approvals to Use NPDES and/or Other General Permits**

---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

---

#### **List of NPDES and/or Other General Permit Types**

---

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02**Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Concord Township Bethel Township Delaware County	PAG02002314006-1	PennDot District 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	Webb Creek TSF-MF Green Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Gwynedd Township Montgomery County	PAC460002	Merck Sharp & Dohme Corporation 770 Sumneytown Pike West Point, PA 19488	Wissahickon Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Pottsgrove Township Montgomery County	PAG02004616008	1934 Bleim Road Partners LP 1805 Berks Road Skippack, PA 19474	Unnamed Tributary to Sprogels Run WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201511533	1700 N American Street, LLC 7707 Castor Avenue Philadelphia, PA 19152	Delaware Estuary WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAC510008	Philadelphia Housing Authority 3100 Penrose Ferry Road Philadelphia, PA 19145	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Lehigh Township Northampton County	PAG02004816009	Lehigh Township c/o Ms. Alice Rehrig 1069 Municipal Road Walnutport, PA 18088	Bertsch Creek (CWF, MF)	Northampton County Conservation District 610-746-1971

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Penn Township Berks County Issued	PAC060016	Fred Lustri, Falla Development LP 105 Lakeview Drive Harleysville, PA 19438	Northkill Creek (CWF-MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533 610.372.4657
Caernarvon Township Berks County Issued	PAC060002	Steven Stoltzfus 281 White Horse Road Gap, PA 17527	UNT Conestoga River (WWF-MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533 610.372.4657
Clay Township Lancaster County Issued	PAC360026	Countryside Enterprise 355 Hillcrest Drive Ephrata, PA 17522	Middle Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 x5
Conoy Township Lancaster County Issued	PAC360008	Conoy Township 211 Falmouth Road Bainbridge, PA 17502	Susquehanna River (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 x5

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Ephrata Township Lancaster County Issued	PAC360011	David Martin 447 Brossman Road Ephrata, PA 17522	UNT Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 x5
Columbia Borough, West Hempfield Township and Manor Township Issued	PAC360016	LASA 130 Centerville Road Lancaster, PA 17603	Dry Run Strickler Run Shumans Run Stamans Run (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 x5
York Township & Spring Garden Township York County Issued	PAC670031	York Water Company Mark Snyder 103 East Market Street York, PA 17401	East Branch of Codorus Creek (WWF) UNT to Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Windsor Township York County	PAG02006716032	Charles Rexroth 125 Elfner Road Red Lion, PA 17356	UNT to Fishing Creek (CWF, MF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Heidelberg Township York County Issued	PAC670015	Kinsley Equities III, LP Mike Jeffers 6259 Reynolds Mill Road Seven Valleys, PA 17360	Oil Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
North York Borough York County Issued	PAC670003	Adar Enterprises, LLC Eric Peel 1273 Bound Brook Rd Suite 14 Middlesex NJ 08846-1490	Willis Run (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Monaghan Township York County Issued	PAC670007	John Smith 81 Manor Drive Dillsburg, PA 17019	Pippens Run (CWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
City of York York County Issued	PAC670002	York Academy Regional Charter School Dennis Baughman 32 West North St York, PA 17401	Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Gregg Twp, Union Cnty	PAC600007	James L. Miller Miller Group Holdings, L.P. 950 East Main Street Suite 107 Schuylkill Haven, PA 17972	TSF/MF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

*Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Jackson Township	PAG02001116001	CPV Fairview, LLC 50 Braintree Hill Office Park Suite 300 Braintree, MA 02184-8739	UNT to Hinckston Run (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
Penn Township, Butler County	PAC100008	Linda Zerfoss Township Secretary/ Treasurer Penn Township 157 E. Airport Road Butler, PA 16001	Unnamed tributary to Glade Run/WWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001-6501
Bradford Township, McKean County	PAC420002	Bradford DPP, LLC 9010 Overlook Boulevard Brentwood, TN 37027	Sheppard Run/CWF	McKean County Conservation District 17137 Route 6 Smethport, PA 16749
Brockway Borough, Jefferson County	PAC330002	Brockway Area Sewage Authority 501 Main Street Brockway, PA 15824	Little Toby Creek/CWF/TSF	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825
Slippery Rock Township, Lawrence County	PAG02003716006	New Castle DPP, LLC 9010 Overlook Boulevard Brentwood, TN 37027	Skunk Run/CWF	Lawrence County Conservation District 430 Court Street New Castle, PA 16101
Hickory Township, Lawrence County	PAG02003716007	New Castle (State) DPP, LLC 9010 Overlook Boulevard Brentwood, TN 37027	Big Run/WWF	Lawrence County Conservation District 430 Court Street New Castle, PA 16101
Cranberry Township, Butler County	PAC100004	Cranberry Township 2525 Rochester Road Suite 400 Cranberry Township, PA 16066-6499	Brush Creek/WWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001-6501

*General Permit Type—PAG-3*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
West Manchester Township, York County,	PAG033551	Charles Reinert, Jr Chuck's Auto Salvage Inc. 1150 Greenwood Road York, PA 17408	Applicant is authorized to discharge from a facility known as Chuck's Auto Salvage Inc. (facility), located in West Manchester Township, York County, to Unnamed Tributary of Codorus Creek in Watershed(s) 7-H	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Tyrone Township, Adams County	PAG033543	Knouse Foods Cooperative Inc. PO Box 807 Biglerville, PA 17307-0807	Applicant is authorized to discharge from a facility known as Knouse Foods Cooperative, Inc.—Peach Glen Plant (facility), located in Tyrone Township, Adams County, to Unnamed Tributary to Bermudian Creek in Watershed(s) 7-F	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Tyrone Township, Adams County	PAG033540	Knouse Foods Cooperative Inc. PO Box 807 Biglerville, PA 17307-0807	Applicant is authorized to discharge from a facility known as Knouse Foods Cooperative Inc.—Gardners Plant (facility), located in Tyrone Township, Adams County, to Unnamed Tributary to Opossum Creek in Watershed(s) 7-F	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Lower Allen Township, Cumberland County	PAG033541	Keystone Holdings, LLC 2850 Appleton Street Suite E Camp Hill, PA 17011-8036	Applicant is authorized to discharge from a facility known as Keystone Holdings LLC (facility), located in Lower Allen Township, Cumberland County, to Cedar Run in Watershed(s) 7-E	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Biglerville Borough, Adams County	PAG033541	Knouse Foods Cooperative Inc. PO Box 807 Biglerville, PA 17307-0807	Applicant is authorized to discharge from a facility known as Knouse Foods Cooperative, Inc.—Biglerville Plant (facility), located in Biglerville Borough, Adams County, to Unnamed Tributary of Conewago Creek in Watershed(s) 7-F	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Muncy Borough Lycoming County	PAG034839	Clean Harbors 160 Logan Drive Muncy, PA 17756	Wolf Run—10-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Pittsburgh City Allegheny County	PAR216161	Quality Concrete Inc. 1051 McCartney Street Pittsburgh, PA 15220	Sawmill Run—20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-04*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Jefferson Township Washington County	PAG046461	Art McDermitt 285 McCreedy Road Burgettstown, PA 15021	Unnamed Tributary to Scott Run—20-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

West Providence Township, Bedford County	PAG043593	Gilbert & Cindy Davis 9882 Clear Ridge Road Everett, PA 15537-7604	Applicant is authorized to discharge from a facility located at 9882 Clear Ridge Road, Everett, PA 15537-7604 in West Providence Township, Bedford County to Unnamed Tributary to Clear Creek which is listed in Watershed 11-C	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
------------------------------------------------	-----------	--------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------

*General Permit Type—PAG-8*

<i>Facility Location &amp; County/ Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
Ballenger Creek WWTP Biosolids Proc Fac 7400 Marcie's Choice Lane, Frederick, MD 21704-R009 Frederick County/ City of Frederick	PAG089903	Frederick City Division of Utilities & Solid Waste Management 4520 Metropolitan Court Frederick, MD 21704	Ballenger Creek WWTP 7400 Marcie's Choice Lane Frederick, MD 21704-R009	DEP—Bureau of Clean Water 400 Market Street PO Box 8774 Harrisburg, PA 17105-8774. Telephone: 717-787-8184

*General Permit Type—PAG-8 (SSN)*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
Mt. Joy Township/Adams County	PAG083537	White Run Regional Municipal Authority 2001 Baltimore Pike Gettysburg, PA 17325	Bruce Stair Farm # 2 Mt. Joy Township/ Adams County	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707

*General Permit Type—PAG-12*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Lancaster County/ Rapho Township	PAG123689	Robert L. Brubaker, Jr. (Home Farm) 2871 North Colebrook Road Manheim, PA 17545	Little Chiques Creek, TSF/ Brubaker Run, TSF	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

## STATE CONSERVATION COMMISSION

### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

#### NUTRIENT MANAGEMENT PLAN PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Keith Musser 300 Evergreen Rd New Bloomfield, PA 17068	Perry	446.52	443.52	Turkey	Shermans Creek/ HQ-CWF	Approved
Pleasant View Farms 2675 Conococheague Rd Blain, PA 17006	Perry	1,128.6	1,229.53	Dairy	Shermans Creek/ HQ-CWF	Approved
Willard Hackman 1035 Dean Hill Rd Wellsboro, PA 16901	Tioga	370	624	Swine/ Beef	NA	Approved

### PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

#### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Operations Permit # 0916513** issued to: **Aqua Pennsylvania, Inc.**, 762 West, Bryn Mawr, PA 19010 [(PWSID)] Bristol Borough, **Bucks County** on December 28, 2016 for the operation of Chlorine Dioxide Generator and Feed System for Pre-Oxidation and Reduction of Disinfectant By-Products- Bristol Water Treatment Plant.

**Operations Permit # 4616517** issued to: **Horsham Water & Sewer Authority**, 617 Horsham Road, Horsham, PA 19044, [(PWSID)] Horsham Township, **Montgomery County** on January 5, 2017 for the opera-



tion of Temporary Sediment and Granular Activated Carbon Filters at Well Nos. 17 and 21.

**Operations Permit # 0916526** issued to: **Grand View Health**, 700 Lawn Avenue, Sellersville, PA 18960 [(PWSID)] Sellersville Borough, **Bucks County** on December 28, 2016 for the operation of Zinc Orthophosphate Feed.

**Operations Permit # 4616532** issued to: **Pennsylvania American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033 [(PWSID)] Norristown Municipality, **Montgomery County** on December 30, 2016 for the operation of Ferric Chloride Polymer Blend as a Primary Coagulant with Retention of Existing Ferric Chloride Feed Capability.

**Operations Permit # 1515550** issued to: **GSP Management Company**, P.O. Box 677, Morgantown, PA 19543 [(PWSID)] West Brandywine Township, **Chester County** on December 28, 2016 for the Indian Run Village MHP 4-Log Piping Installation and Replacement of Existing Booster Pump Facility.

**Operations Permit # 1516522** issued to **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, [(PWSID)] Schuylkill Township, **Chester County** on January 10, 2017 for the operation of Existing Emergency Interconnection with the Borough of Phoenixville at Ross Lane.

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Permit No. 3480015, Operation Permit**, Public Water Supply.

Applicant **Hickory Hills MHC, LLC**  
121 Hickory Hills Drive  
Bath, PA 18014

Municipality Moore Township

County **Northampton**

Type of Facility PWS

Consulting Engineer Charles H. Niclaus, P.E.  
Niclaus Engineering Corporation  
804 Sarah Street  
Stroudsburg, PA 18360

Permit to Operate Issued January 11, 2017

**Permit No. 3396606, Permit by Rule**, Public Water Supply.

Applicant **National Water Services, Inc.**  
1217 Parkway Drive  
Suite 13  
Santa Fe, NM 87507

[Township or Borough] Allentown City, **Lehigh County**

Responsible Official Attention: Mr. Ramon Lovato

Type of Facility Drinking Water Vending Machine

Application Received Date 10/14/2016

Description of Action The applicant was granted a permit by rule under chapter 109.1005 for the addition of One Vending Whole Foods Market # 361, Entry Point 101

**Permit. 2409010**, Public Water Supply.

Applicant **PA American Water**  
800 W. Hershey Park Drive  
Hershey, PA. 17033

[Township or Borough] Pittston Township  
**Luzerne County**

Responsible Official Mr. David Kaufman  
Vice President-Engineering

Type of Facility Public Water Supply

Consulting Engineer Mr. Timothy J. Glessner, PE  
Gennett Fleming, Inc.  
P.O. Box 67100  
Harrisburg, PA 17106-7100

Permit Issued 12/15/2016

**Permit No. 2409013**, Public Water Supply.

Applicant **PA American Water Company**  
800 W. Hershey Park Drive  
Hershey, PA. 17033

[Township or Borough] Kingston Township  
**Luzerne County**

Responsible Official Mr. David Kaufman  
Vice President-Engineering

Type of Facility Public Water Supply

Consulting Engineer Mr. Jeremy Nelson, PE  
PA American Water Company  
4 Wellington Blvd.  
Wyomissing, PA 19610

Permit to Construct Issued 12/15/2016

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Operation Permit No. 2117501 E** issued to: **Borough of Carlisle (PWS ID No. 7210002)**, Carlisle Borough, **Cumberland County** on 1/9/2017 for facilities approved under Construction Permit No. 2117501 E.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 1916501-MA—Construction—Public Water Supply.**

Applicant **Suez Water Pennsylvania**

Township/Borough Town of Bloomsburg

County **Columbia**

Responsible Official Suez Water Pennsylvania  
4211 East Park Circle  
Harrisburg, PA 17111

Type of Facility Public Water Supply

Consulting Engineer Jonathan Morris, P.E.  
GHD  
326 E. 2nd  
Bloomsburg, PA 17815

Permit Issued 01/09/2017

Description of Action Operation of the 1.8 MG wire or strand wound prestressed concrete finished water storage tank in the footprint of a brink-lined reservoir.

**Permit No. 1989508-T2 and MA-GWR-T1—Transfer/Operation—Public Water Supply.**

Applicant **Priority Healthcare Group,  
The Gardens at Orangeville**

Township/Borough Orangeville Borough

County **Columbia**

Responsible Official Lorree Levulis  
Priority Healthcare Group  
The Gardens at Orangeville  
200 Berwick Rd.  
Orangeville, PA 17859

Type of Facility Public Water Supply

Consulting Engineer JLB Systems  
200 Riverview Ave.  
Bloomsburg, PA 17815

Permit Issued January 13, 2017

Description of Action Approve operation of the existing public water system, including Well No. 2, sodium hypochlorite disinfection, blended phosphate corrosion control, two detention tanks in series (each 2.5' diameter by 10' height), two hydropneumatic tanks, and the distribution system and 4-log inactivation of viruses.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No., 3103-T1-MA4, Public Water Supply.**

Applicant **Pennsylvania America Water Company**

Township or Borough Conewango Township

County **Warren**

Type of Facility Public Water Supply

Consulting Engineer Tyson R Clouser, P.E.  
Pennsylvania American Water Company  
852 Wesley Drive  
Mechanicsburg, PA 17055

Permit to Construct Issued January 10, 2017

**Permit No. 2516503, Public Water Supply.**

Applicant **Mound Grove Golf & Recreation, Inc.**

Township or Borough Greene Township

County **Erie**

Type of Facility Public Water Supply

Consulting Engineer Steven R. Halmi, P.E.  
Deiss & Halmi Engineering, Inc.  
105 Meadville Street  
Edinboro, PA 16412

Permit to Construct Issued January 13, 2017

**SEWAGE FACILITIES ACT PLAN APPROVAL****Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5)**

*Southwest Regional Office, Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
North Union Township	7 South Evans Station Rd Lemont Furnace, PA 15456	Fayette
Dunbar Township	128 Township Drive Dunbar, PA 15431	Fayette

*Plan Description:*

On January 3, 2017, the Southwest Regional Office approved the North Union and Dunbar Townships, Fayette County Official Pennsylvania Sewage Facilities Act (Act 537) Plan Update Revision (APS ID 930511, AUTH ID 1164523).

The Plan proposes to extend and improve public sewerage facilities to eliminate public health hazards and sources of pollution from malfunctioning septic systems and wildcat sewer discharges in the Yauger Hollow Road, Lemont Furnace (Misty Lane), Oliver No. 3 & Springwood and West Leisenring areas of North Union and Dunbar Townships. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required WQM Permits must be obtained in the name of the municipality or authority as appropriate.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
South Heidelberg Township	555A Mountain Home Road Sinking Spring, PA 19608	Berks

*Plan Description:* Approval is granted for an update to the Official Plan of South Heidelberg Township, Berks County. The project is known as the Act 537 Sewage Facilities Official Plan Update (DEP Code No. B2-06960-ACT). The plan provides for the continuation of public sewer extensions to designated areas of South Heidelberg Township through existing intermunicipal agreements. The plan provides for the phase out of the Keller and Glen Tilt Pump Stations. The plan provides for the designation of the Boulder Lake, Walters Avenue/Furnace Road, and Old West Penn Avenue/Albert Place areas of the Township as future public sewer service areas. The remainder of the Township will continue to be served by

on-lot sewage disposal systems (OLDS), and a Sewage Management Program (SMP) will be implemented for all current and future OLDS. Preliminary hydrogeological studies using Component 2 planning modules will be required for all future subdivisions and new land development proposing the use of on-lot sewage disposal systems (OLDS) within the Township in areas within 1/4 mile of a well with nitrate nitrogen concentrations above 5 mg/l, or areas underlain by carbonate geology. Component 1 planning modules and on-lot planning exemptions are prohibited in these areas. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of South Heidelberg Township.

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
East Manchester Township	5080 North Sherman Street Extended Mount Wolf, PA 17347	York

*Plan Description:* Approval is granted for an update to the Official Plan of East Manchester Township, York County. The project is known as the Northeastern York County Sewer Authority, Mt. Wolf WWTP Effluent Line Special Study (DEP Code No. B1-67917-ACT). The plan provides for the abandonment of the existing outfall line discharge to the Susquehanna River and the relocation of a new effluent line with a discharge to Hartman Run. The location of the new outfall line is just east of the WWTP. Both the Susquehanna River and Hartman Run are designated as Warm Water Fisheries. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority, as appropriate.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific

standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Hibbard 1H/3H Well Site**, 7115 State Route 29, Dimock Township, **Susquehanna County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275 and GasSearch Drilling Services Corporation, 15675 State Route 29, Montrose, PA 18801, submitted a Final Report concerning remediation of site soils and groundwater contaminated with Wellsite Constituents of Potential Concern (drilling mud). The report is intended to document remediation of the site to meet the Statewide Health and Background Standards.

**Fidorack Property**, 267 Moreland Avenue, Bethlehem City, **Northampton County**. Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of Mr. Joseph Petraglia, Co-Executor of the Estate of Ruth O. Fidorack, 2404 Lafayette Avenue, Bethlehem, PA 18017, submitted a Site-Specific Remedial Investigation Report and Cleanup Plan concerning remediation of site soils and groundwater contaminated with heating oil. The report is intended to document remediation of the site to meet the Site-Specific Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a de-

scription of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Fiondi 1H**, 916 Lane Road, Middletown Township, **Susquehanna County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company LLC, 917 SR 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning the remediation of site groundwater contaminated with aluminum, barium, strontium, chloride, and sulfate. The Final Report did not demonstrate attainment of the Statewide Health and Background Standards, and was disapproved by the Department on January 13, 2017.

**Range Unit 36—Conklin East Pad**, 3568 State Route 848, New Milford Township, **Susquehanna County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of Southwestern Energy Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning the remediation of site soil contaminated with Aluminum, Arsenic, Barium, Boron, Chromium, Copper, Iron, Lead, Manganese, Strontium, Vanadium, Zinc, VOCs, and SVOCs. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on January 10, 2017.

**Peterson Property**, 181 W. Central Avenue, East Bangor Borough, **Northampton County**. Mobile Environmental Analytical, Inc., 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Griffin Bros. Fuel, 989

Pennsylvania Avenue, Pen Argyl, PA 18072, submitted a Final Report concerning the remediation of site soils contaminated with tert-Butyl-Methyl-Ether, Benzene, Toluene, Ethylbenzene, Cumene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, and Naphthalene. The Final Report did not demonstrate attainment of the Statewide Health Standard, and was disapproved by the Department on January 3, 2017.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

##### Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170.*

##### *Hazardous Waste Transporter License Reissued*

**Clean Harbors Environmental Services, Inc.**, PO Box 9149, Norwell, MA 02061. License No. PA-AH 0312. Effective Jan 12, 2017.

**Monarch Environmental, Inc.**, PO Box 330, Woodstown, NJ 08098. License No. PA-AH 0558. Effective Jan 12, 2017.

##### *New Applications Received*

**Old Colony Group, LLC**, 24 Cokesbury Rd., Lebanon, NJ 08833. License No. PA-AH 0857. Effective Dec 28, 2016.

##### *Renewal Applications Received*

**Clean Harbors Environmental Services, Inc.**, PO Box 9149, Norwell, MA 02061. License No. PA-AH 0312. Effective Jan 12, 2017.

**Monarch Environmental, Inc.**, PO Box 330, Woodstown, NJ 08098. License No. PA-AH 0558. Effective Jan 12, 2017.

**Triumvirate Environmental, Inc.**, 200 Inner Belt Road, Somerville, MA 02143. License No. PA-AH 0477. Effective Jan 11, 2017.

#### MUNICIPAL WASTE GENERAL PERMIT

##### Permit Issued under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.*

**General Permit Numbers: WMGM055SC004 and, WMGM055SW005. Granger Energy of Morgantown, LLC & Granger Energy of Honey Brook, LLC**, 16980 Wood Road, Lansing, MI 48906. For the processing and beneficial use of: (1) a substitute for high or medium Btu-LFG for natural gas or other fuel; (2) a substitute for natural gas or other fuel to be interconnected with another pipeline for consumer use; and (3) an alternative fuel for the electric generators to produce electricity. These permits were renewed by Central Office on December 21, 2016.

Persons interested in reviewing a general permit should be directed to Scott E. Walters at 717-787-7381, Chief,

Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

**GP3-35-016A: Kiewit Power Construction Co.** (6401 Renner Blvd, Lenexa, KS, 66219) on January 12, 2017, for the construction and operation of crushing operations at the Lackawanna Energy Center site at their facility in Jessup Borough, **Lackawanna County**.

**GP11-35-016A: Kiewit Power Construction Co.** (6401 Renner Blvd, Lenexa, KS, 66219) on January 12, 2017, for the construction and operation of Engines at the Lackawanna Energy Center site at their facility in Jessup Borough, **Lackawanna County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP7-36-03027A: The Standard Group** (500 East Oregon Road, Lititz, PA 17543) on January 11, 2017, for two sheet-fed offset lithographic printing presses, under GP7, at the printing facility located in Manheim Township, **Lancaster County**. The general permit authorization was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**GP5-59-217A: SWEPI LP** (150-E N. Dairy Ashford, E-1296-J, Houston, TX 77079) on January 6, 2017, for authorization to continue operation of two (2) 1,340 bhp Caterpillar model G3516 TALE four-stroke lean-burn natural gas-fired compressor engines with Miratech oxidation catalysts, one (1) 30.0 MMscf/day NATCO dehydrator unit equipped with a 0.25 MMBtu/hr reboiler heater, one (1) 60.0 MMscf/day NATCO dehydrator unit equipped with a 0.50 MMBtu/hr reboiler heater, and one (1) 10,000 gallon produced water tank sources pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the Netterman Compressor Station located in Charleston Township, **Tioga County**.

**GP5-59-226A: SWEPI LP** (150-E N. Dairy Ashford, E-1296-J, Houston, TX 77079) on January 10, 2017, for authorization to continue operation of three (3) 1,380 bhp Caterpillar G3516B four-stroke ultra-lean-burn (ULB) natural gas fired compressor engines each equipped with a EMIT Technologies model ELX-4200-1616F-31CEE-361 oxidation catalyst, two (2) 60.0 MMscf/day Cameron

dehydrator units equipped with 0.50 MMBtu/hr reboiler burners, and one (1) 10,000 gallon produced water tank pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the Lawton Compressor Station located in Delmar Township, **Tioga County**.

**GP5-08-391A: Regency Marcellus Gas Gathering, LLC** (101 West Third Street, Williamsport, PA 17701) on January 12, 2017, for authorization to construct and operate three (3) new 5,000 bhp natural gas-fired Caterpillar model G3616LE lean-burn compressor engines each equipped with selective catalytic reduction (SCR) and oxidation catalysts and two (2) new 160 MMscf/day dehydrators equipped with 2.0 MMBtu/hr reboilers and enclosed flares; and the proposed modification to the oxidation catalyst elements on the five (5) existing 2,370 bhp natural-gas-fired Caterpillar model G3608LE lean-burn compressor engines; and for continued operation of an exempt 530 bhp emergency generator engine, six 10,000-gallon produced water tanks, two (2) 2,000-gallon compressor oil tanks, two (2) 2,000-gallon engine oil tanks, eight (8) 300-gallon compressor oil tanks, eight (8) 300-gallon engine oil tanks, six (6) 300-gallon methanol tanks and one (1) 300-gallon triethylene glycol tank pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the Taylor Compressor Station located in Canton Township, **Bradford County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**GP5-16-176A: Alliance Petroleum Corp.** (4150 Belden Village Ave. NW, Suite 410, Canton, OH 44718) on January 5, 2017, for the authority to construct and/or operate a natural gas fired compressor engine (Ajax DPC-2802LE), glycol dehydrator, and condensate storage tank(s) (BAQ-GPS/GP5) located at their facility in Redbank Township, **Clarion County**.

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**37-023G: NRG Power Midwest LP—New Castle Plant** (2189 State Route 168 South, West Pittsburgh, PA 16160), on January 10, 2017 issued a Plan Approval for the facility Plantwide Applicability Limit (PAL) in Taylor Township, **Lawrence County**. This is a Title V facility.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426.*

**AMS IP16000217: Metro Crematory & Trade Inc.** (6711 Frankford Ave, Philadelphia, PA 19135) issued January 11, 2017 for the installation of a human crematory unit in the City of Philadelphia, **Philadelphia County**. The process will consist of a 150 pounds per hour cremation unit with one 0.5 MMBTU/hr primary

burner and one 1.0 MMBTU/hr afterburner that fires natural gas. An opacity monitor will be installed to ensure compliance with opacity emissions limits.

Emissions limits for Carbon Monoxide (CO), Sulfur Dioxide (SO<sub>2</sub>), Particulate Matter (PM), and Hydrogen Chloride (HCl) from the facility included in the plan approval are based on the plan approval application. The facility's total potential emissions are as follows: 0.67 ton per year of Nitrogen Oxides (NO<sub>x</sub>), 0.16 ton per year of Particulate Matter, 0.57 ton per year of Carbon Monoxide, and 0.27 ton per year of Sulfur Dioxide. The plan approval will contain operating, testing, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

---

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.*

**09-0223-Morton Salt Inc.** (12 Solar Drive, Fairless Hills, PA 19030) On January 12, 2017 for the installation of a fluid bed dryer and associated high-efficiency multi-cyclone, as well as an additional salt process and packaging equipment in Falls Township, **Bucks County**.

**23-0119A-Sunoco Logistics Partners Market & Term L.P.** (100 Green Street, Marcus Hook, PA 19061-4800) On December 30, 2016 to construct and operate a de-ethanizer for the purpose of separating a liquid pipeline stream of mixed propane and ethane into the ethane and propane fractions in Marcus Hook, **Delaware County**.

**09-0227-Central Bucks Crematory Inc.** (344 N Main Street, Doylestown, PA 18901-3715) On January 12, 2017 for the operation of funeral and crematory services in Doylestown Township, **Bucks County**.

**46-0166C: Harleysville Materials, LLC** (460 Indian Creek Road, Harleysville, PA 19438) On January 12, 2017 for a minor modification to Plan Approval No. 46-0166C for its facility located in Lower Salford Township, **Montgomery County**. The facility has elected to take a voluntary restriction on the maximum material throughput to their batch asphalt plant. This restriction ensures compliance is achieved with the emission limits established in the plan approval as verified through stack testing performed on the source. Applicable monitoring and recordkeeping requirements have been included to ensure compliance with the revised throughput restriction.

---

**Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**59-00004: Ward Manufacturing, LLC** (P.O. Box 9, Blossburg, PA 16912-0009) on January 10, 2017, was issued a renewal Title V Operating Permit for their Plants 1–3 located in Blossburg Borough, **Tioga County**. The facility's main sources include a scrap metal

cupola, molding lines, core machines, annealing ovens, grinders, sanders, Tumblast machines, finishing operations, molding and casting operations, wastewater evaporators, parts washers, emergency generator engines and miscellaneous combustions sources. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**14-00003: Pennsylvania State University** (101P Physical Plant Bldg, University Park, PA 16802) on January 11, 2017, was issued a revised Title V operating permit for their University Park Campus located in College Township and State College Borough, **Centre County**. The facility's main sources include natural gas/# 2 fuel oil-fired boilers and combustion turbine at the West Campus Steam Plant and East Campus Steam Plant, as well as several emergency generators located throughout the facility. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**15-00137: Johnson Matthey/Advanced Glass Technologies Division** (498 Acorn Lane, Downingtown, PA 19335) On January 12, 2017 for the renewal of a State-Only Operating Permit for their facility located in Downingtown, **Chester County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**45-00034: Gower Funeral Home & Crematory Inc.** (1426 Route 209, Gilbert, PA 18331) The Department issued on 1/13/16, a State-Only Operating Permit for operation of a funeral services and crematories operation in Chestnuthill Township, **Monroe County**. The facility operates one incinerator. The Operating Permit includes applicable emission limits and work practice standards along with applicable monitoring, recordkeeping and reporting requirements to ensure the facility complies with Federal and State air quality regulations.

**39-00009: Martins Creek, LLC, Allentown CTS Site** (835 Hamilton Street, Suite 150, Allentown, PA 18101). On December 21, 2016, the Department issued a State Only (Synthetic Minor) Operating Permit for the Allentown CTS Turbine Site located in City of Allentown, **Lehigh County**. The facility was operating under Title V Operating Permit 39-00009; however, the permittee requested voluntary emissions caps in order for the facility to be designated as a Synthetic Minor and below major source thresholds to avoid RACT 2 applicability. The facility's main sources include four (4) General Electric Frame 5/Model L, 269 MMBtu/hour diesel-fired combustion turbines. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**40-00001: Fairchild Semiconductor Inc.,** (125 Crestwood Road, Mountaintop, PA 18707). On January

11, 2017, the Department issued a renewal of a State Only (Synthetic Minor) Operating Permit for the Fairchild Semiconductor Plant located in Wright Township, **Luzerne County**. The facility's main sources include boilers, emergency generators, implantation, etchers, and cleaners. The control devices are a thermal oxidizer and scrubbers.

The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**40-00017: Martins Creek, LLC, Jenkins CTS Site** (835 Hamilton Street, Suite 150, Allentown, PA 18101). On December 21, 2016 the Department issued a State Only (Synthetic Minor) Operating Permit for the Jenkins CTS Turbine Site located in Laffin Borough, **Luzerne County**. The facility was operating under Title V Operating Permit 40-00017; however, the permittee requested voluntary emissions caps in order for the facility to be designated as a Synthetic Minor and below major source thresholds to avoid RACT 2 applicability. The facility's main sources include two (2) General Electric Frame 5/Model L, 269 MMBtu/hour diesel-fired combustion turbines. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**40-00022: Martins Creek, LLC, Harwood CTS Site** (835 Hamilton Street, Suite 150, Allentown, PA 18101). On December 21, 2016 the Department issued a State Only (Synthetic Minor) Operating Permit for the Harwood CTS Turbine Site located in Hazle Township, **Luzerne County**. The facility was operating under Title V Operating Permit 40-00022; however, the permittee requested voluntary emissions caps in order for the facility to be designated as a Synthetic Minor and below major source thresholds to avoid RACT 2 applicability. The facility's main sources include two (2) General Electric Frame 5/Model L, 269 MMBtu/hour diesel-fired combustion turbines. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**54-00011: Martins Creek, LLC, Fishbach CTS Site** (835 Hamilton Street, Suite 150, Allentown, PA 18101). On December 21, 2016 the Department issued a State Only (Synthetic Minor) Operating Permit for the Fishbach CTS Turbine Site located in Norwegian Township, **Schuylkill County**. The facility was operating under Title V Operating Permit 54-00011; however, the permittee requested voluntary emissions caps in order for the facility to be designated as a Synthetic Minor and below major source thresholds to avoid RACT 2 applicability. The facility's main sources include two (2) Pratt-Whitney, 282 MMBtu/hour diesel-fired combustion turbines. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**49-00040: Reagent Chemical & Research, Inc.** (Happy Hollow Road, Coal Township, PA 17866-7733) on January 13, 2017 issued a state only operating permit for their facility located in Coal Township, **Northumberland County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**SOOP-65-00630: Mine Safety Appliances LLC** (3880 Meadowbrook Road, Murrysville, PA 15668-1753) State Only Operating Permit renewal issuance date effective January 10, 2017, for their Murrysville Plant located in Murrysville Borough, **Westmoreland County**.

**03-00147: Asbury Graphite Mills, Inc./Kittanning Plant** (280 Linde Road, Kittanning, PA 16201) on January 10, 2017, the Department issued an initial State Only Operating Permit for the operation of loading, unloading, crushing, milling, drying, and packaging petroleum coke and graphite located in the Township of North Buffalo, **Armstrong County**.

**03-00104: M & M Lime Company, Inc./Ag. Lime Plant** (215 Nicole Road, Worthington, PA 16262) On January 10, 2017, the Department issued a State Only Operating Permit renewal for the operation of a limestone deep mine and an open pit mine to produce mainly riprap stone located in the Township of West Franklin, **Armstrong County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.*

**25-00944: PHB Die Casting, Inc.**, (7900 West Ridge Road, Fairview, PA 16415). On January 12, 2017, the Department renewed a State Only Operating Permit for the facility located in Fairview Township, **Erie County**. Potential emissions are as follows: 23.07 tpy NO<sub>x</sub>; 24.08 tpy CO; 2.23 tpy PM; 0.13 tpy SO<sub>2</sub>; 1.6 tpy VOCs. The facility is a Natural Minor. The primary sources at the facility include natural gas-fired zinc and aluminum melting furnaces, shot blasting operations, natural gas-fired boilers, and parts washers. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**42-00195: Ram Forest Products/Shinglehouse** (1716 Honeoye Rd., Shinglehouse, PA 16748-5504) on January 11, 2017, the Department issued the renewal of the State Only Operating Permit for the hardwood manufacturing facility located in Ceres Township, **McKean County**. The sources at the facility include a wood fired boiler controlled by multiclone collectors, sawmill, and kilns. The facility is a natural minor. The facility is an Area Source for MACT. The wood fired boiler is subject to the requirements of 40 CFR 63, Subpart JJJJJJ—NESHAP for Industrial, Commercial, and Institutional Boilers at Area Sources. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**61-00228: AM Stabilizers Corporation** (705 Silhavy Road, Valparaiso, IN 46383), on January 12, 2017, the Department issued a new Natural Minor Operating Permit to operate the Plastics Materials and Resins Plant in

Sugarcreek Borough, **Venango County**. The facility's primary emission sources include packaging, Reactors and Tanks, smaller sources and miscellaneous cold cleaning degreasers. The Reactors and Tanks are controlled by scrubbers and condensers. The emissions from this facility combined with the emissions from OMG are less than 49.9 TPY of VOC, less than 9.9 TPY of individual HAPs, and less than 24.9 TPY of combined HAPs. The sources were previously owned and operated by OMG Americas. The existing requirements from OMGs permit were added to AM Stabilizers permit. The facility is a synthetic minor.

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9476.*

The City of Philadelphia, Air Management Services (AMS) has intended to issue a Minor State Only Operating Permit for the following facility:

**S15-013: Ryder Truck Rental, Inc.** (9751 Blue Grass Road, Philadelphia, PA 19114) reissued January 11, 2017 for the operation of truck renting and leasing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include a paint booth, a Stage II vapor recovery system for a 8,000 gallon UST for gasoline, and a 300,000 BTU/hr warm air furnace firing natural gas.

**OP16-000033: Septa Frankford** (Frankford Ave & Bridge St., Philadelphia, PA 19124) reissued January 18, 2017 for the operation of a bus repair and maintenance shop in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include six (6) boilers less than 5 MMBTU/hr firing natural gas or No. 2 Fuel Oil, one (1) 0.72 MMBTU/hr pressure washer firing natural gas, three (3) emergency generators less than 150 kW firing natural gas, one (1) 6,000 gallon gasoline storage tank with Stage 2 vapor recovery, and one (1) cold cleaning degreaser.

**OP16-000034: Septa Germantown Brake Shop** (6725 Germantown Brake Shop, Philadelphia, PA 19119) reissued January 18, 2017 for the operation of a bus repair and maintenance shop in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include five (5) 0.44 MMBTU/hr warm air furnaces firing natural gas or propane air mix, one (1) 0.44 MMBTU/hr pressure washer firing natural gas, one (1) 1,000 gal underground gasoline storage tank with Stage 2 vapor recovery, and one (1) Cold cleaning degreaser.

#### **De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**67-03083: Utz Quality Foods, Inc.** (900 High Street, Hanover, PA 17331). Pursuant to 25 Pa. Code § 127.449(i), this *PA Bulletin* Notice is for de minimis emissions increases of 0.86 TPY CO, 0.76 TPY NO<sub>x</sub> and 0.04 TPY VOC resulting from the construction of a natural gas-fired pellet fryer (Line No. 11) having a maximum rated heat input capacity of 2.2 mmBTU/hr and controlled by a mesh-pad mist eliminator at its snack

food manufacturing facility located in Hanover Borough, **York County**. This is the second de minimis emissions increase event at the facility during the term of the current operating permit.

#### **Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**55-00004: Colonial Furniture Co.** (P.O. Box 117, Freeburg, PA 17827), terminated State Only (Natural Minor) operating permit on January 9, 2017 for their Freeburg Plant located in Freeburg Borough, **Snyder County**. The facility's air contaminant emissions are below all Air Quality Program permitting limits.

### **ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS**

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).**

#### *Coal Permits Issued*

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**63090101 and NPDES Permit No. PA0251941. Amerikohl Mining, Inc.,** (1384 State Route 711, Stahlstown, PA 15687). Permit renewal issued for continued mining and restoration to an existing bituminous surface mine, located in Nottingham Township, **Washington County**, affecting 399.3 acres. Receiving stream: unnamed tributary to Mingo Creek. Application received: March 3, 2016. Renewal permit issued: January 12, 2017.

#### *Noncoal Permits Issued*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 5074SM3 and NPDES Permit No. PA0121126, Valley Quarries, Inc.,** P.O. Box J, Chambersburg, PA 17201, renewal of NPDES Permit located in Greene Township, **Franklin County**. Receiving stream: Conococheague Creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received: September 21, 2015. Permit issued: January 9, 2017.



*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**24130801. Chris Kline Enterprises, LLC** (351 State Street, St. Marys, PA 15857). Final bond release for a small industrial minerals surface mine in the City of St. Marys, **Elk County**. Restoration of 3.0 acres completed. Receiving streams: Elk Creek. Application Received: December 2, 2016. Final bond release approved: January 5, 2017.

**16970307 and NPDES Permit No. PA0227609. Terra Works, Inc.** (49 South Sheridan Road, Clarion, PA 16214) Transfer of an existing large industrial minerals mine and associated NPDES permit from Glenn O. Hawbaker, Inc. in Beaver, Richland & Licking Townships, **Clarion County**, affecting 125.7 acres. Receiving streams: Unnamed tributary to Turkey Run. Application received: January 6, 2016. Permit Issued: January 5, 2017.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**PAM216024. P&P Gravel Company** (76 Barclay View Road, Monroeton, PA 18832), hereby approves the Notice of Intent (NOI) submitted for coverage to discharge stormwater associated with Permit No. 08970301 to the following surface water(s) in Franklin Township, **Bradford County**. Receiving stream(s): Unnamed Tributary to North Branch Towanda Creek. Application received: October 13, 2016. Permit issued: January 4, 2017.

**PAM216021. Johnson Quarries, Inc.** (P.O. Box 136, LeRaysville, PA 18829), hereby approves the Notice of Intent (NOI) submitted for coverage to discharge stormwater associated with General Permit 105 No. 08162503 to the following surface water(s) in Wilmot Township, **Bradford County**. Receiving stream(s): Sugar Run. Application received: September 15, 2016. Permit issued: January 4, 2017.

**PAM216006. Heeman Quarries, Inc.** (6264 Wyalusing New Albany Road, Wyalusing, PA 18853), hereby approves the Notice of Intent (NOI) submitted for coverage to discharge stormwater associated with General Permit 105 No. 08162502 to the following surface water(s) in Warren Township, **Bradford County**. Receiving stream(s): Chaffee Run. Application received: June 7, 2016. Permit issued: January 4, 2017.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

##### *Blasting Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 36164175. Maine Drilling & Blasting, Inc.**, (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Manheim Township, **Lancaster County** with an expiration date of December 28, 2017. Permit issued: January 9, 2017.

**Permit No. 54174101. Wampum Hardware Company**, (2856 Stoystown Road, Friends, PA 15541), blasting for BRADS Landfill in Blythe Township, **Schuylkill County** with an expiration date of December 31, 2017. Permit issued: January 9, 2017.

**Permit No. 48174101. Maine Drilling & Blasting, Inc.**, (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Valley Wellness in Hanover Township, **Northampton County** with an expiration date of January 9, 2018. Permit issued: January 12, 2017.

**Permit No. 58174101. DW Drilling & Blasting**, (2042-B S. Brentwood Boulevard, Suite 115, Springfield, MO 65804) construction blasting for Jeffers Farm Pad 2 in Harford Township, **Susquehanna County** with an expiration date of January 6, 2018. Permit issued: January 12, 2017.

**Permit No. 64174101. Explosive Services, Inc.**, (7 Pine Street, Bethany, PA 18431), construction blasting for Explosive Services, Inc. in Clinton Township, **Wayne County** with an expiration date of January 9, 2018. Permit issued: January 12, 2017.

**Permit No. 36174101. Maine Drilling & Blasting, Inc.**, (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Crossings at Conestoga Creek in Manheim Township, **Lancaster County** with an expiration date of January 4, 2018. Permit issued: January 13, 2017.

**Permit No. 40174101. Maurer & Scott Sales, Inc.**, (122 Thomas Street, Coopersburg, PA 18036), construction blasting for Center Point li B East in Pittston Township, **Luzerne County** with an expiration date of February 1, 2018. Permit issued: January 13, 2017.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E46-1145. Horsham Water and Sewer Authority**, 617 Horsham Road, Horsham, PA 19044, Horsham Township, Horsham, PA 19044, **Montgomery County**; ACOE Philadelphia District.

To perform the water obstruction and encroachment activities listed below within the floodway and floodplain of Pennypack Creek (WWF), as part of the Horsham Water and Sewer Authority's (HWSA) PFC Treatment System Project for HWSA Well No. 20 as follows:

1. To demolish the existing Well 20 building and construct and maintain a new 24' × 40' PFC treatment building in its place.
2. To construct and maintain a new 12' diameter backwash holding tank on a concrete pad.
3. To construct and maintain a new water line and new gravity sewer line and sewer manhole.
4. To construct and maintain a new widened existing paved driveway.

The proposed project is located along Pennypack Creek on a HWSA property at 331 Summer Avenue in Horsham Township, Montgomery County (USGS Quadrangle AMBLER PA -Latitude 40° 10' 40.7797" -Longitude 75° 7' 34.5726").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

**E46-1147. Horsham Water and Sewer Authority**, 617 Horsham Road, Horsham, PA 19044, Horsham Township, Horsham, PA 19044, **Montgomery County**; ACOE Philadelphia District.

To perform the water obstruction and encroachment activities listed below within the floodway and floodplain of Park Creek, a tributary to Little Neshaminy Creek (WWF), as part of the Horsham Water and Sewer Authority (HWSA) PFC Treatment System Project for HWSA Well No. 19 as follows:

1. To construct and maintain a new 24' × 40' PFC treatment building.
2. To construct and maintain a new 12' diameter backwash holding tank on a concrete pad.
3. To construct and maintain a new water line and new gravity sewer line and sewer manhole.
4. To construct and maintain a new expanded paved driveway and parking area.

The proposed project is located along Park Creek on a HWSA property at 1028 Limekiln Pike in Horsham Township, Montgomery County (USGS Quadrangle AMBLER PA -Latitude 40° 12' 05" -Longitude 75° 11' 10").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E53-450. Plenary Walsh Keystone Partners**, 2000 Cliff Mine Road, Park West Two, 3rd Floor, Pittsburgh, PA 15275. SR 0449, Section A01, Bridge to Box Culvert Replacement Project, Ulysses Township, **Potter County**. USACOE Baltimore District (Galeton, PA Quadrangle Latitude: 41° 48' 46.00"; Longitude: 77° 47' 17.00").

The Department is giving authorization to remove an existing single span bridge and construct, operate and maintain single cell box culvert to carry SR 0449, Section A01, across Buckseller run. The proposed box culvert will be pre-cast concrete minimally having a clear span of 14-feet and underclearance of 3-feet with 1-foot culvert depression. The project is located along the eastern and western right-of-ways of SR 049 approximately 1.3-mile south of SR 1001 and SR 0449 intersection in Ulysses Township, Potter County. The Department has deemed 0.01-acre of reported Exceptional Value wetland impacts as de minus, for which replacement wetlands shall not be required for mitigation.

**E12-191. MBC Development, LP**, PO Box 472, 950 East Main Street, Schuylkill Haven, PA 17972-0472. MBC Development Emporium Dollar General Portage Branch, Sinnemahoning Creek, Floodway Development, Shippen Township, **Cameron County**. USACOE Baltimore District (Emporium, PA Quadrangle Latitude: 41° 30' 36.9"; Longitude: 78° 13' 09.2").

Department authorization giving consent to remove 15,091-square feet of pre-existing commercial structures and reconstruct, operate and maintain a 10,673-square feet structure within the Portage Branch, Sinnemahoning Creek, 100-year floodway as a part of a 0.97-acre commercial development. As depicted on the plans approved by this permit, the authorized floodway activities shall not include placement of any type fill within the 100-year floodway except for a 3-inch asphalt paving overlay of pre-existing parking areas. The project is located along the western right-of-way of SR 0155 approximately 1,000-feet north of SR 0120 and SR 0155 intersection. This permit was issued under Section 105.13(e) "Small Projects."

*Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E11-355. CPV Fairview, LLC**, 50 Braintree Hill Office Park, Suite 300, Braintree, MA 02184, Jackson Township, **Cambria County**, Pittsburgh ACOE District.

To:

1. Place and maintain fill in 0.17 acre of PEM/PSS wetland (aka Wetland A);
2. To construct and maintain a temporary road crossing in 0.04 acre of the aforementioned wetland;
3. Place and maintain fill in 0.05 acre of PEM wetland (aka Wetland B);

4. Place and maintain fill in 0.06 acre of PEM wetland (aka Wetland C);

5. Place and maintain fill in 0.01 acre of PSS wetland (aka Wetland D);

6. Construct and maintain a 24 inch HDPE water and a 12 inch HDPE waterline within 0.05 acre and temporary workspace in 0.03 acre of the aforementioned wetland;

7. Place and maintain fill in 0.01 acre of PEM wetland (aka Wetland E);

8. Construct and maintain an electric utility pole within 0.01 acre and temporary workspace in 0.17 acre of the aforementioned wetland;

9. Place and maintain fill in 0.04 acre of PEM wetland (aka Wetland F);

10. Place and maintain fill in 0.08 acre of PEM wetland (aka Wetland G);

11. Place and maintain fill in 0.02 acre of PEM wetland (aka Wetland H);

12. Place and maintain fill in 0.02 acre of PEM wetland (aka Wetland J);

13. Place and maintain fill in 0.04 acre of PEM wetland (aka Wetland DEP1);

14. Place and maintain fill in 0.03 acre of PEM wetland (aka Wetland DEP2);

15. Construct and maintain a 16 inch steel transmission pipe within 0.02 acre of PEM wetland (aka Wetland S) and within this area construct and maintain a temporary access road;

16. Temporarily install and maintain a temporary access road across 15 linear feet of an Unnamed Tributary (UNT) to Hinckston Run (CWF) (aka Stream 1A);

17. Install temporary access timber matting across 12 linear feet of a UNT to Hinckston Run (CWF) (aka Stream 29);

18. Construct and maintain a 12 inch gas line across the aforementioned UNT;

19. Construct and maintain a permanent access road crossing, consisting of a 30 foot long open bottom arch culvert with a rise of 10.25 feet within a UNT to Hinckston Run (CWF) (aka Stream 30);

20. Construct and maintain a permanent access road crossing, consisting of a 29 foot long × 18 inch diameter, HDPE culvert within a UNT to Hinckston Run (CWF) (aka Stream 33).

The project will result in 0.53 acre of permanent wetland impact, 0.24 acre of temporary wetland impact, and 0.08 acre of impacts from utility line crossings. Additionally, the project will result in 61 linear feet of permanent stream impact and 27 linear feet of temporary stream impact. As mitigation, the utility line crossings will be restored to original grades, and to offset the additional permanent wetland impacts, an additional 0.12 acre of PSS wetland (aka Wetland DEP3) will be impacted to create 0.70 acre of PEM wetland and 0.30 acre of PSS wetland on-site. The activities are for the purpose of constructing a natural gas-fired combined cycle electric generation facility near the intersection of William Penn Avenue (Route 271) and Garnet Street (Quadrangle: Nanty Glo, Latitude: 40° 24'55"; Longitude: -78° 51' 14") in Jackson Township, Cambria County.

## ENVIRONMENTAL ASSESSMENTS

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**EA24-054, City of St. Marys**, 11 Lafayette Street, St. Marys, PA 15857, **Elk County**. Elk Creek Railroad Bridge Removal Project in the City of St. Marys, Elk County, ACOE Pittsburgh District (St. Marys, PA Quadrangle N: 41°, 25', 44.93"; W: 78°, 33', 20.84").

The City of St. Marys is granted a waiver of permit requirements under Section 7(a) of the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and the provisions of Sections 105.12(a)(11) and 105.12(a)(16) of the Chapter 105 Rules and Regulation, Dam Safety and Waterways Management for the removal of the abandoned bridge on an old railroad spur line across Elk Creek approximately 380 feet downstream of Fourth Street in the City of St. Marys, Elk County. Construction activities include the removal of the existing railroad ties, rails, steel bridge beams, concrete abutments and wing walls, grading of stream banks and stabilization of disturbed areas. The waiver is based on an environmental assessment (EA24-054).

## EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.*

ESCGP-2 # ESX13-125-0043

Applicant Name Rice Drilling B LLC

Contact Person Joseph Mallow

Address 400 Woodcliff Dr

City, State, Zip Canonsburg, PA 15317

County Washington

Township(s) Fallowfield & Somerset

Receiving Stream(s) and Classification(s) UNT to Pigeon

Ck (WWF); UNT to Sawmill Ck (WWF)

Secondary—Pigeon Ck

## ESCGP-2 # ESX16-125-0024

Applicant Name EQT Production—Land PA  
 Contact Person Todd Klaner  
 Address 2400 Zenith Ridge Rd, Suite 200  
 City, State, Zip Canonsburg, PA 15317  
 County Washington  
 Township(s) E Bethlehem  
 Receiving Stream(s) and Classification(s) UNT to Tenmile Ck (TSF); UNTs to Black Dog Hollow (WWF)  
 Secondary—Tenmile Ck (WWF); Black Dog Hollow (WWF)

## ESCGP-2 # ESX10-125-0107

Applicant Name Rice Drilling B LLC  
 Contact Person Joseph Mallow  
 Address 400 Woodcliff Dr  
 City, State, Zip Canonsburg, PA 15317  
 County Washington  
 Township(s) Amwell  
 Receiving Stream(s) and Classification(s) UNT to Bane Ck (TSF); UNT to Ten Mile Ck (TSF)  
 Secondary—Bane Ck

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.*

## ESCGP-2 # ESX13-019-0014A—Ceaser Well Pad Major Modification

Applicant R.E. Gas Development, LLC  
 Contact Michael Endler  
 Address 600 Cranberry Drive  
 City Cranberry Township State PA Zip Code 16066  
 County Butler Township(s) Lancaster & Muddy Creek  
 Receiving Stream(s) and Classification(s) Yellow Creek, Slippery Rock Creek Watershed, Little Connoquenessing Creek CWF

## ESCGP-2 # ESX15-019-0053—PER W71 Well Pad

Applicant PennEnergy Resources, LLC  
 Contact Mr. Gregg Stewart  
 Address 1000 Commerce Drive; Park Place One, Suite 100  
 City Pittsburgh State PA Zip Code 15275  
 County Butler Township(s) Jefferson  
 Receiving Stream(s) and Classification(s) Tributary 35228 to Thorn Creek, UNTs to Tributary 35228 to Thorn Creek

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

## ESCGP-2 # ESX29-115-16-0023

Applicant Name Cabot Oil & Gas Corp  
 Contact Person Kenneth Marcum  
 Address 2000 Park Lane, Suite 300  
 City, State, Zip Pittsburgh, PA 15275  
 County Susquehanna  
 Township(s) Dimock  
 Receiving Stream(s) and Classification(s) UNT to Elk Ck (CWF-MF); UNTs to White Ck (CWF-MF)

## ESCGP-2 # ESX29-115-16-0031

Applicant Name Cabot Oil & Gas Corp  
 Contact Person Kenneth Marcum  
 Address 2000 Park Lane, Suite 300  
 City, State, Zip Pittsburgh, PA 15275  
 County Susquehanna

Township(s) Springville  
 Receiving Stream(s) and Classification(s) UNT to Martins Ck (CWF-MF)

## ESCGP-2 # ESX29-115-16-0018

Applicant Name Cabot Oil & Gas Corp  
 Contact Person Kenneth Marcum  
 Address 2000 Park Lane, Suite 300  
 City, State, Zip Pittsburgh, PA 15275  
 County Susquehanna  
 Township(s) Dimock  
 Receiving Stream(s) and Classification(s) UNT to White Ck (CWF-MF)

## ESCGP-2 # ESG29-015-16-0026

Applicant Name Chief Oil & Gas LLC  
 Contact Person Jeffrey Deegan  
 Address 1720 Sycamore Rd  
 City, State, Zip Montoursville, PA 17754  
 County Bradford  
 Township(s) Overton  
 Receiving Stream(s) and Classification(s) UNT to Mill Ck (EV, MF); UNT to Lick Ck (EV, MF)  
 Secondary—Mill Ck & Lick Ck

## ESCGP-2 # ESG29-105-16-0010

Applicant Name JKLM Energy LLC  
 Contact Person Scott Blauvelt  
 Address 2200 Georgetowne Dr, Suite 500  
 City, State, Zip Sewickley, PA 15143  
 County Potter  
 Township(s) Sweden  
 Receiving Stream(s) and Classification(s) Prosser Hollow (CWF); UNT to North Hollow (HQ-CWF)  
 Secondary—Allegheny River (CWF); North Hollow (HW-CWF)

## ESCGP-2 # ESX29-015-16-0030

Applicant Name SWN Production Co LLC  
 Contact Person Justin Moore  
 Address 917 SR 92 N  
 City, State, Zip Tunkhannock, PA 18657  
 County Bradford  
 Township(s) Herrick  
 Receiving Stream(s) and Classification(s) UNT to Cold Ck (WWF, MF)  
 Secondary—Cold Ck

## ESCGP-2 # ESG29-105-16-0011

Applicant Name JKLM Energy LLC  
 Contact Person Scott Blauvelt  
 Address 2200 Georgetown Dr, Suite 500  
 City, State, Zip Sewickley, PA 15143  
 County Potter  
 Township(s) Sweden & Summit  
 Receiving Stream(s) and Classification(s) UNT to Nelson Run (HQ-CWF)  
 Secondary—Nelso Run (HQ-CWF)

## ESCGP-2 # ESX29-115-16-0026

Applicant Name Williams Field Services Co LLC  
 Contact Person Lauren Miladinovich  
 Address Park Place Corp Ctr 2, 2000 Commerce Dr  
 City, State, Zip Pittsburgh, PA 15275  
 County Susquehanna  
 Township(s) Bridgewater & Brooklyn  
 Receiving Stream(s) and Classification(s) UNTs to Meshoppen Ck (CWF-MF)

## SPECIAL NOTICES

### Air Quality; Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen, Notice of Public Hearing, and Notice of Intent to Issue Revised Air Quality Operating Permit 48-00015

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

Approval of a Reasonably Available Control Technology (RACT II) plan for **Lehigh Heavy Forge Corporation** located in the City of Bethlehem, **Northampton County**.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT II plan and an amendment to the State Implementation Plan (SIP) for the natural gas fired furnaces owned and operated by Lehigh Heavy Forge Corporation in the City of Bethlehem, Northampton County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into a revised operating permit (48-00015) for the facility. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

<i>Source</i>	<i>RACT II Requirement</i>
8 Heat Treatment Carbottom Furnaces (HTP12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 30, 31, 32, 33, 34, 35, 36)	Oxides of Nitrogen. The permittee will minimize NO <sub>x</sub> emissions by install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices.
Forge 2 Carbottom Furnaces (F2P-1, 2, 3, 4, 5, 6, 14, 15, 16, 17, 7A)	Oxides of Nitrogen. The permittee will minimize NO <sub>x</sub> emissions by install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices.
SRP Treatment Furnaces (SRP-12, 14)	Oxides of Nitrogen. The permittee will minimize NO <sub>x</sub> emissions by install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices.

Persons wishing to file a written protest or provide comments or request a public hearing, which they believe should be considered prior to the issuance of a permit, may submit the information to Mr. Mark Wejkszner, Air Quality Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. A 30-day comment period from this date of publication in the *Pennsylvania Bulletin* will exist for the submission of comments, protests and hearing request. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

All pertinent application documents are available for public review between 8 a.m. and 4 p.m. at the Pa DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. Appointments for scheduling a review may be made by calling 570-826-2419.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Colleen Connolly at 570-826-2035 or the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

### Conditional State Water Quality Certification for the Emsworth Back Channel Hydroelectric Project, FERC Project No. 13761-002

On March 14, 2014, FFP Missouri 6, LLC (Applicant) filed an application with the Federal Energy Regulatory Commission (FERC) for a license to construct and operate a 12-megawatt (MW) hydroelectric facility at the Emsworth back channel dam, which is owned and operated by the U.S. Army Corps of Engineers (Corps), on the Ohio River, at river mile 6.8, in Allegheny County, Pennsylvania (Project). The Applicant is required pursuant to section 401(a) of the Federal Clean Water Act (act) (33 U.S.C.A. § 1341(a)) to provide FERC with certification from the Commonwealth of Pennsylvania (Commonwealth) that any discharge from the Project to waters of the Commonwealth will comply with provisions of the act relating to water quality standards, and necessary measures to achieve and maintain those standards. The Commonwealth has established such standards and programs to achieve and maintain them under State law, which have been approved by the U.S. Environmental Protection Agency as consistent with the applicable provisions of the act. The Pennsylvania Department of Environmental Protection (Department) administers the Commonwealth's water quality standards programs under State law, and is responsible for the review of requests from applicants for water quality certification made pursuant to section 401 of the act.

On January 11, 2016, Applicant requested a state water quality certification from the Department, as required by Section 401 of CWA (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania through

compliance with state water quality standards and associated state law requirements, which are consistent with CWA requirements.

On September 14, 2016, Rye Development, LLC provided the Department with a complete application for State Water Quality Certification, including an Environmental Assessment for the Project, on behalf of the Applicant. The Project would consist of a new, approximately 100-foot-long intake channel to be excavated into the riverbed, upstream of the proposed powerhouse. Two (2) 50-foot-wide, 40-foot-high spillway gate bays would be constructed along the river side of the excavated intake channel, to pass flow equivalent to the Corps' existing gate bay that will be replaced. The intake channel would lead to a concrete intake structure that would convey flows past a trash rack with 5-inch bar spacing, to a new reinforced concrete powerhouse that is 30 feet long, 180 feet wide and 63.5 feet in height. The powerhouse would house two (2) identical horizontal pit Kaplan turbine generator units with a combined capacity of 12 MW. Flows would exit the powerhouse into an approximately 190-foot-long tailrace excavated into the riverbed. Project power would be transmitted from the powerhouse to a new project substation with a 188-foot-long, medium-voltage buried cable, and then from the new substation to an existing substation with a 3,758-foot-long, 69-kilovolt overhead transmission line.

The Department published notice of its proposed state water quality certification in the *Pennsylvania Bulletin*, on October 1, 2016 (46 Pa.B. 6133), and received zero (0) comments from the public.

By this notice, the Department certifies that the construction, operation and maintenance of the Project complies with the applicable provisions of sections 301–303, 306 and 307 of CWA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), and will not violate the Commonwealth's water quality standards set forth in 25 Pa. Code Chapter 93, provided that the construction, operation and maintenance of the Project complies with the conditions for this certification as listed below, and the terms and conditions of the state law permits required to demonstrate compliance with Pennsylvania's Water Quality Standards:

1. *Conditional State Water Quality Certification*—This conditional state water quality certification is based upon the information that is available, to date, due to the FERC licensing process, and is granted with the understanding that the applicant will be submitting a final Environmental Assessment (EA) to the Department, to be reviewed and approved by the Department, prior to the start of construction. This final EA shall be submitted to the Department at the same time that the Applicant submits its application to the U.S. Army Corps of Engineers (USACE or Corps) for a Section 404 Permit, to facilitate a coordinated review between the Department and USACE. The final EA that is submitted to the Department must be developed from final design plans, specifications and reports.

2. *Erosion and Sediment Control*—The Applicant shall comply with the rules and regulations of 25 Pa. Code Chapter 102. The Applicant shall obtain and comply with an NPDES permit from the Department for the discharge of stormwater if the earth disturbance activities associated with the Project will result in a total disturbance equal to or greater than 1 acre. Earth disturbance activities associated with discharging dredged or fill material from the Project to waters of the United States which require permit coverage under Section 404 of CWA (33 U.S.C.A. § 1344) need not obtain an additional

NPDES Permit from the Department for earth disturbance activities covered by the Section 404 permit. The Applicant shall submit final detailed erosion and sediment control and post construction stormwater management plans for all Project activities to the Department and County Conservation District for their review and approval prior to commencement of construction. Specific guidance on the requirements of the NPDES Permit for Stormwater Discharges Associated with Construction Activities can be obtained from the County Conservation District or the DEP Regional Office.

3. *Water Obstruction and Encroachment Permit*—The Applicant shall comply with the rules and regulations of 25 Pa. Code Chapter 105 relating to dam safety and waterway management. The Applicant shall obtain, from the Department, and comply with a Chapter 105 Water Obstruction and Encroachment Permit (WO&EP), for the construction, operation and maintenance of any water obstruction or encroachment associated with the Project that is outside the scope of work licensed under the Federal Power Act, pursuant to the Clean Streams Law (35 P.S. §§ 691.1–691.1001), Dam Safety and Encroachments Act (32 P.S. §§ 673.1–693.27), and Flood Plain Management Act (32 P.S. §§ 679.101–679.601.), and all applicable implementing regulations.

4. *Submerged Lands License Agreement*—The Applicant shall obtain, from the Department, and comply with a Submerged Lands License Agreement, pursuant to Section 15 of the Dam Safety and Encroachments Act, 32 P.S. § 693.15, to occupy submerged lands of the Commonwealth in navigable waters as necessary to construct, operate and maintain the Project.

5. *Water Resource Planning Act Registration*—In accordance with the Pennsylvania Water Resources Planning Act, 27 Pa.C.S. § 3118, and the regulations thereunder, 25 Pa. Code Chapter 110, the Applicant must register the hydropower facility with the Department, and report water usage to the Department, annually.

6. *Limited Power Permit*—The Applicant shall obtain and comply with a permit from the Department as required by the Water Power and Water Supply Permits Act, Act of June 14, 1923, 32 P.S. §§ 591–625, related to the construction of a power dam or for a “change in stream” to develop power. The Applicant shall submit an application for this permit to the Department on the form available from the Department.

7. *Water Quality Monitoring*—During final design, the Applicant shall develop a water quality monitoring plan, to be implemented during the construction and operation of this project, and shall submit this plan to the Department for review and approval, prior to the start of construction, to ensure that the receiving water quality is not adversely impacted by the Applicant's construction, operation or maintenance of the Project. This water quality monitoring plan shall include adequate provisions to ensure that monitoring will assess any potential cumulative effect upon water quality, from the operation of all the currently proposed hydroelectric projects, within the greater Pittsburgh region. Thereafter, Applicant shall submit the results of the water quality monitoring to the Department and the USACE, along with suggested modifications in the operation or maintenance of the Project for inclusion in the adaptive management plan, should adverse impacts to water quality result from the project.

8. *Operating Plan and Adaptive Management Plan*—The applicant will be developing an operating plan, Memorandum of Agreement, and an adaptive manage-

ment plan with the USACE. Applicant will submit these plans to the Department for review and approval, prior to the start of construction, to evaluate potential effects of these plans upon, and compliance with, state water quality standards.

9. *Final Project Design Development*—During final design, applicant shall evaluate alternative designs for the proposed Project that may have the potential to reduce expected fish entrainment and mortality, such as, but not limited to, reducing and/or modifying the proposed 5-inch trash rack spacing, intake channel design, or other alternative designs, pursuant to Section 105.14(b)(4) and (6) of the Department's regulations, 25 Pa. Code § 105.13(e)(1)(viii) and 105.14(b)(4) and (6). This alternatives analysis shall be included in the Applicant's final EA, to be submitted to the Department for review and approval, prior to the start of construction. The final design shall also take into account the cumulative impact evaluations associated with conditions (10) and (11).

10. *Cumulative Impacts to Fish Populations*—Since the project is one of several, currently proposed hydroelectric projects on the Ohio, Monongahela and Allegheny Rivers within the greater Pittsburgh area river basins, the applicant, during final design, shall further evaluate the cumulative impacts from these hydroelectric projects, upon area fish populations, due to expected fish entrainment and mortality. Applicant shall include this evaluation in its final EA, to be submitted to the Department for review and approval, prior to the start of construction.

11. *Cumulative Impacts to Mussel Populations*—Since the Project is one of several currently proposed hydroelectric projects on the Ohio, Monongahela and Allegheny Rivers within the greater Pittsburgh area river basins, the applicant shall further evaluate, during final design, the cumulative impacts from these hydroelectric projects, upon local mussel populations, due to potential unavailability of host fish from expected fish entrainment and mortality. Applicant shall include this evaluation in its final EA, to be submitted to the Department for review and approval, prior to the start of construction.

12. *Minimum By-pass Flows*—During the final design, Applicant shall further evaluate the amount of by-pass flows necessary for the purposes of protection of public health, water quality control, conservation of fisheries, and aquatic habitat, improvement of recreation, and protection of instream and downstream water uses. Applicant shall provide this evaluation to the Department, within its final EA, for the Department's review and approval, prior to the start of construction. If it is determined that by-pass flows are needed, the by-pass flows shall be provided across the length of the dam.

13. *Aids to Navigation (ATON) Plan*—Applicant shall develop an ATON Plan, to avoid or minimize impacts to recreational boating. This plan must be reviewed and approved by the PA Fish and Boat Commission (PFBC), prior to the start of construction. Please contact the PA Fish and Boat Commission, PO Box 67000, Harrisburg, PA 17106, regarding the requirements for an ATON Plan.

14. *Hydraulic Modeling*—Applicant has indicated that additional hydraulic modeling will be conducted during Final Design. The results of this additional hydraulic modeling shall be included in the applicant's final EA that is to be submitted to the Department, for the Department to review and approve, prior to the start of construction. In addition, the applicant shall use the results of the additional hydraulic modeling to further evaluate potential impacts to a unique riffle habitat area

below the Emsworth Back Channel Dam, paddlefish and their habitat, mussels and their habitat, the potential for increased erosion of Neville Island and the river bed, and any other potential impacts that may be identified during the Department's review of the Applicant's final EA. Alternative designs may need to be considered, to avoid or minimize any adverse environmental impacts that may be identified from this additional modeling and/or additional evaluations for impacts. Mitigation may be required to compensate for any adverse environmental impacts that cannot be avoided. The evaluation of potential impacts to the unique riffle habitat area below the dam shall also include an evaluation of the potential to impact life history stages of many fish species, such as walleye and striped bass. The evaluation of potential impacts to paddlefish and their habitat shall also include an evaluation of the potential to impact a unique habitat feature, a deep hole with circulating flow, where paddlefish have been previously sampled in or near the project area. The evaluation of potential impacts to mussels and their habitat shall also include an evaluation of the potential to impact Pimpleback (*Quadrula pustulosa*, PA extirpated) and its habitat, since the PA Fish and Boat Commission considers this species to be a surrogate for endangered species habitat. The development of these site-specific hydraulic studies should be coordinated with the Department and the PA Fish and Boat Commission, before conducting them.

15. *Programmatic Agreement*—Applicant shall comply with the Final Programmatic Agreement Between the Federal Energy Regulatory Commission and the Pennsylvania State Historic Preservation Office for Managing Historic Properties that may be Affected by Issuing an Original License to FFP Missouri 6, LLC for the Construction, Operation, and Maintenance of the Emsworth Back Channel Dam Hydroelectric Project Located in Allegheny County, Pennsylvania (FERC No. 13761-002).

16. *Riparian Property*—Within its final EA, Applicant shall submit evidence that it has obtained notarized and signed releases, or has acquired rights of occupancy and use other than fee title, from the owners of any affected riparian property. This conditional water quality certification does not convey any real property rights or interests or authorization to trespass on privately-owned riparian land.

17. *Corps Authorization*—This conditional water quality certification does not relieve the Applicant of the responsibility to obtain any applicable approval/permit from the District Engineer, Pittsburgh District, U.S. Army Corps of Engineers, Room 1817, Federal Building, 1000 Liberty Avenue, Pittsburgh, PA 15222, under Section 10 of the Rivers and Harbor Act or Section 404 of the Clean Water Act of 1977.

18. *Fish and Mussel Surveys and Mitigation*—The Project footprint will reduce riverine habitat below the dam by approximately 3.5 acres, and approximately 4.6 acres will be disturbed during construction. In addition, Applicant acknowledges that the project could potentially alter some mussel habitat conditions through changes in velocity and scour patterns downstream of the dam. Accordingly, fish and mussel surveys shall be conducted three (3) years after project construction, to evaluate the project's impact to fish and mussel species in the project area. The plans for these surveys shall be included within the Applicant's final EA, for the Department's review and approval. In addition, the results of these surveys shall be submitted to the Department for review, within 60 days of completion of these surveys. If the results of these

surveys indicate an adverse environmental impact to fish and mussels in the project area, Applicant shall develop a remediation plan to eliminate or reduce the adverse environmental impact. In addition, the applicant may have to provide compensation for the adverse environmental impact.

19. *Cumulative Environmental Impact Assessment*—The Project is one of several, currently proposed hydroelectric projects in the Ohio, Monongahela, and Allegheny Rivers, within the greater Pittsburgh area river basins. Fish species, such as walleye, smallmouth bass, darters, etc., inhabit the area that can exhibit some migratory behavior, and could pass through multiple hydroelectric projects. In addition, the Applicant's Fish Entrainment Study reports mortality to fish species, such as catfish, drum, darters and bass, that are more likely to be host fish that are important to mussel propagation. Accordingly, Applicant shall develop a plan to conduct fish and mussel surveys, after the construction of all, or at least 50%, of the currently proposed hydroelectric projects, to evaluate the potential for cumulative impacts to area fish and mussel populations. This plan shall be included with the Applicant's final EA, for the Department's review and approval. If the results of these surveys indicate an adverse environmental impact to fish and mussels in the project area, Applicant shall develop a remediation plan to eliminate or reduce the adverse environmental impact. In addition, the Applicant may have to provide compensation for the adverse environmental impact.

20. *Clean Water Program Coordination*—Applicant shall evaluate the cumulative impacts of lowering Dissolved Oxygen (DO) concentration below existing levels on overall water quality. This analysis shall include an evaluation of the effects of lower DO levels on other dischargers, whose dissolved oxygen analysis could be impacted by any reduction in DO due to the proposed project. The Applicant shall include, within its final EA to be submitted to the Department, a full analysis depicting the pre- and post-construction dissolved oxygen using a Q7-10 flow, and achieving a 7-day average of 5.5 mg/l and a minimum of 5.0 mg/l at the project site, and all points potentially impacted downstream of the project, in accordance with The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the regulations promulgated thereunder, and 25 Pa. Code § 93.7.

21. *Water Quality Requirements*—The project must maintain the applicable water quality standard of a 7-day average DO concentration of 5.5 mg/l and a minimum DO concentration of 5.0 mg/l, at Q7-10 low flow conditions, unless the analysis required by the preceding condition indicates that a higher DO level is needed to maintain the DO water quality standard within the Dashields Pool given consideration of all existing, permitted dischargers currently within the pool in accordance with The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the regulations promulgated thereunder.

22. *Stream and Habitat Mitigation*—Since the Project will eliminate approximately 3.5 acres of riverine habitat, Applicant shall include, within its final EA to be submitted to the Department, a plan to mitigate for this lost habitat, for the Department's review and approval, prior to the start of construction.

23. *Fishing Access*—During final design, Applicant shall evaluate the feasibility of restoring/providing angler access to the Ohio River, within or near the project area.

24. *Boater Safety*—During final design, Applicant shall evaluate the potential for velocity changes within the

river channel, from the hydroelectric project discharge, to affect navigation and boaters in the vicinity of docks and/or barge mooring areas that are located below the Emsworth Back Channel Dam. Accordingly, in its final EA, Applicant shall provide to the Department, and to the owner(s)/operator(s) of the docks and/or barge mooring areas, an analysis of the effect that the increased velocities might have on barge and/or boat safety, and on barge operators and boaters, and on the docks and mooring areas, below the dam. This analysis shall be completed by a hydrologist. In addition, Applicant shall provide a letter from the owner(s)/operator(s) of the docks and/or mooring areas, commenting on this analysis.

25. *Fish Mitigation*—Since the project will impact fish, Applicant shall include, within its final EA to be submitted to the Department, a mitigation plan to compensate for this environmental impact, for the Department's review and approval, prior to the start of construction.

26. *Fish and Mussel Salvage*—Applicant shall further develop its fish and mussel salvage plan to safely remove fishes and mussels from the project area that would otherwise be trapped behind the proposed coffer dams during the dewatering process. These fish and mussels should be relocated to areas outside of the project area. The Applicant shall include this salvage plan within its final EA, to be reviewed and approved by the Department, prior to the start of construction.

27. *River Sediment Testing*—Applicant shall manage dredge material removed from the river in accordance with the Solid Waste Management Act, Act of July 7, 1980, P.L. 380, No. 97, as amended, 35 P.S. §§ 6018.101—6018.1003 ("Solid Waste Management Act") and regulations promulgated thereunder. Permittee should contact the Facilities Chief, Waste Management Program, Southwest Regional Office, with questions regarding this requirement. The project shall be consistent with the Department's Management of Fill policy and the analytic requirements therein. If the testing reveals that the dredged material exceeds the requirements for unrestricted use as clean fill, then the Applicant shall arrange for off-site disposal of the dredged sediments, after applying for and obtaining approval from the Department's Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

28. *Threatened, Endangered and Special Concern Species*—The results obtained from utilizing the Pennsylvania Natural Diversity Inventory's Pennsylvania Natural Diversity Inventory (PNDI), and any determinations received from an appropriate jurisdictional agency during any associated consultations, are valid only for 2 years. Accordingly, Applicant must include new PNDI search results within its final EA, along with evidence of any necessary follow-up with the appropriate jurisdictional agency(s). In addition, PNDI search results and clearances must be current and valid, prior to the start of construction.

29. *Seasonal Construction Schedule*—No activities related to the transmission line portion of this project shall be completed during the osprey (*Pandion haliaetus*, PA threatened) nesting season, March 25 to July 31. All activities related to the transmission line should be completed between August 1 and March 24, which is outside the nesting season, to avoid potential impacts to nesting osprey.

30. *Geotechnical Testing*—If a temporary road, drilling platform or other structure is needed to conduct any core boring drilling operations or geotechnical testing, within



the Commonwealth's waterways, Applicant shall obtain a permit(s) or other authorization(s) from the Department, prior to conducting any core boring drilling operations or geotechnical testing.

31. *Preparedness, Prevention and Contingency Plan*—The Applicant shall develop and maintain on site a Preparedness, Prevention and Contingency Plan (PPC Plan) for any project activities utilizing pollutants, pursuant to Section 91.34 of the regulations, 25 Pa. Code § 91.34. The PPC Plan shall be developed in accordance with the "Guidelines for the Development and Implementation of Environmental Emergency Response Plans" which can be found at: <http://www.elibrary.dep.state.pa.us/dsweb/Get/Document-48522/400-2200-001.pdf>.

32. *Operation*—The Applicant shall at all times properly operate and maintain all Project facilities and systems of treatment and control and related appurtenances which are installed to achieve compliance with the terms and conditions of this State Water Quality Certification and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by the Applicant.

33. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of the Department to determine compliance with this State Water Quality Certification, including all required state water quality permits and state water quality standards. A copy of this certification shall be made available for inspection by the Department during such inspections of the Project.

34. *Transfer of Projects*—If the Applicant intends to transfer any legal or equitable interest in the Project which is affected by this State Water Quality Certification, the Applicant shall serve a copy of this certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the Department's Southwest Regional Office of such intent. Notice to the Department shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of certification responsibility, coverage, and liability between them. The existing owner shall continue to be responsible for construction and operations at the Project until a transfer to the new owner has been completed. The new owner shall comply with the conditions of this certification, which shall remain in effect, unless modified, in writing, by the Department.

35. *Correspondence*—All correspondence with and submittals to the Department concerning this State Water Quality Certification shall be addressed to the Department of Environmental Protection, Southwest Regional Office, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, and shall reference DEP File No. WQ05-004, APS ID # 888631, or Authorization No. 1103951.

36. *Reservation of Rights*—The Department may suspend or revoke this State Water Quality Certification if it determines that the Applicant has not complied with the terms and conditions of this certification. The Department reserves the right to require additional measures to achieve compliance with applicable laws and/or regulations, subject to the Applicant's applicable procedural and substantive rights.

37. *Other Laws*—Nothing in this State Water Quality Certification shall be construed to preclude the institution

of any legal action or relieve the Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable federal or state law or regulation.

38. *Severability*—The provisions of this State Water Quality Certification are severable and should any provision of this certification be declared invalid or unenforceable, the remainder of the certification shall not be affected thereby.

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of publication of this notice, or within 30 days of receipt of written notice of this action, whichever occurs first. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30 days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this document to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717-787-3483) for more information.

#### **Conditional State Water Quality Certification for the Montgomery Lock and Dam Hydroelectric Project, FERC Project No. 13768-002**

On March 14, 2014, Solia 6 Hydroelectric, LLC (Applicant) filed an application with the Federal Energy Regulatory Commission (FERC) for a license to construct and operate a 42-megawatt (MW) hydroelectric facility at the Montgomery Lock and Dam, which is owned and operated by the U.S. Army Corps of Engineers (Corps), on the Ohio River, at river mile 31.7, in Beaver County, Pennsylvania (Project). The Applicant is required, pursuant to section 401(a) of the Federal Clean Water Act (act) (33 U.S.C.A. § 1341(a)), to provide FERC with certification from the Commonwealth of Pennsylvania (Commonwealth) that any discharge from the Project to waters of the Commonwealth will comply with provisions of the act relating to water quality standards, and necessary measures to achieve and maintain those standards. The Commonwealth has established such standards and programs to achieve and maintain them under State law, which have been approved by the U.S. Environmental Protection Agency as consistent with the applicable provisions of the act. The Pennsylvania Department of Environmental Protection (Department) administers the Commonwealth's water quality standards programs under State law, and is responsible for the review of requests from applicants for water quality certification made pursuant to section 401 of the act.

On January 14, 2016, Applicant requested a state water quality certification from the Department, as required by Section 401 of CWA (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Proj-

ect will protect water quality in Pennsylvania through compliance with state water quality standards and associated state law requirements, which are consistent with CWA requirements.

On September 14, 2016, Rye Development, LLC provided the Department with a complete application for State Water Quality Certification, including an Environmental Assessment for the Project, on behalf of the Applicant. The Project would consist of a new, approximately 340-foot-long intake channel to be excavated into the riverbed immediately downstream of two of the dam's existing bays. Two (2) new spillway gate bays, with a combined width of 200 feet, would be constructed along the river side of the excavated intake channel, to pass flow equivalent to one existing gate bay. The intake channel would lead to a concrete intake structure that would convey flows past a trash rack, with 5-inch bar spacing, to a new reinforced concrete powerhouse. The powerhouse would house three (3) identical horizontal pit Kaplan turbine-generator units, with a combined capacity of 42 MW. Flows would exit the powerhouse into an approximately 280-foot-long tailrace excavated into the riverbed. Project power would be transmitted from the powerhouse, to a new project substation, with a 15-foot-long, medium-voltage buried cable, and then from the new substation to an interconnection point in an existing distribution line, with a 392-foot-long, overhead transmission line, with a voltage between 69-kilovolt (kV) and 138 kV.

The Department published notice of its proposed state water quality certification in the *Pennsylvania Bulletin*, on October 1, 2016 (46 Pa.B. 6133), and received zero (0) comments from the public.

By this notice, the Department certifies that the construction, operation and maintenance of the Project complies with the applicable provisions of sections 301–303, 306 and 307 of CWA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), and will not violate the Commonwealth's water quality standards set forth in 25 Pa. Code Chapter 93, provided that the construction, operation and maintenance of the Project complies with the conditions for this certification as listed below, and the terms and conditions of the state law permits required to demonstrate compliance with Pennsylvania's Water Quality Standards:

1. *Conditional State Water Quality Certification*—This conditional state water quality certification is based upon the information that is available, to date, due to the FERC licensing process, and is granted with the understanding that the applicant will be submitting a final Environmental Assessment (EA) to the Department, to be reviewed and approved by the Department, prior to the start of construction. This final EA shall be submitted to the Department at the same time that the Applicant submits its application to the U.S. Army Corps of Engineers (USACE or Corps) for a Section 404 Permit, to facilitate a coordinated review between the Department and USACE. The final EA that is submitted to the Department must be developed from final design plans, specifications and reports.

2. *Erosion and Sediment Control*—The Applicant shall comply with the rules and regulations of 25 Pa. Code Chapter 102. The Applicant shall obtain and comply with an NPDES permit from the Department for the discharge of stormwater if the earth disturbance activities associated with the Project will result in a total disturbance equal to or greater than 1 acre. Earth disturbance activities associated with discharging dredged or fill material from the Project to waters of the United States

which require permit coverage under Section 404 of CWA (33 U.S.C.A. § 1344) need not obtain an additional NPDES Permit from the Department for earth disturbance activities covered by the Section 404 permit. The Applicant shall submit final detailed erosion and sediment control and post construction stormwater management plans for all Project activities to the Department and County Conservation District for their review and approval prior to commencement of construction. Specific guidance on the requirements of the NPDES Permit for Stormwater Discharges Associated with Construction Activities can be obtained from the County Conservation District or the DEP Regional Office.

3. *Water Obstruction and Encroachment Permit*—The Applicant shall comply with the rules and regulations of 25 Pa. Code Chapter 105 relating to dam safety and waterway management. The Applicant shall obtain, from the Department, and comply with a Chapter 105 Water Obstruction and Encroachment Permit (WO&EP), for the construction, operation and maintenance of any water obstruction or encroachment associated with the Project that is outside the scope of work licensed under the Federal Power Act, pursuant to the Clean Streams Law (35 P.S. §§ 691.1–691.1001), Dam Safety and Encroachments Act (32 P.S. §§ 673.1–693.27), and Flood Plain Management Act (32 P.S. §§ 679.101–679.601.), and all applicable implementing regulations.

4. *Submerged Lands License Agreement*—The Applicant shall obtain, from the Department, and comply with a Submerged Lands License Agreement, pursuant to Section 15 of the Dam Safety and Encroachments Act, 32 P.S. § 693.15, to occupy submerged lands of the Commonwealth in navigable waters as necessary to construct, operate and maintain the Project.

5. *Water Resource Planning Act Registration*—In accordance with the Pennsylvania Water Resources Planning Act, 27 Pa.C.S. § 3118, and the regulations thereunder, 25 Pa. Code Chapter 110, the Applicant must register the hydropower facility with the Department, and report water usage to the Department, annually.

6. *Limited Power Permit*—The Applicant shall obtain and comply with a permit from the Department as required by the Water Power and Water Supply Permits Act, Act of June 14, 1923, 32 P.S. §§ 591–625, related to the construction of a power dam or for a “change in stream” to develop power. The Applicant shall submit an application for this permit to the Department on the form available from the Department.

7. *Water Quality Monitoring*—During final design, the Applicant shall develop a water quality monitoring plan, to be implemented during the construction and operation of this project, and shall submit this plan to the Department for review and approval, prior to the start of construction, to ensure that the receiving water quality is not adversely impacted by the Applicant's construction, operation or maintenance of the Project. This water quality monitoring plan shall include adequate provisions to ensure that monitoring will assess any potential cumulative effect upon water quality, from the operation of all the currently proposed hydroelectric projects, within the greater Pittsburgh region. Thereafter, Applicant shall submit the results of the water quality monitoring to the Department and the USACE, along with suggested modifications in the operation or maintenance of the Project for inclusion in the adaptive management plan, should adverse impacts to water quality result from the project. The Department retains the right to specify additional studies or monitoring to ensure that the receiving water

quality is not adversely impacted by the Applicant's construction, operation or maintenance of the Project.

8. *Operating Plan and Adaptive Management Plan*—The applicant will be developing an operating plan, Memorandum of Agreement, and an adaptive management plan with the USACE. Applicant will submit these plans to the Department for review and approval, prior to the start of construction, to evaluate potential effects of these plans upon, and compliance with, state water quality standards.

9. *Final Project Design Development*—During final design, applicant shall evaluate alternative designs for the proposed Project that may have the potential to reduce expected fish entrainment and mortality, such as, but not limited to, reducing and/or modifying the proposed 5-inch trash rack spacing, intake channel design, or other alternative designs, pursuant to Section 105.14(b)(4) and (6) of the Department's regulations, 25 Pa. Code § 105.13(e)(1)(viii) and 105.14(b)(4) and (6). This alternatives analysis shall be included in the Applicant's final EA, to be submitted to the Department for review and approval, prior to the start of construction. The final design shall also take into account the cumulative impact evaluations associated with conditions (10) and (11).

10. *Cumulative Impacts to Fish Populations*—Since the project is one of several, currently proposed hydroelectric projects on the Ohio, Monongahela and Allegheny Rivers within the greater Pittsburgh area river basins, the applicant, during final design, shall further evaluate the cumulative impacts from these hydroelectric projects, upon area fish populations, due to expected fish entrainment and mortality. Applicant shall include this evaluation in its final EA, to be submitted to the Department for review and approval, prior to the start of construction.

11. *Cumulative Impacts to Mussel Populations*—Since the Project is one of several currently proposed hydroelectric projects on the Ohio, Monongahela and Allegheny Rivers within the greater Pittsburgh area river basins, the applicant shall further evaluate, during final design, the cumulative impacts from these hydroelectric projects, upon local mussel populations, due to potential unavailability of host fish from expected fish entrainment and mortality. Applicant shall include this evaluation in its final EA, to be submitted to the Department for review and approval, prior to the start of construction.

12. *Minimum By-pass Flows*—During the final design, Applicant shall further evaluate the amount of by-pass flows necessary for the purposes of protection of public health, water quality control, conservation of fisheries, and aquatic habitat, improvement of recreation, and protection of instream and downstream water uses. Applicant shall provide this evaluation to the Department, within its final EA, for the Department's review and approval, prior to the start of construction. If it is determined that by-pass flows are needed, the by-pass flows shall be provided across the length of the dam.

13. *Aids to Navigation (ATON) Plan*—Applicant shall develop an ATON Plan, to avoid or minimize impacts to recreational boating. This plan must be reviewed and approved by the PA Fish and Boat Commission (PFBC), prior to the start of construction. Please contact the PA Fish and Boat Commission, PO Box 67000, Harrisburg, PA 17106, regarding the requirements for an ATON Plan.

14. *Hydraulic Modeling*—Applicant has indicated that additional hydraulic modeling will be conducted during Final Design. The results of this additional hydraulic modeling shall be included in the applicant's final EA

that is to be submitted to the Department, for the Department to review and approve, prior to the start of construction. In addition, the applicant shall use the results of the additional hydraulic modeling to further evaluate potential impacts to: a) freshwater mussels, including state rare species and species uncommonly encountered in the Ohio River; b) several PA Endangered Fish species that have been identified in the project area; c) the habitat of these fish and mussels; d) the Montgomery Embayment Area; and e) any other potential impacts that may be identified during the Department's review of the Applicant's final EA. Alternative designs may need to be considered, to avoid or minimize any adverse environmental impacts that may be identified from this additional modeling and/or additional evaluations for impacts. Mitigation may be required to compensate for any adverse environmental impacts that cannot be avoided. The evaluation of potential impacts to: a) freshwater mussels, including state rare species and species uncommonly encountered in the Ohio River; b) several PA Endangered Fish species that have been identified in the project area; c) the habitat of these fish and mussels; and d) the Montgomery Embayment Area, a relatively rare, shallow water embayment area, just upstream of the dam, shall also include an evaluation of whether changes to current velocity, from the proposed project, may affect these resources. The development of these site-specific hydraulic studies should be coordinated with the Department and the PA Fish and Boat Commission, before conducting them.

15. *Programmatic Agreement*—Applicant shall comply with the Final Programmatic Agreement Between the Federal Energy Regulatory Commission and the Pennsylvania State Historic Preservation Office for Managing Historic Properties that may be Affected by Issuing an Original License to Solia 6 Hydroelectric, LLC for the Construction, Operation, and Maintenance of the Montgomery Locks and Dam Hydroelectric Project Located in Beaver County, Pennsylvania (FERC No. 13768-002).

16. *Riparian Property*—Within its final EA, Applicant shall submit evidence that it has obtained notarized and signed releases, or has acquired rights of occupancy and use other than fee title, from the owners of any affected riparian property. This conditional water quality certification does not convey any real property rights or interests or authorization to trespass on privately-owned riparian land.

17. *Corps Authorization*—This conditional water quality certification does not relieve the Applicant of the responsibility to obtain any applicable approval/permit from the District Engineer, Pittsburgh District, U.S. Army Corps of Engineers, Room 1817, Federal Building, 1000 Liberty Avenue, Pittsburgh, PA 15222, under Section 10 of the Rivers and Harbor Act or Section 404 of the Clean Water Act of 1977.

18. *Fish and Mussel Surveys and Mitigation*—The Project footprint will reduce riverine habitat below the dam by approximately 6.6 acres, and approximately 7.9 acres will be disturbed during construction. In addition, Applicant acknowledges that the project could potentially alter some mussel habitat conditions through changes in velocity and scour patterns downstream of the dam. Accordingly, fish and mussel surveys shall be conducted three (3) years after project construction, to evaluate the project's impact to fish and mussel species in the project area. The plans for these surveys shall be included within the Applicant's final EA, for the Department's review and approval. In addition, the results of these surveys shall be

submitted to the Department for review, within 60 days of completion of these surveys. If the results of these surveys indicate an adverse environmental impact to fish and mussels in the project area, Applicant shall develop a remediation plan to eliminate or reduce the adverse environmental impact. In addition, the applicant may have to provide compensation for the adverse environmental impact.

**19. Cumulative Environmental Impact Assessment—**The Project is one of several, currently proposed hydroelectric projects in the Ohio, Monongahela, and Allegheny Rivers, within the greater Pittsburgh area river basins. Fish species, such as walleye, smallmouth bass, darters, etc., inhabit the area that can exhibit some migratory behavior, and could pass through multiple hydroelectric projects. In addition, the Applicant's Fish Entrainment Study reports mortality to fish species, such as catfish, drum, darters and bass, that are more likely to be host fish that are important to mussel propagation. Accordingly, Applicant shall develop a plan to conduct fish and mussel surveys, after the construction of all, or at least 50%, of the currently proposed hydroelectric projects, to evaluate the potential for cumulative impacts to area fish and mussel populations. This plan shall be included with the Applicant's final EA, for the Department's review and approval. If the results of these surveys indicate an adverse environmental impact to fish and mussels in the project area, Applicant shall develop a remediation plan to eliminate or reduce the adverse environmental impact. In addition, the Applicant may have to provide compensation for the adverse environmental impact.

**20. Clean Water Program Coordination—**Applicant shall evaluate the cumulative impacts of lowering Dissolved Oxygen (DO) concentration below existing levels on overall water quality. This analysis shall include an evaluation of the effects of lower DO levels on other dischargers, whose dissolved oxygen analysis could be impacted by any reduction in DO due to the proposed project. The Applicant shall include, within its final EA to be submitted to the Department, a full analysis depicting the pre- and post-construction dissolved oxygen using a Q7-10 flow, and achieving a 7-day average of 5.5 mg/l and a minimum of 5.0 mg/l at the project site, and all points potentially impacted downstream of the project, in accordance with The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the regulations promulgated thereunder, and 25 Pa. Code § 93.7.

**21. Water Quality Requirements—**The project must maintain the applicable water quality standard of a 7-day average DO concentration of 5.5 mg/l and a minimum DO concentration of 5.0 mg/l, at Q7-10 low flow conditions, unless the analysis required by the preceding condition indicates that a higher DO level is needed to maintain the DO water quality standard within the New Cumberland Pool given consideration of all existing, permitted dischargers currently within the pool in accordance with The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the regulations promulgated thereunder.

**22. Industry Borough Municipal Authority Well Field—**The Applicant shall conduct and submit to the Department, within its final EA, a geotechnical investigation, which evaluates how the dewatering activities, which are associated with the construction of the Montgomery Lock and Dam Hydroelectric Project, may impact the adjacent Industry Borough Municipal Authority (IBMA) public water supply well field. This geotechnical investigation shall be prepared by a licensed professional geologist, and shall be submitted to IBMA, for its review and approval,

as well. If this geotechnical investigation indicates that the proposed dewatering activities may result in any potential adverse impact to IBMA's well field and/or public water supply system, then the Applicant must also include within its final EA; a) A contingency plan (Contingency Plan) that addresses all, potential adverse impacts to IBMA's well field and/or public water supply system. The Contingency Plan shall also be submitted to IBMA for review and approval; and b) The Applicant shall develop a Memorandum of Agreement (MOA) with IBMA, which encompasses the Contingency Plan, and any remediation and compensation measures and terms, regarding the potential impacts, which may include, but is not limited to, the replacement of IBMA's public water supply. The Applicant shall provide a signed copy of this MOA, to the Department, within its final EA.

**23. Montgomery Embayment Area—**During final design, the Applicant shall conduct an evaluation, to determine whether the construction and/or operation of the Project will adversely affect the Montgomery Embayment Area, located in the Montgomery Pool, just upstream of the existing dam, which has been described as an ecologically significant area in the PA portion of the Ohio River, and a relatively rare habitat in the Ohio River mainstem, in part, because the shallow water areas and wetlands of this embayment provide excellent spawning, feeding and cover for many fish species. The Applicant shall describe the methods and results of this evaluation, within its final EA to be submitted to the Department. If the results of this evaluation identify any adverse impacts to the Montgomery Embayment Area, then the applicant shall also include within its final EA, an analysis of alternatives to avoid and minimize any adverse impact. The Applicant may also have to provide mitigation, to compensate for any unavoidable adverse impacts to this area.

**24. Stream and Habitat Mitigation—**Since the Project will eliminate approximately 6.6 acres of riverine habitat, Applicant shall include, within its final EA to be submitted to the Department, a plan to mitigate for this lost habitat, for the Department's review and approval, prior to the start of construction.

**25. Fishing Access—**During final design, Applicant shall develop a plan to compensate for lost recreational fishing by providing angler access that is comparable to, or better than, current conditions. Applicant shall consider providing angler access that is close to normal water surface elevations and the water's edge, and adequately compensate for the footage of fishing access lost.

**26. Boater Safety—**During final design, Applicant shall evaluate the potential for velocity changes within the river channel, from the hydroelectric project discharge, to affect navigation and boaters in the vicinity of barge mooring areas that are located below the Montgomery Lock and Dam. Accordingly, in its final EA, Applicant shall provide to the Department, and to the owner(s)/operator(s) of the barge mooring areas, an analysis of the effect that the increased velocities might have on barge and/or boat safety, and on barge operators and boaters, and on the mooring areas, below the dam. This analysis shall be completed by a hydrologist. In addition, Applicant shall provide a letter from the owner(s)/operator(s) of the mooring areas, commenting on this analysis.

**27. Fish Mitigation—**Since the project will impact fish, Applicant shall include, within its final EA to be submitted to the Department, a mitigation plan to compensate for this environmental impact, for the Department's review and approval, prior to the start of construction.

28. *Fish and Mussel Salvage*—Applicant shall further develop its fish and mussel salvage plan to safely remove fishes and mussels from the project area that would otherwise be trapped behind the proposed coffer dams during the dewatering process. These fish and mussels should be relocated to areas outside of the project area. The Applicant shall include this salvage plan within its final EA, to be reviewed and approved by the Department, prior to the start of construction.

29. *River Sediment Testing*—Applicant shall manage dredge material removed from the river in accordance with the Solid Waste Management Act, Act of July 7, 1980, P.L. 380, No. 97, as amended, 35 P.S. §§ 6018.101—6018.1003 (“Solid Waste Management Act”) and regulations promulgated thereunder. Permittee should contact the Facilities Chief, Waste Management Program, Southwest Regional Office, with questions regarding this requirement. The project shall be consistent with the Department’s Management of Fill policy and the analytic requirements therein. If the testing reveals that the dredged material exceeds the requirements for unrestricted use as clean fill, then the Applicant shall arrange for off-site disposal of the dredged sediments, after applying for and obtaining approval from the Department’s Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

30. *Threatened, Endangered and Special Concern Species*—The results obtained from utilizing the Pennsylvania Natural Diversity Inventory’s Pennsylvania Natural Diversity Inventory (PNDI), and any determinations received from an appropriate jurisdictional agency during any associated consultations, are valid only for 2 years. Accordingly, Applicant must include new PNDI search results within its final EA, along with evidence of any necessary follow-up with the appropriate jurisdictional agency(s). In addition, PNDI search results and clearances must be current and valid, prior to the start of construction.

31. *PA Fish and Mussel Evaluation*—During final design, the Applicant shall consult and work with the PA Fish and Boat Commission (PFBC), to further evaluate this project’s: a) potential to impact freshwater mussels, including state rare species and species uncommonly encountered in the Ohio River; b) potential to impact several PA Endangered fish species that have been identified in the project area; and c) potential to impact mussel and fish habitat; in and near the project area. The Applicant shall conduct additional fish and mussel surveys, and shall provide the results of these surveys to PFBC, as part of this consultation. In addition, the Applicant shall provide additional information to PFBC, regarding how impacts to protected fish and mussel species will be avoided or minimized. The Applicant’s evaluation shall also include an analysis of potential impacts from changes in current velocities and dredging activities, which are associated with the proposed project. Within its final EA to be submitted to the Department, the Applicant shall provide evidence from PFBC that potential impacts to mussels, fish and/or their habitats have been reduced to the maximum extent possible, and that adequate compensation has been provided to mitigate for any unavoidable adverse impacts to mussels, fish and/or their habitats, or a PNDI clearance from PFBC. If the additional fish and mussel surveys demonstrate the existence of any federally listed threatened and/or endangered species, then the Applicant must also provide within its final EA, evidence from the U.S. Fish & Wildlife Service that potential impacts to any federally listed mussels and/or fish, and/or their habitats, have

been reduced to the maximum extent possible, and that adequate compensation has been provided to mitigate for any unavoidable adverse impacts to mussels, fish and/or their habitats.

32. *Geotechnical Testing*—If a temporary road, drilling platform or other structure is needed to conduct any core boring drilling operations or geotechnical testing, within the Commonwealth’s waterways, Applicant shall obtain a permit(s) or other authorization(s) from the Department, prior to conducting any core boring drilling operations or geotechnical testing.

33. *Preparedness, Prevention and Contingency Plan*—The Applicant shall develop and maintain on site a Preparedness, Prevention and Contingency Plan (PPC Plan) for any project activities utilizing pollutants, pursuant to Section 91.34 of the regulations, 25 Pa. Code § 91.34. The PPC Plan shall be developed in accordance with the “Guidelines for the Development and Implementation of Environmental Emergency Response Plans” which can be found at: <http://www.elibrary.dep.state.pa.us/dsweb/Get/Document-48522/400-2200-001.pdf>.

34. *Operation*—The Applicant shall at all times properly operate and maintain all Project facilities and systems of treatment and control and related appurtenances which are installed to achieve compliance with the terms and conditions of this State Water Quality Certification and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by the Applicant.

35. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of the Department to determine compliance with this State Water Quality Certification, including all required state water quality permits and state water quality standards. A copy of this certification shall be made available for inspection by the Department during such inspections of the Project.

36. *Transfer of Projects*—If the Applicant intends to transfer any legal or equitable interest in the Project which is affected by this State Water Quality Certification, the Applicant shall serve a copy of this certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the Department’s Southwest Regional Office of such intent. Notice to the Department shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of certification responsibility, coverage, and liability between them. The existing owner shall continue to be responsible for construction and operations at the Project until a transfer to the new owner has been completed. The new owner shall comply with the conditions of this certification, which shall remain in effect, unless modified, in writing, by the Department.

37. *Correspondence*—All correspondence with and submittals to the Department concerning this State Water Quality Certification shall be addressed to the Department of Environmental Protection, Southwest Regional Office, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, and shall reference DEP File No. WQ05-005, APS ID # 889165, or Authorization No. 1104889.

38. *Reservation of Rights*—The Department may suspend or revoke this State Water Quality Certification if it determines that the Applicant has not complied with the

terms and conditions of this certification. The Department reserves the right to require additional measures to achieve compliance with applicable laws and/or regulations, subject to the Applicant's applicable procedural and substantive rights.

39. *Other Laws*—Nothing in this State Water Quality Certification shall be construed to preclude the institution of any legal action or relieve the Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable Federal or State law or regulation.

40. *Compliance with Terms and Conditions*—This Conditional State Water Quality Certification does not relieve the Applicant of the responsibility for any discharge to waters of the Commonwealth, or allow for any inappropriate discharge to occur. Failure to comply with the terms and conditions of this Conditional State Water Quality Certification will result in the automatic nullification and voidance of this certification, and may subject the Applicant and responsible parties to pay fines of up to \$10,000, per violation, for each day the violation occurs, constituting a separate violation.

41. *Severability*—The provisions of this State Water Quality Certification are severable and should any provision of this certification be declared invalid or unenforceable, the remainder of the certification shall not be affected thereby.

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, 717-787-34-83. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, 800-654-59-84. Appeals must be filed with the Environmental Hearing Board within 30 days of publication of this notice, or within 30 days of receipt of written notice of this action, whichever occurs first. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30 days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this document to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717-787-3483) for more information.

[Pa.B. Doc. No. 17-153. Filed for public inspection January 27, 2017, 9:00 a.m.]

### Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.elibrary.dep.state.pa.us/dsweb/HomePage>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance

documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

### Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 787-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

### Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

### Final Technical Guidance Document: Substantive Revision

*DEP ID:* 563-2100-216. *Title:* Coal Mining Activity Permit Renewals. *Description:* This guidance establishes the administrative procedures and guidelines for coal mine permittee's submittal of permit renewal applications and the Department's processing and review of the applications. This update includes revision of the section on application fees, and corrections to bureaus and document names and references. A 30-day comment period was announced in the *Pennsylvania Bulletin* and ended on September 6, 2016. The Department received comments from two individuals resulting in one minor change to this final document from the draft version.

*Contact:* Questions regarding this technical guidance document should be directed to Greg Greenfield, (717) 787-3174 or [grgreenfie@pa.gov](mailto:grgreenfie@pa.gov).

*Effective Date:* January 28, 2017

PATRICK McDONNELL,  
*Acting Secretary*

[Pa.B. Doc. No. 17-154. Filed for public inspection January 27, 2017, 9:00 a.m.]

### Federal Consistency under the Coastal Zone Management Act; Annual Beach Nourishment Activities at Presque Isle State Park

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that the United States Army Corps of Engineers (USACE) is proposing to undertake annual beach nourishment activities at Presque Isle State Park (PISP) in Erie County.

The proposed activities include sand placement and tombolo sand removal/relocation. Sand placement involves placing purchased clean beachfill sand of a suitable grain size on the beach to supplement the nearshore sand transport system and to extend the beach lakeward. Sand is transported from a staging location near the North

Pier, loaded onto on-road dump trucks and transported to various staging locations. Tombolo sand removal/relocation involves removing sand from tombolo areas with an excavator and loading into an off-road dump truck. The dump truck transports the sand to predetermined locations and places it back on the beach at that different location. Sand from both management strategies is spread to final dimensions and slope with a bulldozer. Since the start of beach fill placement and prior to construction of the PISP breakwaters (1975—1990), approximately 167,000 cubic yards of beach fill was placed annually. After the breakwaters were constructed the average nourishment amount needed has been 37,307 cubic yards annually (1993—2015), 22% of what was required before the breakwaters were constructed. Tombolo removal has averaged 29,932 cubic yards between 1993 and 2015.

This activity is subject to Department review for Federal consistency because it is a Federal agency activity and will have reasonably foreseeable effects on this Commonwealth's coastal resources or uses.

In accordance with National Oceanic and Atmospheric Administration (NOAA) regulations in 15 CFR Part 930, Subpart C (relating to consistency for Federal agency activities), USACE has determined that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Determination from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at (717) 772-2196 or RA-Fed\_Consistency@pa.gov.

The Department will consider all comments received on or before February 13, 2017, before issuing a final Federal consistency concurrence or objection. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments should be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Department of Environmental Protection, Compacts and Commissions Office, 400 Market Street, P.O. Box 8465, Harrisburg, PA 17101-8465.

PATRICK McDONNELL,  
*Acting Secretary*

[Pa.B. Doc. No. 17-155. Filed for public inspection January 27, 2017, 9:00 a.m.]

### **Oil and Gas Technical Advisory Board Rescheduled Meeting**

The Oil and Gas Technical Advisory Board meeting originally scheduled for Thursday, February 16, 2017, is rescheduled for Thursday, April 13, 2017, at 10 a.m. at the Department of Environmental Protection, Rachel Carson State Office Building, Room 105, 400 Market Street, Harrisburg, PA.

Questions concerning the meeting can be directed to Todd Wallace, Office of Oil and Gas Management, at (717) 783-6395 or [twallace@pa.gov](mailto:twallace@pa.gov). The agenda and meeting materials will be available on the Department of Environ-

mental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Oil and Gas Advisory Committees," then "Oil and Gas Technical Advisory Board (TAB)"). Individuals who wish to register to attend this meeting by WebEx may do so by visiting the previously listed web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Todd Wallace directly at (717) 783-6395, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Acting Secretary*

[Pa.B. Doc. No. 17-156. Filed for public inspection January 27, 2017, 9:00 a.m.]

## **DEPARTMENT OF HEALTH**

### **Approved Prearrest and Evidential Breath Testing Devices**

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

#### *Prearrest Breath Testing Devices*

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol), and section 2102(g) of The Administrative Code of 1929 (71 P.S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005), and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

#### *Evidential Breath Testing Devices*

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984).

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol

concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 blood alcohol content (BAC), to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of "alcohol" to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993.

The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993).

Instruments marked with an asterisk (\*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Jennifer Okraska at the following address so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.



Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Depart-

ment will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) may contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

### CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey <sup>1</sup>	<ul style="list-style-type: none"> <li>• AlcoScan AL-2500.</li> <li>• SafeMate.<sup>2</sup></li> <li>• SafeDrive.</li> <li>• AlcoMate.<sup>3</sup> (aka: AlcoHAWK Pro by Q3 Innovations).</li> <li>• AlcoMate Accu Cell AL-9000.</li> <li>• AlcoMate Pro.<sup>3</sup></li> <li>• AlcoMate Core.<sup>4</sup></li> <li>• AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).<sup>4 5</sup></li> <li>• AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).<sup>4 6</sup></li> <li>• AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).</li> </ul>
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. <sup>7</sup> Alco Check 9000. <sup>7</sup>
Akers Biosciences, Inc., Thorofare, New Jersey Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	Breath Alcohol® .02 Detection System. <sup>8</sup> DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan B.E.S.T. Labs., Boardman, Ohio	BACmaster. PB 9000e.
Chematics, Inc., North Webster, Indiana Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	ALCO-SCREEN 02 <sup>TM9</sup> . AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> <li>• Alco Tector Mark X.</li> <li>• Mark X Alcohol Checker.</li> <li>• Alcotector WAT89EC-1.</li> <li>• Alcotector WAT90.</li> </ul>
Han International Co., Ltd., <sup>2</sup> Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> <li>• BACTRACK Select S50.<sup>10</sup></li> <li>• BACTRACK Select S80.<sup>10</sup></li> <li>• BACTRACK Element.</li> <li>• BACTRACK S 75 Pro.</li> </ul>
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> <li>• PAS Vr.</li> <li>• Alcovisor MARS.</li> </ul>

Distributors/Manufacturers	Devices
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> <li>• AlcoHAWK Precision.</li> <li>• AlcoHAWK Slim.</li> <li>• AlcoHAWK Slim 2.</li> <li>• AlcoHAWK Elite.</li> <li>• AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.).</li> <li>• AlcoHAWK Micro.</li> <li>• AlcoHAWK PRO (aka: AlcoMate by AK Solutions).</li> <li>• AlcoHAWK PT 500.</li> <li>• CA2010.</li> </ul>
Repco Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> <li>• AT577.</li> <li>• AT578 (aka: AlcoCheck FC90).</li> <li>• AT579.</li> </ul>
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. <sup>7</sup>
Varian, Inc., Lake Forest, California	On-Site Alcohol. <sup>10</sup>

<sup>1</sup> The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

<sup>2</sup> Manufactured by Seju Engineering, Korea.

<sup>3</sup> Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

<sup>4</sup> Manufactured by Sentech Korea Corp.

<sup>5</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

<sup>6</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

<sup>7</sup> While these devices are still being sold, they are no longer manufactured or supported.

<sup>8</sup> The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

<sup>9</sup> While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

<sup>10</sup> While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

#### CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF <sup>IR</sup> Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	—
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
9000	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger Safety, Inc. (aka: National Draeger) Irving, Texas:		
Alcotest Model:		
5510	X	X
6510	X	X
6810	X	X
6820	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Photo Electric Intoximeter*	—	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Auto Intoximeter*	X	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)		X
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0	X	X
EV 30	X	X
FC 10	X	X
FC 20	X	X
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	—
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
EBA*	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*	—	X
2000*	—	X
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc., Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Mark V Alcovisor	X	X
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Plus 4 Engineering, Minturn, Colorado: 5000 Plus 4*	X	X
Seres, Paris, France: Alco Master	X	X
Alcopro	X	X
Siemans-Allis, Cherry Hill, New Jersey: Alcomat*	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts: Breathalyzer Model: 900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan: AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.: Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan: ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California: Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York: BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 17-157. Filed for public inspection January 27, 2017, 9:00 a.m.]

**Laboratories Approved to Determine Analyses of Blood or Serum or Both for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the

Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should

determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analyses, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols SB, SSe, CB, CSe indicate the following:

SB = approved for blood screening analyses  
SSe = approved for serum screening analyses  
CB = approved for blood confirmatory analyses  
CSe = approved for serum confirmatory analyses

00671  
ALLEGHENY COUNTY MED EX DIV OF LAB—SB,  
SSe, CB, CSe  
1520 PENN AVENUE, 2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425

31871  
AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,  
SSe, CB, CSe  
789 PARK AVENUE  
HUNTINGTON, NY 11743  
(631) 923-0166

30483  
AMERICAN INSTITUTE OF TOXICOLOGY INC—SB,  
SSe, CB, CSe  
2265 EXECUTIVE DRIVE  
INDIANAPOLIS, IN 46241  
(317) 243-3894

21613  
ARUP LABORATORIES INC—SSe, CSe  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787

24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,  
SSe, CB, CSe  
3520 PROGRESS DRIVE UNIT C  
BENSALEM, PA 19020  
(267) 525-2470

00977  
DRUGSCAN INC—SB, SSe, CB, CSe  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(215) 674-9310

31400  
FRANCES WARDE MEDICAL LABORATORY—SSe, CSe  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300

24655  
HEALTH NETWORK LABORATORIES—SB, SSe, CB,  
CSe  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR—SSe, CSe  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458

05574  
MEDTOX LABORATORIES INC—SB, SSe, CB, CSe  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466

32803  
MOLECULAR DX, LLC—SB, CB  
620 7TH STREET SUITE C  
WINDBER, PA 15963  
(814) 361-6993

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,  
CB, CSe  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900

29741  
NORTHERN TIER RESEARCH—SB, SSe, CB, CSe  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 351-6153

30984  
OFFICE OF THE DISTRICT ATTORNEY—SB, SSe, CB  
37 E HIGH STREET, FORENSIC LAB  
CARLISLE, PA 17013  
(717) 240-6526

00250  
PARKWAY CLINICAL LABORATORIES—SSe  
3494 PROGRESS DRIVE, SUITE D  
BENSALEM, PA 19020  
(215) 245-5112

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,  
SSe, CB, CSe  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-6900

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—SSe, CSe  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—SB, SSe, CB, CSe  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SB, SSe, CB,  
CSe  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7675

00151  
ST JOSEPH QUALITY MEDICAL LAB—SB, SSe, CB,  
CSe  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SSe  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00141  
YORK HOSPITAL—SSe  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 17-158. Filed for public inspection January 27, 2017, 9:00 a.m.]

**Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and

5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance), as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code in 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations in 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's



proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S, B, and SB indicate the following:

S = approved for serum and plasma analyses  
 B = approved for blood analyses  
 SB = approved for serum, plasma and blood analyses

00212  
 ABINGTON HOSP JEFFERSON HEALTH—S  
 1200 OLD YORK ROAD  
 ABINGTON, PA 19001  
 (215) 481-2324

00215  
 ABINGTON-LANSDALE HOSPITAL JEFF HLTH—S  
 100 MEDICAL CAMPUS DRIVE  
 LANSDALE, PA 19446  
 (215) 361-4623

33583  
 ADVANCED MEDICAL LABORATORIES INC—S  
 1690 US HWY 1 SOUTH, SUITE D  
 ST AUGUSTINE, FL 32084  
 (904) 217-4255

00233  
 ALBERT EINSTEIN MEDICAL CENTER—S  
 5501 OLD YORK RD-LABS-TOWER BLDG GROUND FL  
 PHILADELPHIA, PA 19141-3001  
 (215) 456-6102

00671  
 ALLEGHENY COUNTY MED EX DIV OF LABS—SB  
 1520 PENN AVENUE, 2ND FLOOR  
 PITTSBURGH, PA 15222  
 (412) 350-4425

28233  
 ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
 320 E NORTH AVENUE  
 PITTSBURGH, PA 15212  
 (412) 359-6886

00077  
 ALLEGHENY GENERAL HOSPITAL LAB—S  
 1307 FEDERAL STREET  
 PITTSBURGH, PA 15212  
 (412) 359-6886

00100  
 ALLEGHENY VALLEY HOSPITAL LAB—S  
 1301 CARLISLE STREET  
 NATRONA HEIGHTS, PA 15065  
 (724) 224-5100

34874  
 AMERATHON LLC, DBA AHA—S  
 26300 EUCLID AVENUE, SUITE 910  
 CLEVELAND, OH 44132  
 (216) 472-2318

00192  
 ARIA HEALTH—S  
 380 NORTH OXFORD VALLEY ROAD  
 LANGHORNE, PA 19047-8304  
 (215) 934-5227

00236  
 ARIA HEALTH—S  
 FRANKFORD AVE & WAKELING STREET  
 PHILADELPHIA, PA 19124  
 (215) 831-2068

00341  
 ARIA HEALTH—S  
 10800 KNIGHTS ROAD  
 PHILADELPHIA, PA 19114  
 (215) 612-2648

00041  
 ARMSTRONG COUNTY MEMORIAL HOSP—S  
 1 NOLTE DRIVE  
 KITTANNING, PA 16201  
 (724) 543-8500

21861  
 ARGNOT-OGDEN MEMORIAL HOSPITAL—S  
 600 ROE AVENUE  
 ELMIRA, NY 14905  
 (607) 737-4478

21613  
 ARUP LABORATORIES INC—S  
 500 CHIPETA WAY  
 SALT LAKE CITY, UT 84108  
 (800) 242-2787

00047  
 ASSOCIATED CLINICAL LABORATORIES—SB  
 PATHOLOGY ASSOCIATES OF ERIE, INC  
 1526 PEACH STREET  
 ERIE, PA 16501  
 (814) 461-2400

24997  
 ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB  
 3520 PROGRESS DRIVE UNIT C  
 BENSLEM, PA 19020  
 (267) 525-2470

00320  
 BARNES KASSON HOSPITAL LAB—S  
 2872 TURNPIKE STREET  
 SUSQUEHANNA, PA 18847  
 (570) 853-5059

00001  
 BERWICK HOSPITAL LABORATORY—S  
 701 EAST 16TH STREET  
 BERWICK, PA 18603  
 (570) 759-5110

00301  
 BHS LABORATORY—S  
 ONE HOSPITAL WAY (911 E BRADY STREET)  
 BUTLER, PA 16001  
 (724) 284-4513

00152  
 BLUE MOUNTAIN HOSPITAL—S  
 211 NORTH 12TH STREET  
 LEHIGHTON, PA 18235  
 (610) 377-7083

00334  
BLUE MTN HOSP-PALMERTON CAMPUS—S  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-1100

00033  
BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247

00296  
BRANDYWINE HOSPITAL—S  
201 REECEVILLE ROAD  
COATESVILLE, PA 19320  
(610) 383-8000

00369  
BUCKTAIL MED CENTER—S  
1001 PINE STREET  
RENOVO, PA 17764  
(570) 531-6176

00107  
CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916

00131  
CARLISLE REGIONAL MEDICAL CENTER—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 249-1212

00132  
CHAMBERSBURG HOSPITAL DEPT OF  
PATHOLOGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7973

00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510

00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182

00227  
CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 248-8113

00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446

00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 226-1399

00026  
CLEARFIELD HOSPITAL LABORATORY—S  
809 TURNPIKE AVENUE PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280

33142  
CLINICAL REFERENCE LABORATORY, INC—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652

00125  
CONEMAUGH MEM MED CTR-MAIN LAB—SB  
LABORATORY DEPT 1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-9787

00231  
CONEMAUGH MEYERSDALE MEDICAL CTR—S  
200 HOSPITAL DR  
MEYERSDALE, PA 15552  
(814) 972-6913

00128  
CONEMAUGH MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200

00326  
CORY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORY, PA 16407  
(814) 664-4641

00201  
CROZER CHESTER MED CENTER—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2232

00204  
DELAWARE COUNTY MEM HOSP-LAB—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 447-2232

00266  
DEPT OF PATHOLOGY & LAB MED-HUP—SB  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423

00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250

00977  
DRUGSCAN INC—SB  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(215) 674-9310

00027  
DUBOIS REG MED CTR-WEST UNIT—S  
100 HOSPITAL AVE  
DUBOIS, PA 15801  
(814) 371-2200

00175  
EASTON HOSPITAL LABORATORY—S  
250 SOUTH 21ST STREET  
EASTON, PA 18042  
(610) 250-4819

- 00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000
- 00332  
ELLWOOD CITY HOSPITAL—S  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-6710
- 00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
100 HOSPITAL DRIVE  
MONTROSE, PA 18801  
(570) 278-3801
- 00164  
EHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE PO BOX 1002  
EHRATA, PA 17522  
(717) 733-0311
- 00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510
- 00114  
EXCELA HEALTH LATROBE HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 850-3121
- 00085  
FORBES HOSPITAL—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2567
- 31400  
FRANCES WARDE MEDICAL LABORATORY—SB  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300
- 00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500
- 00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6102
- 00002  
GEISINGER BLOOMSBURG HOSPITAL  
LABORATORY—S  
549 E FAIR STREET  
BLOOMSBURG, PA 17815  
(570) 387-2098
- 00005  
GEISINGER CMC LABORATORY—S  
1800 MULBERRY STREET  
ATTN 68-44  
SCRANTON, PA 18510  
(570) 703-8000
- 00138  
GEISINGER LEWISTOWN HOSPITAL—S  
400 HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 242-7113
- 00173  
GEISINGER MEDICAL CENTER—SB  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-6338
- 00019  
GEISINGER WYOMING VALLEY MED CTR—S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 808-7845
- 00122  
GETTYSBURG HOSPITAL LABORATORY—S  
147 GETTYS STREET  
GETTYSBURG, PA 17325  
(717) 337-4120
- 00299  
GOOD SAMARITAN HOSPITAL—S  
4TH & WALNUT STS PO BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7500
- 00196  
GRAND VIEW HOSPITAL—S  
700 LAWN AVE  
SELLERSVILLE, PA 18960  
(215) 453-4648
- 00061  
GROVE CITY MEDICAL CENTER—S  
631 NORTH BROAD STREET EXT  
GROVE CITY, PA 16127  
(724) 450-7128
- 00024  
GUTHRIE CLINIC LAB AT TROY COMM—S  
275 GUTHRIE LANE  
TROY, PA 16947  
(570) 297-9289
- 00654  
GUTHRIE MEDICAL GROUP LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-4177
- 00023  
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S  
91 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191
- 00239  
HAHNEMANN UNIVERSITY HOSPITAL—S  
230 N BROAD ST, 5TH FLOOR NORTH TOWER  
PHILADELPHIA, PA 19102  
(215) 762-8375
- 00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 316-2150
- 00155  
HARRISBURG HOSPITAL LABORATORY—SB  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 782-3340

00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-2236

00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(484) 425-8150

00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 884-2259

24655  
HEALTH NETWORK LABORATORIES—SB  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

00166  
HEART OF LANCASTER REGIONAL MEDICAL  
CENTER—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5572

00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000

00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 749-7364

00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500

00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2191

00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7167

00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645

00240  
JEANES HOSPITAL—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2248

00038  
JEFFERSON REGIONAL MED CTR—S  
PO BOX 18119, 565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723

00200  
JENNERSVILLE REGIONAL HOSPITAL—S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-6525

00034  
KANE COMMUNITY HOSPITAL—S  
4372 ROUTE 6  
KANE, PA 16735  
(814) 837-4570

01088  
LABCORP OF AMERICA HOLDINGS—SB  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400

22715  
LABONE LLC DBA QUEST DIAGNOSTICS—SB  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 577-1703

00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET, PO BOX 3555  
LANCASTER, PA 17604  
(717) 544-4331

00167  
LANCASTER REGIONAL MED CENTER—S  
250 COLLEGE AVENUE, PO BOX 3434  
LANCASTER, PA 17604  
(717) 291-8022

00010  
LEHIGH VALLEY HOSPITAL—HAZLETON—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4156

00030  
LOCK HAVEN HOSPITAL—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000

00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300

00182  
LVH—SCHUYLKILL E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032

00183  
LVH—SCHUYLKILL S JACKSON ST—S  
420 SOUTH JACKSON STREET  
POTTSVILLE, PA 17901  
(570) 621-5262

00213  
MAIN LINE HEALTH LAB-BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3768

00242  
MAIN LINE HOSPITALS LAB-LANKENAU—S  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521

00199  
MAIN LINE HOSPITALS LAB-PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000

00206  
MAIN LINE HOSPITALS LAB-RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339

29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR—SB  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458

00049  
MEADVILLE MED CTR-LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000

05574  
MEDTOX LABORATORIES INC—SB  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466

00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
YORK, PA 17403  
(717) 849-5371

00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4486

00247  
MERCY HOSPITAL OF PHILADELPHIA—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 748-9170

28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 952-9057

00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021

00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2630

00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD ATTN: LAB  
ELKINS PARK, PA 19027  
(215) 456-6152

00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282

00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-6215

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SB  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900

00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245

29741  
NORTHERN TIER RESEARCH—SB  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 351-6153

30984  
OFFICE OF THE DISTRICT ATTORNEY—B  
37 E HIGH STREET, FORENSIC LAB  
CARLISLE, PA 17013  
(717) 240-6526

00099  
OHIO VALLEY GENERAL HOSPITAL—S  
25 HECKEL RD  
MCKEES ROCKS, PA 15136  
(412) 777-6161

31516  
PAML LLC—SB  
110 W CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8670

00032  
PENN HIGHLANDS ELK—S  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525

00053  
PENN HIGHLANDS-BROOKVILLE—S  
100 HOSPITAL ROAD  
BROOKVILLE, PA 15825  
(814) 849-2312

00258  
PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435

00316  
PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353

22533  
PENNSYLVANIA DEPT OF HEALTH—SB  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00251  
PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREET  
PHILADELPHIA, PA 19107  
(215) 829-3541

00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1000

00157  
PINNACLE HEALTH AT COMMUNITY GENERAL  
HOSP—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340

33480  
PINNACLE HEALTH WEST SHORE HOSPITAL  
LABORATORY—S  
HARRISBURG HOSPITAL LABORATORY  
100 SOUTH SECOND STREET  
HARRISBURG, PA 17101  
(717) 782-3128

00022  
POCONO MEDICAL CENTER LAB—S  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3370

00221  
POTTSTOWN HOSPITAL COMPANY, LLC—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7130

00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820

31399  
QUEST DIAGNOSTICS—SB  
1777 MONTREAL CIRCLE ES/F1 2  
TUCKER, GA 30084  
(770) 936-5007

27461  
QUEST DIAGNOSTICS INC—SB  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4502

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-6900

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—SB  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SB  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7675

00150  
READING HOSPITAL LABORATORY—S  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(484) 628-8615

00336  
REGIONAL HOSPITAL OF SCRANTON—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394

00171  
SACRED HEART HOSPITAL—S  
4TH & CHEW STS ATTN LAB DEPT  
ALLENTOWN, PA 18102  
(610) 776-4727

00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 942-3800

00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558

00328  
SAINT MARY MEDICAL CENTER-PATH LAB—S  
1201 LANGHORNE-NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162

00048  
SAINT VINCENT HEALTH CENTER—S  
232 WEST 25TH STREET  
ERIE, PA 16544  
(814) 452-5383

00064  
SHARON PA HOSPITAL COMPANY LLC—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3914

00039  
SOLDIERS & SAILORS MEM HOSP—S  
32-36 CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0133

00297  
SOMERSET HOSPITAL CENTER FOR HEALTH—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5215

- 00209  
SPRINGFIELD HOSPITAL LABORATORY—S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2232
- 00260  
ST CHRISTOPHERS HOSP FOR CHILDREN—S  
160 EAST ERIE AVENUE  
DEPT OF PATHOLOGY & LAB MEDICINE  
PHILADELPHIA, PA 19134-1095  
(215) 427-3165
- 00151  
ST JOSEPH QUALITY MEDICAL LAB—SB  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200
- 00318  
ST LUKES HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8723
- 00180  
ST LUKE'S HOSPITAL MINERS CAMPUS—S  
360 WEST RUDDLE STREET PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271
- 35019  
ST LUKE'S MONROE CAMPUS LABORATORY—S  
100 ST LUKE'S LANE  
STROUDSBURG, PA 18360  
(484) 514-3606
- 00195  
ST LUKES QUAKERTOWN HOSPITAL—S  
1021 PARK AVENUE  
QUAKERTOWN, PA 18951  
(215) 538-4681
- 32021  
ST LUKES HOSPITAL-ANDERSON LAB—S  
1872 ST LUKE'S BLVD  
EASTON, PA 18045  
(484) 503-1075
- 00219  
SUBURBAN COMMUNITY HOSPITAL—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 278-2075
- 00207  
TAYLOR HOSPITAL LABORATORY—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 447-2232
- 00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4470
- 00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 NORTH BROAD STREET  
DEPT OF PATH & LAB MED-RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560
- 00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143
- 00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 SOUTH 11TH STREET, 204 FOERDERER  
PAVILION  
PHILADELPHIA, PA 19107  
(215) 955-3941
- 00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851
- 00313  
TYLER MEMORIAL HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705
- 00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384
- 00119  
UPMC ALTOONA LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 889-2340
- 00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3506
- 32389  
UPMC EAST PATHOLOGY LABORATORY—S  
2775 MOSSIDE BLVD  
GROUND FLOOR, ROOM 0304  
MONROEVILLE, PA 15146  
(412) 357-3682
- 00046  
UPMC HAMOT—S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-3131
- 00059  
UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100
- 00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500
- 00054  
UPMC JAMESON MEMORIAL HOSPITAL—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4082

00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233

00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7624

00084  
UPMC PASSAVANT—S  
9100 BABCOCK BLVD  
PITTSBURGH, PA 15237  
(412) 367-6700

05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855

00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
LABORATORY  
PITTSBURGH, PA 15215  
(412) 784-4000

00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE GROUND FLOOR WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950

00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860

00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 627-2640

00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3120

00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SB  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVENUE  
PITTSBURGH, PA 15224  
(412) 578-5779

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4896

00037  
WILLIAMSPORT REGIONAL MEDICAL CENTER—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00106  
WINDBER HOSPITAL—S  
600 SOMERSET AVE  
WINDBER, PA 15963  
(814) 467-3430

25064  
WVU HOSPITAL CLINICAL LABS—S  
1 MEDICAL CENTER DR PO BOX 8009  
MORGANTOWN, WV 26506-8009  
(304) 598-4241

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 17-159. Filed for public inspection January 27, 2017, 9:00 a.m.]

**Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as



qualified to perform the types of services which will reflect the presence of controlled substances in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory urine drug analyses, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) may contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S, C, SC indicate the following:

S = approved for screening analyses  
 C = approved for confirmatory analyses  
 SC = approved for screening and confirmatory analyses

00212  
 ABINGTON HOSP JEFFERSON HEALTH—S  
 1200 OLD YORK ROAD  
 ABINGTON, PA 19001  
 (215) 481-2324

00215  
 ABINGTON-LANSDALE HOSP JEFF HLTH—S  
 100 MEDICAL CAMPUS DRIVE  
 LANSDALE, PA 19446  
 (215) 361-4623

34381  
 A C O M DRUG TESTING SERVICES DBA COMPLETE  
 TOX LAB—C  
 24555 SOUTHFIELD ROAD  
 SOUTHFIELD, MI 48075  
 (888) 392-6042

32917  
 ACCURATE DIAGNOSTIC LABS, INC—S  
 3000 HADLEY ROAD  
 SOUTH PLAINFIELD, NJ 07080  
 (732) 839-3300

27908  
 ACM MEDICAL LABORATORY—SC  
 160 ELMGROVE PARK  
 ROCHESTER, NY 14624  
 (716) 429-2264

34830  
 ACUTIS DIAGNOSTICS—SC  
 728 LARKFIELD ROADEAST NORTHPORT, NY 11731  
 (516) 253-2171

33614  
 ADVANCED CLINICAL LABORATORY SOLUTIONS,  
 INC—SC  
 2277-83 CONEY ISLAND AVENUE, SUITE 3B  
 BROOKLYN, NY 11223  
 (718) 998-9899

31193  
 ADVANCED LABORATORY SERVICES, INC—SC  
 501 ELMWOOD AVENUE  
 SHARON HILL, PA 19079  
 (855) 238-4949

33583  
 ADVANCED MEDICAL LABORATORIES INC—SC  
 1690 US HWY 1 SOUTH, SUITE D  
 ST AUGUSTINE, FL 32084  
 (904) 217-4255

34513  
 ADVANCED SPINE & PAIN (DBA RELIEVUS)—SC  
 2 8TH STREET  
 HAMMONTON, NJ 08037  
 (888) 985-2727

34867  
 ADVANTA LABORATORIES—SC  
 10935 CR 159 SUITE 101  
 TYLER, TX 75703  
 (903) 805-9955

34301  
 AEGIS ANALYTICAL LABORATORIES, INC—SC  
 345 HILL AVENUE  
 NASHVILLE, TN 37210  
 (615) 255-2400

31695  
 AEGIS SCIENCES CORPORATION—SC  
 515 GREAT CIRCLE ROAD  
 NASHVILLE, TN 37228  
 (615) 255-2400

33664  
 AEGIS SCIENCES CORPORATION—SC  
 365 GREAT CIRCLE ROAD  
 NASHVILLE, TN 37228  
 (615) 255-2400

35179  
 AFFINICORP LLC—C  
 2307 RIVER ROAD, SUITE 101  
 LOUISVILLE, KY 40206  
 (502) 290-8729

33996  
 AIM LABORATORIES LLC—SC  
 9326 OLIVE BLVD  
 ST LOUIS, MO 63132  
 (314) 743-3749

34209  
 AKRIVIS LABORATORIES LLC—SC  
 1402 S MAGNOLIA ST SUITE H  
 HAMMOND, LA 70403  
 (888) 414-2832

00233  
 ALBERT EINSTEIN MEDICAL CENTER—S  
 5501 OLD YORK RD-LABS-TOWER BLDG GROUND  
 FL  
 PHILADELPHIA, PA 19141-3001  
 (215) 456-6102

24496  
 ALERE TOXICOLOGY SERVICES—SC  
 450 SOUTHLAKE BOULEVARD  
 RICHMOND, VA 23236  
 (804) 378-9130

26008  
 ALERE TOXICOLOGY SERVICES INC—SC  
 1111 NEWTON STREET  
 GRETNA, LA 70053  
 (504) 361-8989

31752  
 ALERE TOXICOLOGY SERVICES, INC—SC  
 9417 BRODIE LANE  
 AUSTIN, TX 78748  
 (512) 610-9955

00671  
 ALLEGHENY COUNTY MED EX DIV OF LAB—SC  
 1520 PENN AVENUE, 2ND FLOOR  
 PITTSBURGH, PA 15222  
 (412) 350-4425

28233  
 ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
 320 E NORTH AVENUE  
 PITTSBURGH, PA 15212  
 (412) 359-6886

00077  
 ALLEGHENY GENERAL HOSPITAL LAB—S  
 1307 FEDERAL STREET  
 PITTSBURGH, PA 15212  
 (412) 359-6886

00100  
 ALLEGHENY VALLEY HOSPITAL LAB—S  
 1301 CARLISLE STREET  
 NATRONA HEIGHTS, PA 15065  
 (724) 224-5100

34263  
 ALLY CLINICAL DIAGNOSTICS, INC —SC  
 2099 VALLEY VIEW DRIVE # 180  
 FARMERS BRANCH, TX 75234  
 (844) 277-7777

34917  
 ALTIUS DIAGNOSTICS LABORATORY—SC  
 12100 NORTHUP WAY, SUITE A  
 BELLEVUE, WA 98005  
 (425) 341-4818

34874  
 AMERATHON LLC, DBA AHA—S  
 26300 EUCLID AVENUE SUITE 910  
 CLEVELAND, OH 44132  
 (216) 472-2318

33871  
 AMERICAN CLINICAL SOLUTIONS, LLC—C  
 721 CORTARO DR  
 SUN CITY CENTER, FL 33573  
 (813) 634-4529

31871  
 AMERICAN FORENSIC TOXICOLOGY SERVICES—SC  
 789 PARK AVENUE  
 HUNTINGTON, NY 11743  
 (631) 923-0166

30483  
 AMERICAN INSTITUTE OF TOXICOLOGY INC  
 (DBA AIT LABS)—SC  
 2265 EXECUTIVE DRIVE  
 INDIANAPOLIS, IN 46241  
 (317) 243-3894

34710  
 AMERICAN INSTITUTE OF TOXICOLOGY, INC  
 (DBA AIT LABORATORIES)—SC  
 1500 INTERSTATE 35W  
 DENTON, TX 76207  
 (940) 435-0242

31814  
 AMERITOX, LTD—SC  
 486 GALLIMORE DAIRY ROAD  
 GREENSBORO, NC 27409  
 (336) 387-7600

26620  
 AMMON ANALYTICAL LABORATORY—S  
 1622 SOUTH WOOD AVENUE  
 LINDEN, NJ 07036  
 (908) 862-4404

34650  
 APEX LABS, INC—SC  
 6015 BENJAMIN ROAD SUITE 315  
 TAMPA, FL 33634  
 (813) 385-7784

00192  
 ARIA HEALTH—S  
 380 NORTH OXFORD VALLEY ROAD  
 LANGHORNE, PA 19047-8304  
 (215) 934-5227

00236  
 ARIA HEALTH—S  
 FRANKFORD AVE & WAKELING STREET  
 PHILADELPHIA, PA 19124  
 (215) 831-2068

00341  
 ARIA HEALTH—S  
 10800 KNIGHTS ROAD  
 PHILADELPHIA, PA 19114  
 (215) 612-2648

- 21861  
ARNOT-OGDEN MEMORIAL HOSPITAL—S  
600 ROE AVENUE  
ELMIRA, NY 14905  
(607) 737-4478
- 33097  
ART OF PAIN MANAGEMENT—S  
3300 GRANT AVE  
PHILADELPHIA, PA 19114  
(610) 352-1710
- 26137  
ARTHRITIS & OSTEOPOROSIS CTR INC—S  
2760 CENTURY BOULEVARD  
WYOMISSING, PA 19610  
(610) 375-4251
- 21613  
ARUP LABORATORIES INC—SC  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787
- 00047  
ASSOCIATED CLINICAL LABORATORIES—S  
PATHOLOGY ASSOCIATES OF ERIE, INC  
1526 PEACH STREET  
ERIE, PA 16501  
(814) 461-2400
- 33789  
ASSURANCE TOXICOLOGY SERVICES INC—SC  
933 E NAKOMA DRIVE  
SAN ANTONIO, TX 78216  
(210) 267-5565
- 33964  
ASSURED TOXICOLOGY—C  
4201 VINELAND ROAD SUITE 1-12  
ORLANDO, FL 32811  
(855) 341-4080
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC  
3520 PROGRESS DRIVE UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 33692  
AUSPICIOUS LABORATORY INC—SC  
7400 HARWIN DR SUITE # 258  
HOUSTON, TX 77036  
(713) 266-0808
- 33067  
AVERTEST—S  
4709 LAGUARDIA DRIVE  
BERKELEY, MO 63134  
(314) 640-0546
- 34826  
AXIS DIAGNOSTICS, INC—SC  
1077 CENTRAL PARKWAY SOUTH, SUITE 200  
SAN ANTONIO, TX 78232  
(210) 375-3231
- 00320  
BARNES KASSON HOSPITAL LAB—S  
2872 TURNPIKE STREET  
SUSQUEHANNA, PA 18847  
(570) 853-5059
- 00001  
BERWICK HOSPITAL LABORATORY—S  
701 EAST 16TH STREET  
BERWICK, PA 18603  
(570) 759-5110
- 33959  
BEST CARE LABORATORY LLC—S  
14 APPLGATE DRIVE, SUITE BROBBINSVILLE, NJ  
08691  
(973) 949-3963
- 00301  
BHS LABORATORY—S  
ONE HOSPITAL WAY (911 E BRADY STREET)  
BUTLER, PA 16001  
(724) 284-4513
- 34865  
BIOCONFIRM LABORATORIES, LLC—SC  
6755 PEACHTREE INDUSTRIAL BLVD SUITE 150  
DORAVILLE, GA 30360  
(770) 449-4191
- 34189  
BIODIAGNOSTIC LABS—S  
2380 E 22 STREET  
BROOKLYN, NY 11229  
(718) 646-6000
- 27615  
BIOLOGICAL SPECIALTY CORPORATION—S  
2165 NORTH LINE STREET  
COLMAR, PA 18915  
(215) 997-8771
- 27616  
BIOLOGICAL SPECIALTY CORPORATION—S  
1236 VETERANS HIGHWAY # 851  
BRISTOL, PA 19007  
(215) 245-9855
- 27617  
BIOLOGICAL SPECIALTY CORPORATION—S  
22 SOUTH 4TH STREET  
READING, PA 19602  
(610) 375-9862
- 22757  
BIOREFERENCE LABORATORIES INC—SC  
481 EDWARD H ROSS DRIVE  
ELMWOOD PARK, NJ 07407  
(201) 791-3600
- 00152  
BLUE MOUNTAIN HOSPITAL—S  
211 NORTH 12TH STREET  
LEHIGHTON, PA 18235  
(610) 377-7083
- 00033  
BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247
- 00296  
BRANDYWINE HOSPITAL—S  
201 REECEVILLE ROAD  
COATESVILLE, PA 19320  
(610) 383-8000
- 00472  
BROOKSIDE CLINICAL LAB INC—S  
2901 W DUTTONS MILLS ROAD, SUITE 100  
ASTON, PA 19014  
(610) 872-6466
- 32486  
BURLINGTON LABORATORIES, LLC—SC  
199 MAIN STREET  
COURTHOUSE PLAZA  
BURLINGTON, VT 05401  
(802) 863-4105

- 00107  
CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916
- 34470  
CAPITAL DIAGNOSTICS LLC—SC  
14201 PARK CENTER DRIVE SUITE 407  
LAUREL, MD 20707  
(703) 424-5604
- 00131  
CARLISLE REGIONAL MEDICAL CENTER—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 249-1212
- 34424  
CASTLE MEDICAL, LLC—SC  
5700 HIGHLANDS PARKWAY STE 100  
SMYRNA, GA 30082  
(678) 486-7340
- 00751  
CEDAR CREST EMERGICENTER—S  
1101 SOUTH CEDAR CREST BOULEVARD  
ALLENTOWN, PA 18103  
(610) 435-3111
- 34075  
CENTRAL TOX LLC—SC  
525 ROUND ROCK WEST DRIVE STE B200  
ROUND ROCK, TX 78681  
(512) 382-9710
- 00132  
CHAMBERSBURG HOSPITAL DEPT OF  
PATHOLOGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7973
- 00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510
- 34920  
CHESAPEAKE TOXICOLOGY RESOURCES—SC  
8415 PROGRESS DRIVE, SUITE V  
FREDERICK, MD 21701  
(240) 397-7060
- 00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182
- 00227  
CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 248-8113
- 00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446
- 34272  
CHOICE LABORATORY SERVICES, LLC—SC  
7920 BELTLINE ROAD SUITE 200  
DALLAS, TX 75254  
(972) 386-6653
- 00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 226-1399
- 34259  
CLEANSLATE CENTERS—SC  
59 BOBALA ROAD  
HOLYOKE, MA 01040  
(413) 584-2173
- 00026  
CLEARFIELD HOSPITAL LABORATORY—S  
809 TURNPIKE AVENUE PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280
- 34793  
CLIFFSIDE LABS—S  
579 BERGEN BLVD  
RIDGEFIELD, NJ 07657  
(201) 945-3467
- 27845  
CLINICAL REFERENCE LABORATORY—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 693-5481
- 33142  
CLINICAL REFERENCE LABORATORY, INC—SC  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652
- 24916  
CLINICAL SCIENCE LABORATORY INC—SC  
51 FRANCIS AVENUE  
MANSFIELD, MA 02048  
(508) 339-6106
- 34657  
COASTAL LABORATORY LLC—SC  
1509 PROSPERITY FARMS ROAD SUITE 101  
WEST PALM BEACH, FL 33403  
(561) 929-9928
- 33463  
COMPANION DX REFERENCE LAB—SC  
10301 STELLA LINK ROAD, SUITE C  
HOUSTON, TX 77025-5547  
(832) 701-0426
- 34980  
COMPLETE BIO SOLUTIONS—SC  
2546 W 6 AVE  
HIALEAH, FL 33010  
(305) 882-1051
- 31556  
COMPREHENSIVE PAIN CENTER ALLENTOWN—SC  
4825 W TILGHMAN STREET  
ALLENTOWN, PA 18104  
(610) 366-9000
- 32741  
COMPREHENSIVE PAIN MANGEMENT AND  
SPECIALISTS, LLC—S  
414 R DRINKER STREET  
DUNMORE, PA 18512  
(570) 270-5700

00125  
CONEMAUGH MEM MED CTR—MAIN LAB—S  
LABORATORY DEPT 1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-9787

00128  
CONEMAUGH MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200

33431  
CONFIRMATRIX LABORATORY, INC—C  
1770 CEDARS ROAD, SUITE 200  
LAWRENCEVILLE, GA 30045  
(678) 407-9818

27246CORDANT FORENSIC SOLUTIONS—SC  
1760 EAST ROUTE 66, SUITE 1  
FLAGSTAFF, AZ 86004  
(928) 526-1011

29015  
CORDANT HEALTH SOLUTIONS—SC  
2617 EAST L STREET # A  
TACOMA, WA 98421-2205  
(253) 552-1551

00326  
CORRY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORRY, PA 16407  
(814) 664-4641

34732  
CRESTAR LABS, LLC—SC  
2001 CAMPBELL STATION PARKWAY, SUITE C-2  
SPRING HILL, TN 37174  
(615) 302-8411

00201  
CROZER CHESTER MEDICAL CENTER-LAB—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2232

34165  
D2 HEALTH MANAGEMENT LLC—S  
2005 PAN AM CIRCLE SUITE 100  
TAMPA, FL 33607  
(855) 687-5870

00204  
DELAWARE COUNTY MEMORIAL HOSP-LAB—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 447-2232

00266  
DEPT OF PATHOLOGY & LAB MED-HUP—SC  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423

32240  
DOMINION DIAGNOSTICS, LLC—SC  
211 CIRCUIT DRIVE  
NORTH KINGSTOWN, RI 02852  
(877) 734-9600

00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250

00977  
DRUGSCAN INC—SC  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(215) 674-9310

00175  
EASTON HOSPITAL LABORATORY—S  
250 SOUTH 21ST STREET  
EASTON, PA 18042  
(610) 250-4819

00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000

34447  
ELEMENT 7 LABS LLC—SC  
3189-D AIRWAY AVE  
COSTA MESA, CA 92614  
(714) 540-1236

34056  
ELITE DIAGNOSTICS, LLC—SC  
10996 FOUR SEASONS PLACE, 100A  
CROWN POINT, IN 46307  
(888) 339-7339

33703  
ELITE LABS, LLC—S  
2769 E ATLANTIC BLVD  
POMPANO BEACH, FL 33062  
(954) 933-2317

34186  
ELITE LABS, LLC—C  
555 HERITAGE DR  
JUPITER, FL 33458  
(561) 508-3101

00332  
ELLWOOD CITY HOSPITAL—S  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-6710

34625  
EM1 LABS—SC  
3115 NW 10TH TERRACE, SUITE 108  
FORT LAUDERDALE, FL 33309  
(855) 388-4870

31625  
EMPIRE CITY LABORATORIES—S  
229 49TH STREET  
BROOKLYN, NY 11220  
(718) 788-3840

00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
100 HOSPITAL DRIVE  
MONTROSE, PA 18801  
(570) 278-3801

00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE PO BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311

33989  
EPIC REFERENCE LABS, INC—SC  
7960 CENTRAL INDUSTRIAL DRIVE—SUITE 120  
RIVIERA BEACH, FL 33404  
(561) 249-4272

33899  
 ESSENTIAL TESTING LLC—SC  
 1616 EASTPORT PLAZA DRIVE  
 COLLINSVILLE, IL 62234  
 (618) 623-0623

00181  
 EVANGELICAL COMMUNITY HOSPITAL—S  
 1 HOSPITAL DRIVE  
 LEWISBURG, PA 17837  
 (570) 522-2510

32030  
 EXCEL MEDICAL LAB INC—S  
 DBA EVEREST MEDICAL LABORATORY  
 99-107 GLENDALE AVE  
 EDISON, NJ 08817  
 (732) 777-9222

00114  
 EXCELA HEALTH LATROBE HOSPITAL—S  
 ONE MELLON WAY  
 LATROBE, PA 15650  
 (724) 850-3121

35156  
 EXCELLENT LABORATORY DBS SELECTA  
 LABORATORIES—SC  
 7290 SW 42ND STREET  
 MIAMI, FL 33155  
 (888) 747-7994

33432  
 EXCELTOX LABORATORIES, LLC—SC  
 9805 RESEARCH DRIVE  
 IRVINE, CA 92618  
 (877) 202-7019

33902  
 FIRST CHOICE LABORATORY, LLC—SC  
 6061 NE 14TH AVE  
 FORT LAUDERDALE, FL 33334  
 (954) 800-1000

00085  
 FORBES HOSPITAL—S  
 2570 HAYMAKER ROAD  
 MONROEVILLE, PA 15146  
 (412) 858-2567

32166  
 FORENSIC FLUIDS LABORATORIES, INC—SC  
 225 PARSONS STREET  
 KALAMAZOO, MI 49007  
 (269) 492-7700

32497  
 FOX CHASE PAIN MANAGEMENT ASSOCIATES—S  
 4979 OLD STREET ROAD, SUITE B  
 TREVISE, PA 19053  
 (267) 288-5601

31400  
 FRANCES WARDE MEDICAL LABORATORY—SC  
 300 WEST TEXTILE ROAD  
 ANN ARBOR, MI 48108  
 (734) 214-0300

00115  
 FRICK HOSPITAL—S  
 508 SOUTH CHURCH STREET  
 MOUNT PLEASANT, PA 15666  
 (724) 547-1500

09163  
 FRIENDS MEDICAL LAB INC—SC  
 5820 SOUTHWESTERN BLVD  
 BALTIMORE, MD 21227  
 (412) 247-4417

00330  
 FULTON COUNTY MEDICAL CENTER—S  
 214 PEACH ORCHARD ROAD  
 MCCONNELLSBURG, PA 17233  
 (717) 485-6102

30188  
 GARCIA CLINICAL LABORATORY INC—S  
 2195 SPRING ARBOR ROAD  
 JACKSON, MI 49201  
 (517) 787-9200

00002  
 GEISINGER-BLOOMSBURG HOSPITAL  
 LABORATORY—S  
 549 E FAIR STREET  
 BLOOMSBURG, PA 17815  
 (570) 387-2098

00005  
 GEISINGER—CMC LABORATORY—S  
 1800 MULBERRY STREET  
 ATTN 68-44  
 SCRANTON, PA 18510  
 (570) 703-8000

00138  
 GEISINGER-LEWISTOWN HOSPITAL—S  
 400 HIGHLAND AVENUE  
 LEWISTOWN, PA 17044  
 (717) 242-7113

00173  
 GEISINGER MEDICAL CENTER—SC  
 100 N ACADEMY AVENUE  
 DANVILLE, PA 17822-0131  
 (570) 271-6338

00185  
 GEISINGER-SHAMOKIN AREA COMMUNITY  
 HOSPITAL—S  
 4200 HOSPITAL ROAD  
 COAL TOWNSHIP, PA 17866-9697  
 (570) 644-4281

00019  
 GEISINGER WYOMING VALLEY MED CTR—S  
 1000 E MOUNTAIN DRIVE  
 WILKES-BARRE, PA 18711  
 (570) 808-7845

35154  
 GENE TOX WORLDWIDE, LLC DBA SCIENTIA  
 DIAGNOSTIC LLC—C  
 136 RIDGE ROAD, SUITE 1A  
 LYNDHURST, NJ 07071  
 (201) 844-9160

31111  
 GENESIS DIAGNOSTICS—SC  
 900 TOWN CENTER DRIVE SUITE H-50  
 LANGHORNE, PA 19047  
 (267) 212-2000

31585  
 GENESIS LABORATORY MANAGEMENT—S  
 1912 HIGHWAY 35 SOUTH, SUITE 203  
 OAKHURST, NJ 07755  
 (732) 389-1530

35160  
GENESIS REFERENCE LABORATORY, LLC—SC  
7924 FOREST CITY ROAD, SUITE 210  
ORLANDO, FL 32810  
(407) 232-7130

34333  
GENOTOX LABORATORIES, LTD—SC  
2170 WOODWARD STREET SUITE 100  
AUSTIN, TX 78745  
(512) 600-6601

00299  
GOOD SAMARITAN HOSPITAL—S  
4TH & WALNUT STS PO BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7500

32790  
GREATER PHILADELPHIA SPINE AND PAIN, PC—S  
700 E TOWNSHIP LINE ROAD  
HAVERTOWN, PA 19083  
(484) 458-1000

00654  
GUTHRIE MEDICAL GROUP LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-4177

00023  
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S  
91 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191

00239  
HAHNEMANN UNIVERSITY HOSPITAL—S  
230 N BROAD ST, 5TH FLOOR NORTH TOWER  
PHILADELPHIA, PA 19102  
(215) 762-8375

00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 316-2150

00155  
HARRISBURG HOSPITAL LABORATORY—S  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 782-3340

26799  
HEALTH AND WELLNESS CENTER-HAZLETON—S  
50 MOISEY DRIVE SUITE 208  
HAZLETON, PA 18202  
(570) 501-6805

00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-2236

00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(484) 425-8150

00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 884-2259

24655  
HEALTH NETWORK LABORATORIES—SC  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

00166  
HEART OF LANCASTER REGIONAL MEDICAL  
CENTER—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5572

00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000

00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 749-7364

00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500

00216  
HOLY REDEEMER HOSPITAL—S  
1648 HUNTINGDON PIKE  
MEADOWBROOK, PA 19046  
(215) 938-3703

00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2191

35128  
IMPACT Q TESTING—SC  
2234 W ATLANTIC AVE  
DELRAY BEACH, FL 33445  
(305) 528-5659

00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7160

34296  
INDUSTRY LAB DIAGNOSTIC PARTNERS—SC  
8122 SAWYER BROWN ROAD SUITE 210  
NASHVILLE, TN 37205  
(615) 630-7799

34295  
INFINITI LABS INC—SC  
6015 BENJAMIN ROAD SUITE 315  
TAMPA, FL 33634  
(813) 886-2616

33708  
INFINITY DIAGNOSTIC LABORATORIES—S  
370 NORTH STREET  
TETERBORO, NJ 07608  
(201) 843-7750

33367  
 INNOVATIVE LABORATORY SERVICES INC—C  
 8419 SHARON MERCER ROAD  
 MERCER, PA 16137  
 (724) 269-7130

33607  
 INSIGHT DIAGNOSTICS, LLC—SC  
 357 RIVERSIDE DR SUITE 1004  
 FRANKLIN, TN 37064  
 (615) 465-6529

33604  
 INTEGRALABS, INC—SC  
 7020 KIT CREEK ROAD SUITE 240  
 RESEARCH TRIANGLE PARK, NC 27709  
 (919) 313-9671

33792  
 INTERNATIONAL TECHNOLOGIES, LLC-DBA NJ REF  
 LABS—S  
 71 FRANKLIN TURNPIKE, SUITE 1-3  
 WALDWICK, NJ 07463  
 (201) 857-3914

34898  
 ISPM LABS LLC DBA CAPSTONE DIAGNOSTICS  
 LLC—SC  
 6255 BARFIELD ROAD # 155  
 ATLANTA, GA 30328  
 (678) 515-4524

00135  
 J C BLAIR MEMORIAL HOSPITAL—S  
 1225 WARM SPRINGS AVENUE  
 HUNTINGDON, PA 16652  
 (814) 643-8645

00240  
 JEANES HOSPITAL—S  
 7600 CENTRAL AVE  
 PHILADELPHIA, PA 19111  
 (215) 728-2248

00038  
 JEFFERSON REGIONAL MED CTR—S  
 PO BOX 18119, 565 COAL VALLEY ROAD  
 PITTSBURGH, PA 15236  
 (412) 469-5723

00200  
 JENNERSVILLE REGIONAL HOSPITAL—S  
 1015 WEST BALTIMORE PIKE  
 WEST GROVE, PA 19390  
 (610) 869-6525

00312  
 JERSEY SHORE HOSPITAL—S  
 1020 THOMPSON STREET  
 JERSEY SHORE, PA 17740  
 (570) 398-0100

30915  
 JOSHUASON LTD—S  
 3212 WILMINGTON ROAD SUITE 20  
 NEW CASTLE, PA 16105  
 (724) 598-2280

34192  
 KEYSTONE LABORATORIES, INC—SC  
 3 MCDOWELL STREET  
 ASHEVILLE, NC 28801  
 (828) 255-0307

21306  
 LAB CORP OCCUPATIONAL TEST SRVCS—SC  
 1120 STATELINE ROAD WEST  
 SOUTHAVEN, MS 38671  
 (886) 827-8042

34228  
 LAB SOLUTIONS—SC  
 1451 NORTHSIDE DRIVE NW  
 ATLANTA, GA 30318  
 (404) 228-5027

20512  
 LABCORP OCCUPATIONAL TESTING SER—SC  
 1904 ALEXANDER DRIVE PO BOX 12652  
 RESEARCH TRIANGLE PARK, NC 27709  
 (919) 572-6900

01088  
 LABCORP OF AMERICA HOLDINGS—SC  
 69 FIRST AVENUE PO BOX 500  
 RARITAN, NJ 08869  
 (908) 526-2400

22715  
 LABONE LLC DBA QUEST DIAGNOSTICS—SC  
 10101 RENNER BOULEVARD  
 LENEXA, KS 66219-9752  
 (913) 577-1703

33869  
 LABORATORY SERVICES, LLC—SC  
 108 NW 4TH STREET  
 BOCA RATON, FL 33432  
 (561) 367-3625

35032  
 LABPRO, INC—SC  
 7444 W WILSON AVE  
 HARWOOD HEIGHTS, IL 60706  
 (630) 427-8844

33995  
 LABSOURCE, LLC—SC  
 25 AIRPARK COURT  
 GREENVILLE, SC 29607  
 (864) 312-6930

34646  
 LABTEST LLC—SC  
 5000 CEDAR PLAZA PKWY # 200  
 ST LOUIS, MO 63128  
 (888) 977-8862

34302  
 LAB USA, INC—S  
 108R MERRIMACK STREET  
 HAVERHILL, MA 01830  
 (978) 556-0533

00165  
 LANCASTER GENERAL HOSPITAL—S  
 555 N DUKE STREET, PO BOX 3555  
 LANCASTER, PA 17604  
 (717) 544-4331

00167  
 LANCASTER REGIONAL MED CENTER—S  
 250 COLLEGE AVENUE, PO BOX 3434  
 LANCASTER, PA 17604  
 (717) 291-8022

34525  
 LCMS SOLUTIONS, INC—C  
 7301 GIRARD AVENUE, SUITE 100  
 LA JOLLA, CA 92037  
 (858) 456-2900



- 32311  
LEBANON PAIN RELIEF—S  
918 RUSSELL DRIVE  
LEBANON, PA 17042  
(717) 272-7272
- 00010  
LEHIGH VALLEY HOSPITAL-HAZLETON—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4156
- 33702  
LEHIGH VALLEY TOXICOLOGY, LLC—SC  
3864 COURTNEY STREET, SUITE 150  
BETHLEHEM, PA 18017  
(610) 847-8766
- 34187  
LENCO DIAGNOSTIC LABORATORIES INC—SC  
1857 86TH STREET  
BROOKLYN, NY 11214  
(718) 232-1515
- 34254  
LIFEBRITE LABORATORIES, LLC—SC  
9 CORPORATE BLVD NE SUITE 150  
ATLANTA, GA 30329  
(678) 433-0606
- 32630  
LIGHTHOUSE MEDICAL, LLC—SC  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(814) 943-1272
- 34942  
LIQUIDX LABORATORY LLC—C  
1403 WEST OAK STREET  
STOCKTON, CA 95203  
(209) 323-4126
- 26897  
LIVENGRIN FOUNDATION—S  
4833 HULMEVILLE ROAD  
BENSALEM, PA 19020  
(215) 638-5200
- 00030  
LOCK HAVEN HOSPITAL—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000
- 33889  
LOGAN LABORATORIES, LLC—SC  
5050 W LEMON STREET  
TAMPA, FL 33609  
(813) 316-4824
- 00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300
- 00182  
LVH—SCHUYLKILL E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032
- 00183  
LVH-SCHUYLKILL S JACKSON ST—S  
420 SOUTH JACKSON STREET  
POTTSVILLE, PA 17901  
(570) 621-5262
- 00213  
MAIN LINE HEALTH LAB-BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3768
- 00242  
MAIN LINE HOSPITALS LAB-LANKENAU—S  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521
- 00199  
MAIN LINE HOSPITALS LAB-PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000
- 00206  
MAIN LINE HOSPITALS LAB-RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339
- 34661  
MAIN LINE SPINE—S  
700 S HENDERSON ROAD SUITE 308C  
KING OF PRUSSIA, PA 19406  
(610) 337-3111
- 34437  
MAP HEALTH MANAGEMENT LLC—SC  
14121 W HWY 290, SUITE C1  
AUSTIN, TX 78737  
(512) 266-1033
- 29685  
MAYO CLINIC LABS-ROCH SUPERIOR DRSC  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458
- 33620  
MCKEESPORT DRUG SCREENING LAB—S  
339 FIFTH AVENUE, WANDER BLDG  
MCKEESPORT, PA 15132  
(412) 664-8871
- 33842  
MD SPINE SOLUTIONS LLC, DBA MD LABS—SC  
10715 DOUBLE R BLVD, SUITE 102  
RENO, NV 89521  
(775) 391-5221
- 00049  
MEADVILLE MED CTR-LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000
- 34940  
MEDCOMP SCIENCES, LLC—SC  
20203 MCHOST ROAD  
ZACHARY, LA 70791  
(225) 570-8486
- 32471  
MEDICAL LABORATORY DIAGNOSTICS, INC—SC  
DBA MEDLABS DIAGNOSTICS, INC  
85 HORSE HILL ROAD  
CEDAR KNOLLS, NJ 07927  
(973) 731-2900

05574  
MEDTOX LABORATORIES INC—SC  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466

00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
YORK, PA 17403  
(717) 849-5371

00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4486

00247  
MERCY HOSPITAL OF PHILADELPHIA—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 748-9170

28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 952-9057

31050  
MILLENIUUM HEALTH, LLC—SC  
16981 VIA TAZON, BUILDING 1  
SAN DIEGO, CA 92127  
(858) 451-3535

28907  
MIRMONT TREATMENT CENTER—S  
100 YEARSLEY MILL ROAD  
LIMA, PA 19063  
(484) 227-1472

34564  
MOLECULAR TESTING LABS—SC  
14401 SE 1ST STREET  
VANCOUVER, WA 98684  
(360) 693-8850

34106  
MONMOUTH BEHAVIORAL DIAGNOSTICS LLC—SC  
3 CORBETT WAY  
EATONTOWN, NJ 07724  
(888) 687-6977

00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021

34738  
MORGENSTEIN DEFALCIS REHABILITATION  
INSTITUTE—S  
4811 JONESTOWN ROAD, SUITE 123  
HARRISBURG, PA 17109  
(717) 651-5800

00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2630

00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD ATTN: LAB  
ELKINS PARK, PA 19027  
(215) 456-6152

00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282

31800  
MY LAB CHOICE, INC—S  
391 EAST BROWN STREET, LOWER LEVEL  
EAST STROUDSBURG, PA 18301  
(570) 730-4411

34429  
MY LAB CHOICE, INC—C  
364 N COURTLAND STREET, 1ST FLOOR  
EAST STROUDSBURG, PA 18301  
(610) 730-4411

00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-6215

34274  
NASPAC1, LLC—SC  
404 CREEK CROSSING BLVD  
HAINSPORT, NJ 08036  
(609) 845-3988

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SC  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900

33988  
NATIONWIDE LABORATORY SERVICES—SC  
4805 NW 2ND AVENUE BOCA RATON, FL 33431  
(888) 377-3522

00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245

29741  
NORTHERN TIER RESEARCH—SC  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 351-6153

34064  
NORTHWEST PHYSICIANS LABORATORIES—SC  
2840 NORTHUP WAY, STE 100  
BELLEVUE, WA 98004  
(425) 502-5096

00099  
OHIO VALLEY GENERAL HOSPITAL—S  
25 HECKEL RD  
MCKEES ROCKS, PA 15136  
(412) 777-6161

35045  
ORACLE REFERENCE LABS, INC—C  
11350 SW VILLAGE PKWY SUITE 326  
PORT ST LUCIE, FL 34987  
(561) 365-0831

- 33980  
ORBIT LABS, LLC—S  
5407 N HAVERHILL ROAD # 335  
WEST PALM BEACH, FL 33407  
(866) 863-1881
- 23801  
PACIFIC TOXICOLOGY LABORATORIES—SC  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110
- 34837  
PAIN AND SPINE SPECIALISTS OF MARYLAND—S  
2702 BACK ACRE CIR  
MOUNT AIRY, MD 21771  
(301) 703-8767
- 29507  
PAIN MED PC—S  
438 PELLIS ROAD  
GREENSBURG, PA 15601  
(412) 782-1500
- 33938  
PAIN MEDICINE OF YORK LLC—S  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(717) 848-3979
- 34007  
PAIN SPECIALISTS OF GREATER LEHIGH VALLEY,  
PC—S  
1259 SOUTH CEDAR CREST BOULEVARD, SUITE 317  
ALLENTOWN, PA 18103  
(610) 402-9220
- 34823  
PAIN, SPINE, AESTHETIC & WELLNESS CENTER—S  
3055 INNOVATION WAY  
HERMITAGE, PA 16148  
(724) 308-7401
- 00334  
PALMERTON HOSPITAL—S  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-1100
- 31516  
PAML LLC—SC  
110 W. CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8670
- 00250  
PARKWAY CLINICAL LABORATORIES—SC  
3494 PROGRESS DRIVE, SUITE D  
BENSALEM, PA 19020  
(215) 245-5112
- 33054  
PATHOLOGY LABORATORIES, INC—S  
1946 NORTH 13TH STREET  
TOLEDO, OH 43604  
(419) 255-4600
- 35062  
PATIENTS CHOICE OF INDIANA, LLC—C  
7026 CORPORATE DRIVE  
INDIANAPOLIS, IN 46278  
(317) 299-5227
- 33194  
PEACHSTATE HEALTH MANAGEMENT—C  
2225 CENTENNIAL DRIVE  
GAINESVILLE, GA 30504  
(678) 276-8412
- 00032  
PENN HIGHLANDS ELK—S  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525
- 00258  
PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435
- 00316  
PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353
- 22533  
PENNSYLVANIA DEPT OF HEALTH—SC  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464
- 00251  
PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREET  
PHILADELPHIA, PA 19107  
(215) 829-3541
- 31082  
PHAMATECH INC—SC  
10151 BARNES CANYON ROAD  
SAN DIEGO, CA 92121  
(858) 643-5555
- 32887  
PHOENIX TOXICOLOGY & LAB SERVICES—C  
2320 W PEORIA AVE SUITE D-132  
PHOENIX, AZ 85029  
(602) 678-5400
- 00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1000
- 00157  
PINNACLE HEALTH AT COMMUNITY GENERAL  
HOSP—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340
- 33480  
PINNACLE HEALTH WEST SHORE HOSP  
LABORATORY—S  
HARRISBURG HOSPITAL LABORATORY  
100 SOUTH SECOND STREET  
HARRISBURG, PA 17101  
(717) 782-3128
- 33621  
PITTSBURGH DRUG SCREENING LAB—S  
440 ROSS STREET, SUITE 1003  
PITTSBURGH, PA 15219  
(412) 350-5808
- 00022  
POCONO MEDICAL CENTER LAB—S  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3370

33950  
POSITIVE RECOVERY SOLUTIONS, LLC—S  
378 WEST CHESTNUT, SUITE 103  
WASHINGTON, PA 15301  
(412) 207-8874

00221  
POTTSTOWN HOSPITAL COMPANY, LLC—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7130

34751  
PRECISION LABS LLC—C  
8150 SR 42, SUITE B  
PLAIN CITY, OH 43064  
(614) 504-6470

33487  
PRECISION TOXICOLOGY, LLC—SC  
4215 SORRENTO VALLEY BLVD  
SAN DIEGO, CA 92121  
(800) 635-6901

34191  
PREMIER BIOTECH LABS, LLC—SC  
7516 80TH ST SOUTH SUITE 201  
COTTAGE GROVE, MN 55016  
(855) 718-6917

35108  
PREMIER MEDICAL LABORATORY SERVICES—SC  
6000A PELHAM ROAD  
GREENVILLE, SC 29615  
(864) 862-0517

33940  
PRESCIENT MEDICINE HOLDINGS, LLC—S  
1214 RESEARCH BOULEVARD  
HUMMELSTOWN, PA 17036  
(717) 585-3879

34030  
PRINCIPLE LABS, LLC—SC  
2550 BROADHEAD ROAD, SUITE 105  
BETHLEHEM, PA 18020-8922  
(484) 353-6661

21648  
PSYCHEMEDICS CORPORATION—SC  
5832 UPLANDER WAY  
CULVER CITY, CA 90230  
(800) 522-7424

00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820

32205  
QDX PATHALLIANCE, PC—S  
70 JACKSON DRIVE UNIT H3  
CRANFORD, NJ 07016  
(866) 909-7284

34652  
QUALITOX LABORATORIES, LLC—SC  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(412) 326-8570

34644  
QUALITY LABORATORY SERVICES—SC  
1523 VOORHIES AVENUE, SUITE/FLOOR 2  
BROOKLYN, NY 11235  
(718) 646-5100

31399  
QUEST DIAGNOSTICS—SC  
1777 MONTREAL CIRCLE ES/F1 2  
TUCKER, GA 30084  
(770) 936-5007

00315  
QUEST DIAGNOSTICS CLINICAL LABS INC—SC  
900 BUSINESS CENTER DRIVE  
HORSHAM, PA 19044  
(215) 957-9300

27461  
QUEST DIAGNOSTICS INC—SC  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4502

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-6900

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—SC  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SC  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7675

24249  
QUINTILES LABORATORIES LTD—S  
1600 TERRELL MILL ROAD SUITE 100  
MARIETTA, GA 30067  
(770) 373-3500

34188  
RADEAS LLC—SC  
11635 NORTH PARK DR SUITE 340  
WAKE FOREST, NC 27587  
(919) 435-6669

00150  
READING HOSPITAL LABORATORY—S  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(484) 628-8615

34074  
REALTOX LABS LLC—SC  
200 BUSINESS CENTER DRIVE  
REISTERTOWN, MD 21136  
(410) 833-3025

25348  
REDWOOD TOXICOLOGY LABORATORY—SC  
3650 WESTWIND BOULEVARD  
SANTA ROSA, CA 95403  
(707) 577-7958

00336  
REGIONAL HOSPITAL OF SCRANTON—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

34374  
 RELIANCE LABORATORY TESTING, INC—S  
 5387 N NOB HILL ROAD  
 SUNRISE, FL 33351  
 (954) 741-0830

34744  
 RK CLINICAL SOLUTIONS LLC—SC  
 145 S 79TH STREET SUITE 30  
 CHANDLER, AZ 85226  
 (480) 275-2446

32455  
 ROCKY MOUNTAIN TOX, LLC—S  
 4895 JOLIET STREET, UNIT 7-G  
 DENVER, CO 80239  
 (303) 469-8042

00243  
 ROXBOROUGH MEMORIAL HOSPITAL—S  
 5800 RIDGE AVE  
 PHILADELPHIA, PA 19128  
 (215) 487-4394

30821  
 RXTOX INC—SC  
 51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300  
 PITTSBURGH, PA 15236  
 (412) 460-1310

00171  
 SACRED HEART HOSPITAL—S  
 4TH & CHEW STS ATTN LAB DEPT  
 ALLENTOWN, PA 18102  
 (610) 776-4727

34899  
 SAF TOXICOLOGY LLC—C  
 150 NW 168TH ST UNIT 307  
 NORTH MIAMI BEACH, FL 33169  
 (305) 816-6503

00087  
 SAINT CLAIR MEMORIAL HOSPITAL—S  
 1000 BOWER HILL RD  
 PITTSBURGH, PA 15243  
 (412) 942-3800

00174  
 SAINT LUKES HOSPITAL—S  
 801 OSTRUM STREET  
 BETHLEHEM, PA 18015  
 (610) 954-4558

00328  
 SAINT MARY MEDICAL CENTER—PATH LAB—S  
 1201 LANGHORNE-NEWTOWN RD  
 LANGHORNE, PA 19047  
 (215) 710-2162

29838  
 SAN DIEGO REFERENCE LABORATORY—SC  
 6565 NANCY RIDGE DRIVE  
 SAN DIEGO, CA 92121  
 (800) 677-7995

28471  
 SECON OF LOUISIANA—S  
 825 KALISTE SALOOM RD, BRANDYWINE 1,  
 SUITE 100  
 LAFAYETTE, LA 70508  
 (337) 235-3712

29038  
 SECON OF NEW ENGLAND—SC  
 415 MAIN STREET 4TH FLOOR  
 WORCESTER, MA 01608  
 (508) 831-0703

34294  
 SERAPH LABORATORY LLC—C  
 555 HERITAGE DR SUITE 135  
 JUPITER, FL 33458  
 (561) 508-3101

00064  
 SHARON PA HOSPITAL COMPANY LLC—S  
 740 EAST STATE STREET  
 SHARON, PA 16146  
 (724) 983-3914

34516  
 SIX OAKS CONSULTING, LLC—SC  
 1180 BEAVER RUIN ROAD  
 NORCROSS, GA 30093  
 (615) 417-2769

00421  
 SKIPPACK MEDICAL LABORATORY—S  
 3887 SKIPPACK PIKE  
 SKIPPACK, PA 19474  
 (610) 584-1669

27649  
 SMA MEDICAL LABORATORIES—SC  
 940 PENNSYLVANIA BOULEVARD UNIT E  
 FEASTERVILLE, PA 19053  
 (215) 322-6590

34458  
 SMART LAB, LLC—C  
 10385 IRONWOOD ROAD, SUITE 130  
 PALM BEACH GARDENS, FL 33410  
 (561) 513-8440

00039  
 SOLDIERS & SAILORS MEM HOSP—S  
 32-36 CENTRAL AVENUE  
 WELLSBORO, PA 16901  
 (570) 723-0133

00297  
 SOMERSET HOSPITAL CENTER FOR HEALTH—S  
 225 S CENTER AVENUE  
 SOMERSET, PA 15501  
 (814) 443-5210

35000  
 SPARK INSPIRATION LABORATORY—SC  
 201 ROUTE 17N 10TH FL SUITE 2  
 RUTHERFORD, NJ 07070  
 (973) 542-2343

00209  
 SPRINGFIELD HOSPITAL LABORATORY—S  
 190 WEST SPROUL ROAD  
 SPRINGFIELD, PA 19064  
 (610) 447-2232

00260  
 ST CHRISTOPHERS HOSP FOR CHILDREN—S  
 160 EAST ERIE AVENUE  
 DEPT OF PATHOLOGY & LAB MEDICINE  
 PHILADELPHIA, PA 19134-1095  
 (215) 427-3165

00151  
 ST JOSEPH QUALITY MEDICAL LAB—SC  
 2500 BERNVILLE ROAD  
 READING, PA 19605-9453  
 (610) 378-2200

00318  
 ST LUKES HOSP ALLENTOWN CAMPUS—S  
 1736 HAMILTON STREET  
 ALLENTOWN, PA 18104  
 (610) 628-8723

32021  
ST LUKES HOSPITAL-ANDERSON LAB—S  
1872 ST LUKE'S BLVD  
EASTON, PA 18045  
(484) 503-1075

00180  
ST LUKES MINERS MEMORIAL HOSPITAL—S  
360 WEST RUDDLE STREET PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271

35019  
ST LUKE'S MONROE CAMPUS LABORATORY—S  
100 ST LUKE'S LANE  
STROUDSBURG, PA 18360  
(484) 514-3606

31613  
STEELFUSION CLINICAL TOXICOLOGY  
LABORATORY, LLC—SC  
475 WILLOW CROSSING ROAD  
GREENSBURG, PA 15601  
(724) 691-0263

00219  
SUBURBAN COMMUNITY HOSPITAL—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 278-2075

00187  
SUNBURY COMMUNITY HOSPITAL—S  
350 NORTH 11TH STREET  
SUNBURY, PA 17801  
(570) 286-3492

34011  
SURETOX LABORATORY—SC  
495 BOULEVARD, SUITE 1A  
ELMWOOD PARK, NJ 07407-2041  
(201) 791-7293

34827  
SW LABS LLC DBA ZENTECH LABORATORIES—C  
6831 NW 20TH AVENUE  
FORT LAUDERDALE, FL 33309  
(954) 591-5772

33368  
SYNERGY MEDICAL LABORATORIES, PC—C  
42 THROCKMORTON LN-BASEMENTOLD BRIDGE,  
NJ 08857  
(732) 792-3609

31474  
TASC INC—SC  
4016 N BLACK CANYON HWY  
PHOENIX, AZ 85017  
(602) 257-7588

00207  
TAYLOR HOSPITAL LABORATORY—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 447-2232

00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4470

00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 NORTH BROAD STREET  
DEPT OF PATH & LAB MED-RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560

33771  
THE ELITE LAB GROUP PA, LLC—S  
1400 VETERANS HIGHWAY SUITE 108  
LEVITTOWN, PA 19056  
(215) 790-0400

00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143

00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 S 11TH STREET, 204 FOERDERER PAVILION  
PHILADELPHIA, PA 19107  
(215) 955-3941

34847  
THREE RIVERS PAIN MANAGEMENT—S  
205 EASY STREET SUITE 204  
UNIONTOWN, PA 15401  
(724) 812-5580

34314  
THYROID SPECIALTY LABORATORY, INC—C  
8037 LITZINGER ROAD  
SAINT LOUIS, MO 63144  
(314) 200-3040

35201  
TITAN MOLECULAR LABORATORIES, LLC—SC  
2296 W COMMODORE WAY, SUITE 200  
SEATTLE, WA 98199  
(206) 403-8883

00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851

34359  
TOX MANAGEMENT—S  
14615 SAN PEDRO SUITE 125  
SAN ANTONIO, TX 78232  
(512) 838-3828

34358  
TRI-STATE TOXICOLOGY LLC—SC  
14615 SAN PEDRO SUITE 240  
SAN ANTONIO, TX 78232  
(210) 571-1300

34924  
TRILOGY DIAGNOSTICS LLC—SC  
2263 VALDINA STREET, SUITE 100  
DALLAS, TX 75207  
(214) 396-4990

34190  
TRUETOX LABORATORIES, LLC—SC  
50 ROSE PLACE  
GARDEN CITY PARK, NY 11040  
(516) 741-1501

00313  
TYLER MEMORIAL HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705

- 00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384
- 34997  
UNITED CLINICAL LABORATORY LLC—SC  
2257 VISTA PARKWAY SUITE 2  
WEST PALM BEACH, FL 33411  
(561) 632-7922
- 00119  
UPMC ALTOONA LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 889-2340
- 00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3506
- 32389  
UPMC EAST PATHOLOGY LABORATORY—S  
2775 MOSSIDE BLVD  
GROUND FLOOR, ROOM 0304  
MONROEVILLE, PA 15146  
(412) 357-3682
- 00046  
UPMC HAMOT—S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-3131
- 00059  
UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100
- 00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500
- 00054  
UPMC JAMESON—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4082
- 00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233
- 00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7624
- 00058  
UPMC NORTHWEST—S  
100 FAIRFIELD DRIVE  
SENECA, PA 16346  
(814) 676-7120
- 00084  
UPMC PASSAVANT—S  
9100 BABCOCK BLVD  
PITTSBURGH, PA 15237  
(412) 367-6700
- 05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370
- 00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855
- 00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
LABORATORY  
PITTSBURGH, PA 15215  
(412) 784-4000
- 00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE GROUND FLOOR WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950
- 33844  
USA MEDICAL TOXICOLOGY—SC  
7707 FANNIN ST STE 290  
HOUSTON, TX 77054  
(717) 360-3050
- 34335  
US DIAGNOSTIC SERVICE, INC—S  
185 6TH AVENUE & 2ND FLOOR  
PATERSON, NJ 07524  
(973) 782-5370
- 27225  
US DRUG TESTING LABORATORIES INC—SC  
1700 SOUTH MOUNT PROSPECT ROAD  
DES PLAINES, IL 60018  
(847) 375-0770
- 26363  
US HEALTHWORKS—S  
1114 COMMONS BLVD  
READING, PA 19605  
(610) 926-0960
- 23072  
US HEALTHWORKS MEDICAL GROUP—S  
1124 HARRISBURG PIKE  
CARLISLE, PA 17013  
(717) 245-2411
- 33357  
UTC LABORATORIES, LLC—SC  
1441 CANAL STREET, SUITE 401  
NEW ORLEANS, LA 70112  
(504) 609-3462
- 00335  
VALLEY FORGE MED CTR & HOSP—S  
1033 W GERMANTOWN PIKE  
NORRISTOWN, PA 19403  
(610) 539-8500
- 35044  
VEDANTA LABORATORIES, INC—SC  
1020 CALLE RECODO  
SAN CLEMENTE, CA 92673  
(949) 202-4004

34702  
VISION LABORATORIES LLC—SC  
6130 SHALLOWFORD ROAD, SUITE 100  
CHATTANOOGA, TN 37421  
(844) 484-3522

34864  
VITAE DIAGNOSTICS—SC  
3848 DEL AMO BLVD SUITE 303  
TORRANCE, CA 90503  
(310) 376-5812

00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860

00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 627-2640

00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3120

33590  
WAYNE MEMORIAL HAMLIN LABORATORY—S  
543 EASTON TURNPIKE SUITE 105  
LAKE ARIAL, PA 18436  
(570) 253-8193

00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SC  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVE  
PITTSBURGH, PA 15224  
(412) 578-5779

34586  
WESTERN SLOPE LABORATORY, LLC—C  
1197 ROCHESTER ROAD SUITE K  
TROY, MI 48083  
(248) 307-1168

33969  
WESTMORELAND PAIN MANAGEMENT CENTER—S  
4893 ROUTE 30 EAST, SUITE 8  
GREENSBURG, PA 15601  
(724) 600-0607

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4896

00037  
WILLIAMSPORT REGIONAL MEDICAL CENTER—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 17-160. Filed for public inspection January 27, 2017, 9:00 a.m.]

### Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.



(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are

speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols L and P indicate the following:

L = approved for blood lead analyses

P = approved for erythrocyte protoporphyrin analyses

LP = approved for blood lead and erythrocyte protoporphyrin analyses

31609

ACCU REFERENCE MEDICAL LABATORY—L  
1901 EAST LINDEN AVENUE  
SUITE 4  
LINDEN, NJ 07036  
(908) 474-1004

22912

ACL LABORATORIES—LP  
8901 WEST LINCOLN AVE  
WEST ALLIS, WI 53227  
(414) 328-7945

00016

ANGELINE KIRBY MEM HEALTH CENTER—L  
71 NORTH FRANKLIN STREET  
WILKES-BARRE, PA 18701  
(570) 822-4278

21613

ARUP LABORATORIES INC—LP  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787

24997

ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP  
3520 PROGRESS DRIVE UNIT C  
BENSALEM, PA 19020  
(267) 525-2470

33959

BEST CARE LABORATORY LLC—L  
14 APPLGATE DRIVE, SUITE BROBBINSVILLE, NJ  
08691  
(973) 949-3963

22757

BIOREFERENCE LABORATORIES INC—L  
481 EDWARD H ROSS DRIVE  
ELMWOOD PARK, NJ 07407  
(201) 791-3600

30248

CARING HANDS PEDIATRICS—L  
300 CEDAR RIDGE DRIVE SUITE 309  
PITTSBURGH, PA 15205  
(412) 921-2345

30249

CARING HANDS PEDIATRICS—L  
105 BRAUNLICH DRIVE, SUITE 102  
PITTSBURGH, PA 15237  
(412) 369-7720

20506

CENTRAL PA ALLIANCE LABORATORY—L  
1803 MT ROSE AVENUE SUITE C3-C4  
YORK, PA 17403  
(717) 851-1426

00228

CHILDRENS HOSP OF PHILADELPHIA—L  
3401 CIVIC CENTER BLVD  
MAIN BLDG—5TH FLOOR—ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446

31847  
DOCTOR'S DATA, INC—L  
3755 ILLINOIS AVENUE  
ST CHARLES, IL 60174-2420  
(630) 377-8139

00561  
EAST PENN MFG CO INC—LP  
DEKA RD KELLER TECH CENTER  
PO BOX 147  
LYONS STATION, PA 19536  
(610) 682-6361

10266  
EDEN PARK PEDIATRIC ASSOCIATES—L  
1725 OREGON PIKE  
LANCASTER, PA 17601  
(717) 569-8518

29462  
EDEN PARK PEDIATRIC ASSOCIATES—L  
4221 OREGON PIKE  
EPHRATA, PA 17522  
(717) 859-1434

32339  
EDEN PARK PEDIATRIC ASSOCIATES—L  
779 E MAIN STREET  
MOUNT JOY, PA 17552  
(717) 492-4631

31378  
ENZO CLINICAL LABS—L  
60 EXECUTIVE BLVD  
FARMINGDALE, NY 11735  
(631) 755-5500

31400  
FRANCES WARDE MEDICAL LABORATORY—LP  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300

00173  
GEISINGER MEDICAL CENTER—L  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-6338

25914  
GENOVA DIAGNOSTICS—L  
63 ZILICOA STREET  
ASHEVILLE, NC 28801  
(828) 253-0621

32839  
GENOVA DIAGNOSTICS—L  
3425 CORPORATE WAY  
DULUTH, GA 30096  
(678) 638-2918

31348  
GREENVILLE COMMUNITY HEALTH CENTER—L  
348 MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-5250

00654  
GUTHRIE MEDICAL GROUP LABORATORIES—L  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-4177

01711  
HANOVER PEDIATRICS—L  
217 BROADWAY  
HANOVER, PA 17331  
(717) 632-3911

24655  
HEALTH NETWORK LABORATORIES—L  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

35025  
HEALTH NETWORK LABORATORIES—L  
5 SOUTH WASHINGTON AVENUE  
JERMYN, PA 18433  
(610) 402-8140

26490  
HOPE PEDIATRICS—L  
3512 STATE ROUTE 257 SUITE 106  
SENECA, PA 16346  
(814) 677-3717

33708  
INFINITY DIAGNOSTIC LABORATORIES—L  
370 NORTH STREET  
TETERBORO, NJ 07608  
(201) 843-7750

29564  
JAMESTOWN COMMUNITY HEALTH—L  
865 E JAMESTOWN ROAD  
JAMESTOWN, PA 16134  
(724) 932-2299

29136  
KIDS PLUS PEDIATRICS—L  
108 HORNER LANE  
LATROBE, PA 15650  
(724) 537-2131

34794  
KIDS CARE PEDIATRICS—L  
8279 STATE RT 22 SUITE 2  
NEW ALEXANDRIA, PA 15670  
(724) 668-5023

05618  
LAB CORP OF AMERICA HOLDINGS—LP  
6370 WILCOX ROAD  
DUBLIN, OH 43016-1296  
(800) 282-7300

21885  
LAB CORP OF AMERICA HOLDINGS—LP  
1447 YORK COURT  
BURLINGTON, NC 27215  
(800) 334-5161

01088  
LABCORP OF AMERICA HOLDINGS—LP  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400

22715  
LABONE LLC DBA QUEST DIAGNOSTICS—LP  
10101 RENNEN BOULEVARD  
LENEXA, KS 66219-9752  
(913) 577-1703

23380  
LANCASTER PEDIATRIC ASSOC LTD—L  
222 WILLOW VALLEY LAKES DRIVE  
SUITE 100  
WILLOW STREET, PA 17584-9463  
(717) 464-9555

- 10270  
LANCASTER PEDIATRIC ASSOCIATES—L  
2106 HARRISBURG PIKE  
SUITE 1 MED OFFICE PO BOX 3200  
LANCASTER, PA 17601  
(717) 291-5931
- 34187  
LENCO DIAGNOSTIC LABORATORIES INC—L  
1857 86TH STREET  
BROOKLYN, NY 11214  
(718) 232-1515
- 00242  
MAIN LINE HOSPITALS LAB-LANKENAU—L  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521
- 29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR—LP  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458
- 24668  
MCMURRAY PEDIATRIC & ADOLESCENT  
MEDICINE—L  
6000 WATERDAM PLAZA DRIVE # 280  
MCMURRAY, PA 15317  
(724) 941-8199
- 28806  
MEDIA PEDIATRICS—L  
401 MOORE ROAD  
WALLINGFORD, PA 19086  
(610) 565-3336
- 05574  
MEDTOX LABORATORIES INC—LP  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466
- 20802  
MERITUS MEDICAL LABORATORY, LLC—L  
11110 MEDICAL CAMPUS RD STE 230  
HAGERSTOWN, MD 21742  
(301) 665-4900
- 00504  
NATIONAL MED SVCS INC/DBA NMS LABS—LP  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900
- 30553  
NATIONWIDE CHILDRENS HOSPITAL—LP  
CORE LAB AND LAB INFORMATION SYSTEMS  
700 CHILDRENS DRIVE  
COLUMBUS, OH 43205  
(614) 722-5335
- 23801  
PACIFIC TOXICOLOGY LABORATORIES—LP  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110
- 31516  
PAML LLC—L  
110 W CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8670
- 22712  
PEDIATRIC ALLIANCE GREENTREE DIVISION—L  
969 GREENTREE ROAD  
PRIMARY CARE CENTER OF GREENTREE  
PITTSBURGH, PA 15220  
(412) 922-5250
- 28416  
PEDIATRIC ALLIANCE PC, ARCADIA DIVISION—L  
9795 PERRY HIGHWAY WEXFORD, PA 15090  
(412) 358-9548
- 02125  
PEDIATRIC ALLIANCE ST CLAIR PED DIV—L  
1580 MCLAUGHLIN RUN ROAD  
PINERIDGE COMMONS SUITE 208  
UPPER ST CLAIR, PA 15241  
(412) 221-2121
- 25436  
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L  
27 VISTA DRIVE  
UNIT 3  
WAYNESBORO, PA 17268  
(717) 765-6621
- 33953  
PEDIATRIC URGENT CARE OF FRANKLIN  
COUNTY—L  
5 ROADSIDE AVE  
WAYNESBORO, PA 17268  
(717) 765-6621
- 22533  
PENNSYLVANIA DEPT OF HEALTH—LP  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464
- 00022  
POCONO MEDICAL CENTER LAB—L  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3370
- 00255  
PUBLIC HEALTH LAB CITY OF PHILA—L  
500 SOUTH BROAD STREET ROOM 359  
PHILADELPHIA, PA 19146  
(215) 685-6501
- 00669  
QUEST DIAGNOSTICS INCORPORATED—LP  
ONE MALCOLM AVENUE  
TETERBORO, NJ 07608  
(201) 393-5895
- 21422  
QUEST DIAGNOSTICS INCORPORATED—P  
1901 SULPHUR SPRING ROAD  
BALTIMORE, MD 21227  
(410) 247-9100
- 01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-6900
- 22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—LP  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—LP  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—LP  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7675

00150  
READING HOSPITAL LABORATORY—L  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(484) 628-8615

22899  
RED ROSE PEDIATRIC ASSOCIATES—L  
233 COLLEGE AVENUE  
SUITE 200  
LANCASTER, PA 17603  
(717) 291-7221

22196  
SHARON MEDICAL GROUP—L  
197 E SILVER STREET  
SHARON, PA 16146  
(724) 342-6604

31527  
SHIEL MEDICAL LABORATORY—L  
63 FLUSHING AVENUE  
BROOKLYN NAVY YARD UNIT 336  
BROOKLYN, NY 11205  
(718) 552-1000

27649  
SMA MEDICAL LABORATORIES—L  
940 PENNSYLVANIA BOULEVARD UNIT E  
FEASTERVILLE, PA 19053  
(215) 322-6590

34171  
SONIC REFERENCE LABORATORY, INC—L  
9200 WALL STREET, SUITE 200  
AUSTIN, TX 78754  
(512) 531-2100

24582  
SOUTH PHILA PEDIATRICS—L  
1400 S 5TH STREET  
PHILADELPHIA, PA 19147  
(215) 467-3515

00151  
ST JOSEPH QUALITY MEDICAL LAB—L  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

22718  
SUNRISE MEDICAL LABORATORIES INC—L  
250 MILLER PLACE  
HICKSVILLE, NY 11801  
(631) 435-1515

23999  
SUSQUEHANNA COMMUNITY HEALTH AND DENTAL  
CENTER—L  
471 HEPBURN STREET  
WILLIAMSPORT, PA 17701  
(570) 567-5400

34764  
THERANOS, INC—L  
1365 N SCOTTSDALE ROAD, 3RD FLOOR  
SCOTTSDALE, AZ 85257  
(650) 804-8185

30336  
TRI COUNTY PEDIATRICS—L  
821 HUNTINGDON PIKE, SUITE 207  
HUNTINGDON VALLEY, PA 19006  
(215) 379-3022

04159  
TRI COUNTY PEDIATRICS INC—L  
205 NEWTOWN ROAD SUITE 210  
WARMINSTER, PA 18974  
(215) 884-5715

04575  
TRI COUNTY PEDIATRICS INC—L  
1939 CHELTENHAM AVENUE  
ELKINS PARK, PA 19027  
(215) 884-5715

27432  
TRI COUNTY PEDIATRICS INC—L  
140 EAST BUTLER AVENUE  
CHALFONT, PA 18914  
(215) 822-1770

30337  
TRI COUNTY PEDIATRICS, INC—L  
729 GROVE AVENUE  
SUITE 1  
SOUTHAMPTON, PA 18966  
(215) 322-0800

29164  
TRI COUNTY PEDIATRICS INC—L  
9150 MARSHALL STREET SUITE 14  
PHILADELPHIA, PA 19114  
(215) 884-5715

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—L  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855

26198  
WRIGHT CENTER MEDICAL GROUP, PC—L  
5 SOUTH WASHINGTON AVENUE  
JERMYN, PA 18433  
(570) 383-9934

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 17-161. Filed for public inspection January 27, 2017, 9:00 a.m.]

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.18(e) (relating to management):

Allied Services Transitional Rehabilitation Unit  
475 Morgan Highway  
Scranton, PA 18508  
FAC ID # 01690201

Spirit of Mercy Skilled Nursing Center  
746 Jefferson Avenue  
Scranton, PA 18501  
FAC ID # 650902

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 17-162. Filed for public inspection January 27, 2017, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Closure of Hamburg Center; Public Hearing

The Department of Human Services (Department) will hold a public hearing on the closure of Hamburg Center, Berks County, on January 30, 2017, at the Hamburg Borough Building, Hamburg, PA. The hearing is scheduled to begin at 1 p.m. The Mental Health or Mental Retardation Facility Closure Act (50 P.S. §§ 8001—8006) requires the Department to hold a public hearing on any State center or State hospital closure within 30 days of the announcement.

On January 11, 2017, the Department announced that Hamburg Center will close within the next 18 to 24 months in an effort to serve more people in the community following a National trend which began in 1966.

The Department will hold a public hearing from 1 p.m. to 4 p.m. on Monday, January 30, 2017, at the Hamburg

Borough Building, 61 North Third Street, Hamburg, PA to accept comment about the closure from stakeholders, officials and the community. Those wishing to provide comments are asked to register by contacting Connie Meeker, (717) 783-8964, cmeeker@pa.gov. Written comments can be submitted by e-mail to RA-PWRASStateCenters@pa.gov.

THEODORE DALLAS,  
*Secretary*

[Pa.B. Doc. No. 17-163. Filed for public inspection January 27, 2017, 9:00 a.m.]

### Closure of Norristown State Hospital Civil Section; Public Hearing

The Department of Human Services (Department) will hold a public hearing on the closure of the civil section of Norristown State Hospital, Montgomery County, on January 31, 2017, at 1001 Sterigere Street, Norristown Hospital, Building 33, Norristown, PA. The hearing is scheduled to begin at 2:30 p.m. According to the Mental Health or Mental Retardation Facility Closure Act (50 P.S. §§ 8001—8006), the Department is required to hold a public hearing on any State mental health or mental retardation facility within 30 days following a reduction of 20% or more in resident/patient census or staff complement or a closure announcement.

The Department operates six State hospitals with services for individuals with mental illness. In the last 20 years, the State hospital population has decreased by 70%, from nearly 5,000 people to 1,568 today (1,107 in civil units, 159 in the restoration center, 237 in forensic units and 65 in the Sexual Responsibility and Treatment Program) Norristown's civil unit currently serves 122 individuals.

During the closure process, the Department will also temporarily repurpose some civil beds at Norristown to create "forensic step down or transition" beds for those individuals committed through the criminal justice system to the forensic section of the Norristown campus. By repurposing the civil beds, the Department will improve the timeliness and quality of treatment for individuals needing forensic restoration services to enable them to return to referring jurisdictions or transition to other appropriate levels of care. The closures are expected to take approximately 18 to 24 months to complete as residents transition to the community.

Individuals or organizations wishing to testify or provide comments are asked to register by Friday, January 27, 2017, by contacting Helen Brennan, Norristown State Hospital, (610) 313-1014, hbrennan@pa.gov. Written comments can be submitted by e-mail to RA-PWOMHSASComm@pa.gov. Individuals requiring a special accommodation are asked to inform the Department at the time of scheduling.

THEODORE DALLAS,  
*Secretary*

[Pa.B. Doc. No. 17-164. Filed for public inspection January 27, 2017, 9:00 a.m.]

**Fee Schedule Rates and Department-Established Fees for Consolidated and Person/Family Directed Support Waivers Services, Targeted Services Management and the Community Intellectual Disability Base-Funded Program**

The Department of Human Services (Department) is providing final notice of the Fee Schedule Rates for Targeted Service Management and select services funded through the Consolidated and Person/Family Directed Support waivers as well as the Department-established fees for residential ineligible services, effective July 1, 2016. These Fee Schedule Rates also serve as the Department-established fees under 55 Pa. Code § 4300.115(a) (relating to Department established fees) for base-funded services managed through county programs for individuals with an intellectual disability under the Mental Health and Intellectual Disability Act of 1966 (50 P.S. §§ 4104—4704), 55 Pa. Code Chapter 4300 (relating to county mental health and intellectual disability fiscal manual) and 55 Pa. Code Chapter 51 (relating to Office of Developmental Programs home and community-based services).

The Department published its proposed Fee Schedule Rates and Department-established fees for residential ineligible services at 46 Pa.B. 3373 (June 25, 2016). The Department will implement the Fee Schedule Rates and Department-established fees announced in the notice of proposed rates.

The Department received one letter requesting information about how the Fee Schedule Rates and Department-established fees were calculated and how increases in costs were factored into the rates of services. The Department previously explained the methodology for developing the rates in the public notice published at 46 Pa.B. 3373, and therefore, will not be providing additional information in this notice.

Copies of this notice may be obtained at the local Mental Health/Intellectual Disability (MH/ID) County Program, Administrative Entity (AE) or regional Office of Developmental Programs (ODP) in the corresponding regions:

- *Western Region:* Piatt Place, Room 4900, 301 5th Avenue, Pittsburgh, PA 15222, (412) 565-5144
- *Northeast Region:* Room 315, Scranton State Office Building, 100 Lackawanna Avenue, Scranton, PA 18503, (570) 963-4749
- *Southeast Region:* 801 Market Street, Suite 5071, Philadelphia, PA 19107, (215) 560-2242 or (215) 560-2245
- *Central Region:* Room 430, Willow Oak Building, P.O. Box 2675, DGS Annex Complex, Harrisburg, PA 17105, (717) 772-6507

Contact information for the local MH/ID County Program or AE may be found through a link on the internet at <https://www.hcsis.state.pa.us/hcsis-ssd/pgm/asp/PRCNT.ASP>, or contact the previously referenced regional ODP.

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Developmental Programs, Division of Provider Assistance and Rate Setting, 4th Floor, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. Comments can also be sent to [ra-ratesetting@state.pa.us](mailto:ra-ratesetting@state.pa.us), use subject header "PN Fee Schedule."

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by dialing 711 or by using one of the following toll free numbers: (800) 654-5984 (TDD users), (800) 654-5988 (voice users), (844) 308-9292 (Speech-to-Speech) or (844) 308-9291 (Spanish).

*Fiscal Impact*

There is no additional cost to the Commonwealth anticipated in Fiscal Year 2016-2017 and subsequent years as a result of this notice.

THEODORE DALLAS,  
*Secretary*

**Fiscal Note:** 14-NOT-1078. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 17-165. Filed for public inspection January 27, 2017, 9:00 a.m.]

**Rate-Setting Methodology for Consolidated and Person/Family Directed Support Waiver-Funded and Base-Funded Services for Individuals Participating in the Office of Developmental Programs Service System**

The Department of Human Services (Department) is providing final notice of the methodology used in the Prospective Payment System (PPS) to develop rates for residential habilitation eligible and transportation trip services funded through the Consolidated and Person/Family Directed Support waivers.

The Department published notice of the methodology used in the PPS at 46 Pa.B. 3386 (June 25, 2016). The Department will implement the methodology described in the proposed notice.

The Department received one letter requesting information about how the rates were calculated, how the cost to the Commonwealth was determined and how increases in costs were factored into the rates for residential habilitation eligible and transportation trip services. The letter also requested information about additional topics unrelated to the rates for residential habilitation eligible and transportation trip services. The Department previously explained the methodology for developing rates for residential habilitation eligible and transportation trip services in the notice published at 46 Pa.B. 3386, and therefore, will not be providing additional information in this notice.

Copies of this notice may be obtained at the local Mental Health/Intellectual Disability (MH/ID) County Program, Administrative Entity (AE) or regional Office of Developmental Programs in the corresponding regions:

- *Western Region:* Piatt Place, Room 4900, 301 5th Avenue, Pittsburgh, PA 15222, (412) 565-5144
- *Northeast Region:* Room 315, Scranton State Office Building, 100 Lackawanna Avenue, Scranton, PA 18503, (570) 963-4749
- *Southeast Region:* 801 Market Street, Suite 5071, Philadelphia, PA 19107, (215) 560-2242 or (215) 560-2245
- *Central Region:* Room 430, Willow Oak Building, P.O. Box 2675, DGS Annex Complex, Harrisburg, PA 17105, (717) 772-6507

Contact information for the local MH/ID County Program or AE may be found at <https://www.hcsis.state.pa.us/hcsis-ssd/pgm/asp/PRCNT.ASP>. Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Developmental Programs, Division of Provider Assistance and Rate Setting, 4th Floor, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. Comments can also be sent to [ra-ratesetting@state.pa.us](mailto:ra-ratesetting@state.pa.us), use subject header "PN PPS Methodology."

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by dialing 711 or by using one of the following toll free numbers: (800) 654-5984 (TDD users), (800) 654-5988 (voice users), (844) 308-9292 (Speech-to-Speech) or (844) 308-9291 (Spanish).

*Fiscal Impact*

It is anticipated that there will be an approximate cost to the Commonwealth of \$69.563 million (\$33.939 million State funds) in Fiscal Year 2016-2017.

THEODORE DALLAS,  
*Secretary*

**Fiscal Note:** 14-NOT-1079. (1) General Fund; (2) Implementing Year 2016-17 is \$33,939; (3) 1st Succeeding Year 2017-18 through 5th Succeeding Year 2021-22 are \$18,238; (4) 2015-16 Program—\$1,350,912; 2014-15 Program—\$1,224,568; 2013-14 Program—\$1,177,708; (7) ID—Community Waiver Program and ID—Community Base Program; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 17-166. Filed for public inspection January 27, 2017, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Bureau of Maintenance and Operations; Access Route Approval

Under 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation approved on January 10, 2017, the following access route for use by the types of truck combinations as indicated:

1. (X) 96" wide twin trailers (28 1/2' maximum length of each trailer).
2. (X) 102" wide 53' long trailer.
3. (X) 102" wide 48' long trailer.
4. (X) 102" wide twin trailers (28 1/2' feet maximum length—each).
5. (X) 102" wide maxi-cube.

<i>Route Identification</i>	<i>Route Description</i>	<i>County</i>	<i>Length Miles</i>
PA 3009	from SR 1002 to Morris Court (T-305)	Lehigh	1.78
Morris Court (T-305)	from SR 3009 to Industrial Boulevard	Lehigh	0.42

The County of Lehigh approved the access route within its respective jurisdiction.

Questions should be directed to George Harpster at (717) 783-6473.

LESLIE S. RICHARDS,  
*Secretary*

[Pa.B. Doc. No. 17-167. Filed for public inspection January 27, 2017, 9:00 a.m.]

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

Allegheny Township, Blair County. The parcel contains 0.829 acre of unimproved property located near the intersection of North Juniata Street and Plank Road.

Interested public agencies are invited to express their interest in purchasing the site within 30 calendar days

from the date of publication of this notice to Thomas A. Prestash, PE, District Executive, Department of Transportation, Engineering District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648-1080.

Questions regarding this property may be directed to Joseph Tagliati, Property Manager, 1620 North Juniata Street, Hollidaysburg, PA 16648-1080, (814) 696-7215.

LESLIE S. RICHARDS,  
*Secretary*

[Pa.B. Doc. No. 17-168. Filed for public inspection January 27, 2017, 9:00 a.m.]

### Transportation Advisory Committee Meeting

The Transportation Advisory Committee will hold a meeting on Monday, February 6, 2017, from 10 a.m. to 12 p.m. in Conference Room 8N1, Commonwealth Keystone Building, Harrisburg, PA. For more information contact Ellen E. Sweeney, (717) 787-2913, ellssweeney@pa.gov.

LESLIE S. RICHARDS,  
*Secretary*

[Pa.B. Doc. No. 17-169. Filed for public inspection January 27, 2017, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

### Mountain Watershed Association, Inc. v. Department of Environmental Protection and LCT Energy, LP; EHB Doc. No. 2017-004-L

Mountain Watershed Association, Inc. has appealed the issuance by the Department of Environmental Protection of an NPDES Individual Permit to LCT Energy, LP, for the Rustic Ridge # 1 located in Donegal and Saltlick Townships, Westmoreland and Fayette Counties.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,  
*Chairperson*

[Pa.B. Doc. No. 17-170. Filed for public inspection January 27, 2017, 9:00 a.m.]

## ENVIRONMENTAL QUALITY BOARD

### Meeting Cancellation

The February 21, 2017, meeting of the Environmental Quality Board (Board) is cancelled. The next regular meeting of the Board is scheduled for Tuesday, March 21, 2017, at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

The agenda and meeting materials for the March 21, 2017, meeting will be available on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Environmental Quality Board (EQB)"). Questions concerning the Board's next scheduled meeting may be directed to Laura Edinger at (717) 783-8727 or [ledinger@pa.gov](mailto:ledinger@pa.gov).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Laura Edinger at (717) 783-8727 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Acting Chairperson*

[Pa.B. Doc. No. 17-171. Filed for public inspection January 27, 2017, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
14-540	Department of Human Services Home and Community-Based Supports and Licensing 46 Pa.B. 7061 (November 5, 2016)	12/19/16	1/18/17



**Department of Human Services Regulation # 14-540  
(IRRC # 3160)**

**Home and Community-Based Supports and  
Licensing**

**January 18, 2017**

We submit for your consideration the following comments on the proposed rulemaking published in the November 5, 2016 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the Department of Human Services (Department) to respond to all comments received from us or any other source.

**1. Statutory authority; Determining whether the regulation is in the public interest; Economic or fiscal impacts; Protection of the public health, safety and welfare.**

Section 5.2 of the RRA (71 P.S. § 745.5b) directs the Independent Regulatory Review Commission (Commission) to determine whether a regulation is in the public interest. When making this determination, the Commission considers criteria such as economic or fiscal impacts and reasonableness. To make that determination, the Commission must analyze the text of the Preamble and proposed regulation and the reasons for the new or amended language. The Commission also considers the information a promulgating agency is required to provide under Section 5 of the RRA (71 P.S. § 745.5(a)) in the regulatory analysis form (RAF).

The explanation of the regulation in the Preamble and the information contained in the RAF are not sufficient to allow the Commission to determine if the regulation is in the public interest. We note the following examples:

- In response to # 9 of the RAF, the Department states that home and community-based services (HCBS) provisions are mandated by 42 CFR Part 441. The Department should clarify which subpart is applicable. Additionally, commentators assert that the Department does not address applicable federal and state statutes and case law that prescribe the requirements that the Department must adhere to in establishing payment rates for HCBS services.

- In response to # 18, the Department notes that this proposed regulation only provides benefits; it does not acknowledge any adverse effects. However, commentators assert the breadth and number of the proposed regulations appear to create a more cumbersome system, such as the proposed training requirements which will create impractical obligations for certain individuals.

- In response to # 19, the Department does not provide a “specific estimate of the costs and/or savings” to the regulated community associated with compliance. Commentators state that the proposed regulations appear to have significant fiscal impacts to certain providers. For example, one commentator asserts that Section 6100.45(b) and (d) (relating to quality management) will cost the provider \$27,000 for a part-time staff position in order to comply. Another commentator submitted costs related to training under Section 6100.143 (relating to annual training).

- In response to # 20 and # 21, the Department states there will be no or negligible costs for local and state governments, but commentators state that the need to ensure compliance for additional regulations would only increase costs.

- In response to # 22, the Department did not address or include copies of forms or reports which are required by Section 5(a)(5) of the RRA. We ask the Department to submit all forms with the RAF of the final regulation.

In the Preamble and RAF submitted with the final-form rulemaking, the Department should provide more detailed information required under Section 5 of the RRA (71 P.S. § 745.5(a)), including a description of the amendments proposed for each section of each chapter of the regulation, why the amendments are required, and any cost impacts of the changes.

Additionally, in the Preamble, the Department states that it is amending Chapters 2380, 2390, 6400 and 6500 to mirror proposed Chapter 6100 in areas of training, rights, person-centered support planning, incident reporting, positive intervention and medication administration. While we acknowledge the Department’s extensive efforts to amend and align the chapters, they do not reflect one another exactly. For example, Chapters 2380, 2390, 6400 and 6500 do not contain sections that mirror Section 6100.404 (relating to final incident report). Further, commentators assert that the Department uses inconsistent terminology between chapters. We ask the Department to explain where and why the chapters are different in the final Preamble.

**2. RRA Section 2—Reaching of consensus.**

Section 2 of the RRA (71 P.S. § 745.2) explains why the General Assembly felt it was necessary to establish a regulatory review process. Given the interest this proposed regulation has generated, we believe it is appropriate to highlight the following provision of Section 2(a) of the RRA. The provision states, “To the greatest extent possible, this act is intended to encourage the resolution of objections to a regulation and the reaching of a consensus among the commission, the standing committees, interested parties and the agency.”

The Department is to be commended for convening numerous meetings with various stakeholder groups. While these meetings may have been useful in developing this proposed regulation, hundreds of comments were submitted highlighting numerous and significant outstanding concerns among the various parties. In particular, we note the issue of children.

Children would use the facilities and services provided under Chapters 6100, 6400 and 6500; however, children are not addressed in the RAF, Preamble or the proposed regulation. Commentators assert that, as written, the regulations are oriented toward adults. Commentators ask the Department to convene a subgroup as part of future stakeholder meetings to focus on addressing children’s issues, such as facility use by children, engagement of parent or guardians of minor children, preadmission determinations and planning, education, and coordination with other state agencies.

Based on the range of commentators and volume of comments, it seems that the Department’s regulatory language has not yet achieved consensus on many issues. We believe the issues raised deserve careful contemplation because the Department’s responses will affect approximately 7,140 homes and facilities serving approximately 42,500 individuals, as well as over 900 providers providing support to more than 50,000 individuals with an intellectual disability or autism. While we compliment the Department for its stated intent to reconvene the external stakeholder work group, we encourage the Department to continue its efforts to strike the appropriate

balance of protecting the public's health, safety and welfare while addressing the concerns of the regulated community.

**3. Definitions.—Clarity and lack of ambiguity.**

Within each of the five chapters the Department includes a subsection relating to definitions. However, the Department also includes definitions within other subsections of each chapter. For example, Section 2380.151(c) defines dangerous behavior and positive intervention. Do these terms have other meanings when used elsewhere in Chapter 2380? We ask the Department to move all definitions that apply throughout a chapter to the appropriate subsection relating to definitions, and move definitions to the beginning of a subsection if the definitions are only applicable there. Additionally, commentators ask that definitions be consistent across the chapters.

Also, the Department has replaced the term ISP with PSP in each of the five chapters. However, the Department did not define PSP beyond "Person-centered Support Plan," which is actually the term that should be defined. We ask the Department to define the term in all of the chapters.

**4. Section 2380.33. Program specialist.—Clarity, feasibility and reasonableness.**

Commentators state that education and experience requirements for a program specialist should be consistent throughout the chapters. Commentators urge the Department to consider work experience as a qualification. We ask the Department to explain why requirements are not consistent throughout the chapters, and why work experience is not included as a qualification.

These comments apply to the corresponding provisions in Chapter 2390 and 6400.

**5. Section 2380.35. Staffing.—Clarity, feasibility and reasonableness.**

Subsection (a) requires a minimum of one direct service worker for every six individuals present at a facility, but Subsection (c) requires a minimum of two staff person to be present. We ask the Department to explain these conflicting requirements.

**6. Section 2390.151. Assessment.—Clarity, feasibility and reasonableness; Need.**

Commentators assert that a full assessment may not be necessary when revising the PSP. We ask the Department to revise this section to clarify when the need exists for a full assessment and for a partial assessment. We ask the Department to explain the reasonableness of the requirement in the Preamble to the final-form regulation.

This comment applies to the corresponding sections in Chapters 2380, 6400 and 6500.

**7. Section 2390.153. The PSP team.—Clarity, feasibility and reasonableness; Need.**

In Subsection (b), the Department requires that three members of the PSP team, in addition to the individual and persons designated by the individual, shall be present at a meeting at which the PSP is developed or revised. Commentators question the need for and practicality of the three-person requirement. We ask the Department to explain the reasonableness of this requirement in the Preamble to the final-form regulation.

**8. Chapter 6100.—Conforms to the intention of the General Assembly; Clarity, feasibility and reasonableness.**

Commentators assert that as written, this chapter does not address potential conflicts between duly promulgated

regulations and the provisions within the federal waivers. Commentators state that it is essential that the intended mandatory provisions of the federal waivers be reflected in the regulation consistent with the requirements of state statute and applicable case law. We ask the Department to address these concerns and ensure that the final regulation conforms to the intent of the General Assembly and sets clear compliance standards for the regulated community.

We further address these concerns relating to the General Payment and Fee Schedule provisions in Chapters 6100.481—6100.647 in comments 46 and 48.

**9. Section 6100.42. Monitoring compliance.—Clarity, feasibility and reasonableness; Need.**

In Subsection (e), we ask the Department to explain why corrective action is needed for an "alleged" violation.

**10. Section 6100.43. Regulatory waiver.—Clarity, feasibility and reasonableness.**

Subsection (f) states that if the request for a waiver involves the immediate protection of an individual's health and safety, the provider must provide a written copy of the waiver request to the affected individuals and their designees at least 24 hours prior to the submission of the request for a waiver, allowing at least 20 hours for review and comment to the provider, the designated managing entity and the Department. Commentators ask the Department either to add an exception or to revise the section to allow a "presumption of waiver" with a follow-up to formally secure the waiver. We ask the Department to explain the feasibility and reasonableness of the waiver requirement.

**11. Section 6100.45. Quality management.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Need.**

Under Subsection (b), the Department requires providers to review performance data in nine areas. Commentators assert the requirements such as reviewing progress toward outcomes, analysis of successful learning and satisfaction surveys, included in Paragraphs (1), (6) and (7) respectively, will require additional staff time doing paperwork.

Subsection (d) requires the provider to review and document progress on the quality management plan quarterly. A commentator states that mandating performance data review in all nine areas will cost the provider \$27,000 for a part-time staff position as they do not currently have the manpower to monitor quarterly and evaluate the data in all areas listed under Subsection (b).

We ask the Department to explain the reasonableness of and need for the quality management review requirements in the RAF and Preamble to the final-form regulation, and to address the economic impacts of any resulting additional staff time required to comply with quality management provisions.

**12. Section 6100.46. Protective services.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness.**

"Neglect" and "exploitation" are included in the types of incidents that need to be reported in Sections 6100.401, 2380.17, 2390.18, 6400.18 and 6500.20. We ask the Department to explain the reasonableness of not including "neglect" and "exploitation" in this section, and how this provision protects the public health, safety and welfare.

In Subsection (b), did the Department take into account other possible outcomes of an investigation, such as inconclusive or unconfirmed? Additionally, Subsection (b) restricts direct contact between a staff person, consultant, intern or volunteer and an individual during an abuse investigation. Did the Department consider restricting the staff person, consultant, intern or volunteer from having direct contact with any individual? We ask the Department to explain the reasonableness of the final-form regulation, and how it protects public, health, safety and welfare.

**13. Section 6100.47. Criminal history checks.—Protection of the public health, safety and welfare; Clarity and lack of ambiguity.**

In Subsection (b), we ask the Department to define “household members” in the final regulation.

Subsection (d) states that this section does not apply to natural supports. The regulation defines natural support as an activity or assistance that is provided voluntarily to the individual. Since Subsection (d) applies to an “activity” or “assistance,” it is unclear who the Department intended to exclude under this subsection. We ask the Department to clarify this section through revising the definition of natural support, revising the language of the provision, or both. Additionally, the Department should ensure that the language of the final-form regulation makes clear who is exempt from criminal history checks under this subsection.

**14. Section 6100.51. Grievances.—Clarity, feasibility and reasonableness.**

Under Subsection (h), we ask the Department to explain why it believes that 21 days from the date the grievance was received is a reasonable amount of time to resolve it.

**15. Section 6100.52. Rights team.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures; Need.**

Some commentators, while supportive of the concept of a Rights Team, believe that it is already appropriately addressed in the incident management process (Section 6100.401(a)(15) and similar sections in Chapters 2380, 2390, 6400 and 6500). Some commentators assert that this section imposes an unnecessary bureaucratic layer on providers and families, and that the proposed additional administrative duties are inefficient and their associated costs are unnecessary. We ask the Department to explain in the Preamble to the final-form regulation the need for and reasonableness of this section. We also ask the Department to address in the RAF and Preamble any additional costs and paperwork that are likely to result from this new provision.

Commentators state that the expectations contained in Subsection (b)(2)(ii) and (iii) appear to be beyond the scope of the rights team. In addition, they also comment that Subparagraph (2)(iii) needs to reflect the reality that a rights team cannot be expected to resolve certain behaviors which may be directly linked to a particular disability. We ask the Department to explain the reasonableness of these provisions in the Preamble to the final-form regulation.

Under Subsection (f), does the rights team need to meet every three months if there are no incidents?

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**16. Section 6100.53. Conflict of interest.—Clarity, feasibility and reasonableness.**

Under Subsection (c), should a person serving on the governing board who is a friend or family member need to disclose the relationship?

**17. Section 6100.54. Recordkeeping.—Clarity, feasibility and reasonableness.**

The Department should clarify how and where the records will be maintained under Subsection (d).

**18. Section 6100.141. Annual training plan.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness.**

This section requires the provider to design an annual training plan based on the needs of the individuals as specified in the individuals’ PSPs, provider’s quality management plan and other data indicating training needs. Commentators assert that the training plan, by definition, is unique to the individual, and as proposed, the regulation is overly prescriptive. Commentators state that more flexibility is needed to accommodate the needs of each individual. We ask the Department to explain the feasibility and reasonableness of these requirements, and how they adequately protect the public health, safety and welfare.

This comment applies to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**19. Section 6100.142. Orientation program.**

**Section 6100.143. Annual training.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Need.**

These sections require certain persons, within 30 days after being hired or starting to provide support to an individual, to complete an orientation program. Commentators submitted numerous comments including:

- This mandate adds unnecessary costs as it applies to persons who will rarely or never be involved in direct service to the individual;
- By including consultants in both the orientation program and the annual training, it appears that consultants would need to complete trainings for every provider with whom they consult;
- The Department should explain how requiring clinicians who are classified as consultants to undergo training in Section 6100.143(b) (relating to annual training) is reasonable and necessary;
- This requirement of 12 hours of training annually for fiscal, dietary, housekeeping, maintenance and ancillary staff would add an additional cost of \$13,800; and
- Current rates do not support the increase in training requirements for unlicensed services, with one provider estimating an additional \$36,000 in costs to provide 24 hours of training to 77 contract staff persons.

We ask the Department to explain in the Preamble of the final-form regulation how these sections relate to all services, provider types and service delivery models, and the need for and reasonableness of final-form training requirements. Additionally, we ask the Department to address any economic or fiscal impacts of training requirements in the final-form RAF and Preamble.

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**20. Section 6100.182. Rights of the individual.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness.**

Subsection (g) states that an individual has the right to control the individual's own schedule and activities. Commentators question how this provision aligns with the Department's proposed plan for services to be in the community 75 percent of the time. We ask the Department to explain in the Preamble to the final regulation the feasibility of this requirement.

This comment applies to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**21. Section 6100.183. Additional rights of the individual in a residential facility.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

Subsection (a) allows individuals to have scheduled and unscheduled visitors, and to communicate and meet privately with persons of the individual's choice, at any time. What happens if someone is injured or abused by a visitor that the provider "allowed" to be alone with the individual? We ask the Department to clarify how provider liability will be handled in this type of scenario. Additionally, we ask the Department to explain in the Preamble how the final-form regulation adequately protects the public health, safety and welfare.

Subsection (d) gives the individual the right to manage and access his/her own finances. How will this provision be implemented if an individual has a representative payee (person who has control over how the individual spends their money)?

Subsection (g) grants an individual the right to lock his/her bedroom door. Several commentators have expressed concern that a locked door could pose a health and safety risk by restricting access. In the Preamble to the final regulation, we ask the Department to explain how this provision protects the health, safety and welfare of individuals in residential facilities.

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**22. Section 6100.184. Negotiation of choices.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

Subsection (b) states that choices shall be negotiated by the affected individuals in accordance with the provider's procedures for the individuals to resolve differences and make choices. What happens when negotiations fail? We ask the Department to clarify how failed negotiations are to be handled, including who makes the ultimate decision and how this section is to be documented to demonstrate compliance.

This comment applies to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**23. Section 6100.185. Informing of rights.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

Did the Department consider requiring providers to inform individuals about how they may report when their rights are not being followed?

This comment applies to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**24. Section 6100.186. Role of family and friends.—Economic or fiscal impacts; Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

Commentators are concerned that this section implies that the provider is required to make all accommodations necessary without any acknowledgement of feasibility or reasonableness. They assert that the proposed language does not address who determines what is necessary or when it is necessary. We ask the Department to explain in the RAF and Preamble to the final-form regulation the reasonableness, feasibility and economic impacts of the requirements of this section.

**25. Section 6100.221. Development of the PSP.—Economic or fiscal impacts; Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

Commentators ask the Department to define the terms service implementation plan, supports coordinator and targeted supports coordinator. We agree and ask the Department to define the terms in the final regulation.

Subsection (d) requires the initial PSP to be developed prior to the individual receiving a reimbursed support. Commentators note that this subsection is not consistent with language in the corresponding Chapters 2380.182, 2390.152, 6400.182 and 6500.152. Why is the language inconsistent with provisions in the corresponding licensing chapters?

Subsection (e) requires the PSP to be revised when the individual's needs or support system changes and upon the request of an individual. Should a PSP also be revised annually, as well as at the request of the guardian or a team member?

Subsection (f) states that the initial PSP and PSP revisions must be based upon a current assessment. Commentators seek clarity from the Department as to what areas are required in the assessment and who is responsible for completing the assessment. We ask the Department to clarify the requirements of this subsection, and to address any economic or fiscal impacts on the regulated community.

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**26. Section 6100.222. The PSP process.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Implementation procedures.**

We ask the Department to clarify who is responsible for the PSP process, how providers will demonstrate compliance with Paragraph (b)(5), and which guidelines are being referenced in Paragraph (b)(9).

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**27. Section 6100.223. Content of the PSP.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Implementation procedures; Need.**

Paragraph (11) requires that the PSP must include "active pursuit of competitive, integrated employment as a first priority, before other activities or supports are considered." We ask the Department to explain how this provision supports the concept of a "person-centered" support plan.

Commentators ask that Paragraph (17) relating to “excluded, unnecessary or inappropriate supports” be deleted. If the Department keeps the provision in the final-form regulation, we ask the Department to explain the need for and reasonableness of the requirement.

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**28. Section 6100.226. Documentation of support delivery.—Clarity, feasibility and reasonableness; Implementation procedures.**

Subsection (c) requires the provider to document support delivery each time a support is delivered. Does the Department intend for documentation to occur in every instance of support? We ask the Department to clarify this requirement, including whether documentation of support delivery relates to the amount, frequency and duration, or to units. Also, how this would apply to group home living?

In Subsection (f), we ask the Department to clarify from what date the three-month review is determined.

**29. Section 6100.261. Access to the community.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Implementation procedures.**

In Subsection (b), the term “ongoing” is subjective. We ask the Department to define the term to set a measurable standard or delete it.

In Subsection (c), we ask the Department to clarify how providers will determine that an individual is being “afforded the same degree of community access and choice as an individual who is similarly in the community, who does not have a disability and who does not receive an HCBS.” What are the standards the regulated community is expected to meet?

**30. Section 6100.304. Written notice.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

Under Subsection (b), commentators suggest that language be inserted to: (1) allow transitions to occur sooner if agreed to by both parties; and (2) account for emergency situations where an individual’s immediate health and safety may be at risk or where the individual’s actions could be an immediate health and safety issue for other program participants. We ask the Department to revise the final-form regulation to address these concerns.

**31. Section 6100.342. PSP.—Clarity, feasibility and reasonableness; Implementation procedures.**

Under Paragraph (2), commentators ask the Department to define “functional analysis” and clarify who is responsible for completing the functional analysis. We ask the Department to clarify in the final regulation how these requirements are to be implemented.

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**32. Section 6100.343. Prohibition of restraints.—Protection of public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

Should the Department add an exclusion for doctor-prescribed mechanical restraints not addressed in Subparagraphs (5)(i) and (ii)?

**33. Section 6100.344. Permitted interventions.—Clarity, feasibility and reasonableness; Implementation procedures.**

Are the provisions in Subsections (c) and (g) redundant?

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**34. Section 6100.401. Types of incidents and timelines for reporting.—Economic or fiscal impacts; Protection of public health, safety and welfare; Clarity, feasibility and reasonableness; Need.**

Subsection (a) requires the provider to report certain alleged incidents and suspected incidents through the Department’s information management system within 24 hours of discovery by a staff person. Commentators express concern that this section, as proposed, significantly expands the number and type of investigations that would be required to be investigated and adds significant cost without data demonstrating the need to expand the types of incidents requiring investigation. We ask the Department to explain in response to RAF # 28 (relating to data) and the Preamble to the final regulation the reasonableness of and need for the expanded reporting list, and to address the economic or fiscal impacts of the additional requirements.

Additionally, commentators ask the Department to remove Paragraphs (13) and (16) from the list because these types of incidents are currently reported within 72 hours of discovery. What is the need to include these incidents for reporting under this provision if they are already being reported elsewhere?

Subsection (b) seems to require that an individual be notified of an incident relating to him or herself. Also, the Department’s expectation in requiring “immediate” notification is unclear. Within what length of time is notification considered immediate? We ask the Department to clarify this provision in the final regulation, and to ensure that notification requirements are reasonable and clear for the regulated community to comply.

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**35. Section 6100.402. Incident investigation.—Economic or fiscal impacts; Protection of the public, health, safety and welfare; Clarity, feasibility and reasonableness.**

Based on commentator concerns, we ask the Department in Subsection (a) to define “incident,” “alleged incident” and “suspected incident,” or to explain in the Preamble why definitions are not necessary.

Commentators state that Subsections (b) and (c) taken together seem to require that every incident must be investigated by a Department-certified incident investigator since it specifically refers to Section 6100.401(a) without exclusion. Is this the Department’s intent for this section?

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**36. Section 6100.405. Incident analysis.—Economic or fiscal impacts; Protection of the public, health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

Commentators ask if the provisions under Subsections (b) and (e) are already required under quarterly quality management requirements. Commentators ask the De-

partment to explain the reasonableness of a fourfold increase from the current requirement of the annual review. We ask the Department to clarify requirements under this section. We also ask the Department to explain the need for and reasonableness of any increased reporting requirements, and provide an assessment of the economic or fiscal impacts.

These comments apply to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**37. Section 6100.443. Access to the bedroom and the home.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

We ask the Department to clarify how requirements under this Section are to be implemented in the context of potential health and safety risks. For example, in Subsections (d) and (e), who are the “appropriate persons” and “authorized persons” who will have access to individuals’ bedrooms and homes? In Subsection (f), is it reasonable or practical to require express permission for each instance when accessing an individual’s bedroom? If express permission is not received, would staff be prohibited from providing the necessary care?

**38. Section 6100.444. Lease or ownership.—Protection of the public health, safety and welfare; Clarity and lack of ambiguity; Implementation procedures.**

Commentators question the use of the terms “landlords,” “tenants” and “leases” in this section. They assert that the rights conferred in Subsection (a) do not make providers “landlords” or individuals “tenants,” nor do they make their spaces “leased.” Commentators suggest that the Department develop a model or format that can be used to meet requirements and ensure protection of the individual, provider and other residents of a licensed facility. We ask the Department to ensure that the language of this section in the final-form regulation is clear for the regulated community and provides adequate protection of the public health, safety and welfare.

We also ask the Department to clarify whether the “lease” included in this section replaces the room and board agreement required in Section 6100.688 (relating to completing and signing the room and board residency agreement).

**39. Section 6100.445. Integration.—Clarity, feasibility and reasonableness; Implementation procedures.**

We ask the Department to explain how it and the regulated community are to measure whether an individual has the same degree of community access and choice as an individual who is similarly situated in the community who does not have a disability and who does not receive an HCBS.

**40. Section 6100.446. Facility characteristics relating to size of facility.—Economic or fiscal impacts; Protection of public health, safety and welfare; Clarity, feasibility and reasonableness; Need.**

The Department proposes to limit the number of persons served by facilities under Subsections (a), (b) and (c). Commentators state that program quality cannot and should not be defined by numbers of persons served. Commentators assert that limiting newly licensed day facilities will dramatically increase the cost per unit/per individual. Did the Department consider making a distinction between program licensing roster capacity and daily attendance capacity? We ask the Department to

explain the reasonableness of and need for limiting the number of persons served. We also ask the Department to address in the RAF and Preamble the economic impacts of these limitations on facilities.

**41. Section 6100.447. Facility characteristics relating to location of facility.—Economic or fiscal impacts; Protection of public health, safety and welfare; Clarity, feasibility and reasonableness; Need.**

Subsection (a) uses the phrase “in close proximity,” which is subjective. We ask the Department to define the phrase, clarify the distance to set a measurable standard or delete the phrase.

Under Subsection (b), commentators state that the Department’s proposed ten percent restriction virtually eliminates housing opportunities for Medicaid Waiver enrollees with non-physical disabilities to live in certain urban communities, and is a profoundly unfunded mandate. How did the Department determine that ten percent is the appropriate limit? We ask the Department to explain in the Preamble the reasonableness of and need for the location restriction. We also ask the Department to address in the RAF and Preamble the economic impacts of these limitations on facilities.

**42. Sections 6100.461—6100.470. “Medication Administration”—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness; Implementation procedures.**

Commentators submitted concerns related to the Medication Administration provisions in Sections 6100.461—6100.470. Some commentators express concerns about codifying this crucial component of service into regulations. What happens if the codified practices become obsolete as new information and technology emerge? The commentators assert that duplicating content as detail-specific as this proposed regulation across five chapters when Pennsylvania already has an externally-accepted training module invites discrepancy between the regulations and the training manual. For example, commentators state that the required checklist for medication self-administration in the Department’s Approved Medication Administration Training has discrepancies with the proposed regulation. We ask the Department to explain in the Preamble to the final-form regulation how the provisions relating to Medication Administration will account for new information, improved practices and emerging technology while ensuring protection of the public health, safety and welfare.

This comment applies to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**43. Section 6100.462. Medication administration.—Clarity and lack of ambiguity.**

In Paragraph (c)(5), what is a prescriber’s “00.163.163” order?

**44. Section 6100.465. Prescription medications.—Clarity, feasibility and reasonableness.**

Commentators ask the Department to revise Subsection (a) to allow for electronic prescriptions. We ask the Department to amend the language accordingly or explain the reasonableness of requiring the prescription to be in writing.

This comment applies to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**45. Section 6100.469. Medication administration training.—Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness.**

In Paragraph (c)(2), we ask the Department to define the term “certified health care professional,” or clarify to whom this term refers.

This comment applies to corresponding provisions in Chapters 2380, 2390, 6400 and 6500.

**46. Section 6100.481. Departmental rates and classifications.—Statutory authority; Conforms to the intention of the General Assembly; Economic or fiscal impacts; Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness.**

Under Section 6100.481(b) the Department states that it will establish a fee by publishing a notice in the *Pennsylvania Bulletin*. What is the Department’s authority for setting fees in this manner? Commentators assert that this provision, read in conjunction with Sections 6100.571(a), (c), (d) and (e), would enable the Department to establish rates apart from and without compliance with an approved rate-setting methodology that explains in reasonable detail the factors actually relied on in setting the rates, how the factors were actually developed and utilized in setting the rates, and the bases for any assumptions and presumptions relied upon in setting the rates. Commentators further note that under 42 U.S.C. § 1396a(a)(13)(A), the Department must provide public notice of the methodologies that underlie the rates that it proposes to adopt and the justifications used to establish the rates. Additionally, commentators cite to the decision in *Christ the King Manor, Inc. v. U.S. Dept. of Human Services*, 730 F.3d 291 (3d Cir. 2013).

It is unclear how or whether there is public input in the Department’s rate-setting process. How is the Department’s approach to setting rates consistent with the decision in the cited court case? How is Subsection (b) consistent with state and federal law? We ask the Department to address these concerns, and to explain in the RAF and Preamble to the final-form regulation how the federal waiver process works and whether a state rule-making is necessary to establish the rate-setting process.

These comments address similar concerns related to Section 6100.571 (relating to fee schedule rates) and apply broadly to the general payment and fee schedule provisions in Chapters 6100.481—6100.647.

**47. Section 6100.486. Bidding.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Need for the regulation.**

Under Subsection (a), the provider must obtain supplies or equipment using a competitive bidding process. If a provider is paid according to a fee schedule, why should the provider be compelled to obtain bids for services or supplies?

**48. Section 6100.571. Fee schedule rates.—Economic or fiscal impacts; Clarity, feasibility and reasonableness.**

In Subsection (c), the Department identifies several factors contained in this section that it will “consider” as part of its method for establishing fee schedule rates. The term “consider” is nonregulatory language which does not establish binding norms of general applicability and future effect. This provision should be revised to set clear standards of compliance and provide predictability for the regulation community.

Commentators ask the Department to delete Subsection (c)(7) related to geographic costs because services may be provided outside of the geographic region where the provider’s office is located. We ask the Department to explain the reasonableness of including this factor.

These comments apply to corresponding provisions in Section 6100.711 (relating to fee for the ineligible portion of residential habilitation).

**49. Section 6100.648. Donations.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Need for the regulation.**

In a single payer system which does not reimburse a provider’s full allowable cost, why does the Department seek to impose limitations on donations?

**50. Section 6100.650. Consultants.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Need for the regulation.**

Under Paragraph (b)(3), commentators ask why the written agreement with a consultant must include the method of payment, and under Subsection (c), why benefits are not an allowable cost. We ask the Department to explain in the Preamble to the final regulation the need for and reasonableness of these provisions. The Department should also address the economic or fiscal impacts of these provisions.

**51. Section 6100.652. Compensation.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Need for the regulation.**

Under Subsection (b), commentators ask the Department to explain why a bonus or severance payment that is part of a separation package is not an allowable cost. The Department should explain in the Preamble to the final-form regulation why these types of compensation are not an allowable cost. The Department should also address the economic or fiscal impacts of this restriction.

**52. Section 6100.661. Fixed assets.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Need for the regulation.**

Under Subsection (h), commentators state that this provision does not consider that there may be fixed assets that are ineligible, in support of homes and reimbursed as ineligible in the fee schedule, and other assets that are eligible in support of administration and reflected on the cost report. We ask the Department to explain in the Preamble to the final regulation the reasonableness of and need for this provision. The Department should also address the economic or fiscal impacts of this provision.

**53. Section 6100.663. Fixed assets of administrative buildings.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Implementation procedures; Need for the regulation.**

Under Subsection (c), commentators ask the Department to state the basis upon which an approval will be granted. How will a provider appeal disapproval of a request for a planned major renovation of an administration building? We ask the Department to clarify these provisions in the final regulation.

Under Subsection (f), some commentators ask the Department to define “funded equity” so that it does not apply to equity built or acquired through donations or fundraising. Other commentators ask for this provision to be deleted entirely. We ask the Department to clarify its intent and explain the reasonableness of the provision in the Preamble to the final regulation.

**54. Section 6100.681. Room and board applicability.—Clarity, feasibility and reasonableness.**

Commentators assert that this section should only apply to licensed group home settings and not to unlicensed settings or apartment settings. We ask the Department to explain the reasonableness of the provision in the Preamble to the final regulation.

**55. Section 6100.692. Hospitalization.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Need for the regulation.**

Several commentators recommend that this section be deleted. According to comments received from providers, if an individual is hospitalized for more than 30 consecutive days, they are placed in reserved capacity. Their belongings remain in the home, and the provider is not able to serve someone else in that room. For this reason, providers assert they should be able to continue to charge room/rent for that time period since the space is not able to be used. We ask the Department to explain in the Preamble to the final regulation the reasonableness of and need for this provision. The Department should also address the economic or fiscal impacts of this provision.

**56. Section 6100.694. Delay in an individual's income.—Clarity, feasibility and reasonableness.**

Under Paragraph (1), the phrase "small amount" is subjective. We ask the Department to define the phrase to set a measurable standard.

**57. Section 6100.743. Consideration as to type of sanction utilized.—Statutory authority; Protection of the public health, safety and welfare; Clarity, feasibility and reasonableness.**

Commentators state that the Department's assertion that it "may" consider "variables" in determining a remedy is unsupported in law. Commentators assert that the Department is duty-bound to act in accordance with facts and does not possess "full discretion" to take any action in an otherwise regulated environment. We ask the Department to explain in the Preamble to the final regulation its authority relating to types of sanctions.

**58. Section 6100.803. Support coordination, targeted support management and base-funded support coordination.—Economic or fiscal impacts; Clarity, feasibility and reasonableness; Implementation procedures.**

Under Subsection (e)(2), commentators ask the Department to explain why the responsibility for a supports coordinator is distinguished from the expectations of providers under Sections 6100.401—6100.403. They also ask for clarification of what the term "report" means in this section. Does it mean to file an incident with the current Department reporting system and all other appropriate state-mandated entities? We ask the Department to clarify requirements and implementation procedures for this subsection, and to explain in the Preamble to the final regulation the reasonableness of setting the responsibility of a supports coordinator apart from provider expectations.

Subsection (e)(3) requires that if an individual is authorized for residential habilitation, the support coordinator must review and document the continued need every 6 months. Some commentators remark that six months is too frequent. They also seek clarification from the Department on where and how the reporting will be done. We ask the Department to clarify this provision and explain in the Preamble to the final regulation the reasonableness of the provision.

**59. Section 6500.132. Medication administration.—Economic or fiscal impacts; Protection of the public health, safety and welfare; Need for the regulation.**

Commentators state that Chapter 6500 service providers are not currently required to complete the Department's Medication Training Module, which involves approximately six days. They state that this level of intensive training is feasible for Chapter 2380, 2390 and 6400 programs because their staff follows employer-controlled schedules and they have centralized access to administrative supports. We ask the Department to explain the need for and reasonableness of applying these standards to Chapter 6500 programs. The Department also should address any economic or fiscal impacts the requirements will impose.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 17-172. Filed for public inspection January 27, 2017, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Ivy Hill Rehab Center, LLC

Ivy Hill Rehab Center, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Ivy Hill Rehab Center in Wyndmoor, PA. The initial filing was received on January 11, 2017, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

TERESA D. MILLER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 17-173. Filed for public inspection January 27, 2017, 9:00 a.m.]

### Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Park Avenue Rehab Center, LLC

Park Avenue Rehab Center, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Park Avenue Rehab Center in Meadville, PA. The initial filing was received on January 17, 2017, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).



Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

TERESA D. MILLER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 17-174. Filed for public inspection January 27, 2017, 9:00 a.m.]

---

### **Metropolitan Life Insurance Company; Rate Increase Filing for LTC Form LTC2007 (META-130873773)**

Metropolitan Life Insurance Company is requesting approval to increase the premium an average of 43.65% on 188 policyholders with the following individual LTC policy form numbers: LTC2007-PA and LTC2007-ML-PA.

Unless formal administrative action is taken prior to April 12, 2017, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (select "Consumers," then "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 17-175. Filed for public inspection January 27, 2017, 9:00 a.m.]

---

### **Metropolitan Life Insurance Company; Rate Increase Filing for Several LTC Forms (META-130873730)**

Metropolitan Life Insurance Company is requesting approval to increase the premium an average of 35.56% on 320 policyholders with the following individual LTC policy form numbers: LTC2-IDEAL-PA, LTC2-FAC-PA, LTC2-VAL-PA, LTC2-PREM-PA, LTC2-IDEAL-ML-PA, LTC2-FAC-ML-PA, LTC2-VAL-ML-PA and LTC2-PREM-ML-PA.

Unless formal administrative action is taken prior to April 12, 2017, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (select "Consumers," then "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 17-176. Filed for public inspection January 27, 2017, 9:00 a.m.]

---

### **Review Procedure Hearings under the Unfair Insurance Practices Act**

The following insured has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Joseph DiCandia; File No. 16-115-204510; Donegal Mutual Insurance Company; Doc. No. P17-01-004; February 22, 2017, 9:30 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

TERESA D. MILLER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 17-177. Filed for public inspection January 27, 2017, 9:00 a.m.]

# PENNSYLVANIA PUBLIC UTILITY COMMISSION

## Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by February 13, 2017. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

### Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

**A-2016-2574394. Designated Driver, LLC** (108 Jacqueline Drive, Johnstown, PA 15904) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Cambria and Somerset, to points in Pennsylvania, and return.

**A-2016-2577655. Sedans & Vans On Demand, LLC** (371 Redrome Circle West, Bridgeville, Allegheny County, PA 15017) persons in limousine service, from points in the Counties of Allegheny, Beaver and Westmoreland, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

**A-2017-2583561. Silver Transportation, LLC** (321 Centre Avenue, Norristown, Montgomery County, PA 19403) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Berks, Bucks, Chester, Lancaster, Lehigh, Montgomery and Northampton, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* Debra L. Roscioli, Esquire, Reger Rizzo & Darnall, LLP, 700 East Gate Drive, Suite 101, Mount Laurel, NJ 08054.

**A-2017-2583966. AAA Ambulette, LLC** (915 Chestnut Street, Collegeville, Montgomery County, PA 19426) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Montgomery County, to points in Pennsylvania, and return; and persons in paratransit service, from points in the Counties of Bucks, Lehigh, Montgomery and Philadelphia, to points in Pennsylvania, and return.

**A-2017-2584502. Rio's Transportation and Business, LLC** (1339 North 10th Street, Reading, Berks County, PA 19604) for the right to begin to transport, as a common carrier, by motor vehicle, persons in call or demand service, between points in the City of Reading.

Application of the following for approval of the *beginning* of the exercise of the right and privilege of operating motor vehicles as *common carriers* for the transportation of *persons* by *transfer of rights* as described under the application.

**A-2017-2583040. Gold Star Transit, LLC** (1604 Neshaminy Valley Drive, Bensalem, Bucks County, PA 19020) in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return, which is to be a transfer of all rights authorized under the certificate issued at A-6415907 to Caring Van, LLC, subject to the same limitations and conditions.

Application of the following for approval of the *beginning* of the exercise of the right and privilege of operating motor vehicles as *common carriers* for the transportation of *household goods* as described under the application.

**A-2016-2582108 (Corrected). Moving Ahead Services, LLC** (35160 Topps Industrial Parkway, Suite 6, Willoughby, OH 44094) household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 17-178. Filed for public inspection January 27, 2017, 9:00 a.m.]

## Telecommunications

**A-2017-2583737. Verizon Pennsylvania, LLC and NEP TelCom, Inc.** Joint petition of Verizon Pennsylvania, LLC and NEP TelCom, Inc. for approval of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and NEP TelCom, Inc., by their counsel, filed on January 10, 2017, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and NEP TelCom, Inc., joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 17-179. Filed for public inspection January 27, 2017, 9:00 a.m.]

### Telecommunications

**A-2017-2583613. Verizon North, LLC and NEP TelCom, Inc.** Joint petition of Verizon North, LLC and NEP TelCom, Inc. for approval of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon North, LLC and NEP TelCom, Inc., by their counsel, filed on January 10, 2017, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Copies of the Verizon North, LLC and NEP TelCom, Inc., joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 17-180. Filed for public inspection January 27, 2017, 9:00 a.m.]

## STATE BOARD OF NURSING

**Bureau of Professional and Occupational Affairs v. Jennifer Paige Kline, RN; File No. 13-51-07256; Doc. No. 0889-51-2014**

On October 31, 2016, Jennifer Paige Kline, RN, Pennsylvania license No. RN512119L, last known of San Jose, CA, was indefinitely suspended and assessed a \$500 civil penalty based on disciplinary action taken by another state and failing to report same to the State Board of Nursing (Board).

Individuals may obtain a copy of the adjudication by writing to Bridget K. Guilfoyle, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,  
*Chairperson*

[Pa.B. Doc. No. 17-181. Filed for public inspection January 27, 2017, 9:00 a.m.]

**Bureau of Professional and Occupational Affairs v. Mary Lou Skundrich, RN; File No. 13-51-07179; Doc. No. 1913-51-14**

On December 13, 2016, Mary Lou Skundrich, RN, Pennsylvania license No. RN243128L, last known of McKinleyville, CA, had her registered nurse license indefinitely suspended until at least her New Mexico license to practice professional nursing is reinstated to unrestricted status and assessed a civil penalty of \$500 based on having been disciplined by the proper licensing authority of another state and failing to report the disciplinary action to the State Board of Nursing (Board).

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,  
*Chairperson*

[Pa.B. Doc. No. 17-182. Filed for public inspection January 27, 2017, 9:00 a.m.]

**Bureau of Professional and Occupational Affairs v. Kimberlee A. Smida, RN; File No. 13-51-12739; Doc. No. 0420-51-15**

On December 28, 2016, Kimberlee A. Smida, RN, Pennsylvania license No. RN291291L, last known of New Castle, DE, had her registered nurse license indefinitely suspended until at least the respondent proves that she is fit to practice professional nursing in this Commonwealth with reasonable skill and safety and assessed a civil penalty of \$1,000 based on having been disciplined by the proper licensing authority of another state and failing to report the disciplinary action to the State Board of Nursing (Board).

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,  
*Chairperson*

[Pa.B. Doc. No. 17-183. Filed for public inspection January 27, 2017, 9:00 a.m.]

# SUSQUEHANNA RIVER BASIN COMMISSION

## Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) approved by rule the following list of projects from December 1, 2016, through December 30, 2016.

For further information contact Jason E. Oyler, General Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

### *Supplementary Information*

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified:

### *Approvals by Rule Issued Under 18 CFR 806.22(f)*

1. Chesapeake Appalachia, LLC, Pad ID: WGC, ABR-201205014.R1, Albany Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: December 2, 2016.

2. Chesapeake Appalachia, LLC, Pad ID: Iceman, ABR-201205016.R1, Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: December 2, 2016.

3. SWEPI, LP, Pad ID: Cotton Hanlon 595, ABR-201612001, Sullivan Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: December 2, 2016.

4. Anadarko E&P Onshore, LLC, Pad ID: COP Tract 356 Pad E, ABR-201112029.R1, Cummings Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: December 5, 2016.

5. Anadarko E&P Onshore, LLC, Pad ID: Larrys Creek F&G Pad E, ABR-201112030.R1, Cummings Township,

Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: December 5, 2016.

6. SWN Production Company, LLC, Pad ID: TONYA WEST, ABR-201201026.R1, New Milford Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: December 5, 2016.

7. SWN Production Company, LLC, Pad ID: WATTS, ABR-201202028.R1, New Milford Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: December 6, 2016.

8. Cabot Oil & Gas Corporation, Pad ID: KielarD P1, ABR-201112002.R1, Lathrop Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: December 12, 2016.

9. Cabot Oil & Gas Corporation, Pad ID: CareyR P1, ABR-201112023.R1, Harford Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: December 12, 2016.

10. Chesapeake Appalachia, LLC, Pad ID: Maris, ABR-201205010.R1, Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: December 12, 2016.

11. Carrizo (Marcellus), LLC, Pad ID: Trecoske North Pad, ABR-201201023.R1, Silver Lake Township, Susquehanna County, PA; Consumptive Use of Up to 2.1000 mgd; Approval Date: December 16, 2016.

12. Carrizo (Marcellus), LLC, Pad ID: Trecoske South Pad, ABR-201201024.R1, Silver Lake Township, Susquehanna County, PA; Consumptive Use of Up to 2.1000 mgd; Approval Date: December 16, 2016.

13. Talisman Energy USA, Inc., Pad ID: Hemlock Valley, ABR-201201035.R1, Pike Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: December 16, 2016.

*Authority:* Pub.L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

*Dated:* January 13, 2017

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 17-184. Filed for public inspection January 27, 2017, 9:00 a.m.]



